APPENDIX F

RI ANALYTICAL DATA

KEY TO ABBREVIATIONS

SITE TYPES USED

AHOL	Auger hole
CREK	Creek
DRUM	Drum
DTCH	Ditch
EXCV	Excavation pit sample
SURF	Surfaces in general

SITE ID (First Three Characters)

ARP	AED Test Range - Test Pit
ARS	AED Test Range - Surface Soil
BEB	Box Elder Wash Drum Site - Subsurface Soil
BER	Box Elder Wash Drum Site - Drum
BES	Box Elder Wash Drum Site - Surface Soil
BKB	Background - Subsurface Soil
BKS	Background - Surface Soil
BRD	Bomb and Shell Reconditioning Building - Sediment
BRS	Bomb and Shell Reconditioning Building - Surface Soil
BRW	Bomb and Shell Reconditioning Building - Surface Water
BWS	Building 1303 Washout Pond - Surface Soil
CRS	Chemical Range - Surface Soil
CRT	Chemical Range Trench
OBP	Old Burn Area - Test Pit
OBS	Old Burn Area - Surface Soil
OSS	Old Burn Staging Area - Surface Soil
PPS	Pole Transformer PCB Spill - Surface Soil
PPT	Pole Transformer PCB Spill - Subsurface Soil
SAS	Small Arms Firing Range - Surface Soil
WSB	Wastewater Spreading Area - Subsurface Soil
WSS	Wastewater Spreading Area - Surface Soil

METHOD CODES

LM16	Volatiles in Soil and Sediment (Gas Chromatography/Mass Spectroscopy)
UM33	Volatiles in Water (GC/MS)
LM15	Semi-Volatiles in Soil (GC/MS)
UM16	Semi-Volatiles in Water (GC/MS)
SS16/JS15	Metals in Water and Soil (Inductively Coupled Plasma Spectroscopy)

METHOD CODES (continued)

SD24/JD13	Metals in Water and Soil (Graphite Furnace Atomic Adsorption Spectroscopy)
SB03/JB03	Mercury in Water and Soil (Cold Vapor Atomic Adsorption Spectroscopy)
TY12/KY07	Cyanide in Water and Soil (Cold Vapor Atomic Adsorption Spectroscopy)
UH16/LH13	Chlorinated Pesticides and PCBs in Water and Soil (Gas Chromatography/ Electron Capture Detection)
UW26/LW26	Explosives in water and soil (High Performance Liquid Chromatograph w/UV)
TT08/KT04	Anions in Water and Soil (Ion Chromatography)

CHEMICAL PARAMETER ABBREVIATIONS

11DCE	1,1-Dichloroethene
11DCLE	1,1-Dichloroethane
111TCE	1,1,1-Trichloroethane
112TCE	1,1,2-Trichloroethane
12DCE	1,2-Dichloroethene
12DCD4	1,2-Dichloroethane-D4
12DCLB	1,2-Dichlorobenzene
12DCLE	1,2-Dichloroethane
12DCLP	1,2-Dichloropropane
12DMB	1,2-Dimethylbenzene
12DPH	1,2-Diphenylhydrazine
123TCB	1,2,3-Trichlorobenzene
124TCB	1,2,4-Trichlorobenzene
13DBD4	1,3-Dichlorobenzene-D4
13DCLB	1,3-Dichlorobenzene
13DCP	1,3-Dichloropropane
13DMB	1,3-Dimethylbenzene
13DNB	1,3-Dinitrobenzene
135TNB	1,3,5- Trinitrobenzene
14DCLB	1,4-Dichlorobenzene
2A46DT	2-Amino-4,6-dinitrotoluene
2CLEVE	2-Chloroethylvinyl ether
2CNAP	2-Chloronapthalene
2CLP	2-Chlorophenol
2MNAP	2-Methylnaphthalene
2MP	2-Methylphenol
2NANIL	2-Nitroaniline
2NP	2-Nitrophenol
2NT	2-Nitrotoluene
24DCLP	2,4-Dichlorophenol
24DMPN	2,4-Dimethylphenol

CHEMICAL PARAMETER ABBREVIATIONS (continued)

24DNP	2,4-Dinitrophenol
24DNT	2,4-Dinitrotoluene
245TCP	2,4,5-Trichlorophenol
246TCP	2,4,6-Trichlorophenol
246TNT	2,4,6-Trinitrotoluene
26DNT	2,6-Dinitrotoluene
3NANIL	3-Nitroaniline
3NT	3-Nitrotoluene
33DCBD	3,3-Dichlorobenzidine
35DNA	3,5-Dinitroaniline
46DN2C	4,6-Dinitro-2-cresol
4BRPPE	4-Bromophenylphenyl ether
4CANIL	4-Chloroaniline
4CL3C	3-Methyl-4-chlorophenol/4-Chloro-m-cresol/4-Chloro-3-cresol/4-Chloro-3-methyphenol
4CLPPE	4-Chlorophenylphenyl ether
4MP	4-Methylphenol
4NANIL	4-Nitroaniline
4NP	4-Nitrophenol
ABHC	alpha-Benzenehexachloride
ACET	Acetone
ACLDAN	Alpha-chlorodane
ACROLN	Acrolein
AENSLF	alpha-Endosulfan
AG	Silver
ALDRN	Aldrin
ANAPNE	Acenaphthene
ANAPYL	Acenaphthylene
ANTRC	Anthracene
AS	Arsenic
B2CEXM	Bis(2-chloroethoxy)methane
B2CIPE	Bis(2-chloroisopropyl)ether
B2CLEE	Bis(2-chloroethyl)ether
B2EHP	Bis(2-ethylhexyl)phthalate
BA	Barium
BAANTR	Benzo[A]anthracene
BAPYR	Benzo[A]pyrene
BBFANT	Benzo[B]fluoranthene
BBHC	beta-Hexachlorocyclohexane
BBZP	Butylbenzyl phthalate
BE	Beryllium
BENSLF	beta-Endosulfan

CHEMICAL PARAMETER ABBREVIATIONS (continued)

BENZID	Benzidine
BENZOA	Benzoic Acid
BGHIPY	Benzo[G,H,I]perylene
BKFANT	Benzo[K]fluoranthene
BR	bromine
BRDCLM	Bromochloromethane
BZALC	Benzyl alcohol
C12DCE	cis-1,2-Dichloroethylene/cis-1,2-Dichloroethene
C13DCP	cis-1,3,Dichloropropene
C2AVE	Acetic acid, vinyl ester/vinyl acetate
C2H3CL	Chloroethene
C2H5CL	Chloroethane
C6H6	Benzene
CCL3F	Trichlorofluoromethane
CCL4	Carbon tetrachloride
CD	Cadmium
CD2CL2	Methylene Cloride-D2
CH2CL2	Methylene Chloride
CH3BR	Bromomethane
CH3CL	Chloromethane
CHBR3	Bromoform
CHCL3	Chloroform
CHRY	Chrysene
CL	Chloride
CL2BZ	Dichlorobenzenes
CL4XYL	2,4,5,6-Tetrachlorometaxylene/Tetrachlorometaxylene
CL6BZ	Hexachlorobenzene
CL6CP	Hexachlorocyclopentadiene
CL6ET	Hexachloroethane
CL10BP	Decachlorobiphenyl
CLC6H5	Chlorobenzene
CLDAN	Chlordane
CPMS	p-chlorophenylmethyl sulfide
CPMSO	p-chlorophenylmethyl sulfoxide
CPMSO2	p-chlorophenylmethyl sulfone
CR	Chromium
CS2	Carbon disulfide
CU	Copper
CYN	Cyanide
DBAHA	Dibenz[A,H]anthracene
DBHC	delta-Hexachlorocyclohexane
DBRCLM	Dibromochloromethane

CHEMICAL PARAMETER ABBREVIATIONS (continued)

DBUCLE	Dibutylchlorendate
DBZFUR	Dibenzofuran
DEP	Diethyl phthalate
DEPD4	Diethyl phthalate-D4
DITH	Dithiane
DLDRN	Dieldrin
DMP	Dimethyl phthalate
DNBP	Di-N-butyl phthalate
DNOP	Di-N-octyl phthalate
DNOPD4	Di-N-octyl phthalate-D4
ENDRN	Endrin
ENDRNA	Endrin aldehyde
ENDRNK	Endrin ketone
ESFSO4	Endosulfan sulfate
ETBD10	Ethylbenzene-D10
ETC6H5	Ethylbenzene
F	Fluoride
FANT	Fluoranthene
FE	Iron
FLRENE	Fluorene
GCLDAN	gamma-Chlordane
HCBD	Hexachloro-1,3-butadiene
HG	Mercury
HMX	Cyclotetramethylenetetranitramine
HPCL	Heptachlor
HPCLE	Heptachlor epoxide
ICDPYR	Indeno[1,2,3-C,D]pyrene
ISODR	Isodrin
ISOPHR	Isophorone
ITCDD	2,3,7,8-Tetrachlorodibenzodioxin, C13 isometric
ITCDF	2,3,7,8-Tetrachlorodibenzofuran, C13 isometric
LIN	Lindane
MEC6D8	Toluene-D8
MEC6H5	Toluene
MEK	Methyl ethyl ketone
MEXCLR	Methoxychlor
MIBK	Methylisobutyl ketone
MLTHN	Malathion
MNBK	Methyl-N-butyl ketone/ 2-Hexanone
NA	Sodium
NAP	Naphthalene
NB	Nitrobenzene

CHEMICAL PARAMETER ABBREVIATIONS (continued)

NBD5	Nitrobenzene-D5
NG	Nitroglycerine
NDNPA	Nitrosodi-N-propylamine
NI	Nickel
NIT	Nitrite/Nitrate-nonspecific
NO2	Nitrite
NO3	Nitrate
NNDMEA	N-Nitrosodiethylamine
NNDPA	N-Nitrosodiphenylamine
OCDD	Octachlorodibenzodioxin-nonspecific
OCDF	Octachlorodibenzofuran-nonspecific
OILGR	Oil & grease
OXAT	1,4-Oxathiane
PB	Lead
PCB016	Polychlorinated biphenyl-arochlor 1016
PCB221	Polychlorinated biphenyl-arochlor 1221
PCB232	Polychlorinated biphenyl-arochlor 1232
PCB242	Polychlorinated biphenyl-arochlor 1242
PCB248	Polychlorinated biphenyl-arochlor 1248
PCB254	Polychlorinated biphenyl-arochlor 1254
PCB260	Polychlorinated biphenyl-arochlor 1260
PCB262	Polychlorinated biphenyl-arochlor 1262
PCP	Pentachlorophenol
PETN	Pentaerythritol tetranitrate
PHANTR	Phenanthrene
PHENOL	Phenol
PHEND6	Phenol-D6
PO4	Phosphate
PPDDD	2,2-Bis(p-chlorophenyl)-1,1-dichloroethane
PPDDE	2,2-Bis(p-chlorophenyl)-1,1-dichloroethene
PPDDT	2,2-BIS(p-chlorophenyl)-1,1,1-trichloroethane
PRTHN	Parathion
PYR	Pyrene
RDX	Cyclonite
SB	Antimony
SE	Selenium
SO4	Sulfate
STYR	Styrene
T12DCE	trans-1,2-Dichloroethene
T13DCP	trans-1,3-Dichloropropene
TCDD	2,3,7,8-Tetrachlorodibenzo-p-dioxin/Dioxin
TCDF	2,3,7,8-Tetrachlorodibenzofuran

CHEMICAL PARAMETER ABBREVIATIONS (continued)

TCLEA	1,1,2,2-Tetrachloroethane
TCLEE	Tetrachloroethylene
TETRYL	Nitramine
THCDD	Total hexachlorobibenzo-p-dioxins
THCDF	Total hexachlorodibenzofurans
THPCDD	Total heptachlorodibenzo-p-dioxins
THPCDF	Total heptachlorodibenzofurans
TL	Thallium
TPCDD	Total pentachlorodibenzo-p-dioxins
TPCDF	Total pentachlorodibenzofurans
TRCLE	Trichloroethylene
TRIMBZ	Trimethylbenzenes
TTCDD	Total tetrachlorodibenzo-p-dioxins
TTCDF	Total tetrachlorodibenzofurans
TXPHEN	Toxaphene
XYLEN	Xylenes
ZN	Zinc

Analytical Data for POLE TRANSFORMER PCB SPILL (Site 5)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
PPS-92-01	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000157	µg/g	0.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC		0.000006	µg/g	0.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	0.00
	05-JUN-1992	PCB260	PCB 1260		0.117000	µg/g	0.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	0.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN		0.000001	µg/g	0.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS		0.000004	µg/g	0.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000019	µg/g	0.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000032	µg/g	0.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS		0.000007	µg/g	0.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	ND	0.000001	µg/g	0.00
	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS		0.000028	µg/g	0.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	0.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS		0.000011	µg/g	0.00
PPS-92-02	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000062	µg/g	0.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC		0.000002	µg/g	0.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	0.00
	05-JUN-1992	PCB260	PCB 1260		0.098500	µg/g	0.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	0.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	ND	0.000000	µg/g	0.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	0.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000005	µg/g	0.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000006	µg/g	0.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS		0.000002	µg/g	0.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	ND	0.000001	µg/g	0.00
	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS		0.000006	µg/g	0.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	0.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS		0.000001	µg/g	0.00
PPS-92-03	05-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.005050	µg/g	0.00
	05-JUN-1992	ACLDAN	ALPHA-CHLORDANE	LT	0.001840	µg/g	0.00
	05-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	LT	0.008000	µg/g	0.00
	05-JUN-1992	ALDRN	ALDRIN	LT	0.008070	µg/g	0.00
	05-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.008000	µg/g	0.00
	05-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	LT	0.016000	µg/g	0.00
	05-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.004900	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ DELTA-HEXACHLOROCYCLOHEXANE				
PPS-92-03	05-JUN-1992	DLDRN	DIELDRIN	LT	0.005190	µg/g	0.00
	05-JUN-1992	ENDRNA	ENDRIN ALDEHYDE	LT	0.016000	µg/g	0.00
	05-JUN-1992	ENDRNK	ENDRIN KETONE	LT	0.016000	µg/g	0.00
	05-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	LT	0.016000	µg/g	0.00
	05-JUN-1992	GCLDAN	GAMMA-CHLORDANE	LT	0.003800	µg/g	0.00
	05-JUN-1992	HPCL	HEPTACHLOR	LT	0.001150	µg/g	0.00
	05-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.003550	µg/g	0.00
	05-JUN-1992	ISODR	ISODRIN	LT	0.007930	µg/g	0.00
	05-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.004650	µg/g	0.00
	05-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	LT	0.080000	µg/g	0.00
	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000069	µg/g	0.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC		0.000004	µg/g	0.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	0.00
	05-JUN-1992	PCB260	PCB 1260	LT	0.053800	µg/g	0.00
	05-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.010100	µg/g	0.00
	05-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.003990	µg/g	0.00
	05-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE		0.156000	µg/g	0.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN		0.000015	µg/g	0.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN		0.000000	µg/g	0.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	0.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000001	µg/g	0.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000010	µg/g	0.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS		0.000003	µg/g	0.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	0.00
	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	ND	0.000000	µg/g	0.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS		0.000016	µg/g	0.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS		0.000000	µg/g	0.00
	05-JUN-1992	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	LT	0.160000	µg/g	0.00
PPS-92-04	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000299	µg/g	0.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC		0.000009	µg/g	0.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	0.00
	05-JUN-1992	PCB260	PCB 1260		0.051700	µg/g	0.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	0.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN		0.000001	µg/g	0.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS		0.000011	µg/g	0.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000011	µg/g	0.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000072	µg/g	0.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS		0.000013	µg/g	0.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOX	ND	0.000003	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			INS				
PPS-92-04	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS		0.000020	µg/g	0.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	0.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS		0.000004	µg/g	0.00
PPT-92-01	05-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.005050	µg/g	3.00
	05-JUN-1992	ACLDAN	ALPHA-CHLORDANE	LT	0.001840	µg/g	3.00
	05-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	LT	0.008000	µg/g	3.00
	05-JUN-1992	ALDRN	ALDRIN	LT	0.008070	µg/g	3.00
	05-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.008000	µg/g	3.00
	05-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	LT	0.016000	µg/g	3.00
	05-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.004900	µg/g	3.00
	05-JUN-1992	DLDRN	DIELDRIN	LT	0.005190	µg/g	3.00
	05-JUN-1992	ENDRNA	ENDRIN ALDEHYDE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ENDRNK	ENDRIN KETONE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	LT	0.016000	µg/g	3.00
	05-JUN-1992	GCLDAN	GAMMA-CHLORDANE	LT	0.003800	µg/g	3.00
	05-JUN-1992	HPCL	HEPTACHLOR	LT	0.001150	µg/g	3.00
	05-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.003550	µg/g	3.00
	05-JUN-1992	ISODR	ISODRIN	LT	0.007930	µg/g	3.00
	05-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.004650	µg/g	3.00
	05-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	LT	0.080000	µg/g	3.00
	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000042	µg/g	3.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	ND	0.000000	µg/g	3.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	3.00
	05-JUN-1992	PCB260	PCB 1260	LT	0.053800	µg/g	3.00
	05-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.010100	µg/g	3.00
	05-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.003990	µg/g	3.00
	05-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE		0.070400	µg/g	3.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	3.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	ND	0.000000	µg/g	3.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS		0.000000	µg/g	3.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000000	µg/g	3.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000004	µg/g	3.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS		0.000000	µg/g	3.00
	05-JUN-1992	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	LT	0.160000	µg/g	3.00

Analytical Data for POLE TRANSFORMER PCB SPILL (Site 5)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
PPT-92-02	05-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.005050	µg/g	3.00
	05-JUN-1992	ACLDAN	ALPHA-CHLORDANE	LT	0.001840	µg/g	3.00
	05-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	LT	0.008000	µg/g	3.00
	05-JUN-1992	ALDRN	ALDRIN	LT	0.008070	µg/g	3.00
	05-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.008000	µg/g	3.00
	05-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	LT	0.016000	µg/g	3.00
	05-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.004900	µg/g	3.00
	05-JUN-1992	DLDRN	DIELDRIN	LT	0.005190	µg/g	3.00
	05-JUN-1992	ENDRN	ENDRIN	LT	0.007540	µg/g	3.00
	05-JUN-1992	ENDRNA	ENDRIN ALDEHYDE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ENDRNK	ENDRIN KETONE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	LT	0.016000	µg/g	3.00
	05-JUN-1992	GCLDAN	GAMMA-CHLORDANE	LT	0.003800	µg/g	3.00
	05-JUN-1992	HPCL	HEPTACHLOR	LT	0.001150	µg/g	3.00
	05-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.003550	µg/g	3.00
	05-JUN-1992	ISODR	ISODRIN	LT	0.007930	µg/g	3.00
	05-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.004650	µg/g	3.00
	05-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	LT	0.080000	µg/g	3.00
	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000039	µg/g	3.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	ND	0.000001	µg/g	3.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	3.00
	05-JUN-1992	PCB260	PCB 1260	LT	0.053800	µg/g	3.00
	05-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.010100	µg/g	3.00
	05-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.003990	µg/g	3.00
	05-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE		0.171000	µg/g	3.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	3.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	ND	0.000000	µg/g	3.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000000	µg/g	3.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000005	µg/g	3.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	LT	0.160000	µg/g	3.00
PPT-92-03	05-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.005050	µg/g	3.00
	05-JUN-1992	ACLDAN	ALPHA-CHLORDANE	LT	0.001840	µg/g	3.00
	05-JUN-1992	AENSLF	ALPHA-ENDOSULFAN /	LT	0.008000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ENDOSULFAN I				
PPT-92-03	05-JUN-1992	ALDRN	ALDRIN	LT	0.008070	µg/g	3.00
	05-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.008000	µg/g	3.00
	05-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	LT	0.016000	µg/g	3.00
	05-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.004900	µg/g	3.00
	05-JUN-1992	DLDRN	DIELDRIN	LT	0.005190	µg/g	3.00
	05-JUN-1992	ENDRN	ENDRIN	LT	0.007540	µg/g	3.00
	05-JUN-1992	ENDRNA	ENDRIN ALDEHYDE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ENDRNK	ENDRIN KETONE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	LT	0.016000	µg/g	3.00
	05-JUN-1992	GCLDAN	GAMMA-CHLORDANE	LT	0.003800	µg/g	3.00
	05-JUN-1992	HPCL	HEPTACHLOR	LT	0.001150	µg/g	3.00
	05-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.003550	µg/g	3.00
	05-JUN-1992	ISODR	ISODRIN	LT	0.007930	µg/g	3.00
	05-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.004650	µg/g	3.00
	05-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	LT	0.080000	µg/g	3.00
	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000040	µg/g	3.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	ND	0.000000	µg/g	3.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	3.00
	05-JUN-1992	PCB260	PCB 1260	LT	0.053800	µg/g	3.00
	05-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.010100	µg/g	3.00
	05-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.003990	µg/g	3.00
	05-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE		0.291000	µg/g	3.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	3.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN		0.000000	µg/g	3.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000004	µg/g	3.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS		0.000000	µg/g	3.00
	05-JUN-1992	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	LT	0.160000	µg/g	3.00
PPT-92-04	05-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.005050	µg/g	3.00
	05-JUN-1992	ACLDAN	ALPHA-CHLORDANE	LT	0.001840	µg/g	3.00
	05-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	LT	0.008000	µg/g	3.00
	05-JUN-1992	ALDRN	ALDRIN	LT	0.008070	µg/g	3.00
	05-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.008000	µg/g	3.00
	05-JUN-1992	BENSLF	BETA-ENDOSULFAN /	LT	0.016000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ENDOSULFAN II				
PPT-92-04	05-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.004900	µg/g	3.00
	05-JUN-1992	DLDRN	DIELDRIN	LT	0.005190	µg/g	3.00
	05-JUN-1992	ENDRN	ENDRIN	LT	0.007540	µg/g	3.00
	05-JUN-1992	ENDRNA	ENDRIN ALDEHYDE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ENDRNK	ENDRIN KETONE	LT	0.016000	µg/g	3.00
	05-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	LT	0.016000	µg/g	3.00
	05-JUN-1992	GCLDAN	GAMMA-CHLORDANE	LT	0.003800	µg/g	3.00
	05-JUN-1992	HPCL	HEPTACHLOR	LT	0.001150	µg/g	3.00
	05-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.003550	µg/g	3.00
	05-JUN-1992	ISODR	ISODRIN	LT	0.007930	µg/g	3.00
	05-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.004650	µg/g	3.00
	05-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	LT	0.080000	µg/g	3.00
	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000060	µg/g	3.00
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC		0.000010	µg/g	3.00
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	3.00
	05-JUN-1992	PCB260	PCB 1260	LT	0.053800	µg/g	3.00
	05-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.010100	µg/g	3.00
	05-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.003990	µg/g	3.00
	05-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE		0.109000	µg/g	3.00
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	3.00
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN		0.000000	µg/g	3.00
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000000	µg/g	3.00
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000004	µg/g	3.00
	05-JUN-1992	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	ND	0.000003	µg/g	3.00
	05-JUN-1992	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	ND	0.000000	µg/g	3.00
	05-JUN-1992	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS		0.000000	µg/g	3.00
	05-JUN-1992	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	LT	0.160000	µg/g	3.00
PPT-92-05	05-JUN-1992	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC		0.000115	µg/g	2.50
	05-JUN-1992	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC		0.000004	µg/g	2.50
	05-JUN-1992	PCB016	PCB 1016	LT	0.070400	µg/g	2.50
	05-JUN-1992	PCB260	PCB 1260		0.331000	µg/g	2.50
	05-JUN-1992	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	ND	0.000000	µg/g	2.50
	05-JUN-1992	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN		0.000002	µg/g	2.50
	05-JUN-1992	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS		0.000003	µg/g	2.50
	05-JUN-1992	THCDF	*TOTAL HEXACHLORODIBENZOFURANS		0.000024	µg/g	2.50
	05-JUN-1992	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS		0.000025	µg/g	2.50
	05-JUN-1992	THPCDF	*TOTAL		0.000008	µg/g	2.50

Analytical Data for POLE TRANSFORMER PCB SPILL (Site 5)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
PPT-92-05	05-JUN-1992	TPCDD	HEPTACHLORODIBENZOFURANS *TOTAL	ND	0.000000	µg/g	2.50
	05-JUN-1992	TPCDF	PENTACHLORODIBENZO-P-DIOXINS *TOTAL		0.000028	µg/g	2.50
	05-JUN-1992	TTCDD	PENTACHLORODIBENZOFURANS *TOTAL	ND	0.000000	µg/g	2.50
	05-JUN-1992	TTCDF	TETRACHLORODIBENZO-P-DIOXINS *TOTAL		0.000014	µg/g	2.50
			TETRACHLORODIBENZOFURANS				

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-101	18-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	1.00
	18-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	1.00
	18-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	1.00
	18-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	1.00
	17-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	17-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	18-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	1.00
	17-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	18-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	1.00
	18-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	1.00
	18-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	1.00
	18-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	1.00
	17-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	5.00
	17-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	18-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	1.00
	18-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	1.00
	18-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	1.00
	17-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.00
	17-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.00
	18-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	1.00
	17-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.00
	17-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	5.00
	17-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.00
	18-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	1.00
	17-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.00
	17-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.00
	17-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.00
	17-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.00
	17-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.00
	17-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	17-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.00
	17-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	17-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.00
	17-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	5.00
	18-JUN-1992	ACET	ACETONE		0.011000	µg/g	1.00
	17-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	5.00
	17-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	5.00
	17-JUN-1992	AG	SILVER		0.156000	µg/g	5.00
	17-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.00
	17-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.00
	17-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.00
	17-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.00
	17-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.00
	17-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.00
	17-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.00
	17-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	5.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-101	17-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.00
	17-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.00
	17-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.00
	17-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	5.00
	17-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	5.00
	17-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.00
	17-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.00
	17-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.00
	17-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	18-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	1.00
	17-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	1.00
	18-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	1.00
	18-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	1.00
	18-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	1.00
	18-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	1.00
	18-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	1.00
	18-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	1.00
	18-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.005900	µg/g	1.00
	18-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	1.00
	18-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	1.00
	18-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	1.00
	18-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	1.00
	17-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.00
	17-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	5.00
	17-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.00
	17-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.00
	18-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	1.00
	17-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.00
	17-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.00
	17-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.00
	18-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	1.00
	17-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.00
	17-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.00
	17-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	5.00
	18-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	1.00
	17-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.00
	17-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.00
	17-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.00
	17-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.00
	17-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.00
	17-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	5.00
	17-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	5.00
	18-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	1.00
	17-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	5.00
	17-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.00
	17-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.00
	17-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.00
	17-JUN-1992	HG	MERCURY		0.443000	µg/g	5.00
	17-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	5.00
	17-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.00
	17-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-101	17-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.00
	17-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.00
	17-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.00
	18-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	1.00
	18-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	1.00
	17-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	5.00
	18-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	1.00
	17-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.00
	18-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	1.00
	17-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.00
	17-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.00
	17-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	17-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	5.00
	17-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.00
	17-JUN-1992	PB	LEAD		580.000000	µg/g	5.00
	17-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.00
	17-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	PO4	PHOSPHATE		6.480000	µg/g	5.00
	17-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.00
	17-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	5.00
	17-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	5.00
	17-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.00
	17-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.00
	17-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.00
	17-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	5.00
	18-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	1.00
	18-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	1.00
	18-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	1.00
	18-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	1.00
	17-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	5.00
	18-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	1.00
	17-JUN-1992	UNK636			0.520000	µg/g	5.00
	17-JUN-1992	UNK646			1.600000	µg/g	5.00
	17-JUN-1992	UNK660			1.800000	µg/g	5.00
	17-JUN-1992	UNK680			1.000000	µg/g	5.00
OBP-92-102	17-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	17-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	17-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	17-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	5.00
	17-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	17-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.00
	17-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.00
	17-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.00
	17-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	5.00
	17-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-102	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.00
	17-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.00
	17-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.00
	17-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.00
	17-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.00
	17-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.00
	17-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	17-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.00
	17-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	17-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.00
	17-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	5.00
	17-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	5.00
	17-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	5.00
	17-JUN-1992	AG	SILVER		0.034500	µg/g	5.00
	17-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.00
	17-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.00
	17-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.00
	17-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.00
	17-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.00
	17-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.00
	17-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.00
	17-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	5.00
	17-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.00
	17-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.00
	17-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.00
	17-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	5.00
	17-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	5.00
	17-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.00
	17-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.00
	17-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.00
	17-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	17-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.00
	17-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.00
	17-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	5.00
	17-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.00
	17-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.00
	17-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.00
	17-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.00
	17-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.00
	17-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.00
	17-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.00
	17-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	5.00
	17-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.00
	17-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-102	17-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.00
	17-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.00
	17-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.00
	17-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.00
	17-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	5.00
	17-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	5.00
	17-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	5.00
	17-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.00
	17-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.00
	17-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.00
	17-JUN-1992	HG	MERCURY		0.054300	µg/g	5.00
	17-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	5.00
	17-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.00
	17-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.00
	17-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.00
	17-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.00
	17-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.00
	17-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	5.00
	17-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.00
	17-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.00
	17-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.00
	17-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	17-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	5.00
	17-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.00
	17-JUN-1992	PB	LEAD		7.000000	µg/g	5.00
	17-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.00
	17-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.00
	17-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.00
	17-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	5.00
	17-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.00
	17-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	5.00
	17-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	5.00
	17-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.00
	17-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.00
	17-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.00
	17-JUN-1992	SO4	SULFATE		27.800000	µg/g	5.00
	17-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	5.00
OBP-92-103	17-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	17-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	17-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	17-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	4.00
	17-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	17-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	4.00
	17-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	4.00
	17-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	4.00
	17-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	4.00
	17-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	4.00
	17-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	4.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	4.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	4.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	4.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	4.00
	17-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-103	17-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	4.00
	17-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	4.00
	17-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	4.00
	17-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	4.00
	17-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	4.00
	17-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	4.00
	17-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	17-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	4.00
	17-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	17-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	4.00
	17-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	4.00
	17-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	4.00
	17-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	4.00
	17-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	4.00
	17-JUN-1992	AG	SILVER		0.115000	µg/g	4.00
	17-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	4.00
	17-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	4.00
	17-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	4.00
	17-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	4.00
	17-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	4.00
	17-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	4.00
	17-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	4.00
	17-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE		1.100000	µg/g	4.00
	17-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	4.00
	17-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	4.00
	17-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	4.00
	17-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	4.00
	17-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	4.00
	17-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	4.00
	17-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	4.00
	17-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	4.00
	17-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	4.00
	17-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	4.00
	17-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	4.00
	17-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	4.00
	17-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	4.00
	17-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	4.00
	17-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	4.00
	17-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	4.00
	17-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	4.00
	17-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	4.00
	17-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	4.00
	17-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	4.00
	17-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	4.00
	17-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	4.00
	17-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	4.00
	17-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	17-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	4.00
	17-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	4.00
	17-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	17-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	4.00
	17-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-103	17-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	4.00
	17-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	4.00
	17-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	4.00
	17-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	4.00
	17-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	4.00
	17-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	4.00
	17-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	4.00
	17-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	4.00
	17-JUN-1992	HG	MERCURY		0.168000	µg/g	4.00
	17-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	4.00
	17-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	4.00
	17-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	4.00
	17-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	4.00
	17-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	4.00
	17-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	4.00
	17-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	4.00
	17-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	4.00
	17-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	4.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	4.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	4.00
	17-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	4.00
	17-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	4.00
	17-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	4.00
	17-JUN-1992	NO3	NITRATE		4.580000	µg/g	4.00
	17-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	4.00
	17-JUN-1992	PB	LEAD		160.000000	µg/g	4.00
	17-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	4.00
	17-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	4.00
	17-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	4.00
	17-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	4.00
	17-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	4.00
	17-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	4.00
	17-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	4.00
	17-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	4.00
	17-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	4.00
	17-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	4.00
	17-JUN-1992	SO4	SULFATE		49.000000	µg/g	4.00
	17-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	4.00
	17-JUN-1992	UNK636			0.320000	µg/g	4.00
	17-JUN-1992	UNK646			0.640000	µg/g	4.00
	17-JUN-1992	UNK660			0.640000	µg/g	4.00
	17-JUN-1992	UNK680			0.320000	µg/g	4.00
OBP-92-104	17-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	17-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	17-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	17-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	10.00
	17-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	17-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	10.00
	17-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	10.00
	17-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	10.00
	17-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	10.00
	17-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	10.00
	17-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	10.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	10.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	10.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	10.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	10.00
	17-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-104	17-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	10.00
	17-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	10.00
	17-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	10.00
	17-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	10.00
	17-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	10.00
	17-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	10.00
	17-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	17-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	10.00
	17-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	17-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	10.00
	17-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	10.00
	17-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	10.00
	17-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	10.00
	17-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	10.00
	17-JUN-1992	AG	SILVER		0.037600	µg/g	10.00
	17-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	10.00
	17-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	10.00
	17-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	10.00
	17-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	10.00
	17-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	10.00
	17-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	10.00
	17-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	10.00
	17-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	10.00
	17-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	10.00
	17-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	10.00
	17-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	10.00
	17-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	10.00
	17-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	10.00
	17-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	10.00
	17-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	10.00
	17-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	10.00
	17-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	10.00
	17-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	10.00
	17-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	10.00
	17-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	10.00
	17-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	10.00
	17-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	10.00
	17-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	10.00
	17-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	10.00
	17-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	10.00
	17-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	10.00
	17-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	10.00
	17-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	10.00
	17-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	10.00
	17-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	10.00
	17-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	10.00
	17-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	17-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	10.00
	17-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	10.00
	17-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	17-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	10.00
	17-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-104	17-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	10.00
	17-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	10.00
	17-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	10.00
	17-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	10.00
	17-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	10.00
	17-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	10.00
	17-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	10.00
	17-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	10.00
	17-JUN-1992	HG	MERCURY		0.096200	µg/g	10.00
	17-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	10.00
	17-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	10.00
	17-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	10.00
	17-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	10.00
	17-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	10.00
	17-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	10.00
	17-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	10.00
	17-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	10.00
	17-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	10.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	10.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	10.00
	17-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	10.00
	17-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	10.00
	17-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	10.00
	17-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	10.00
	17-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	10.00
	17-JUN-1992	PB	LEAD		12.000000	µg/g	10.00
	17-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	10.00
	17-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	10.00
	17-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	10.00
	17-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	10.00
	17-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	10.00
	17-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	10.00
	17-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	10.00
	17-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	10.00
	17-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	10.00
	17-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	10.00
	17-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	10.00
	17-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	10.00
OBP-92-201	18-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	2.00
	18-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	2.00
	18-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	2.00
	18-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	2.00
	18-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	18-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	18-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	2.00
	18-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	18-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	2.00
	18-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	2.00
	18-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	2.00
	18-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	2.00
	18-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	2.00
	18-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	18-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	2.00
	18-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	2.00
	18-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	2.00
	18-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	2.00
	18-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.00
	18-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	2.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-201	18-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.00
	18-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.00
	18-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	2.00
	18-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	2.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	2.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.00
	18-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	2.00
	18-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.00
	18-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.00
	18-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.00
	18-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	2.00
	18-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.00
	18-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.00
	18-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.00
	18-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	18-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.00
	18-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	18-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.00
	18-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.00
	18-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.00
	18-JUN-1992	ACET	ACETONE		0.009100	µg/g	2.00
	18-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	2.00
	18-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	2.00
	18-JUN-1992	AG	SILVER		0.770000	µg/g	2.00
	18-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.00
	18-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.00
	18-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.00
	18-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.00
	18-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.00
	18-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.00
	18-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.00
	18-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.00
	18-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.00
	18-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.00
	18-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.00
	18-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	2.00
	18-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.00
	18-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	2.00
	18-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.00
	18-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.00
	18-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.00
	18-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.00
	18-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	2.00
	18-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.00
	18-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	2.00
	18-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	18-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	2.00
	18-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	2.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-201	18-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	2.00
	18-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	2.00
	18-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	2.00
	18-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006300	µg/g	2.00
	18-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	2.00
	18-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	2.00
	18-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	2.00
	18-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	2.00
	18-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.00
	18-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	2.00
	18-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.00
	18-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.00
	18-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.00
	18-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	2.00
	18-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.00
	18-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.00
	18-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.00
	18-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	2.00
	18-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.00
	18-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.00
	18-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.00
	18-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	2.00
	18-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.00
	18-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	18-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.00
	18-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.00
	18-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	18-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.00
	18-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.00
	18-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.00
	18-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	2.00
	18-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	2.00
	18-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	2.00
	18-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.00
	18-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.00
	18-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.00
	18-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.00
	18-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.00
	18-JUN-1992	HG	MERCURY		0.064300	µg/g	2.00
	18-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	2.00
	18-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.00
	18-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.00
	18-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.00
	18-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.00
	18-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.00
	18-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	2.00
	18-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	2.00
	18-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	2.00
	18-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	2.00
	18-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.00
	18-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	2.00
	18-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.00
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	2.00
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.00
	18-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.00
	18-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.00
	18-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.00
	18-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	2.00
	18-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.00
	18-JUN-1992	PB	LEAD		11000.000000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-201	18-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.00
	18-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.00
	18-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.00
	18-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.00
	18-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.00
	18-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.00
	18-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.00
	18-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.00
	18-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.00
	18-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	2.00
	18-JUN-1992	SO4	SULFATE		121.000000	µg/g	2.00
	18-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	2.00
	18-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	18-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	2.00
	18-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	2.00
	18-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	2.00
	18-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	2.00
	18-JUN-1992	UNK539			0.310000	µg/g	2.00
OBP-92-202	18-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	18-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	18-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	18-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	5.00
	18-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	18-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.00
	18-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.00
	18-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.00
	18-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.00
	18-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	5.00
	18-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.00
	18-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.00
	18-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.00
	18-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.00
	18-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.00
	18-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.00
	18-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.00
	18-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.00
	18-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	18-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.00
	18-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	18-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.00
	18-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.00
	18-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-202	18-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	5.00
	18-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	5.00
	18-JUN-1992	AG	SILVER		5.000000	µg/g	5.00
	18-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.00
	18-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.00
	18-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.00
	18-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.00
	18-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.00
	18-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.00
	18-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.00
	18-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	5.00
	18-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.00
	18-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.00
	18-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.00
	18-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	5.00
	18-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	5.00
	18-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	5.00
	18-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.00
	18-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.00
	18-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.00
	18-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	18-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.00
	18-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.00
	18-JUN-1992	CL	CHLORIDE		31.700000	µg/g	5.00
	18-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.00
	18-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.00
	18-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.00
	18-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.00
	18-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.00
	18-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.00
	18-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.00
	18-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.00
	18-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	5.00
	18-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.00
	18-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	18-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.00
	18-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.00
	18-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	18-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.00
	18-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.00
	18-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.00
	18-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	5.00
	18-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	5.00
	18-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	5.00
	18-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.00
	18-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.00
	18-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.00
	18-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.00
	18-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	5.00
	18-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	5.00
	18-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.00
	18-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.00
	18-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.00
	18-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.00
	18-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.00
	18-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	5.00
	18-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.00
	18-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.00
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-202	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.00
	18-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.00
	18-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.00
	18-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	18-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	5.00
	18-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.00
	18-JUN-1992	PB	LEAD		3600.000000	µg/g	5.00
	18-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.00
	18-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.00
	18-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.00
	18-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	5.00
	18-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.00
	18-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	5.00
	18-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	5.00
	18-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.00
	18-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.00
	18-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.00
	18-JUN-1992	SO4	SULFATE		720.000000	µg/g	5.00
	18-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	5.00
	18-JUN-1992	UNK539			0.110000	µg/g	5.00
OBP-92-203	18-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	18-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	18-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	18-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	7.50
	18-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	18-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	7.50
	18-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	7.50
	18-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	18-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	18-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	7.50
	18-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	7.50
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	7.50
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	7.50
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	18-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	18-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	18-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	18-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	7.50
	18-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	18-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	18-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	18-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	18-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	18-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	18-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	18-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	7.50
	18-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	7.50
	18-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	7.50
	18-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-203	18-JUN-1992	AG	SILVER		12.000000	µg/g	7.50
	18-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	18-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	7.50
	18-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	18-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	18-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	18-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	18-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	18-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	18-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	18-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	18-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	18-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	18-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	7.50
	18-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	7.50
	18-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	18-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	18-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	18-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	7.50
	18-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	18-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	18-JUN-1992	CL	CHLORIDE		41.200000	µg/g	7.50
	18-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	18-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	18-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	18-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	18-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	18-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	18-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	7.50
	18-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	18-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	18-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	18-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	18-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	18-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	18-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	18-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	18-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	18-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	18-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	7.50
	18-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	7.50
	18-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	7.50
	18-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	18-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	18-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	18-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	18-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	7.50
	18-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	7.50
	18-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	18-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	18-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	18-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	18-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	18-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	7.50
	18-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	18-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	7.50
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	18-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-203	18-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	18-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	7.50
	18-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	7.50
	18-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	18-JUN-1992	PB	LEAD		17000.000000	µg/g	7.50
	18-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	7.50
	18-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	18-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	7.50
	18-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	7.50
	18-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	18-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	18-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	18-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	18-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	7.50
	18-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	7.50
	18-JUN-1992	SO4	SULFATE		580.000000	µg/g	7.50
	18-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	7.50
	18-JUN-1992	UNK539			0.210000	µg/g	7.50
	18-JUN-1992	UNK554			0.210000	µg/g	7.50
	18-JUN-1992	UNK561			0.210000	µg/g	7.50
	18-JUN-1992	UNK602			0.100000	µg/g	7.50
	18-JUN-1992	UNK612			0.210000	µg/g	7.50
	18-JUN-1992	UNK616			0.210000	µg/g	7.50
	18-JUN-1992	UNK618			0.210000	µg/g	7.50
	18-JUN-1992	UNK620			0.210000	µg/g	7.50
	18-JUN-1992	UNK621			0.210000	µg/g	7.50
	18-JUN-1992	UNK624			0.210000	µg/g	7.50
	18-JUN-1992	UNK628			0.410000	µg/g	7.50
	18-JUN-1992	UNK632			0.210000	µg/g	7.50
	18-JUN-1992	UNK634			0.210000	µg/g	7.50
	18-JUN-1992	UNK637			0.410000	µg/g	7.50
	18-JUN-1992	UNK638			0.210000	µg/g	7.50
	18-JUN-1992	UNK642			0.510000	µg/g	7.50
	18-JUN-1992	UNK644			0.310000	µg/g	7.50
	18-JUN-1992	UNK646			0.410000	µg/g	7.50
	18-JUN-1992	UNK649			0.210000	µg/g	7.50
	18-JUN-1992	UNK652			0.210000	µg/g	7.50
	18-JUN-1992	UNK653			0.410000	µg/g	7.50
	18-JUN-1992	UNK653			0.310000	µg/g	7.50
	18-JUN-1992	UNK658			0.310000	µg/g	7.50
	18-JUN-1992	UNK666			0.210000	µg/g	7.50
	18-JUN-1992	UNK674			0.620000	µg/g	7.50
OBP-92-204	18-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	12.00
	18-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	12.00
	18-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	12.00
	18-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	12.00
	18-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	12.00
	18-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	12.00
	18-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	12.00
	18-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	12.00
	18-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	12.00
	18-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	12.00
	18-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	12.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	12.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	12.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	12.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	12.00
	18-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	12.00
	18-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	12.00
	18-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	12.00
	18-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	12.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-204	18-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	12.00
	18-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	12.00
	18-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	12.00
	18-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	12.00
	18-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	12.00
	18-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	12.00
	18-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	12.00
	18-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	12.00
	18-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	12.00
	18-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	12.00
	18-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	12.00
	18-JUN-1992	AG	SILVER		0.077800	µg/g	12.00
	18-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	12.00
	18-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	12.00
	18-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	12.00
	18-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	12.00
	18-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	12.00
	18-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	12.00
	18-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	12.00
	18-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	12.00
	18-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	12.00
	18-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	12.00
	18-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	12.00
	18-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	12.00
	18-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	12.00
	18-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	12.00
	18-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	12.00
	18-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	12.00
	18-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	12.00
	18-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	12.00
	18-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	12.00
	18-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	12.00
	18-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	12.00
	18-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	12.00
	18-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	12.00
	18-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	12.00
	18-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	12.00
	18-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	12.00
	18-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	12.00
	18-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	12.00
	18-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	12.00
	18-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	12.00
	18-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	12.00
	18-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	12.00
	18-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	12.00
	18-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	12.00
	18-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	12.00
	18-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	12.00
	18-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	12.00
	18-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	12.00
	18-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	12.00
	18-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	12.00
	18-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	12.00
	18-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	12.00
	18-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	12.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-204	18-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	12.00
	18-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	12.00
	18-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	12.00
	18-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	12.00
	18-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	12.00
	18-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	12.00
	18-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	12.00
	18-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	12.00
	18-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	12.00
	18-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	12.00
	18-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	12.00
	18-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	12.00
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	12.00
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	12.00
	18-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	12.00
	18-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	12.00
	18-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	12.00
	18-JUN-1992	NO3	NITRATE		9.470000	µg/g	12.00
	18-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	12.00
	18-JUN-1992	PB	LEAD		28.000000	µg/g	12.00
	18-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	12.00
	18-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	12.00
	18-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	12.00
	18-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	12.00
	18-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	12.00
	18-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	12.00
	18-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	12.00
	18-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	12.00
	18-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	12.00
	18-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	12.00
	18-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	12.00
	18-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	12.00
	18-JUN-1992	SO4	SULFATE		136.000000	µg/g	12.00
	18-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	12.00
	18-JUN-1992	UNK539			0.230000	µg/g	12.00
	18-JUN-1992	UNK620			0.340000	µg/g	12.00
	18-JUN-1992	UNK624			0.340000	µg/g	12.00
	18-JUN-1992	UNK638			0.460000	µg/g	12.00
	18-JUN-1992	UNK642			0.800000	µg/g	12.00
	18-JUN-1992	UNK644			0.690000	µg/g	12.00
	18-JUN-1992	UNK646			1.100000	µg/g	12.00
	18-JUN-1992	UNK647			0.340000	µg/g	12.00
	18-JUN-1992	UNK649			0.920000	µg/g	12.00
	18-JUN-1992	UNK651			0.340000	µg/g	12.00
	18-JUN-1992	UNK653			0.800000	µg/g	12.00
	18-JUN-1992	UNK654			0.340000	µg/g	12.00
	18-JUN-1992	UNK660			0.690000	µg/g	12.00
	18-JUN-1992	UNK663			0.340000	µg/g	12.00
	18-JUN-1992	UNK674			1.000000	µg/g	12.00
OBP-92-301	19-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	1.00
	19-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	1.00
	19-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	1.00
	19-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	1.00
	19-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	1.00
	19-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	1.00
	19-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	1.00
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	1.00
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	1.00
	19-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	1.00
	19-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	1.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-301	19-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	1.00
	19-JUN-1992	135TNB	1,3,5-TRINITROBENZENE		7.400000	µg/g	1.00
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	1.00
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	1.00
	19-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	1.00
	19-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	1.00
	19-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	1.00
	19-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	1.00
	19-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	1.00
	19-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	1.00
	19-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	1.00
	19-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		8.520000	µg/g	1.00
	19-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	1.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	1.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	1.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	1.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	1.00
	19-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	1.00
	19-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	1.00
	19-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	1.00
	19-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	1.00
	19-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	1.00
	19-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	1.00
	19-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	1.00
	19-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	1.00
	19-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	1.00
	19-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	1.00
	19-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	1.00
	19-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	1.00
	19-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	1.00
	19-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	1.00
	19-JUN-1992	ACET	ACETONE		0.006800	µg/g	1.00
	19-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	1.00
	19-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	1.00
	19-JUN-1992	AG	SILVER		0.035600	µg/g	1.00
	19-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	1.00
	19-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	1.00
	19-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	1.00
	19-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	1.00
	19-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	1.00
	19-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	1.00
	19-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	1.00
	19-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	1.00
	19-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	1.00
	19-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	1.00
	19-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	1.00
	19-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	1.00
	19-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	1.00
	19-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	1.00
	19-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	1.00
	19-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	1.00
	19-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	1.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-301	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.50
	19-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	1.00
	19-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	1.00
	19-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	1.00
	19-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	1.00
	19-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	1.00
	19-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	1.00
	19-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	1.00
	19-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	1.00
	19-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	1.00
	19-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006100	µg/g	1.00
	19-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	1.00
	19-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	1.00
	19-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	1.00
	19-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	1.00
	19-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	1.00
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	2.50
	19-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	1.00
	19-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	1.00
	19-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	1.00
	19-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	1.00
	19-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	1.00
	19-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	1.00
	19-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	1.00
	19-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	1.00
	19-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	1.00
	19-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	1.00
	19-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	1.00
	19-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	1.00
	19-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	1.00
	19-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	1.00
	19-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	1.00
	19-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	1.00
	19-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	1.00
	19-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	1.00
	19-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	1.00
	19-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	1.00
	19-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	1.00
	19-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	1.00
	19-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	1.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.50
	19-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	1.00
	19-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	1.00
	19-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	1.00
	19-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	1.00
	19-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	1.00
	19-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	1.00
	19-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	1.00
	19-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	1.00
	19-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	1.00
	19-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	1.00
	19-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	1.00
	19-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	1.00
	19-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	1.00
	19-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	1.00
	19-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	1.00
	19-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	1.00
	19-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	1.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-301	19-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	1.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	1.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	1.00
	19-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	1.00
	19-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	1.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.50
	22-JUN-1992	NO3	NITRATE		2.490000	µg/g	2.50
	19-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	1.00
	19-JUN-1992	PB	LEAD		7.300000	µg/g	1.00
	19-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	1.00
	19-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	1.00
	19-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	1.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.50
	19-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	1.00
	19-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	1.00
	19-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	1.00
	19-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	1.00
	19-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	1.00
	19-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	1.00
	22-JUN-1992	SO4	SULFATE		14.000000	µg/g	2.50
	19-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	1.00
	19-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	1.00
	19-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	1.00
	19-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	1.00
	19-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	1.00
	19-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	1.00
	19-JUN-1992	UNK594			0.865000	µg/g	1.00
	19-JUN-1992	UNK595			1.080000	µg/g	1.00
	19-JUN-1992	UNK607			0.216000	µg/g	1.00
	19-JUN-1992	UNK608			0.649000	µg/g	1.00
	19-JUN-1992	UNK610			0.216000	µg/g	1.00
	19-JUN-1992	UNK635			0.432000	µg/g	1.00
OBP-92-302	19-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	19-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	19-JUN-1992	135TNB	1,3,5-TRINITROBENZENE		17.000000	µg/g	5.00
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	19-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.00
	19-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.00
	19-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.00
	19-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.00
	19-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		16.000000	µg/g	5.00
	19-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.00
	19-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.00
	19-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.00
	19-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.00
	19-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.00
	19-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.00
	19-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-302	19-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.00
	19-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	19-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.00
	19-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	19-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.00
	19-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.00
	19-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	5.00
	19-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	5.00
	19-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	5.00
	19-JUN-1992	AG	SILVER		0.043000	µg/g	5.00
	19-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.00
	19-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.00
	19-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.00
	19-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.00
	19-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.20
	19-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.00
	19-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.00
	19-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.00
	19-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	5.00
	19-JUN-1992	BA	BARIUM		68.000000	µg/g	0.20
	19-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.00
	19-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.00
	19-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.00
	19-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	5.00
	19-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	5.00
	19-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.20
	19-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	5.00
	19-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.00
	19-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.00
	19-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	19-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.00
	19-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.20
	19-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.00
	22-JUN-1992	CL	CHLORIDE		790.000000	µg/g	5.00
	19-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.00
	19-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.00
	19-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.00
	19-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.00
	19-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.00
	19-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.00
	19-JUN-1992	CR	CHROMIUM		9.460000	µg/g	0.20
	19-JUN-1992	CU	COPPER		3.590000	µg/g	0.20
	19-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.00
	19-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.00
	19-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	5.00
	19-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.00
	19-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	19-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.00
	19-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.00
	19-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	19-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.00
	19-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.00
	19-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.00
	19-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-302	19-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	5.00
	22-JUN-1992	F	FLUORIDE		12.400000	µg/g	5.00
	19-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.00
	19-JUN-1992	FE	IRON		9200.000000	µg/g	0.20
	19-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.00
	19-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.00
	19-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.00
	19-JUN-1992	HG	MERCURY		0.077600	µg/g	5.00
	19-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	5.00
	19-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.00
	19-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.00
	19-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.00
	19-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.00
	19-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.00
	19-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	5.00
	19-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.00
	19-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.00
	19-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.00
	19-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.20
	19-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	22-JUN-1992	NO3	NITRATE		2.190000	µg/g	5.00
	19-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.00
	19-JUN-1992	PB	LEAD		5.500000	µg/g	5.00
	19-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.00
	19-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.00
	19-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.00
	22-JUN-1992	PO4	PHOSPHATE		4.200000	µg/g	5.00
	19-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.00
	19-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	5.00
	19-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	5.00
	19-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.00
	19-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.00
	19-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.00
	19-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	19-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE		900.000000	µg/g	5.00
	19-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	5.00
	19-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.20
	19-JUN-1992	UNK594			1.070000	µg/g	5.00
	19-JUN-1992	UNK595			4.280000	µg/g	5.00
	19-JUN-1992	UNK608			0.428000	µg/g	5.00
	19-JUN-1992	UNK610			0.214000	µg/g	5.00
	19-JUN-1992	ZN	ZINC		17.300000	µg/g	0.20
OBP-92-303	19-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	19-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	19-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	19-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	19-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	7.50
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	19-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	7.50
	19-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	7.50
	19-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-303	19-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	19-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	19-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	19-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	7.50
	19-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	7.50
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	7.50
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	7.50
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	19-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	19-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	19-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	19-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	7.50
	19-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	19-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	19-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	19-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	19-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	19-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	19-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	19-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-303	19-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	19-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	19-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	19-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	19-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	19-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	19-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	19-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	19-JUN-1992	AG	SILVER	LT	0.014600	µg/g	7.50
	19-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	19-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	19-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	19-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	7.50
	19-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	19-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	19-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	19-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	19-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	19-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	19-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.20
	19-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	19-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	19-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	19-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	19-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	19-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	19-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	19-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	19-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	19-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	19-JUN-1992	BA	BARIUM		190.000000	µg/g	0.20
	19-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	19-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	19-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	19-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	19-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	19-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	19-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	19-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	19-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	19-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	19-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	19-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	19-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.321000	µg/g	7.50
	19-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.297000	µg/g	7.50
	19-JUN-1992	BE	BERYLLIUM	LT	0.780000	µg/g	0.20
	19-JUN-1992	BENSLF	BETA-ENDOSULFAN /	ND	0.200000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ENDOSULFAN II				
OBP-92-303	19-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	19-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	19-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	19-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	19-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	19-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	19-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	19-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	19-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	19-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	19-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	7.50
	19-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	19-JUN-1992	CD	CADMIUM	LT	4.200000	µg/g	0.20
	19-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	19-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	19-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	22-JUN-1992	CL	CHLORIDE		1300.000000	µg/g	7.50
	19-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	19-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	19-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	19-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	19-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	19-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	19-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	19-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	19-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	19-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	19-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	19-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	19-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	19-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	19-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	19-JUN-1992	CR	CHROMIUM	LT	39.000000	µg/g	0.20
	19-JUN-1992	CU	COPPER	LT	20.000000	µg/g	0.20
	19-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	7.50
	19-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	19-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	19-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	19-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	19-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	19-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	19-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	19-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	19-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	19-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	19-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	19-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-303	19-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	19-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	19-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	19-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	19-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	19-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	19-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	19-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	19-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	19-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	19-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	19-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	19-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	19-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	19-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	19-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	7.50
	19-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	19-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	19-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	19-JUN-1992	FE	IRON		12000.000000	µg/g	0.20
	19-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	19-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	19-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	19-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	19-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	19-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	19-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	7.50
	19-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	7.50
	19-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	19-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	19-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	19-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	19-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	19-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	19-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	19-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	19-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	19-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	19-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	19-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	19-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	19-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	19-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	19-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	19-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	19-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	19-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	19-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	19-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	19-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	19-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	19-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	7.50
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	19-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-303	19-JUN-1992	NI	NICKEL	LT	25.000000	µg/g	0.20
	19-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	19-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	19-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	7.50
	22-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	7.50
	19-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	19-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	19-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	19-JUN-1992	PB	LEAD		7.200000	µg/g	7.50
	19-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	7.50
	19-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	19-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	19-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	19-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	7.50
	22-JUN-1992	PO4	PHOSPHATE		3.000000	µg/g	7.50
	19-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	19-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	19-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	19-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	19-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	19-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	19-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	19-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	19-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	19-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	19-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	19-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	19-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	7.50
	19-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE		6.520000	µg/g	7.50
	19-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	7.50
	19-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	19-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE		1400.000000	µg/g	7.50
	19-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	7.50
	19-JUN-1992	TL	THALLIUM	LT	1700.000000	µg/g	0.20
	19-JUN-1992	ZN	ZINC	LT	80.000000	µg/g	0.20
OBP-92-304	19-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	19-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	19-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	10.00
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	19-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	10.00
	19-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	10.00
	19-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	10.00
	19-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	10.00
	19-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	10.00
	19-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	10.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	10.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	10.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	10.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-304	19-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	10.00
	19-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	10.00
	19-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	10.00
	19-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	10.00
	19-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	10.00
	19-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	10.00
	19-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	10.00
	19-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	19-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	10.00
	19-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	19-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	10.00
	19-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	10.00
	19-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	10.00
	19-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	10.00
	19-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	10.00
	19-JUN-1992	AG	SILVER	LT	0.014600	µg/g	10.00
	19-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	10.00
	19-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	10.00
	19-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	10.00
	19-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	10.00
	19-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.30
	19-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	10.00
	19-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	10.00
	19-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	10.00
	19-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	10.00
	19-JUN-1992	BA	BARIUM		130.000000	µg/g	0.30
	19-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	10.00
	19-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	10.00
	19-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	10.00
	19-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	10.00
	19-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	10.00
	19-JUN-1992	BE	BERYLLIUM	LT	0.160000	µg/g	0.30
	19-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	10.00
	19-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	10.00
	19-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	10.00
	19-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	10.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	10.00
	19-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	10.00
	19-JUN-1992	CD	CADMIUM	LT	0.850000	µg/g	0.30
	19-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	10.00
	22-JUN-1992	CL	CHLORIDE		860.000000	µg/g	10.00
	19-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	10.00
	19-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	10.00
	19-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	10.00
	19-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	10.00
	19-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	10.00
	19-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	10.00
	19-JUN-1992	CR	CHROMIUM	LT	7.800000	µg/g	0.30
	19-JUN-1992	CU	COPPER		4.800000	µg/g	0.30
	19-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	10.00
	19-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	10.00
	19-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA	LT	0.290000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			NE				
OBP-92-304	19-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	10.00
	19-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	19-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	10.00
	19-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	10.00
	19-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	19-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	10.00
	19-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	10.00
	19-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	10.00
	19-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	10.00
	19-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	10.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	10.00
	19-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	10.00
	19-JUN-1992	FE	IRON		8700.000000	µg/g	0.30
	19-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	10.00
	19-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	10.00
	19-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	10.00
	19-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	10.00
	19-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	10.00
	19-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	10.00
	19-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	10.00
	19-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	10.00
	19-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	10.00
	19-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	10.00
	19-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	10.00
	19-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	10.00
	19-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	10.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	10.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	10.00
	19-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	10.00
	19-JUN-1992	NI	NICKEL	LT	4.900000	µg/g	0.30
	19-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	10.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	10.00
	22-JUN-1992	NO3	NITRATE		3.330000	µg/g	10.00
	19-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	10.00
	19-JUN-1992	PB	LEAD		4.600000	µg/g	10.00
	19-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	10.00
	19-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	10.00
	19-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	10.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	10.00
	19-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	10.00
	19-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	10.00
	19-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	10.00
	19-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	10.00
	19-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	10.00
	19-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	10.00
	19-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.30
	19-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.30
	22-JUN-1992	SO4	SULFATE		820.000000	µg/g	10.00
	19-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	10.00
	19-JUN-1992	TL	THALLIUM	LT	1700.000000	µg/g	0.30
	19-JUN-1992	ZN	ZINC	LT	16.000000	µg/g	0.30
OBP-92-401	20-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	2.50
	20-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	2.50
	20-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	2.50
	20-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	2.50
	20-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.50
	20-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.50
	20-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	2.50
	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-401	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	2.50
	20-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	2.50
	20-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	2.50
	20-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	2.50
	20-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	2.50
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.50
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	2.50
	20-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	2.50
	20-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	2.50
	20-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	2.50
	20-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.50
	20-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	2.50
	20-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.50
	20-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.50
	20-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	2.50
	20-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.50
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	2.50
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE		1.400000	µg/g	2.50
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	2.50
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.50
	20-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	2.50
	20-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.50
	20-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.50
	20-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.50
	20-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	2.50
	20-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.50
	20-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.50
	20-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.50
	20-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.50
	20-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.50
	20-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.50
	20-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.50
	20-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.50
	20-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.50
	20-JUN-1992	ACET	ACETONE		0.011000	µg/g	2.50
	20-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.50
	20-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.50
	20-JUN-1992	AG	SILVER		0.040500	µg/g	2.50
	20-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.50
	20-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.50
	20-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.50
	20-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.50
	20-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.10
	20-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.50
	20-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.50
	20-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.50
	20-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.50
	20-JUN-1992	BA	BARIUM		100.000000	µg/g	0.10
	20-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.50
	20-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.50
	20-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.50
	20-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	2.50
	20-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.190000	µg/g	2.50

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-401	20-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.10
	20-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.50
	20-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.50
	20-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.50
	20-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.50
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.50
	20-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	2.50
	20-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.50
	20-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	2.50
	20-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.50
	20-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	2.50
	20-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	2.50
	20-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	2.50
	20-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	2.50
	20-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	2.50
	20-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.10
	20-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.004400	µg/g	2.50
	20-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	2.50
	20-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	2.50
	20-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	2.50
	20-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	2.50
	20-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.50
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	2.50
	20-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.50
	20-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.50
	20-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.50
	20-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	2.50
	20-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.50
	20-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.50
	20-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.50
	20-JUN-1992	CR	CHROMIUM		10.900000	µg/g	0.10
	20-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	2.50
	20-JUN-1992	CU	COPPER		10.800000	µg/g	0.10
	20-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.50
	20-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.50
	20-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.50
	20-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	2.50
	20-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.50
	20-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.50
	20-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.50
	20-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.50
	20-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.50
	20-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.50
	20-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.50
	20-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.50
	20-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.50
	20-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.50
	20-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	2.50
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.50
	20-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.50
	20-JUN-1992	FE	IRON		10000.000000	µg/g	0.10
	20-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.50
	20-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.50
	20-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.50
	20-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	2.50
	20-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	2.50
	20-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.50
	20-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.50
	20-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.50
	20-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.50
	20-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.50

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-401	20-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	2.50
	20-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	2.50
	20-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.50
	20-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	2.50
	20-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.50
	20-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	2.50
	20-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.50
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	2.50
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.50
	20-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.50
	20-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.10
	20-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE		0.100000	µg/g	2.50
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.50
	22-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	2.50
	20-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.50
	20-JUN-1992	PB	LEAD		8.500000	µg/g	2.50
	20-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.50
	20-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.50
	20-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.50
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.50
	20-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.50
	20-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.50
	20-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.50
	20-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.50
	20-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.50
	20-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	2.50
	20-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.10
	20-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.10
	22-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	2.50
	20-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	2.50
	20-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.50
	20-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	2.50
	20-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	2.50
	20-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	2.50
	20-JUN-1992	TL	THALLIUM	LT	50.000000	µg/g	0.10
	20-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	2.50
	20-JUN-1992	UNK533			2.000000	µg/g	2.50
	20-JUN-1992	UNK663			0.200000	µg/g	2.50
	20-JUN-1992	ZN	ZINC		64.000000	µg/g	0.10
OBP-92-402	20-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	20-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	20-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	5.00
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	20-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.00
	20-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.00
	20-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.00
	20-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.00
	20-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	5.00
	20-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.00
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.00
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.00
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-402	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.00
	20-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.00
	20-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.00
	20-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.00
	20-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.00
	20-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.00
	20-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.00
	20-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.00
	20-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	20-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.00
	20-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	20-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.00
	20-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.00
	20-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	5.00
	20-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	5.00
	20-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	5.00
	20-JUN-1992	AG	SILVER		0.027600	µg/g	5.00
	20-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.00
	20-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.00
	20-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.00
	20-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.00
	20-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.20
	20-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.00
	20-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.00
	20-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.00
	20-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	5.00
	20-JUN-1992	BA	BARIUM		98.000000	µg/g	0.20
	20-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.00
	20-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.00
	20-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.00
	20-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	5.00
	20-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	5.00
	20-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.20
	20-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	5.00
	20-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.00
	20-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.00
	20-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	20-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.00
	20-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.20
	20-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.00
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	5.00
	20-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.00
	20-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.00
	20-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.00
	20-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.00
	20-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.00
	20-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.00
	20-JUN-1992	CR	CHROMIUM		9.930000	µg/g	0.20
	20-JUN-1992	CU	COPPER		9.430000	µg/g	0.20
	20-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.00
	20-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.00
	20-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE /	LT	0.290000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			DELTA-HEXACHLOROCYCLOHEXANE				
OBP-92-402	20-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.00
	20-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	20-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.00
	20-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.00
	20-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	20-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.00
	20-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.00
	20-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.00
	20-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	5.00
	20-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	5.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	5.00
	20-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.00
	20-JUN-1992	FE	IRON		11000.000000	µg/g	0.20
	20-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.00
	20-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.00
	20-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.00
	20-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	5.00
	20-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	5.00
	20-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.00
	20-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.00
	20-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.00
	20-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.00
	20-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.00
	20-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	5.00
	20-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.00
	20-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.00
	20-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.00
	20-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.20
	20-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	22-JUN-1992	NO3	NITRATE		2.440000	µg/g	5.00
	20-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.00
	20-JUN-1992	PB	LEAD		8.400000	µg/g	5.00
	20-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.00
	20-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.00
	20-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	5.00
	20-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.00
	20-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	5.00
	20-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	5.00
	20-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.00
	20-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.00
	20-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.00
	20-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	20-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	5.00
	20-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	5.00
	20-JUN-1992	TL	THALLIUM	LT	50.000000	µg/g	0.20
	20-JUN-1992	UNK533			1.000000	µg/g	5.00
	20-JUN-1992	UNK594			0.100000	µg/g	5.00
	20-JUN-1992	ZN	ZINC		53.000000	µg/g	0.20
OBP-92-403	20-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	20-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	20-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	7.50
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	20-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	7.50
	20-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-403	20-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	20-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	20-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	7.50
	20-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE		25.000000	µg/g	7.50
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	7.50
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	7.50
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	20-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	20-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	20-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	20-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	7.50
	20-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	20-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	20-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	20-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	20-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	20-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	20-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	20-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	7.50
	20-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	20-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	20-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	20-JUN-1992	AG	SILVER	LT	0.014600	µg/g	7.50
	20-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	20-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	7.50
	20-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	20-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	20-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.20
	20-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	20-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	20-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	20-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	20-JUN-1992	BA	BARIUM		33.000000	µg/g	0.20
	20-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	20-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	20-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	20-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	20-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.071000	µg/g	7.50
	20-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.20
	20-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	20-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	20-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	20-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	7.50
	20-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	20-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.20
	20-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	7.50
	20-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	20-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	20-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	20-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	20-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.270000	µg/g	7.50

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			SULFOXIDE				
OBP-92-403	20-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	20-JUN-1992	CR	CHROMIUM		6.030000	µg/g	0.20
	20-JUN-1992	CU	COPPER		4.230000	µg/g	0.20
	20-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	7.50
	20-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	20-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	20-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	20-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	20-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	20-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	20-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	20-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	20-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	20-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	20-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	20-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	7.50
	20-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	20-JUN-1992	FE	IRON		7300.000000	µg/g	0.20
	20-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	20-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	20-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	20-JUN-1992	HG	MERCURY		0.030200	µg/g	7.50
	20-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	7.50
	20-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	20-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	20-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	20-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	20-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	20-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	20-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	20-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	7.50
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	20-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	7.50
	20-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.20
	20-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	7.50
	22-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	7.50
	20-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	20-JUN-1992	PB	LEAD		4.200000	µg/g	7.50
	20-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	7.50
	20-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	20-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	7.50
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	7.50
	20-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	20-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	20-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	20-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	20-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	7.50
	20-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	7.50
	20-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	20-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	7.50
	20-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	7.50
	20-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.20
	20-JUN-1992	UNK533			2.000000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-403	20-JUN-1992	ZN	ZINC		14.900000	µg/g	0.20
OBP-92-404	20-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	9.00
	20-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	9.00
	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	20-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	9.00
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	20-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	9.00
	20-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	9.00
	20-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	9.00
	20-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	9.00
	20-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	9.00
	20-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	9.00
	20-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	9.00
	20-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	9.00
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	9.00
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	9.00
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	9.00
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	9.00
	20-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	9.00
	20-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	9.00
	20-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	9.00
	20-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	9.00
	20-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	9.00
	20-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	9.00
	20-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	9.00
	20-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	9.00
	20-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	9.00
	20-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	9.00
	20-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	9.00
	20-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	9.00
	20-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	9.00
	20-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	9.00
	20-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	9.00
	20-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	9.00
	20-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	9.00
	20-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	9.00
	20-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	9.00
	20-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	9.00
	20-JUN-1992	AG	SILVER	LT	0.014600	µg/g	9.00
	20-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	9.00
	20-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	9.00
	20-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	9.00
	20-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	9.00
	20-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.30
	20-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	9.00
	20-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	9.00
	20-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	9.00
	20-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	9.00
	20-JUN-1992	BA	BARIUM		38.000000	µg/g	0.30
	20-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	9.00
	20-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	9.00
	20-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	9.00
	20-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	9.00
	20-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.170000	µg/g	9.00
	20-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.30
	20-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	9.00
	20-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	9.00
	20-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	9.00
	20-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	9.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	9.00
	20-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	9.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-404	20-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.30
	20-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	9.00
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	9.00
	20-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	9.00
	20-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	9.00
	20-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	9.00
	20-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	9.00
	20-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	9.00
	20-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	9.00
	20-JUN-1992	CR	CHROMIUM	LT	3.900000	µg/g	0.30
	20-JUN-1992	CU	COPPER		2.610000	µg/g	0.30
	20-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	9.00
	20-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	9.00
	20-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	9.00
	20-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	9.00
	20-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	20-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	9.00
	20-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	9.00
	20-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	20-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	9.00
	20-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	9.00
	20-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	9.00
	20-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	9.00
	20-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	9.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	9.00
	20-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	9.00
	20-JUN-1992	FE	IRON		2700.000000	µg/g	0.30
	20-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	9.00
	20-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	9.00
	20-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	9.00
	20-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	9.00
	20-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	9.00
	20-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	9.00
	20-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	9.00
	20-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	9.00
	20-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	9.00
	20-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	9.00
	20-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	9.00
	20-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	9.00
	20-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	9.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	9.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	9.00
	20-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	9.00
	20-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.30
	20-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	9.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	9.00
	22-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	9.00
	20-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	9.00
	20-JUN-1992	PB	LEAD		2.400000	µg/g	9.00
	20-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	9.00
	20-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	9.00
	20-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	9.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	9.00
	20-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	9.00
	20-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	9.00
	20-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	9.00
	20-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	9.00
	20-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	9.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-404	20-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	9.00
	20-JUN-1992	SB	ANTIMONY	LT	3.420000	µg/g	0.30
	20-JUN-1992	SE	SELENIUM	LT	50.700000	µg/g	0.30
	22-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	9.00
	20-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	9.00
	20-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.30
	20-JUN-1992	UNK533			2.000000	µg/g	9.00
	20-JUN-1992	ZN	ZINC		15.500000	µg/g	0.30
OBS-92-101	17-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	17-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	17-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	17-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	17-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	17-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	17-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	17-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	17-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	17-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	17-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	17-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	17-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	17-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	17-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	17-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	17-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	17-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	17-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	17-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	17-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	17-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	17-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	17-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	17-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	17-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	17-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	0.00
	17-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	0.00
	17-JUN-1992	AG	SILVER		0.085300	µg/g	0.00
	17-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	17-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	17-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	17-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	17-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	17-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	17-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	17-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	17-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	17-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	17-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	17-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	17-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	17-JUN-1992	BENSLF	BETA-ENDOSULFAN /	ND	1.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ENDOSULFAN II				
OBS-92-101	17-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	17-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	17-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	17-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	17-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	17-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	17-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	17-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	17-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	17-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	17-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	17-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	17-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	17-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	17-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	17-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	17-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	17-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	17-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	17-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	17-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	17-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	17-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	17-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	17-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	0.00
	17-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	0.00
	17-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	17-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	17-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	17-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	17-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	17-JUN-1992	HG	MERCURY		0.250000	µg/g	0.00
	17-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	17-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	17-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	17-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	17-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	17-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	17-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	0.00
	17-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	17-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	17-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	17-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	17-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	17-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	17-JUN-1992	NO3	NITRATE		6.000000	µg/g	0.00
	17-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	17-JUN-1992	PB	LEAD		46.000000	µg/g	0.00
	17-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	17-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	17-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	17-JUN-1992	PO4	PHOSPHATE		12.300000	µg/g	0.00
	17-JUN-1992	PO4	PHOSPHATE		12.400000	µg/g	0.00
	17-JUN-1992	PO4	PHOSPHATE		12.000000	µg/g	0.00
	17-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	17-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	17-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	17-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ FOSFERNO				
OBS-92-101	17-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	17-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	17-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	17-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	17-JUN-1992	UNK539			0.100000	µg/g	0.00
	17-JUN-1992	UNK636			0.520000	µg/g	0.00
	17-JUN-1992	UNK646			1.300000	µg/g	0.00
	17-JUN-1992	UNK660			1.700000	µg/g	0.00
	17-JUN-1992	UNK680			0.940000	µg/g	0.00
OBS-92-201	18-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	18-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	18-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	18-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	18-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	18-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	18-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	18-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	18-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	18-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	18-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	18-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	18-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	18-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	18-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	18-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	18-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	18-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	18-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	18-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	18-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	18-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	18-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	18-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	18-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	18-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	18-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	5.000000	µg/g	0.00
	18-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.500000	µg/g	0.00
	18-JUN-1992	AG	SILVER		1.200000	µg/g	0.00
	18-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	18-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	18-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	18-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	18-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	18-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	18-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	18-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	18-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	18-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	18-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	18-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN	LT	0.360000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			E				
OBS-92-201	18-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	18-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	1.000000	µg/g	0.00
	18-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	18-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	18-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	18-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	18-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	18-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	18-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	18-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	18-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	18-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	18-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	18-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	18-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	18-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	18-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	18-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	18-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	18-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	18-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	18-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	18-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	18-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	18-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	18-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	18-JUN-1992	ENDRNK	ENDRIN KETONE	ND	1.000000	µg/g	0.00
	18-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	1.000000	µg/g	0.00
	18-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	18-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	18-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	18-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	18-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	18-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	18-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	18-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	18-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	18-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	18-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	18-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	18-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	5.000000	µg/g	0.00
	18-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	18-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	18-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	18-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	18-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	18-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	18-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	18-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	18-JUN-1992	PB	LEAD		12000.000000	µg/g	0.00
	18-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	18-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	18-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	18-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	18-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	18-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	18-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	18-JUN-1992	PRTHN	PARATHION / ALKRON /	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			APHAMITE / ALLERON / DNTP / FOSFERNO				
OBS-92-201	18-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	18-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	18-JUN-1992	SO4	SULFATE		25.700000	µg/g	0.00
	18-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	18-JUN-1992	UNK539			0.210000	µg/g	0.00
	18-JUN-1992	UNK646			0.310000	µg/g	0.00
	18-JUN-1992	UNK660			0.410000	µg/g	0.00
OBS-92-301	19-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	19-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	19-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	19-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	19-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	19-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	19-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	19-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	19-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	19-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	19-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	19-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	19-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	19-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	19-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	19-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	19-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	19-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	19-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	19-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	19-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	19-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	19-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	19-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	19-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	19-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	19-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	19-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	19-JUN-1992	AG	SILVER		0.061200	µg/g	0.00
	19-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	19-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	19-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	19-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	19-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	19-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	19-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	19-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	19-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	19-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	19-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	19-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-301	19-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.283000	µg/g	0.00
	19-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	19-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	19-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	19-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	19-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	19-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	19-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	19-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	19-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	19-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	19-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	19-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	19-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	19-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	19-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	19-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	19-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	19-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	19-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	19-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	19-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	19-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	19-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	19-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	19-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	19-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	19-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	19-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	19-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	19-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	19-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	19-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	19-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	19-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	19-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	19-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	19-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	19-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	19-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	19-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	19-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	19-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	22-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	19-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	19-JUN-1992	PB	LEAD		16.000000	µg/g	0.00
	19-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	19-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	19-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	19-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	19-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	19-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	19-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ FOSFERNO				
OBS-92-301	19-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	19-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	22-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	19-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	19-JUN-1992	UNK636			0.524000	µg/g	0.00
	19-JUN-1992	UNK646			0.839000	µg/g	0.00
	19-JUN-1992	UNK660			0.419000	µg/g	0.00
OBS-92-401	20-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	20-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	20-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	20-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	20-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	20-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	20-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	20-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	20-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	20-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	20-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	20-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	20-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	20-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	20-JUN-1992	24DNT	2,4-DINITROTOLUENE		0.750000	µg/g	0.00
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	20-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	20-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	20-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	20-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	20-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	20-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	20-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	20-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	20-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-401	20-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	20-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	20-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	20-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	20-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	20-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	20-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	20-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	20-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	20-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	20-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	20-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	20-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	20-JUN-1992	AG	SILVER		0.077300	µg/g	0.00
	20-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	20-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	20-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	20-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	20-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	20-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	20-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	20-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	20-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	20-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	20-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	20-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	20-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	20-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	20-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	20-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	20-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	20-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	20-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	20-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	20-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	20-JUN-1992	BA	BARIUM		160.000000	µg/g	0.00
	20-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-401	20-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	20-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	20-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	20-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	20-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	20-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	20-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	20-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	20-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	20-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	20-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	20-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.370000	µg/g	0.00
	20-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.160000	µg/g	0.00
	20-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.091000	µg/g	0.00
	20-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	20-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	20-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	20-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	20-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	20-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	20-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	20-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	20-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	20-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	20-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	20-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	20-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	20-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	20-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	20-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	20-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	20-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	20-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	20-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	20-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	20-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	20-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	20-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	20-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	20-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	20-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	20-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	20-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	20-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	20-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	20-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	20-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	20-JUN-1992	CR	CHROMIUM		12.300000	µg/g	0.00
	20-JUN-1992	CU	COPPER		27.000000	µg/g	0.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-401	20-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	20-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	20-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	20-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	20-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	20-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	20-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	20-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	20-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	20-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	20-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	20-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	20-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	20-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	20-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	20-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	20-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE		0.210000	µg/g	0.00
	20-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	20-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	20-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	20-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	20-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	20-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	20-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	20-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	20-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	20-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	20-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	20-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	20-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	20-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	20-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	20-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	20-JUN-1992	FE	IRON		11000.000000	µg/g	0.00
	20-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	20-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	20-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	20-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	20-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	20-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	20-JUN-1992	HG	MERCURY		0.027900	µg/g	0.00
	20-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	20-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	20-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	20-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	20-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	20-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	20-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	20-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	20-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	20-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	20-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	20-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-401	20-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	20-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	20-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	20-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	20-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	20-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	20-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	20-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	20-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	20-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	20-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	20-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	20-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	20-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	20-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	20-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE		0.051000	µg/g	0.00
	20-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE		0.071000	µg/g	0.00
	20-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE		0.053000	µg/g	0.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	22-JUN-1992	NO3	NITRATE		3.230000	µg/g	0.00
	20-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	20-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	20-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	20-JUN-1992	PB	LEAD		22.000000	µg/g	0.00
	20-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	20-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	20-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	20-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	20-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	22-JUN-1992	PO4	PHOSPHATE		8.740000	µg/g	0.00
	20-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	20-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	20-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	20-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	20-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	20-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	20-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	20-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	20-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	20-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	20-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	20-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	20-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	20-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	20-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-401	20-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	22-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	20-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	20-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	20-JUN-1992	UNK534			60.000000	µg/g	0.00
	20-JUN-1992	UNK592			2.000000	µg/g	0.00
	20-JUN-1992	UNK643			0.200000	µg/g	0.00
	20-JUN-1992	UNK663			1.000000	µg/g	0.00
	20-JUN-1992	UNK692			0.700000	µg/g	0.00
	20-JUN-1992	ZN	ZINC		190.000000	µg/g	0.00
OBS-92-G01	07-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	07-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	07-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	07-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	07-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	07-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	07-JUN-1992	AG	SILVER		0.187000	µg/g	0.00
	07-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	07-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUN-1992	BA	BARIUM		180.000000	µg/g	0.00
	07-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE /	LT	0.360000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			BETA-HEXACHLOROCYCLOHEXANE				
OBS-92-G01	07-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.180000	µg/g	0.00
	07-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	07-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	07-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	07-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	07-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUN-1992	CR	CHROMIUM		17.100000	µg/g	0.00
	07-JUN-1992	CU	COPPER		53.000000	µg/g	0.00
	07-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	07-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	07-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	07-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	07-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUN-1992	FE	IRON		20000.000000	µg/g	0.00
	07-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	HG	MERCURY		0.048600	µg/g	0.00
	07-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	07-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	07-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	07-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	07-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		11.400000	µg/g	0.00
	07-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUN-1992	PB	LEAD		70.000000	µg/g	0.00
	07-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		20.400000	µg/g	0.00
	07-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G01	07-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	07-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	07-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE		10.300000	µg/g	0.00
	07-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	07-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	07-JUN-1992	UNK593			0.210000	µg/g	0.00
	07-JUN-1992	UNK619			0.210000	µg/g	0.00
	07-JUN-1992	UNK622			0.210000	µg/g	0.00
	07-JUN-1992	UNK625			0.210000	µg/g	0.00
	07-JUN-1992	UNK627			0.310000	µg/g	0.00
	07-JUN-1992	UNK635			0.920000	µg/g	0.00
	07-JUN-1992	UNK640			0.510000	µg/g	0.00
	07-JUN-1992	UNK646			3.100000	µg/g	0.00
	07-JUN-1992	UNK648			0.410000	µg/g	0.00
	07-JUN-1992	UNK653			0.410000	µg/g	0.00
	07-JUN-1992	UNK662			4.100000	µg/g	0.00
	07-JUN-1992	UNK664			0.920000	µg/g	0.00
	07-JUN-1992	UNK685			2.100000	µg/g	0.00
	07-JUN-1992	ZN	ZINC		200.000000	µg/g	0.00
OBS-92-G02	07-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	07-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	07-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	07-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE		1.730000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE		10.000000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE		0.780000	µg/g	0.00
	07-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	07-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G02	07-JUN-1992	AG	SILVER		0.104000	µg/g	0.00
	07-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	07-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUN-1992	BA	BARIUM		160.000000	µg/g	0.00
	07-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	07-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	07-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	07-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	07-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUN-1992	CR	CHROMIUM		10.500000	µg/g	0.00
	07-JUN-1992	CU	COPPER		30.000000	µg/g	0.00
	07-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	07-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	07-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	07-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	07-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUN-1992	FE	IRON		12000.000000	µg/g	0.00
	07-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	07-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	07-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G02	07-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	07-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	07-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		3.520000	µg/g	0.00
	07-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUN-1992	PB	LEAD		35.000000	µg/g	0.00
	07-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		11.800000	µg/g	0.00
	07-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	07-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX		8.360000	µg/g	0.00
	07-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	07-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	07-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	07-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	07-JUN-1992	UNK646			2.000000	µg/g	0.00
	07-JUN-1992	UNK662			3.100000	µg/g	0.00
	07-JUN-1992	UNK685			2.000000	µg/g	0.00
	07-JUN-1992	ZN	ZINC		280.000000	µg/g	0.00
OBS-92-G03	07-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	07-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	07-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	07-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE		34.000000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE		7.000000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE		0.580000	µg/g	0.00
	07-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	07-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ P-CRESOL				
OBS-92-G03	07-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	07-JUN-1992	AG	SILVER		0.112000	µg/g	0.00
	07-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	07-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUN-1992	BA	BARIUM		240.000000	µg/g	0.00
	07-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.290000	µg/g	0.00
	07-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	07-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	07-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	07-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	07-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUN-1992	CR	CHROMIUM		11.800000	µg/g	0.00
	07-JUN-1992	CU	COPPER		35.000000	µg/g	0.00
	07-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	07-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	07-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	07-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	07-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUN-1992	FE	IRON		10000.000000	µg/g	0.00
	07-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	07-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN	LT	0.755000	µg/g	0.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ITRAMINE				
OBS-92-G03	07-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	07-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	07-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	07-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		3.170000	µg/g	0.00
	07-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUN-1992	PB	LEAD		35.000000	µg/g	0.00
	07-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		6.860000	µg/g	0.00
	07-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	07-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	07-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	07-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	07-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	07-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	07-JUN-1992	UNK635			0.410000	µg/g	0.00
	07-JUN-1992	UNK646			2.000000	µg/g	0.00
	07-JUN-1992	UNK662			2.000000	µg/g	0.00
	07-JUN-1992	UNK685			1.000000	µg/g	0.00
	07-JUN-1992	ZN	ZINC		240.000000	µg/g	0.00
OBS-92-G04	07-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	07-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	07-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		3.400000	µg/g	0.00
	07-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE		3.640000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE		4.500000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	07-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G04	07-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	07-JUN-1992	AG	SILVER		0.128000	µg/g	0.00
	07-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	07-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUN-1992	BA	BARIUM		230.000000	µg/g	0.00
	07-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.190000	µg/g	0.00
	07-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	07-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	07-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	07-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	07-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUN-1992	CR	CHROMIUM		13.600000	µg/g	0.00
	07-JUN-1992	CU	COPPER		62.000000	µg/g	0.00
	07-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	07-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	07-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G04	07-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	07-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUN-1992	FE	IRON		13000.000000	µg/g	0.00
	07-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	HG	MERCURY		0.027700	µg/g	0.00
	07-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	07-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	07-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	07-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	07-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		4.500000	µg/g	0.00
	07-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUN-1992	PB	LEAD		43.000000	µg/g	0.00
	07-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		8.730000	µg/g	0.00
	07-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	07-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	07-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	07-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE		7.870000	µg/g	0.00
	07-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	07-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	07-JUN-1992	UNK635			0.410000	µg/g	0.00
	07-JUN-1992	UNK646			2.000000	µg/g	0.00
	07-JUN-1992	UNK662			2.000000	µg/g	0.00
	07-JUN-1992	UNK685			1.000000	µg/g	0.00
	07-JUN-1992	ZN	ZINC		240.000000	µg/g	0.00
OBS-92-G05	07-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	07-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	07-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G05	07-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	07-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	07-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	07-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	07-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	07-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			NE				
OBS-92-G05	07-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	07-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	07-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	07-JUN-1992	AG	SILVER		0.081800	µg/g	0.00
	07-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUN-1992	AS	ARSENIC	LT	120.000000	µg/g	0.00
	07-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUN-1992	BA	BARIUM		160.000000	µg/g	0.00
	07-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	07-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.310000	µg/g	0.00
	07-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.160000	µg/g	0.00
	07-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G05	07-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	07-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	07-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	07-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	07-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	07-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	07-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	07-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUN-1992	CR	CHROMIUM		12.400000	µg/g	0.00
	07-JUN-1992	CU	COPPER		14.800000	µg/g	0.00
	07-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	07-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	07-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G05	07-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	07-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	07-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	07-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	07-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	07-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	07-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUN-1992	FE	IRON		16000.000000	µg/g	0.00
	07-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	07-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	07-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	07-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	07-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	07-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	07-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	07-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-G05	07-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	07-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.760000	µg/g	0.00
	07-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUN-1992	PB	LEAD		20.000000	µg/g	0.00
	07-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		2.980000	µg/g	0.00
	07-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	07-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	07-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	07-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	07-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	07-JUN-1992	SB	ANTIMONY	LT	17.000000	µg/g	0.00
	07-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	07-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	07-JUN-1992	TL	THALLIUM	LT	83.000000	µg/g	0.00
	07-JUN-1992	UNK602			0.210000	µg/g	0.00
	07-JUN-1992	UNK625			0.210000	µg/g	0.00
	07-JUN-1992	UNK627			0.210000	µg/g	0.00
	07-JUN-1992	UNK635			0.930000	µg/g	0.00
	07-JUN-1992	UNK636			0.210000	µg/g	0.00
	07-JUN-1992	UNK640			0.210000	µg/g	0.00
	07-JUN-1992	UNK643			0.310000	µg/g	0.00
	07-JUN-1992	UNK646			3.100000	µg/g	0.00
	07-JUN-1992	UNK647			1.000000	µg/g	0.00
	07-JUN-1992	UNK648			0.310000	µg/g	0.00
	07-JUN-1992	UNK653			0.310000	µg/g	0.00
	07-JUN-1992	UNK658			0.410000	µg/g	0.00
	07-JUN-1992	UNK662			4.100000	µg/g	0.00
	07-JUN-1992	UNK664			0.620000	µg/g	0.00
	07-JUN-1992	UNK665			0.410000	µg/g	0.00
	07-JUN-1992	UNK685			2.100000	µg/g	0.00
	07-JUN-1992	ZN	ZINC		77.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRS-92-101	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	21-JUN-1992	AG	SILVER		0.069200	µg/g	0.00
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	21-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	21-JUN-1992	BA	BARIUM		130.000000	µg/g	0.00
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRS-92-101	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	21-JUN-1992	CR	CHROMIUM		16.600000	µg/g	0.00
	21-JUN-1992	CU	COPPER		9.750000	µg/g	0.00
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	21-JUN-1992	FE	IRON		17000.000000	µg/g	0.00
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	22-JUN-1992	NO3	NITRATE		4.400000	µg/g	0.00
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	21-JUN-1992	PB	LEAD		8.400000	µg/g	0.00
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	22-JUN-1992	PO4	PHOSPHATE		2.590000	µg/g	0.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE /	LT	0.420000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			PYRENE				
CRS-92-101	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	21-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	22-JUN-1992	SO4	SULFATE		8.270000	µg/g	0.00
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	21-JUN-1992	UNK635			0.620000	µg/g	0.00
	21-JUN-1992	UNK646			2.070000	µg/g	0.00
	21-JUN-1992	UNK660			1.030000	µg/g	0.00
	21-JUN-1992	ZN	ZINC		64.000000	µg/g	0.00
CRS-92-201	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	21-JUN-1992	AG	SILVER		0.052400	µg/g	0.00
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	21-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	21-JUN-1992	BA	BARIUM		140.000000	µg/g	0.00
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE	LT	0.360000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ BETA-HEXACHLOROCYCLOHEXANE				
CRS-92-201	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	22-JUN-1992	CL	CHLORIDE		33.800000	µg/g	0.00
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	21-JUN-1992	CR	CHROMIUM		17.600000	µg/g	0.00
	21-JUN-1992	CU	COPPER		8.400000	µg/g	0.00
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	22-JUN-1992	F	FLUORIDE		11.300000	µg/g	0.00
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	21-JUN-1992	FE	IRON		19000.000000	µg/g	0.00
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	22-JUN-1992	NO3	NITRATE		4.110000	µg/g	0.00
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	21-JUN-1992	PB	LEAD		11.000000	µg/g	0.00
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRS-92-201	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	21-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	22-JUN-1992	SO4	SULFATE		9.360000	µg/g	0.00
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	21-JUN-1992	UNK636			0.620000	µg/g	0.00
	21-JUN-1992	UNK640			0.310000	µg/g	0.00
	21-JUN-1992	UNK646			1.000000	µg/g	0.00
	21-JUN-1992	UNK659			0.720000	µg/g	0.00
	21-JUN-1992	UNK679			0.210000	µg/g	0.00
	21-JUN-1992	ZN	ZINC		45.000000	µg/g	0.00
CRS-92-301	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.049700	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	48.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRS-92-301	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		130.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.292000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		14.000000	µg/g	0.00
	23-JUN-1992	CU	COPPER		8.480000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		19000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRS-92-301	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		3.840000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		7.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE		14.200000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	23-JUN-1992	UNK636			0.840000	µg/g	0.00
	23-JUN-1992	UNK640			0.313000	µg/g	0.00
	23-JUN-1992	UNK646			1.040000	µg/g	0.00
	23-JUN-1992	UNK659			0.731000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		45.000000	µg/g	0.00
CRT-92-101	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.50
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.50
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.50
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	2.50
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.50
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	2.50
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.50
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.50
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.50
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	2.50
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	2.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	2.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.50
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.50
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.50
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.50
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	2.50
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.50
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.50
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.50
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.50
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.50
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.50
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-101	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.50
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.50
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.50
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.50
	21-JUN-1992	AG	SILVER		0.046100	µg/g	2.50
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.50
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.50
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.50
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.50
	21-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.10
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.50
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.50
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.50
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.50
	21-JUN-1992	BA	BARIUM		130.000000	µg/g	0.10
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.50
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.50
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.50
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	2.50
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.50
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.10
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.50
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.50
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.50
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.50
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.50
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.50
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.10
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.50
	22-JUN-1992	CL	CHLORIDE		172.000000	µg/g	2.50
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.50
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.50
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.50
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.50
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.50
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.50
	21-JUN-1992	CR	CHROMIUM		15.100000	µg/g	0.10
	21-JUN-1992	CU	COPPER		6.620000	µg/g	0.10
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.50
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.50
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.50
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.50
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.50
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.50
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.50
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.50
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.50
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.50
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.50
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.50
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.50
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.50
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.50
	21-JUN-1992	FE	IRON		16000.000000	µg/g	0.10
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.50
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.50
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.50
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	2.50
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	2.50

Analytical Data for CHEMICAL RANGE (Site 7)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-101	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.50
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.50
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.50
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.50
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.50
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.50
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.50
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	2.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.50
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.50
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.10
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.50
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.50
	22-JUN-1992	NO3	NITRATE		4.480000	µg/g	2.50
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.50
	21-JUN-1992	PB	LEAD		14.000000	µg/g	2.50
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.50
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.50
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.50
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.50
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.50
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.50
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.50
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.50
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.50
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	2.50
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.10
	21-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.10
	22-JUN-1992	SO4	SULFATE		121.000000	µg/g	2.50
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	2.50
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.10
	21-JUN-1992	UNK635			0.745000	µg/g	2.50
	21-JUN-1992	UNK640			0.426000	µg/g	2.50
	21-JUN-1992	UNK646			2.130000	µg/g	2.50
	21-JUN-1992	ZN	ZINC		37.000000	µg/g	0.10
CRT-92-102	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	5.00
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.00
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.00
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.00
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.00
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	5.00
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.00
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.00
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.00
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.00
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.00
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.00
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-102	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.00
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.00
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.00
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.00
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	5.00
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	5.00
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	5.00
	21-JUN-1992	AG	SILVER		0.038900	µg/g	5.00
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.00
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.00
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.00
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.00
	21-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.20
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.00
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.00
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.00
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	5.00
	21-JUN-1992	BA	BARIUM		140.000000	µg/g	0.20
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.00
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.00
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.00
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	5.00
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	5.00
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.20
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	5.00
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.00
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.00
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.00
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.20
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.00
	22-JUN-1992	CL	CHLORIDE		68.600000	µg/g	5.00
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.00
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.00
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.00
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.00
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.00
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.00
	21-JUN-1992	CR	CHROMIUM		17.500000	µg/g	0.20
	21-JUN-1992	CU	COPPER		16.300000	µg/g	0.20
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.00
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.00
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	5.00
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.00
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.00
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.00
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.00
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.00
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.00
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	5.00

Analytical Data for CHEMICAL RANGE (Site 7)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-102	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	5.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	5.00
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.00
	21-JUN-1992	FE	IRON		22000.000000	µg/g	0.20
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.00
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.00
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.00
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	5.00
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	5.00
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.00
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.00
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.00
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.00
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.00
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	5.00
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.00
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.00
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.00
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.20
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	22-JUN-1992	NO3	NITRATE		3.840000	µg/g	5.00
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.00
	21-JUN-1992	PB	LEAD		31.000000	µg/g	5.00
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.00
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.00
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	5.00
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.00
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	5.00
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	5.00
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.00
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.00
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.00
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	21-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE		23.100000	µg/g	5.00
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	5.00
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.20
	21-JUN-1992	UNK626			0.420000	µg/g	5.00
	21-JUN-1992	UNK629			2.130000	µg/g	5.00
	21-JUN-1992	UNK633			0.850000	µg/g	5.00
	21-JUN-1992	UNK646			1.060000	µg/g	5.00
	21-JUN-1992	ZN	ZINC		800.000000	µg/g	0.20
CRT-92-103	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	7.50
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	7.50
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	7.50
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	7.50
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	7.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-103	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	7.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	7.50
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	21-JUN-1992	AG	SILVER		0.027700	µg/g	7.50
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	7.50
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	21-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.20
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	21-JUN-1992	BA	BARIUM		110.000000	µg/g	0.20
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.20
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	7.50
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.20
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	22-JUN-1992	CL	CHLORIDE		34.400000	µg/g	7.50
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	21-JUN-1992	CR	CHROMIUM		12.600000	µg/g	0.20
	21-JUN-1992	CU	COPPER		7.320000	µg/g	0.20
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	7.50
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.290000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ DELTA-HEXACHLOROCYCLOHEXANE				
CRT-92-103	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	7.50
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	21-JUN-1992	FE	IRON		15000.000000	µg/g	0.20
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	7.50
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	7.50
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	7.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	7.50
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.20
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	7.50
	22-JUN-1992	NO3	NITRATE		2.320000	µg/g	7.50
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	21-JUN-1992	PB	LEAD		9.400000	µg/g	7.50
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	7.50
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	7.50
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	7.50
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	7.50
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	21-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE		16.600000	µg/g	7.50
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	7.50
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.20
	21-JUN-1992	ZN	ZINC		110.000000	µg/g	0.20
CRT-92-104	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	10.00
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	10.00
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	10.00
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-104	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	10.00
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	10.00
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	10.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	10.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	10.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	10.00
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	10.00
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	10.00
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	10.00
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	10.00
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	10.00
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	10.00
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	10.00
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	10.00
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	10.00
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	10.00
	21-JUN-1992	AG	SILVER		0.016600	µg/g	10.00
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	10.00
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	10.00
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	10.00
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	10.00
	21-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.30
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	10.00
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	10.00
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	10.00
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	10.00
	21-JUN-1992	BA	BARIUM		45.000000	µg/g	0.30
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	10.00
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	10.00
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	10.00
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	10.00
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.30
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	10.00
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	10.00
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	10.00
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	10.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	10.00
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.30
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	10.00
	22-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	10.00
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	10.00
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	10.00
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	10.00
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-104	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	10.00
	21-JUN-1992	CR	CHROMIUM		5.410000	µg/g	0.30
	21-JUN-1992	CU	COPPER		6.260000	µg/g	0.30
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	10.00
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	10.00
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	10.00
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	10.00
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	10.00
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	10.00
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	10.00
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	10.00
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	10.00
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	10.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	10.00
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	10.00
	21-JUN-1992	FE	IRON		8200.000000	µg/g	0.30
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	10.00
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	10.00
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	10.00
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	10.00
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	10.00
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	10.00
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	10.00
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	10.00
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	10.00
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	10.00
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	10.00
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	10.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	10.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	10.00
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.30
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	10.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	10.00
	22-JUN-1992	NO3	NITRATE		1.990000	µg/g	10.00
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	10.00
	21-JUN-1992	PB	LEAD		4.900000	µg/g	10.00
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	10.00
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	10.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	10.00
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	10.00
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	10.00
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	10.00
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	10.00
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	10.00
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	10.00
	21-JUN-1992	SB	ANTIMONY	LT	17.000000	µg/g	0.30
	21-JUN-1992	SE	SELENIUM	LT	250.000000	µg/g	0.30
	22-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	10.00
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	10.00
	21-JUN-1992	TL	THALLIUM	LT	83.000000	µg/g	0.30
	21-JUN-1992	ZN	ZINC		88.000000	µg/g	0.30

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-201	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	3.00
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	3.00
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	3.00
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	3.00
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	3.00
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	3.00
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	3.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	3.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	3.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	3.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	3.00
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	3.00
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	3.00
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	3.00
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	3.00
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	3.00
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	3.00
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	3.00
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	3.00
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	3.00
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	3.00
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	3.00
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	3.00
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	3.00
	21-JUN-1992	AG	SILVER		0.048400	µg/g	3.00
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	3.00
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	3.00
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	3.00
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	3.00
	21-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.10
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	3.00
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	3.00
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	3.00
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	3.00
	21-JUN-1992	BA	BARIUM		190.000000	µg/g	0.10
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	3.00
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	3.00
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	3.00
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	3.00
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	3.00
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.10
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	3.00
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	3.00
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	3.00
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	3.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.50
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	3.00
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.10
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	3.00

Analytical Data for CHEMICAL RANGE (Site 7)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-201	22-JUN-1992	CL	CHLORIDE		41.700000	µg/g	2.50
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	3.00
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	3.00
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	3.00
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	3.00
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	3.00
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	3.00
	21-JUN-1992	CR	CHROMIUM		18.300000	µg/g	0.10
	21-JUN-1992	CU	COPPER		7.630000	µg/g	0.10
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	3.00
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	3.00
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	3.00
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	3.00
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	3.00
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	3.00
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	3.00
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	3.00
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	3.00
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	3.00
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	3.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.50
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	3.00
	21-JUN-1992	FE	IRON		21000.000000	µg/g	0.10
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	3.00
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	3.00
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	3.00
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	3.00
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	3.00
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	3.00
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	3.00
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	3.00
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	3.00
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	3.00
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	3.00
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	3.00
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	3.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	3.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	3.00
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	3.00
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.10
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	3.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.50
	22-JUN-1992	NO3	NITRATE		3.690000	µg/g	2.50
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	3.00
	21-JUN-1992	PB	LEAD		11.000000	µg/g	3.00
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	3.00
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	3.00
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	3.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.50
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	3.00
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	3.00
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	3.00
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	3.00
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	3.00
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	3.00
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.10

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-201	21-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.10
	22-JUN-1992	SO4	SULFATE		35.600000	µg/g	2.50
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	3.00
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.10
	21-JUN-1992	UNK636			0.220000	µg/g	3.00
	21-JUN-1992	UNK646			0.550000	µg/g	3.00
	21-JUN-1992	UNK659			0.550000	µg/g	3.00
	21-JUN-1992	UNK679			0.670000	µg/g	3.00
	21-JUN-1992	ZN	ZINC		46.000000	µg/g	0.10
CRT-92-202	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.50
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.50
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.50
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	5.50
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.50
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.50
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.50
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.50
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.50
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	5.50
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.50
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.50
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.50
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.50
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.50
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.50
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.50
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.50
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.50
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.50
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.50
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.50
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.50
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	5.50
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	5.50
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	5.50
	21-JUN-1992	AG	SILVER		0.023100	µg/g	5.50
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.50
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.50
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.50
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.50
	21-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.20
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.50
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.50
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.50
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE		0.339000	µg/g	5.50
	21-JUN-1992	BA	BARIUM		130.000000	µg/g	0.20
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.50
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.50
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.50
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN	LT	0.360000	µg/g	5.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			E				
CRT-92-202	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.665000	µg/g	5.50
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.20
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	5.50
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.50
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.50
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.50
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.50
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.20
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.50
	22-JUN-1992	CL	CHLORIDE		840.000000	µg/g	5.00
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.50
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.50
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.50
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.50
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.50
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.50
	21-JUN-1992	CR	CHROMIUM		14.900000	µg/g	0.20
	21-JUN-1992	CU	COPPER		6.050000	µg/g	0.20
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.50
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.50
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	5.50
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.50
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.50
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.50
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.50
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.50
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.50
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.50
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.50
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	5.50
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	5.50
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	5.00
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.50
	21-JUN-1992	FE	IRON		16000.000000	µg/g	0.20
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.50
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.50
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.50
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	5.50
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	5.50
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.50
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.50
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.50
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.50
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.50
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	5.50
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.50
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.50
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.50
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.20
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.50
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	22-JUN-1992	NO3	NITRATE		2.860000	µg/g	5.00
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.50
	21-JUN-1992	PB	LEAD		8.700000	µg/g	5.50
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.50
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.50
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.50
	22-JUN-1992	PO4	PHOSPHATE		3.880000	µg/g	5.00
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-202	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	5.50
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	5.50
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.50
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.50
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.50
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	21-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE		760.000000	µg/g	5.00
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	5.50
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.20
	21-JUN-1992	UNK612			0.430000	µg/g	5.50
	21-JUN-1992	UNK618			0.320000	µg/g	5.50
	21-JUN-1992	UNK625			0.210000	µg/g	5.50
	21-JUN-1992	UNK646			0.430000	µg/g	5.50
	21-JUN-1992	UNK652			0.430000	µg/g	5.50
	21-JUN-1992	UNK659			0.640000	µg/g	5.50
	21-JUN-1992	UNK668			0.540000	µg/g	5.50
	21-JUN-1992	UNK679			0.540000	µg/g	5.50
	21-JUN-1992	UNK693			0.320000	µg/g	5.50
	21-JUN-1992	ZN	ZINC		36.000000	µg/g	0.20
CRT-92-203	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	7.50
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	7.50
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	7.50
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	7.50
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	7.50
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	7.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	7.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.300000	µg/g	7.50
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.300000	µg/g	7.50
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-203	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	7.50
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	21-JUN-1992	AG	SILVER		0.028400	µg/g	7.50
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	7.50
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	21-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.20
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-203	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	21-JUN-1992	BA	BARIUM		120.000000	µg/g	0.20
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.216000	µg/g	7.50
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.20
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	7.50
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.20
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	22-JUN-1992	CL	CHLORIDE		1100.000000	µg/g	7.50
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL	LT	0.370000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			SULFIDE				
CRT-92-203	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	21-JUN-1992	CR	CHROMIUM		14.300000	µg/g	0.20
	21-JUN-1992	CU	COPPER		6.110000	µg/g	0.20
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	7.50
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	7.50
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	21-JUN-1992	FE	IRON		15000.000000	µg/g	0.20
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE /	LT	0.420000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			HEXACHLORO-1,3-BUTADIENE				
CRT-92-203	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	7.50
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	7.50
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	7.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	7.50
	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.20
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	7.50
	22-JUN-1992	NO3	NITRATE		2.690000	µg/g	7.50
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	21-JUN-1992	PB	LEAD		8.900000	µg/g	7.50
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	7.50
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	7.50
	22-JUN-1992	PO4	PHOSPHATE		3.980000	µg/g	7.50
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1	LT	0.410000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			-TRICHLOROETHANE				
CRT-92-203	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	7.50
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	7.50
	21-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.20
	21-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.20
	22-JUN-1992	SO4	SULFATE		810.000000	µg/g	7.50
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	7.50
	21-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.20
	21-JUN-1992	UNK646			0.430000	µg/g	7.50
	21-JUN-1992	ZN	ZINC		37.000000	µg/g	0.20
CRT-92-204	21-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	21-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	21-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	21-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	10.00
	21-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	21-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	10.00
	21-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	10.00
	21-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	10.00
	21-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	10.00
	21-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	10.00
	21-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	10.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	10.00
	21-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	10.00
	21-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	10.00
	21-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	10.00
	21-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	10.00
	21-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	10.00
	21-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	10.00
	21-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	21-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	10.00
	21-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	21-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	10.00
	21-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	10.00
	21-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	10.00
	21-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	10.00
	21-JUN-1992	AG	SILVER		0.016600	µg/g	10.00
	21-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	10.00
	21-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	10.00
	21-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	10.00
	21-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	10.00
	21-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.30
	21-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY)	ND	0.330000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			METHANE				
CRT-92-204	21-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	10.00
	21-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	10.00
	21-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	10.00
	21-JUN-1992	BA	BARIUM		45.000000	µg/g	0.30
	21-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	10.00
	21-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	10.00
	21-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	10.00
	21-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	10.00
	21-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.30
	21-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	10.00
	21-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	10.00
	21-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	10.00
	21-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	10.00
	22-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	10.00
	21-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	10.00
	21-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.30
	21-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	10.00
	22-JUN-1992	CL	CHLORIDE		31.900000	µg/g	10.00
	21-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	10.00
	21-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	10.00
	21-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	10.00
	21-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	10.00
	21-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	10.00
	21-JUN-1992	CR	CHROMIUM	LT	3.900000	µg/g	0.30
	21-JUN-1992	CU	COPPER		2.440000	µg/g	0.30
	21-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	10.00
	21-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	10.00
	21-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	10.00
	21-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	10.00
	21-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	10.00
	21-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	10.00
	21-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	10.00
	21-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	10.00
	21-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	10.00
	21-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	10.00
	21-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	10.00
	22-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	10.00
	21-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	10.00
	21-JUN-1992	FE	IRON		4900.000000	µg/g	0.30
	21-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	10.00
	21-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	10.00
	21-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	10.00
	21-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	10.00
	21-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	10.00
	21-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	10.00
	21-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	10.00
	21-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	10.00
	21-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	10.00
	21-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	10.00
	21-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	10.00
	21-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	10.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	10.00
	21-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	10.00
	21-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-204	21-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.30
	21-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	10.00
	22-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	10.00
	22-JUN-1992	NO3	NITRATE		2.760000	µg/g	10.00
	21-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	10.00
	21-JUN-1992	PB	LEAD		4.800000	µg/g	10.00
	21-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	10.00
	21-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	10.00
	21-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	10.00
	22-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	10.00
	21-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	10.00
	21-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	10.00
	21-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	10.00
	21-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	10.00
	21-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	10.00
	21-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	10.00
	21-JUN-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.30
	21-JUN-1992	SE	SELENIUM	LT	150.000000	µg/g	0.30
	22-JUN-1992	SO4	SULFATE		900.000000	µg/g	10.00
	21-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	10.00
	21-JUN-1992	TL	THALLIUM	LT	50.000000	µg/g	0.30
	21-JUN-1992	ZN	ZINC		10.900000	µg/g	0.30
CRT-92-301	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.50
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.50
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.50
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	2.50
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.50
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	2.50
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.50
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.50
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.50
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	2.50
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.50
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	2.50
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.50
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	2.50
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.50
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.50
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.50
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.50
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	2.50
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.50
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.50
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.50
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.50
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.50
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.50
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.50
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.50
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	2.50
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.50
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN /	ND	1.000000	µg/g	2.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ENDOSULFAN I				
CRT-92-301	23-JUN-1992	AG	SILVER		0.028900	µg/g	2.50
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.50
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.50
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.50
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.50
	23-JUN-1992	AS	ARSENIC	LT	48.000000	µg/g	2.50
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.50
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.50
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.50
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.50
	23-JUN-1992	BA	BARIUM		120.000000	µg/g	2.50
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.50
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.50
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.50
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	2.50
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.50
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	2.50
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.50
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.50
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.50
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.50
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.50
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.50
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	2.50
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.50
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	2.50
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.50
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.50
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.50
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.50
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.50
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.50
	23-JUN-1992	CR	CHROMIUM		12.900000	µg/g	2.50
	23-JUN-1992	CU	COPPER		5.920000	µg/g	2.50
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.50
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.50
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.50
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.50
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.50
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.50
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.50
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.50
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.50
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.50
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.50
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.50
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.50
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.50
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.50
	23-JUN-1992	FE	IRON		16000.000000	µg/g	2.50
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.50
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.50
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.50
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	2.50
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	2.50
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.50
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.50
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.50
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.50
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.50
	23-JUN-1992	MEXCLR	METHOXYCHLOR /	ND	1.000000	µg/g	2.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			METHOXY-DDT				
CRT-92-301	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.50
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.50
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	2.50
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.50
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.50
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	2.50
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.50
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.50
	23-JUN-1992	NO3	NITRATE		5.100000	µg/g	2.50
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.50
	23-JUN-1992	PB	LEAD		12.000000	µg/g	2.50
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.50
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.50
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.50
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.50
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.50
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.50
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.50
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.50
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.50
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	2.50
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	2.50
	23-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	2.50
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	2.50
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	2.50
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	2.50
	23-JUN-1992	ZN	ZINC		34.000000	µg/g	2.50
CRT-92-302	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	5.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	5.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	5.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	5.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	5.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	5.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	5.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	5.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	5.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	5.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	5.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	5.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	5.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	5.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	5.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	5.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	5.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	5.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	5.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	5.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	5.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	5.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	5.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	5.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	5.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	5.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	5.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-302	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	5.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	5.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	5.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	5.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	5.00
	23-JUN-1992	AG	SILVER		0.027700	µg/g	5.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	5.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	5.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	5.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	5.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	5.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	5.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	5.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	5.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	5.00
	23-JUN-1992	BA	BARIUM		130.000000	µg/g	5.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	5.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	5.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	5.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	5.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	5.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	5.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	5.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	5.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	5.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	5.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	5.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	5.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	5.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	5.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	5.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	5.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	5.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	5.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	5.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	5.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	5.00
	23-JUN-1992	CR	CHROMIUM		13.100000	µg/g	5.00
	23-JUN-1992	CU	COPPER		7.110000	µg/g	5.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	5.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	5.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	5.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	5.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	5.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	5.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	5.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	5.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	5.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	5.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	5.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	5.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	5.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	5.00
	23-JUN-1992	FE	IRON		24000.000000	µg/g	5.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	5.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	5.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	5.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	5.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN	LT	0.755000	µg/g	5.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ITRAMINE				
CRT-92-302	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	5.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	5.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	5.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	5.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	5.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	5.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	5.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	5.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	5.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	5.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	5.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	5.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	5.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	5.00
	23-JUN-1992	NO3	NITRATE		4.950000	µg/g	5.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	5.00
	23-JUN-1992	PB	LEAD		11.000000	µg/g	5.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	5.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	5.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	5.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	5.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	5.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	5.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	5.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	5.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	5.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	5.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	5.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	5.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	5.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	5.00
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	5.00
	23-JUN-1992	ZN	ZINC		42.000000	µg/g	5.00
CRT-92-303	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	7.50
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	7.50
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.50
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	7.50
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	7.50
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.50
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.50
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	7.50
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.50
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	7.50
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	7.50
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	7.50
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.50
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.50
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.50
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.50
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	7.50
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.50
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.50
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-303	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.50
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.50
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.50
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	7.50
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.50
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.50
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.50
	23-JUN-1992	AG	SILVER		0.030500	µg/g	7.50
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.50
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	7.50
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.50
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.50
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	7.50
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.50
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.50
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.50
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.50
	23-JUN-1992	BA	BARIUM		120.000000	µg/g	7.50
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.50
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.50
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.50
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.50
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	7.50
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	7.50
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.50
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.50
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.50
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.50
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	7.50
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.50
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	7.50
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.50
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	7.50
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.50
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.50
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.50
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.50
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.50
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.50
	23-JUN-1992	CR	CHROMIUM		12.100000	µg/g	7.50
	23-JUN-1992	CU	COPPER		6.330000	µg/g	7.50
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	7.50
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.50
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.50
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.50
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.50
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.50
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.50
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.50
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.50
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.50
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.50
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.50
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	7.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-303	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.50
	23-JUN-1992	FE	IRON		15000.000000	µg/g	7.50
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.50
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.50
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.50
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	7.50
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	7.50
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.50
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.50
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.50
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.50
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.50
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.50
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.50
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.50
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	7.50
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.50
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	7.50
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	7.50
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.50
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	7.50
	23-JUN-1992	NO3	NITRATE		2.290000	µg/g	7.50
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.50
	23-JUN-1992	PB	LEAD		9.700000	µg/g	7.50
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	7.50
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.50
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	7.50
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	7.50
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.50
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.50
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.50
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.50
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	7.50
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	7.50
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	7.50
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	7.50
	23-JUN-1992	SO4	SULFATE		30.300000	µg/g	7.50
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	7.50
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	7.50
	23-JUN-1992	UNK533			1.000000	µg/g	7.50
	23-JUN-1992	ZN	ZINC		37.000000	µg/g	7.50
CRT-92-304	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	10.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	10.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	10.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	10.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	10.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	10.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	10.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	10.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	10.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	10.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	10.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	10.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-304	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	10.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	10.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	10.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	10.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	10.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	10.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	10.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	10.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	10.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	10.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	10.00
	23-JUN-1992	AG	SILVER		0.029300	µg/g	10.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	10.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	10.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	10.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	10.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	10.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	10.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	10.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	10.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	10.00
	23-JUN-1992	BA	BARIUM		110.000000	µg/g	10.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	10.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	10.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	10.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	10.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	10.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	10.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	10.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	10.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	10.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	10.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	10.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	10.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	10.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	10.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	10.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	10.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	10.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	10.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	10.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	10.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	10.00
	23-JUN-1992	CR	CHROMIUM		11.900000	µg/g	10.00
	23-JUN-1992	CU	COPPER		6.820000	µg/g	10.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	10.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	10.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	10.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	10.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	10.00

Analytical Data for CHEMICAL RANGE (Site 7)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-304	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	10.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	10.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	10.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	10.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	10.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	10.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	10.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	10.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	10.00
	23-JUN-1992	FE	IRON		16000.000000	µg/g	10.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	10.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	10.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	10.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	10.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAMINE	LT	0.755000	µg/g	10.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	10.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	10.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	10.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	10.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	10.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	10.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	10.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	10.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	10.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	10.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	10.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	10.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	10.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	10.00
	23-JUN-1992	NO3	NITRATE		3.820000	µg/g	10.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	10.00
	23-JUN-1992	PB	LEAD		10.000000	µg/g	10.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	10.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	10.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	10.00
	23-JUN-1992	PO4	PHOSPHATE		2.970000	µg/g	10.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	10.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	10.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	10.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	10.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	10.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	10.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	10.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	10.00
	23-JUN-1992	SO4	SULFATE		53.700000	µg/g	10.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	10.00
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	10.00
	23-JUN-1992	UNK533			6.000000	µg/g	10.00
	23-JUN-1992	UNK663			0.200000	µg/g	10.00
	23-JUN-1992	ZN	ZINC		39.000000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
SAS-92-01	05-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	29-DEC-1992	AG	SILVER	LT	0.803000	µg/g	0.00
	29-DEC-1992	AL	ALUMINUM		14000.000000	µg/g	0.00
	05-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	29-DEC-1992	AS	ARSENIC		5.720000	µg/g	0.00
	29-DEC-1992	B	BORON		10.800000	µg/g	0.00
	05-JUN-1992	BA	BARIUM		1500.000000	µg/l	0.00
	29-DEC-1992	BA	BARIUM		183.000000	µg/g	0.00
	29-DEC-1992	BE	BERYLLIUM		0.571000	µg/g	0.00
	29-DEC-1992	CA	CALCIUM		84000.000000	µg/g	0.00
	05-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	29-DEC-1992	CD	CADMIUM	LT	1.200000	µg/g	0.00
	29-DEC-1992	CO	COBALT		4.910000	µg/g	0.00
	05-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	29-DEC-1992	CR	CHROMIUM		16.000000	µg/g	0.00
	29-DEC-1992	CU	COPPER		18.800000	µg/g	0.00
	29-DEC-1992	FE	IRON		15300.000000	µg/g	0.00
	05-JUN-1992	HG	MERCURY		0.697000	µg/l	0.00
	29-DEC-1992	HG	MERCURY	LT	0.050000	µg/g	0.00
	29-DEC-1992	K	POTASSIUM		2690.000000	µg/g	0.00
	29-DEC-1992	MG	MAGNESIUM		8720.000000	µg/g	0.00
	29-DEC-1992	MN	MANGANESE		307.000000	µg/g	0.00
	29-DEC-1992	MO	MOLYBDENUM	LT	14.300000	µg/g	0.00
	29-DEC-1992	NA	SODIUM		247.000000	µg/g	0.00
	29-DEC-1992	NI	NICKEL		13.800000	µg/g	0.00
	05-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	29-DEC-1992	PB	LEAD		190.000000	µg/g	0.00
	29-DEC-1992	SB	ANTIMONY	LT	19.600000	µg/g	0.00
	05-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	29-DEC-1992	SE	SELENIUM	LT	0.449000	µg/g	0.00
	29-DEC-1992	SN	TIN	LT	7.430000	µg/g	0.00
	29-DEC-1992	TE	TELLURIUM	LT	14.900000	µg/g	0.00
	29-DEC-1992	TL	THALLIUM	LT	34.300000	µg/g	0.00
	29-DEC-1992	V	VANADIUM		21.400000	µg/g	0.00
	29-DEC-1992	ZN	ZINC		52.900000	µg/g	0.00
SAS-92-02	05-JUN-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	29-DEC-1992	AG	SILVER	LT	0.803000	µg/g	0.00
	29-DEC-1992	AL	ALUMINUM		13100.000000	µg/g	0.00
	05-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	29-DEC-1992	AS	ARSENIC		7.340000	µg/g	0.00
	29-DEC-1992	B	BORON		9.790000	µg/g	0.00
	05-JUN-1992	BA	BARIUM		1200.000000	µg/l	0.00
	29-DEC-1992	BA	BARIUM		199.000000	µg/g	0.00
	29-DEC-1992	BE	BERYLLIUM		0.495000	µg/g	0.00
	29-DEC-1992	CA	CALCIUM		47300.000000	µg/g	0.00
	05-JUN-1992	CD	CADMIUM		7.470000	µg/l	0.00
	29-DEC-1992	CD	CADMIUM	LT	1.200000	µg/g	0.00
	29-DEC-1992	CO	COBALT		6.280000	µg/g	0.00
	05-JUN-1992	CR	CHROMIUM	LT	4.470000	µg/l	0.00
	29-DEC-1992	CR	CHROMIUM		14.600000	µg/g	0.00
	29-DEC-1992	CU	COPPER		14.600000	µg/g	0.00
	29-DEC-1992	FE	IRON		17100.000000	µg/g	0.00
	05-JUN-1992	HG	MERCURY		0.610000	µg/l	0.00
	29-DEC-1992	HG	MERCURY	LT	0.050000	µg/g	0.00
	29-DEC-1992	K	POTASSIUM		2710.000000	µg/g	0.00
	29-DEC-1992	MG	MAGNESIUM		10100.000000	µg/g	0.00
	29-DEC-1992	MN	MANGANESE		308.000000	µg/g	0.00
	29-DEC-1992	MO	MOLYBDENUM	LT	14.300000	µg/g	0.00
	29-DEC-1992	NA	SODIUM		289.000000	µg/g	0.00
	29-DEC-1992	NI	NICKEL		14.200000	µg/g	0.00
	05-JUN-1992	PB	LEAD		46000.000000	µg/l	0.00
	29-DEC-1992	PB	LEAD		480.000000	µg/g	0.00
	29-DEC-1992	SB	ANTIMONY	LT	19.600000	µg/g	0.00
	05-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	29-DEC-1992	SE	SELENIUM	LT	0.449000	µg/g	0.00
	29-DEC-1992	SN	TIN	LT	7.430000	µg/g	0.00
	29-DEC-1992	TE	TELLURIUM	LT	14.900000	µg/g	0.00
	29-DEC-1992	TL	THALLIUM	LT	34.300000	µg/g	0.00
	29-DEC-1992	V	VANADIUM		20.800000	µg/g	0.00
	29-DEC-1992	ZN	ZINC		53.900000	µg/g	0.00
SAS-92-03	05-JUN-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	29-DEC-1992	AG	SILVER	LT	0.803000	µg/g	0.00
	29-DEC-1992	AL	ALUMINUM		15100.000000	µg/g	0.00
	05-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	29-DEC-1992	AS	ARSENIC		10.800000	µg/g	0.00
	29-DEC-1992	B	BORON		10.500000	µg/g	0.00
	05-JUN-1992	BA	BARIUM		1300.000000	µg/l	0.00

Analytical Data for SMALL ARMS FIRING RANGE (Site 8)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
SAS-92-03	29-DEC-1992	BA	BARIUM		185.000000	µg/g	0.00
	29-DEC-1992	BE	BERYLLIUM		0.542000	µg/g	0.00
	29-DEC-1992	CA	CALCIUM		35200.000000	µg/g	0.00
	05-JUN-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	29-DEC-1992	CD	CADMIUM	LT	1.200000	µg/g	0.00
	29-DEC-1992	CO	COBALT		6.220000	µg/g	0.00
	05-JUN-1992	CR	CHROMIUM	LT	4.470000	µg/l	0.00
	29-DEC-1992	CR	CHROMIUM		18.100000	µg/g	0.00
	29-DEC-1992	CU	COPPER		13.100000	µg/g	0.00
	29-DEC-1992	FE	IRON		18500.000000	µg/g	0.00
	05-JUN-1992	HG	MERCURY		1.020000	µg/l	0.00
	29-DEC-1992	HG	MERCURY	LT	0.050000	µg/g	0.00
	29-DEC-1992	K	POTASSIUM		3990.000000	µg/g	0.00
	29-DEC-1992	MG	MAGNESIUM		9000.000000	µg/g	0.00
	29-DEC-1992	MN	MANGANESE		441.000000	µg/g	0.00
	29-DEC-1992	MO	MOLYBDENUM	LT	14.300000	µg/g	0.00
	29-DEC-1992	NA	SODIUM		275.000000	µg/g	0.00
	29-DEC-1992	NI	NICKEL		16.600000	µg/g	0.00
	05-JUN-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	29-DEC-1992	PB	LEAD		31.000000	µg/g	0.00
	29-DEC-1992	SB	ANTIMONY	LT	19.600000	µg/g	0.00
	05-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	29-DEC-1992	SE	SELENIUM	LT	0.449000	µg/g	0.00
	29-DEC-1992	SN	TIN	LT	7.430000	µg/g	0.00
	29-DEC-1992	TE	TELLURIUM	LT	14.900000	µg/g	0.00
	29-DEC-1992	TL	THALLIUM	LT	34.300000	µg/g	0.00
	29-DEC-1992	V	VANADIUM		26.200000	µg/g	0.00
	29-DEC-1992	ZN	ZINC		62.400000	µg/g	0.00
SAS-92-04	05-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	29-DEC-1992	AG	SILVER	LT	0.803000	µg/g	0.00
	29-DEC-1992	AL	ALUMINUM		19200.000000	µg/g	0.00
	05-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	29-DEC-1992	AS	ARSENIC		8.470000	µg/g	0.00
	29-DEC-1992	B	BORON		19.300000	µg/g	0.00
	05-JUN-1992	BA	BARIUM		1200.000000	µg/l	0.00
	29-DEC-1992	BA	BARIUM		185.000000	µg/g	0.00
	29-DEC-1992	BE	BERYLLIUM		0.597000	µg/g	0.00
	29-DEC-1992	CA	CALCIUM		31200.000000	µg/g	0.00
	05-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	29-DEC-1992	CD	CADMIUM	LT	1.200000	µg/g	0.00
	29-DEC-1992	CO	COBALT		6.400000	µg/g	0.00
	05-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	29-DEC-1992	CR	CHROMIUM		22.300000	µg/g	0.00
	29-DEC-1992	CU	COPPER		17.800000	µg/g	0.00
	29-DEC-1992	FE	IRON		20200.000000	µg/g	0.00
	05-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	29-DEC-1992	HG	MERCURY	LT	0.050000	µg/g	0.00
	29-DEC-1992	K	POTASSIUM		5050.000000	µg/g	0.00
	29-DEC-1992	MG	MAGNESIUM		10800.000000	µg/g	0.00
	29-DEC-1992	MN	MANGANESE		405.000000	µg/g	0.00
	29-DEC-1992	MO	MOLYBDENUM	LT	14.300000	µg/g	0.00
	29-DEC-1992	NA	SODIUM		358.000000	µg/g	0.00
	29-DEC-1992	NI	NICKEL		15.600000	µg/g	0.00
	05-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	29-DEC-1992	PB	LEAD		28.000000	µg/g	0.00
	29-DEC-1992	SB	ANTIMONY	LT	19.600000	µg/g	0.00
	05-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	29-DEC-1992	SE	SELENIUM	LT	0.449000	µg/g	0.00
	29-DEC-1992	SN	TIN	LT	7.430000	µg/g	0.00
	29-DEC-1992	TE	TELLURIUM	LT	14.900000	µg/g	0.00
	29-DEC-1992	TL	THALLIUM	LT	34.300000	µg/g	0.00
	29-DEC-1992	V	VANADIUM		30.300000	µg/g	0.00
	29-DEC-1992	ZN	ZINC		71.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BWS-92-01	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE		2.960000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		150.000000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.084800	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		68.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	4.200000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		74.000000	µg/g	0.00
	04-JUN-1992	CU	COPPER		38.000000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		46000.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE		42.000000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL		130.000000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		4.080000	µg/g	0.00
	04-JUN-1992	PB	LEAD		99.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX		210.000000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	170.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		850.000000	µg/g	0.00
BWS-92-02	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	3.500000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	3.000000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		32000.000000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	74.000000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	83.000000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	16.000000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.160000	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		100.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	4.200000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		47.500000	µg/g	0.00
	04-JUN-1992	CU	COPPER		74.000000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE		17.500000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		65000.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE		58.000000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	10.000000	µg/g	0.00
	04-JUN-1992	NI	NICKEL		19.100000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE		4.370000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	04-JUN-1992	PB	LEAD		100.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX		1600.000000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	140.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	2000.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	10.000000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		600.000000	µg/g	0.00
BWS-92-03	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	3.500000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BWS-92-03	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	3.000000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		1200.000000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	7.400000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	8.300000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	16.000000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.119000	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		39.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		7.100000	µg/g	0.00
	04-JUN-1992	CU	COPPER		30.000000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		8000.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	7.600000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	10.000000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		3.160000	µg/g	0.00
	04-JUN-1992	PB	LEAD		15.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		2.820000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	4.400000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	17.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	250.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	10.000000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		47.000000	µg/g	0.00
BWS-92-04	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		45.000000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.234000	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		48.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		8.760000	µg/g	0.00
	04-JUN-1992	CU	COPPER		11.900000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		8400.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.790000	µg/g	0.00
	04-JUN-1992	PB	LEAD		19.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		3.640000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX		1.190000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	17.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	250.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		75.000000	µg/g	0.00
BWS-92-05	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE /	LT	0.931000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			2,4,6-TRINITROTOLUENE				
BWS-92-05	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.033600	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		58.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		7.420000	µg/g	0.00
	04-JUN-1992	CU	COPPER		6.540000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		8900.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.150000	µg/g	0.00
	04-JUN-1992	PB	LEAD		10.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		3.800000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		28.000000	µg/g	0.00
BWS-92-06	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.033500	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		62.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		7.670000	µg/g	0.00
	04-JUN-1992	CU	COPPER		5.550000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		9900.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.680000	µg/g	0.00
	04-JUN-1992	PB	LEAD		9.200000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		3.640000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		28.000000	µg/g	0.00
BWS-92-07	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BWS-92-07	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.032700	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		55.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		7.980000	µg/g	0.00
	04-JUN-1992	CU	COPPER		5.780000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		6600.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		3.880000	µg/g	0.00
	04-JUN-1992	PB	LEAD		20.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		36.000000	µg/g	0.00
BWS-92-08	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		9.110000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.029100	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		58.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		8.160000	µg/g	0.00
	04-JUN-1992	CU	COPPER		6.730000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		10000.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.350000	µg/g	0.00
	04-JUN-1992	PB	LEAD		16.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		3.980000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		35.000000	µg/g	0.00
BWS-92-09	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BWS-92-09	04-JUN-1992	AG	SILVER		0.033600	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		67.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		8.630000	µg/g	0.00
	04-JUN-1992	CU	COPPER		5.560000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		9900.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.620000	µg/g	0.00
	04-JUN-1992	PB	LEAD		11.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		3.300000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		31.000000	µg/g	0.00
BWS-92-10	04-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	04-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	04-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	04-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.025900	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		70.000000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		9.300000	µg/g	0.00
	04-JUN-1992	CU	COPPER		6.050000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FE	IRON		11000.000000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.560000	µg/g	0.00
	04-JUN-1992	PB	LEAD		13.000000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	04-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	04-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		39.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRD-92-01	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.600000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.780000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.060000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	1.400000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE		0.014000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	2.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	2.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.029300	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.580000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	1.080000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	48.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.660000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL)	LT	0.780000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			PHTHALATE				
BRD-92-01	10-JUL-1992	BA	BARIUM		130.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.600000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.760000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE		0.470000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.160000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.400000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	3.400000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.480000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	1.600000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	0.850000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006700	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	0.900000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE		79.100000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.800000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.740000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.540000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	1.380000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		17.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		170.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.400000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.580000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.660000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.480000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.600000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	1.180000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.820000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	FE	IRON		28000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	10.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRD-92-01	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	HG	MERCURY		0.145000	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.560000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.720000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.420000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.660000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.860000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	2.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.960000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.840000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.720000	µg/g	0.00
	10-JUL-1992	NI	NICKEL		8.000000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.660000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.500000	µg/g	0.00
	10-JUL-1992	PB	LEAD		80.000000	µg/g	0.00
	10-JUL-1992	PCB254	PCB 1254		0.646000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.660000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE		25.700000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.440000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.920000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE		31.100000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK587			0.700000	µg/g	0.00
	10-JUL-1992	UNK592			1.000000	µg/g	0.00
	10-JUL-1992	UNK593			1.000000	µg/g	0.00
	10-JUL-1992	UNK598			2.000000	µg/g	0.00
	10-JUL-1992	UNK598			1.000000	µg/g	0.00
	10-JUL-1992	UNK603			1.000000	µg/g	0.00
	10-JUL-1992	UNK607			1.000000	µg/g	0.00
	10-JUL-1992	UNK612			0.700000	µg/g	0.00
	10-JUL-1992	UNK616			0.900000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRD-92-01	10-JUL-1992	UNK618			0.900000	µg/g	0.00
	10-JUL-1992	UNK621			0.700000	µg/g	0.00
	10-JUL-1992	UNK621			0.700000	µg/g	0.00
	10-JUL-1992	UNK622			0.700000	µg/g	0.00
	10-JUL-1992	UNK625			0.900000	µg/g	0.00
	10-JUL-1992	UNK628			2.000000	µg/g	0.00
	10-JUL-1992	UNK629			0.900000	µg/g	0.00
	10-JUL-1992	UNK630			0.700000	µg/g	0.00
	10-JUL-1992	UNK631			0.900000	µg/g	0.00
	10-JUL-1992	UNK634			2.000000	µg/g	0.00
	10-JUL-1992	UNK634			2.000000	µg/g	0.00
	10-JUL-1992	UNK636			0.700000	µg/g	0.00
	10-JUL-1992	UNK638			1.000000	µg/g	0.00
	10-JUL-1992	UNK638			2.000000	µg/g	0.00
	10-JUL-1992	UNK642			2.000000	µg/g	0.00
	10-JUL-1992	UNK644			1.000000	µg/g	0.00
	10-JUL-1992	UNK646			0.900000	µg/g	0.00
	10-JUL-1992	UNK647			2.000000	µg/g	0.00
	10-JUL-1992	UNK648			0.900000	µg/g	0.00
	10-JUL-1992	UNK673			2.000000	µg/g	0.00
	10-JUL-1992	UNK683			0.900000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		280.000000	µg/g	0.00
BRD-92-02	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.600000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.780000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.060000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	1.400000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.660000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRD-92-02	10-JUL-1992	4NANIL	4-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE		0.008000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	2.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	2.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.810000	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.580000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE		0.427000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	1.080000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.660000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE		2.130000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		82.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE		0.854000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE		0.640000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE		0.640000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.400000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	3.400000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE		0.427000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	1.600000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM		2.800000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006200	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE		1.070000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.800000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.740000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.540000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	1.380000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		470.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		99.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE		41.100000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.400000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRD-92-02	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.580000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.660000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.480000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.600000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	1.180000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.820000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE		1.280000	µg/g	0.00
	10-JUL-1992	FE	IRON		35000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	10.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.560000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.720000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE		0.427000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.660000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.860000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	2.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.960000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.840000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.720000	µg/g	0.00
	10-JUL-1992	NI	NICKEL		8.150000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.660000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		7.270000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.500000	µg/g	0.00
	10-JUL-1992	PB	LEAD		860.000000	µg/g	0.00
	10-JUL-1992	PCB248	PCB 1248		4.800000	µg/g	0.00
	10-JUL-1992	PCB248	PCB 1248		5.200000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE		1.710000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.660000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.440000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.920000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE		2.130000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE		122.000000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE /	ND	0.005000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			CINNAMOL / ETHENYLBENZENE				
BRD-92-02	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	33.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK537			0.400000	µg/g	0.00
	10-JUL-1992	UNK537			0.400000	µg/g	0.00
	10-JUL-1992	UNK539			0.400000	µg/g	0.00
	10-JUL-1992	UNK552			0.400000	µg/g	0.00
	10-JUL-1992	UNK558			0.200000	µg/g	0.00
	10-JUL-1992	UNK561			0.600000	µg/g	0.00
	10-JUL-1992	UNK571			2.000000	µg/g	0.00
	10-JUL-1992	UNK593			0.400000	µg/g	0.00
	10-JUL-1992	UNK595			0.400000	µg/g	0.00
	10-JUL-1992	UNK601			0.200000	µg/g	0.00
	10-JUL-1992	UNK604			0.400000	µg/g	0.00
	10-JUL-1992	UNK607			1.000000	µg/g	0.00
	10-JUL-1992	UNK611			0.400000	µg/g	0.00
	10-JUL-1992	UNK621			0.900000	µg/g	0.00
	10-JUL-1992	UNK622			0.900000	µg/g	0.00
	10-JUL-1992	UNK628			0.900000	µg/g	0.00
	10-JUL-1992	UNK629			1.000000	µg/g	0.00
	10-JUL-1992	UNK636			1.000000	µg/g	0.00
	10-JUL-1992	UNK646			0.900000	µg/g	0.00
	10-JUL-1992	UNK652			2.000000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		1100.000000	µg/g	0.00
BRS-92-01	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.600000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.600000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.600000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.660000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-01	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.780000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.060000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.060000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.060000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	1.400000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	1.400000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	1.400000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE	ND	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-01	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	2.000000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	2.000000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	2.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	2.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	2.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	2.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.179000	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.580000	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.580000	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.580000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	1.080000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	1.080000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	1.080000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.660000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.660000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.660000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.780000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.780000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.780000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		260.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.600000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.600000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.600000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.760000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.760000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.760000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.400000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.400000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.400000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	3.400000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	3.400000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	3.400000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-01	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.480000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.480000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.480000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	1.600000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	1.600000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	1.600000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.007200	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	0.900000	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	0.900000	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	0.900000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.800000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.800000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.800000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.740000	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.740000	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.740000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.540000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.540000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.540000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	1.380000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	1.380000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	1.380000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		90.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		19.300000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.400000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.400000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.400000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.580000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA	LT	0.580000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-01	10-JUL-1992	DBHC	NE DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.580000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.660000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.660000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.660000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.480000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.480000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.480000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.600000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.600000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.600000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	1.180000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	1.180000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	1.180000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.820000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.820000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.820000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	FE	IRON		25000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	10.000000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	10.000000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	10.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.560000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.560000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.560000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.720000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.720000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.720000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.420000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.420000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.420000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.660000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.660000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.660000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.860000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.860000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.860000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR /	ND	2.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-01	10-JUL-1992	MEXCLR	METHOXY-DDT METHOXYCHLOR / METHOXY-DDT	ND	2.000000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	2.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.960000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.960000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.960000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.840000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.840000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.840000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.720000	µg/g	0.00
	10-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.660000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.500000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.500000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.500000	µg/g	0.00
	10-JUL-1992	PB	LEAD		130.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.660000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.440000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.440000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.440000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.920000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.920000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.920000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-01	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK571			0.500000	µg/g	0.00
	10-JUL-1992	UNK629			1.000000	µg/g	0.00
	10-JUL-1992	UNK636			0.500000	µg/g	0.00
	10-JUL-1992	UNK646			1.000000	µg/g	0.00
	10-JUL-1992	UNK659			1.000000	µg/g	0.00
	10-JUL-1992	UNK681			2.000000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		2200.000000	µg/g	0.00
BRS-92-02	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	6.000000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	7.800000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	10.600000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	14.000000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	34.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-02	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	20.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	20.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.234000	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	5.800000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	10.800000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	6.600000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	7.800000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		74.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	6.000000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	7.600000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	4.000000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	34.000000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	4.800000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	16.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM		0.515000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006400	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	9.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	5.200000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	8.000000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	7.400000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	5.400000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	13.800000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		80.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		27.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	4.000000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE /	LT	5.800000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			DELTA-HEXACHLOROCYCLOHEXANE				
BRS-92-02	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	6.600000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	4.800000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	6.000000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	11.800000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	8.200000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	10.400000	µg/g	0.00
	10-JUL-1992	FE	IRON		12000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	100.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	5.600000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	7.200000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	4.200000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	6.600000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	8.600000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	20.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	9.600000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	8.400000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	7.200000	µg/g	0.00
	10-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	6.600000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	5.000000	µg/g	0.00
	10-JUL-1992	PB	LEAD		140.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	6.600000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	3.600000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	4.400000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	9.200000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-02	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK629			4.000000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		300.000000	µg/g	0.00
BRS-92-03	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-03	10-JUL-1992	AG	SILVER		0.047600	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	48.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		31.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.160000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	0.850000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.067000	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		22.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		7.200000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-03	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	FE	IRON		6200.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	10-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	10-JUL-1992	NI	NICKEL	LT	4.900000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	10-JUL-1992	PB	LEAD		40.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	6.800000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE /	LT	0.003800	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ALGYLEN / CHLORYLEN / GEMALGENE				
BRS-92-03	10-JUL-1992	UNK561			0.200000	µg/g	0.00
	10-JUL-1992	UNK602			0.400000	µg/g	0.00
	10-JUL-1992	UNK629			0.200000	µg/g	0.00
	10-JUL-1992	UNK645			0.400000	µg/g	0.00
	10-JUL-1992	UNK646			0.300000	µg/g	0.00
	10-JUL-1992	UNK659			0.400000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		40.000000	µg/g	0.00
BRS-92-04	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	6.000000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	7.800000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	10.600000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	14.000000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	20.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	20.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.099200	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	5.800000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	8.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-04	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	10.800000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	6.600000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	7.800000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		110.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	6.000000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	7.600000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	4.000000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	34.000000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	4.800000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	16.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008200	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	9.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	5.200000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	8.000000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	7.400000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	5.400000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	13.800000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		70.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		29.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	4.000000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	5.800000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	6.600000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	4.800000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	6.000000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	11.800000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-04	10-JUL-1992	ENDRN	ENDRIN	LT	8.200000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	10.400000	µg/g	0.00
	10-JUL-1992	FE	IRON		21000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	100.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	5.600000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	7.200000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	4.200000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	6.600000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	8.600000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	20.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	9.600000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	8.400000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	7.200000	µg/g	0.00
	10-JUL-1992	NI	NICKEL		26.300000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	6.600000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		6.590000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	5.000000	µg/g	0.00
	10-JUL-1992	PB	LEAD		240.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	6.600000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	3.600000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	4.400000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	9.200000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK629			2.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-04	10-JUL-1992	ZN	ZINC		140.000000	µg/g	0.00
BRS-92-05	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	6.000000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	7.800000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	10.600000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	14.000000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE		0.018000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	20.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	20.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.076500	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	5.800000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	10.800000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	6.600000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-05	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	7.800000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		76.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	6.000000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	7.600000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	4.000000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	34.000000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	4.800000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	16.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006200	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	9.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	5.200000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	8.000000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	7.400000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	5.400000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	13.800000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		23.600000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		52.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	4.000000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	5.800000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	6.600000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	4.800000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	6.000000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	11.800000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	8.200000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	10.400000	µg/g	0.00
	10-JUL-1992	FE	IRON		16000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	6.600000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-05	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	100.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	5.600000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	7.200000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	4.200000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	6.600000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	8.600000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	20.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	9.600000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	8.400000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	7.200000	µg/g	0.00
	10-JUL-1992	NI	NICKEL		25.800000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	6.600000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		5.950000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	5.000000	µg/g	0.00
	10-JUL-1992	PB	LEAD		110.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	6.600000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	3.600000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	4.400000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	9.200000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE		22.400000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	ZN	ZINC		120.000000	µg/g	0.00
BRS-92-06	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-06	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.600000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.780000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.060000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	1.400000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE		0.017000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	2.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	2.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.061500	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.580000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	1.080000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.660000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.780000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		13.500000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE		1.470000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE		1.260000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE		1.050000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE /	LT	0.720000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			BETA-HEXACHLOROCYCLOHEXANE				
BRS-92-06	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.780000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.400000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	3.400000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE		0.839000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE		1.260000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	1.300000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006100	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE		1.470000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE		50.000000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.800000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.740000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.540000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	1.380000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		18.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		77.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.400000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.580000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.660000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.480000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.600000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	1.180000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.820000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE		1.680000	µg/g	0.00
	10-JUL-1992	FE	IRON		23000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	10.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	HG	MERCURY		0.174000	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.560000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.720000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE		0.839000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-06	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.660000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.860000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	2.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.960000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.840000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.720000	µg/g	0.00
	10-JUL-1992	NI	NICKEL	LT	7.400000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.660000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		28.000000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.500000	µg/g	0.00
	10-JUL-1992	PB	LEAD		43.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE		1.050000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.660000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE		7.430000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.440000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.920000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE		2.100000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE		125.000000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK561			0.800000	µg/g	0.00
	10-JUL-1992	UNK581			0.400000	µg/g	0.00
	10-JUL-1992	UNK587			0.400000	µg/g	0.00
	10-JUL-1992	UNK589			0.400000	µg/g	0.00
	10-JUL-1992	UNK592			0.600000	µg/g	0.00
	10-JUL-1992	UNK592			1.000000	µg/g	0.00
	10-JUL-1992	UNK592			0.600000	µg/g	0.00
	10-JUL-1992	UNK598			0.800000	µg/g	0.00
	10-JUL-1992	UNK598			0.400000	µg/g	0.00
	10-JUL-1992	UNK603			0.800000	µg/g	0.00
	10-JUL-1992	UNK607			1.000000	µg/g	0.00
	10-JUL-1992	UNK612			0.400000	µg/g	0.00
	10-JUL-1992	UNK616			0.400000	µg/g	0.00
	10-JUL-1992	UNK620			0.400000	µg/g	0.00
	10-JUL-1992	UNK620			0.400000	µg/g	0.00
	10-JUL-1992	UNK621			0.600000	µg/g	0.00
	10-JUL-1992	UNK622			0.400000	µg/g	0.00
	10-JUL-1992	UNK628			0.400000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-06	10-JUL-1992	UNK629			0.400000	µg/g	0.00
	10-JUL-1992	UNK629			4.000000	µg/g	0.00
	10-JUL-1992	UNK633			0.400000	µg/g	0.00
	10-JUL-1992	UNK636			0.400000	µg/g	0.00
	10-JUL-1992	UNK637			0.400000	µg/g	0.00
	10-JUL-1992	UNK646			0.600000	µg/g	0.00
	10-JUL-1992	UNK652			1.000000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		76.000000	µg/g	0.00
BRS-92-07	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	6.000000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	7.800000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	10.600000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	14.000000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	20.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	20.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.073700	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	5.800000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	9.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-07	10-JUL-1992	ANTRC	ANTHRACENE	LT	10.800000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	6.600000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	7.800000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		40.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	6.000000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	7.600000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	4.000000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	34.000000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	4.800000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	16.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM		1.820000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008300	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	9.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	5.200000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	8.000000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	7.400000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	5.400000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	13.800000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		43.600000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		17.800000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	4.000000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	5.800000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	6.600000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	4.800000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	6.000000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	11.800000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	8.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-07	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	10.400000	µg/g	0.00
	10-JUL-1992	FE	IRON		8200.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	100.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	5.600000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	7.200000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	4.200000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	6.600000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	8.600000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	20.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	9.600000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	8.400000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	7.200000	µg/g	0.00
	10-JUL-1992	NI	NICKEL		3.650000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	6.600000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	5.000000	µg/g	0.00
	10-JUL-1992	PB	LEAD		100.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	6.600000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	3.600000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	4.400000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	9.200000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK629			4.000000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		150.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-08	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	5.800000	µg/g	0.00
	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	6.600000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	6.000000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	7.800000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	10.600000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	6.400000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	14.000000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	34.000000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE		0.020000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	20.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	20.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		1.800000	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	5.800000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	9.200000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	10.800000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	48.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	6.600000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	6.600000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL)	LT	7.800000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			PHTHALATE				
BRS-92-08	10-JUL-1992	BA	BARIUM		120.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	6.000000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	7.600000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	7.200000	µg/g	0.00
	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.160000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	4.000000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	34.000000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	4.800000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	16.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	6.600000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	0.850000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.007700	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	9.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	5.200000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	8.000000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	7.400000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	5.400000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	13.800000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		13.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		66.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	4.000000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	5.800000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	6.600000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	4.800000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	6.000000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	6.600000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	11.800000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	8.200000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	4.000000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	10.400000	µg/g	0.00
	10-JUL-1992	FE	IRON		13000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	100.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-08	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	HG	MERCURY		0.091500	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	5.600000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	7.200000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	4.200000	µg/g	0.00
	10-JUL-1992	ISOPHR	ISOPHORONE	ND	6.600000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	8.600000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	20.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	9.600000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	8.400000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	6.600000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	7.200000	µg/g	0.00
	10-JUL-1992	NI	NICKEL	LT	4.900000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	6.600000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		5.110000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	5.000000	µg/g	0.00
	10-JUL-1992	PB	LEAD		29.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	34.000000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	6.600000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE		64.500000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	3.600000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	4.400000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	8.200000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	9.200000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	8.400000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK629			5.000000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		240.000000	µg/g	0.00
BRS-92-09	10-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00
	10-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.580000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-09	10-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.660000	µg/g	0.00
	10-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	10-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.600000	µg/g	0.00
	10-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.780000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.060000	µg/g	0.00
	10-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.640000	µg/g	0.00
	10-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NANIL	2-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	2NP	2-NITROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	1.400000	µg/g	0.00
	10-JUL-1992	3NANIL	3-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	4NANIL	4-NITROANILINE	ND	3.400000	µg/g	0.00
	10-JUL-1992	4NP	4-NITROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ACET	ACETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	2.000000	µg/g	0.00
	10-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	2.000000	µg/g	0.00
	10-JUL-1992	AG	SILVER		0.115000	µg/g	0.00
	10-JUL-1992	ALDRN	ALDRIN	LT	0.580000	µg/g	0.00
	10-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.920000	µg/g	0.00
	10-JUL-1992	ANTRC	ANTHRACENE	LT	1.080000	µg/g	0.00
	10-JUL-1992	AS	ARSENIC	LT	48.000000	µg/g	0.00
	10-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.660000	µg/g	0.00
	10-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.660000	µg/g	0.00
	10-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.780000	µg/g	0.00
	10-JUL-1992	BA	BARIUM		160.000000	µg/g	0.00
	10-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.600000	µg/g	0.00
	10-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.760000	µg/g	0.00
	10-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.720000	µg/g	0.00
	10-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE /	LT	0.720000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			BETA-HEXACHLOROCYCLOHEXANE				
BRS-92-09	10-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	BE	BERYLLIUM	LT	0.160000	µg/g	0.00
	10-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.400000	µg/g	0.00
	10-JUL-1992	BENZOA	BENZOIC ACID	ND	3.400000	µg/g	0.00
	10-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.480000	µg/g	0.00
	10-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	1.600000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	10-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.660000	µg/g	0.00
	10-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUL-1992	CD	CADMIUM	LT	0.850000	µg/g	0.00
	10-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008700	µg/g	0.00
	10-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUL-1992	CHRY	CHRYSENE	LT	0.900000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.520000	µg/g	0.00
	10-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.800000	µg/g	0.00
	10-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.740000	µg/g	0.00
	10-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.540000	µg/g	0.00
	10-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	1.380000	µg/g	0.00
	10-JUL-1992	CR	CHROMIUM		22.000000	µg/g	0.00
	10-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUL-1992	CU	COPPER		160.000000	µg/g	0.00
	10-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.400000	µg/g	0.00
	10-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.580000	µg/g	0.00
	10-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.660000	µg/g	0.00
	10-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DITH	DITHIANE	LT	0.480000	µg/g	0.00
	10-JUL-1992	DLDRN	DIELDRIN	LT	0.600000	µg/g	0.00
	10-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.660000	µg/g	0.00
	10-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	1.180000	µg/g	0.00
	10-JUL-1992	ENDRN	ENDRIN	LT	0.820000	µg/g	0.00
	10-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.400000	µg/g	0.00
	10-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUL-1992	FANT	FLUORANTHENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	FE	IRON		20000.000000	µg/g	0.00
	10-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	10.000000	µg/g	0.00
	10-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	HG	MERCURY		0.199000	µg/g	0.00
	10-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUL-1992	HPCL	HEPTACHLOR	LT	0.560000	µg/g	0.00
	10-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.720000	µg/g	0.00
	10-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.420000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-09	10-JUL-1992	ISOPHR	ISOPHORONE	ND	0.660000	µg/g	0.00
	10-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.860000	µg/g	0.00
	10-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	2.000000	µg/g	0.00
	10-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	MLTHN	MALATHION	LT	0.960000	µg/g	0.00
	10-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.840000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.660000	µg/g	0.00
	10-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.720000	µg/g	0.00
	10-JUL-1992	NI	NICKEL	LT	4.900000	µg/g	0.00
	10-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.660000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		5.920000	µg/g	0.00
	10-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.500000	µg/g	0.00
	10-JUL-1992	PB	LEAD		70.000000	µg/g	0.00
	10-JUL-1992	PCP	PENTACHLOROPHENOL	ND	3.400000	µg/g	0.00
	10-JUL-1992	PHANTR	PHENANTHRENE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.660000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE		92.800000	µg/g	0.00
	10-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.360000	µg/g	0.00
	10-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.440000	µg/g	0.00
	10-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.820000	µg/g	0.00
	10-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.920000	µg/g	0.00
	10-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.840000	µg/g	0.00
	10-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	10-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/g	0.00
	14-JUL-1992	SO4	SULFATE		27.200000	µg/g	0.00
	10-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	10-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUL-1992	UNK629			2.000000	µg/g	0.00
	10-JUL-1992	UNK646			1.000000	µg/g	0.00
	10-JUL-1992	UNK659			0.700000	µg/g	0.00
	10-JUL-1992	ZN	ZINC		460.000000	µg/g	0.00
BRW-92-01	15-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	4.100000	µg/l	0.00
	15-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.630000	µg/l	0.00
	15-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	1.420000	µg/l	0.00
	15-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	1.100000	µg/l	0.00
	15-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	3.600000	µg/l	0.00
	15-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	4.000000	µg/l	0.00
	15-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	3.600000	µg/l	0.00
	15-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	2.800000	µg/l	0.00
	15-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	1.100000	µg/l	0.00
	15-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	10.000000	µg/l	0.00
	15-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	10.000000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRW-92-01	15-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	10.000000	µg/l	0.00
	15-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	9.700000	µg/l	0.00
	15-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	7.600000	µg/l	0.00
	15-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	2.800000	µg/l	0.00
	15-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	5.000000	µg/l	0.00
	15-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.388000	µg/l	0.00
	15-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	8.500000	µg/l	0.00
	15-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	9.000000	µg/l	0.00
	15-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	8.500000	µg/l	0.00
	15-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	9.200000	µg/l	0.00
	15-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	3.800000	µg/l	0.00
	15-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	5.000000	µg/l	0.00
	15-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.270000	µg/l	0.00
	15-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	4.400000	µg/l	0.00
	15-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	8.100000	µg/l	0.00
	15-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	60.000000	µg/l	0.00
	15-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.767000	µg/l	0.00
	15-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	60.000000	µg/l	0.00
	15-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	1.160000	µg/l	0.00
	15-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	5.500000	µg/l	0.00
	15-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	1.110000	µg/l	0.00
	15-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	6.600000	µg/l	0.00
	15-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	7.000000	µg/l	0.00
	15-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	6.600000	µg/l	0.00
	15-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	82.000000	µg/l	0.00
	15-JUL-1992	2CLP	2-CHLOROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	9.600000	µg/l	0.00
	15-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	10.000000	µg/l	0.00
	15-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	9.600000	µg/l	0.00
	15-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	2NANIL	2-NITROANILINE	ND	50.000000	µg/l	0.00
	15-JUL-1992	2NANIL	2-NITROANILINE	ND	60.000000	µg/l	0.00
	15-JUL-1992	2NANIL	2-NITROANILINE	ND	50.000000	µg/l	0.00
	15-JUL-1992	2NP	2-NITROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	2NP	2-NITROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	2NP	2-NITROPHENOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	20.000000	µg/l	0.00
	15-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	20.000000	µg/l	0.00
	15-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	20.000000	µg/l	0.00
	15-JUL-1992	3NANIL	3-NITROANILINE	ND	50.000000	µg/l	0.00
	15-JUL-1992	3NANIL	3-NITROANILINE	ND	60.000000	µg/l	0.00
	15-JUL-1992	3NANIL	3-NITROANILINE	ND	50.000000	µg/l	0.00
	15-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	60.000000	µg/l	0.00
	15-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	4CANIL	4-CHLOROANILINE	ND	10.000000	µg/l	0.00
	15-JUL-1992	4CANIL	4-CHLOROANILINE	ND	10.000000	µg/l	0.00
	15-JUL-1992	4CANIL	4-CHLOROANILINE	ND	10.000000	µg/l	0.00
	15-JUL-1992	4CL3C	4-CHLORO-3-CRESOL /	ND	10.000000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			3-METHYL-4-CHLOROPHENOL				
BRW-92-01	15-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	4NANIL	4-NITROANILINE	ND	50.000000	µg/l	0.00
	15-JUL-1992	4NANIL	4-NITROANILINE	ND	60.000000	µg/l	0.00
	15-JUL-1992	4NANIL	4-NITROANILINE	ND	50.000000	µg/l	0.00
	15-JUL-1992	4NP	4-NITROPHENOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.005610	µg/l	0.00
	15-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	6.800000	µg/l	0.00
	15-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	7.000000	µg/l	0.00
	15-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	6.800000	µg/l	0.00
	15-JUL-1992	ACET	ACETONE		14.000000	µg/l	0.00
	15-JUL-1992	ACLDAN	ALPHA-CHLORDANE	LT	0.002010	µg/l	0.00
	15-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	30.000000	µg/l	0.00
	15-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	30.000000	µg/l	0.00
	15-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	30.000000	µg/l	0.00
	15-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	0.050000	µg/l	0.00
	15-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	30.000000	µg/l	0.00
	15-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	30.000000	µg/l	0.00
	15-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	30.000000	µg/l	0.00
	15-JUL-1992	AG	SILVER	LT	0.316000	µg/l	0.00
	15-JUL-1992	ALDRN	ALDRIN	ND	0.050000	µg/l	0.00
	15-JUL-1992	ALDRN	ALDRIN	LT	12.000000	µg/l	0.00
	15-JUL-1992	ALDRN	ALDRIN	LT	10.000000	µg/l	0.00
	15-JUL-1992	ALDRN	ALDRIN	LT	12.000000	µg/l	0.00
	15-JUL-1992	ANAPNE	ACENAPHTHENE	LT	14.000000	µg/l	0.00
	15-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	19.000000	µg/l	0.00
	15-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	19.000000	µg/l	0.00
	15-JUL-1992	ANTRC	ANTHRACENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	ANTRC	ANTHRACENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	ANTRC	ANTHRACENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	AS	ARSENIC	LT	440.000000	µg/l	0.00
	15-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	10.000000	µg/l	0.00
	15-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	10.000000	µg/l	0.00
	15-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	10.000000	µg/l	0.00
	15-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	10.000000	µg/l	0.00
	15-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	8.100000	µg/l	0.00
	15-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	9.000000	µg/l	0.00
	15-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	8.100000	µg/l	0.00
	15-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	32.000000	µg/l	0.00
	15-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	40.000000	µg/l	0.00
	15-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	32.000000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRW-92-01	15-JUL-1992	BA	BARIUM		79.000000	µg/l	0.00
	15-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	14.000000	µg/l	0.00
	15-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	14.000000	µg/l	0.00
	15-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	10.000000	µg/l	0.00
	15-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	10.000000	µg/l	0.00
	15-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	10.000000	µg/l	0.00
	15-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	23.000000	µg/l	0.00
	15-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	30.000000	µg/l	0.00
	15-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	23.000000	µg/l	0.00
	15-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	ND	0.050000	µg/l	0.00
	15-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	4.900000	µg/l	0.00
	15-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	5.000000	µg/l	0.00
	15-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	4.900000	µg/l	0.00
	15-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.341000	µg/l	0.00
	15-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.100000	µg/l	0.00
	15-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	6.000000	µg/l	0.00
	15-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	7.000000	µg/l	0.00
	15-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	6.000000	µg/l	0.00
	15-JUL-1992	BENZOA	BENZOIC ACID	ND	50.000000	µg/l	0.00
	15-JUL-1992	BENZOA	BENZOIC ACID	ND	60.000000	µg/l	0.00
	15-JUL-1992	BENZOA	BENZOIC ACID	ND	50.000000	µg/l	0.00
	15-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	7.100000	µg/l	0.00
	15-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	8.000000	µg/l	0.00
	15-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	7.100000	µg/l	0.00
	15-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	21.000000	µg/l	0.00
	15-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	21.000000	µg/l	0.00
	15-JUL-1992	BR	BROMIDE		60.800000	µg/l	0.00
	15-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	7.900000	µg/l	0.00
	15-JUL-1992	BZALC	BENZYL ALCOHOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	BZALC	BENZYL ALCOHOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	BZALC	BENZYL ALCOHOL	ND	10.000000	µg/l	0.00
	15-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	5.000000	µg/l	0.00
	15-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	5.000000	µg/l	0.00
	15-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.500000	µg/l	0.00
	15-JUL-1992	C2H5CL	CHLOROETHANE	LT	2.120000	µg/l	0.00
	15-JUL-1992	C6H6	BENZENE	LT	2.400000	µg/l	0.00
	15-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	3.700000	µg/l	0.00
	15-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	15-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		14.700000	µg/l	0.00
	15-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	10.000000	µg/l	0.00
	15-JUL-1992	CH3CL	CHLOROMETHANE		6.760000	µg/l	0.00
	15-JUL-1992	CHBR3	BROMOFORM	LT	8.200000	µg/l	0.00
	15-JUL-1992	CHCL3	CHLOROFORM	LT	0.830000	µg/l	0.00
	15-JUL-1992	CHRY	CHRYSENE	LT	15.000000	µg/l	0.00
	15-JUL-1992	CHRY	CHRYSENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	CHRY	CHRYSENE	LT	15.000000	µg/l	0.00
	15-JUL-1992	CL	CHLORIDE		110000.000000	µg/l	0.00
	15-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	8.300000	µg/l	0.00
	15-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	9.000000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRW-92-01	15-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	8.300000	µg/l	0.00
	15-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	5.100000	µg/l	0.00
	15-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	6.000000	µg/l	0.00
	15-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	5.100000	µg/l	0.00
	15-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	1.400000	µg/l	0.00
	15-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	5.900000	µg/l	0.00
	15-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	6.000000	µg/l	0.00
	15-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	5.900000	µg/l	0.00
	15-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	6.800000	µg/l	0.00
	15-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	7.000000	µg/l	0.00
	15-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	6.800000	µg/l	0.00
	15-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	38.000000	µg/l	0.00
	15-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	40.000000	µg/l	0.00
	15-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	38.000000	µg/l	0.00
	15-JUL-1992	CR	CHROMIUM	LT	4.470000	µg/l	0.00
	15-JUL-1992	CS2	CARBON DISULFIDE	ND	5.000000	µg/l	0.00
	15-JUL-1992	CU	COPPER		11.500000	µg/l	0.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/l	0.00
	15-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	7.500000	µg/l	0.00
	15-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	8.000000	µg/l	0.00
	15-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	7.500000	µg/l	0.00
	15-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.036900	µg/l	0.00
	15-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	6.400000	µg/l	0.00
	15-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	7.000000	µg/l	0.00
	15-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	6.400000	µg/l	0.00
	15-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	6.500000	µg/l	0.00
	15-JUL-1992	DBZFUR	DIBENZOFURAN	ND	10.000000	µg/l	0.00
	15-JUL-1992	DBZFUR	DIBENZOFURAN	ND	10.000000	µg/l	0.00
	15-JUL-1992	DBZFUR	DIBENZOFURAN	ND	10.000000	µg/l	0.00
	15-JUL-1992	DEP	DIETHYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DEP	DIETHYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DEP	DIETHYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DITH	DITHIANE	LT	7.700000	µg/l	0.00
	15-JUL-1992	DITH	DITHIANE	LT	8.000000	µg/l	0.00
	15-JUL-1992	DITH	DITHIANE	LT	7.700000	µg/l	0.00
	15-JUL-1992	DLDRN	DIELDRIN	LT	0.021800	µg/l	0.00
	15-JUL-1992	DLDRN	DIELDRIN	LT	11.000000	µg/l	0.00
	15-JUL-1992	DLDRN	DIELDRIN	LT	10.000000	µg/l	0.00
	15-JUL-1992	DLDRN	DIELDRIN	LT	11.000000	µg/l	0.00
	15-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	10.000000	µg/l	0.00
	15-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	15.000000	µg/l	0.00
	15-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	20.000000	µg/l	0.00
	15-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	15.000000	µg/l	0.00
	15-JUL-1992	ENDRN	ENDRIN	LT	0.007640	µg/l	0.00
	15-JUL-1992	ENDRN	ENDRIN	LT	6.600000	µg/l	0.00
	15-JUL-1992	ENDRN	ENDRIN	LT	7.000000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRW-92-01	15-JUL-1992	ENDRN	ENDRIN	LT	6.600000	µg/l	0.00
	15-JUL-1992	ENDRNA	ENDRIN ALDEHYDE	ND	0.100000	µg/l	0.00
	15-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.100000	µg/l	0.00
	15-JUL-1992	ENDRNK	ENDRIN KETONE	ND	6.000000	µg/l	0.00
	15-JUL-1992	ENDRNK	ENDRIN KETONE	ND	7.000000	µg/l	0.00
	15-JUL-1992	ENDRNK	ENDRIN KETONE	ND	6.000000	µg/l	0.00
	15-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.100000	µg/l	0.00
	15-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	6.000000	µg/l	0.00
	15-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	7.000000	µg/l	0.00
	15-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	6.000000	µg/l	0.00
	15-JUL-1992	ETC6H5	ETHYLBENZENE	LT	9.300000	µg/l	0.00
	15-JUL-1992	F	FLUORIDE	LT	71.000000	µg/l	0.00
	15-JUL-1992	FANT	FLUORANTHENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	FANT	FLUORANTHENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	FANT	FLUORANTHENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	FE	IRON		780.000000	µg/l	0.00
	15-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	GCLDAN	GAMMA-CHLORDANE	LT	0.030900	µg/l	0.00
	15-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	30.000000	µg/l	0.00
	15-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	30.000000	µg/l	0.00
	15-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	30.000000	µg/l	0.00
	15-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	18.000000	µg/l	0.00
	15-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	18.000000	µg/l	0.00
	15-JUL-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	15-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.869000	µg/l	0.00
	15-JUL-1992	HPCL	HEPTACHLOR	LT	0.008410	µg/l	0.00
	15-JUL-1992	HPCL	HEPTACHLOR	LT	6.200000	µg/l	0.00
	15-JUL-1992	HPCL	HEPTACHLOR	LT	7.000000	µg/l	0.00
	15-JUL-1992	HPCL	HEPTACHLOR	LT	6.200000	µg/l	0.00
	15-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.061000	µg/l	0.00
	15-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	7.200000	µg/l	0.00
	15-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	8.000000	µg/l	0.00
	15-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	7.200000	µg/l	0.00
	15-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	7.200000	µg/l	0.00
	15-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	8.000000	µg/l	0.00
	15-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	7.200000	µg/l	0.00
	15-JUL-1992	ISODR	ISODRIN	LT	0.134000	µg/l	0.00
	15-JUL-1992	ISOPHR	ISOPHORONE	ND	10.000000	µg/l	0.00
	15-JUL-1992	ISOPHR	ISOPHORONE	ND	10.000000	µg/l	0.00
	15-JUL-1992	ISOPHR	ISOPHORONE	ND	10.000000	µg/l	0.00
	15-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.033000	µg/l	0.00
	15-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	5.800000	µg/l	0.00
	15-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	6.000000	µg/l	0.00
	15-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	5.800000	µg/l	0.00
	15-JUL-1992	MEC6H5	TOLUENE	LT	8.700000	µg/l	0.00
	15-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	10.000000	µg/l	0.00
	15-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	0.500000	µg/l	0.00
	15-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	30.000000	µg/l	0.00
	15-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	30.000000	µg/l	0.00
	15-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	30.000000	µg/l	0.00
	15-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	10.000000	µg/l	0.00
	15-JUL-1992	MLTHN	MALATHION	LT	7.300000	µg/l	0.00
	15-JUL-1992	MLTHN	MALATHION	LT	8.000000	µg/l	0.00
	15-JUL-1992	MLTHN	MALATHION	LT	7.300000	µg/l	0.00
	15-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	10.000000	µg/l	0.00
	15-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	17.000000	µg/l	0.00
	15-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	20.000000	µg/l	0.00
	15-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	17.000000	µg/l	0.00
	15-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.540000	µg/l	0.00
	15-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	10.000000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRW-92-01	15-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	4.500000	µg/l	0.00
	15-JUL-1992	NI	NICKEL	LT	8.760000	µg/l	0.00
	15-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	10.000000	µg/l	0.00
	15-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	10.000000	µg/l	0.00
	15-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	10.000000	µg/l	0.00
	15-JUL-1992	NO2	NITRITE	LT	280.000000	µg/l	0.00
	15-JUL-1992	NO3	NITRATE		1800.000000	µg/l	0.00
	15-JUL-1992	OXAT	1,4-OXATHIANE	LT	9.100000	µg/l	0.00
	15-JUL-1992	OXAT	1,4-OXATHIANE	LT	10.000000	µg/l	0.00
	15-JUL-1992	OXAT	1,4-OXATHIANE	LT	9.100000	µg/l	0.00
	15-JUL-1992	PB	LEAD		12.100000	µg/l	0.00
	15-JUL-1992	PCB016	PCB 1016	LT	0.068100	µg/l	0.00
	15-JUL-1992	PCB260	PCB 1260	LT	0.075400	µg/l	0.00
	15-JUL-1992	PCP	PENTACHLOROPHENOL	ND	50.000000	µg/l	0.00
	15-JUL-1992	PHANTR	PHENANTHRENE	LT	22.000000	µg/l	0.00
	15-JUL-1992	PHANTR	PHENANTHRENE	LT	20.000000	µg/l	0.00
	15-JUL-1992	PHANTR	PHENANTHRENE	LT	22.000000	µg/l	0.00
	15-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	10.000000	µg/l	0.00
	15-JUL-1992	PO4	PHOSPHATE		63.100000	µg/l	0.00
	15-JUL-1992	PO4	PHOSPHATE		43.400000	µg/l	0.00
	15-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.020100	µg/l	0.00
	15-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	9.700000	µg/l	0.00
	15-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	10.000000	µg/l	0.00
	15-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	9.700000	µg/l	0.00
	15-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.088000	µg/l	0.00
	15-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	9.300000	µg/l	0.00
	15-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	10.000000	µg/l	0.00
	15-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	9.300000	µg/l	0.00
	15-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	ND	0.100000	µg/l	0.00
	15-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	7.300000	µg/l	0.00
	15-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	8.000000	µg/l	0.00
	15-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	7.300000	µg/l	0.00
	15-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	4.700000	µg/l	0.00
	15-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	5.000000	µg/l	0.00
	15-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	4.700000	µg/l	0.00
	15-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	17.000000	µg/l	0.00
	15-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.617000	µg/l	0.00
	15-JUL-1992	SB	ANTIMONY	LT	51.200000	µg/l	0.00
	15-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/l	0.00
	15-JUL-1992	SO4	SULFATE		52000.000000	µg/l	0.00
	15-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	5.000000	µg/l	0.00
	15-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	5.000000	µg/l	0.00
	15-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	4.700000	µg/l	0.00
	15-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.500000	µg/l	0.00
	15-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	0.191000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRW-92-01	15-JUL-1992	TL	THALLIUM	LT	1100.000000	µg/l	0.00
	15-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.500000	µg/l	0.00
	15-JUL-1992	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	ND	1.000000	µg/l	0.00
	15-JUL-1992	ZN	ZINC		34.800000	µg/l	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-01	04-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	2.00
	04-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	2.00
	04-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	2.00
	04-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	2.00
	04-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	04-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	04-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	2.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	2.00
	04-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	2.00
	04-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	2.00
	04-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	2.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	2.00
	04-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	2.00
	04-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	2.00
	04-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.00
	04-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	2.00
	04-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.00
	04-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.00
	04-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.00
	04-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	2.00
	04-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.00
	04-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.00
	04-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.00
	04-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.00
	04-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.00
	04-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.00
	04-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	04-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.00
	04-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	04-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.00
	04-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.00
	04-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.00
	04-JUN-1992	ACET	ACETONE		0.021300	µg/g	2.00
	04-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.00
	04-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.00
	04-JUN-1992	AG	SILVER		0.069700	µg/g	2.00
	04-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.00
	04-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.00
	04-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.00
	04-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.00
	04-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.10
	04-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.00
	04-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.00
	04-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.00
	04-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.00
	04-JUN-1992	BA	BARIUM		170.000000	µg/g	0.10
	04-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.00
	04-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.00
	04-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.00
	04-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE	LT	0.360000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ BETA-HEXACHLOROCYCLOHEXANE				
WSB-92-01	04-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.10
	04-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.00
	04-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.00
	04-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.00
	04-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.00
	04-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	2.00
	04-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.00
	04-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	04-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	2.00
	04-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	2.00
	04-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	2.00
	04-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	2.00
	04-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	2.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.10
	04-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.007870	µg/g	2.00
	04-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	2.00
	04-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	2.00
	04-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	2.00
	04-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	2.00
	04-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.00
	04-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.00
	04-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.00
	04-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.00
	04-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	2.00
	04-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.00
	04-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.00
	04-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.00
	04-JUN-1992	CR	CHROMIUM		18.600000	µg/g	0.10
	04-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	2.00
	04-JUN-1992	CU	COPPER		9.580000	µg/g	0.10
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.00
	04-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.00
	04-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.00
	04-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	2.00
	04-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.00
	04-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	04-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.00
	04-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.00
	04-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	04-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.00
	04-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.00
	04-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.00
	04-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.00
	04-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.00
	04-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	2.00
	04-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.00
	04-JUN-1992	FE	IRON		20000.000000	µg/g	0.10
	04-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.00
	04-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	2.00
	04-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.00
	04-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.00
	04-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.00
	04-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.00
	04-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.00
	04-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	2.00
	04-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	2.00
	04-JUN-1992	MEXCLR	METHOXYCHLOR /	ND	1.000000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			METHOXY-DDT				
WSB-92-01	04-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	2.00
	04-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.00
	04-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	2.00
	04-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.00
	04-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.10
	04-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.00
	04-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.00
	04-JUN-1992	PB	LEAD		15.000000	µg/g	2.00
	04-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.00
	04-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.00
	04-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.00
	04-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.00
	04-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.00
	04-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.00
	04-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.00
	04-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.00
	04-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.10
	04-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.10
	04-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	2.00
	04-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	04-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	2.00
	04-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	2.00
	04-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.10
	04-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	2.00
	04-JUN-1992	UNK536			0.110000	µg/g	2.00
	04-JUN-1992	UNK641			0.450000	µg/g	2.00
	04-JUN-1992	UNK648			0.220000	µg/g	2.00
	04-JUN-1992	UNK657			0.790000	µg/g	2.00
	04-JUN-1992	UNK682			0.220000	µg/g	2.00
	04-JUN-1992	ZN	ZINC		46.000000	µg/g	0.10
WSB-92-02	04-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	4.00
	04-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	4.00
	04-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	4.00
	04-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	4.00
	04-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	04-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	04-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	4.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	4.00
	04-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	4.00
	04-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	4.00
	04-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	4.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	4.00
	04-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	4.00
	04-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	4.00
	04-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	4.00
	04-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	4.00
	04-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	4.00
	04-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	4.00
	04-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	4.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-02	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	4.00
	04-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	4.00
	04-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	4.00
	04-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	4.00
	04-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	4.00
	04-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	4.00
	04-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	4.00
	04-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	4.00
	04-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	04-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	4.00
	04-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	04-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	4.00
	04-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	4.00
	04-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	4.00
	04-JUN-1992	ACET	ACETONE		0.015300	µg/g	4.00
	04-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	4.00
	04-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	4.00
	04-JUN-1992	AG	SILVER		0.035800	µg/g	4.00
	04-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	4.00
	04-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	4.00
	04-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	4.00
	04-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	4.00
	04-JUN-1992	AS	ARSENIC	LT	48.000000	µg/g	0.10
	04-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	4.00
	04-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	4.00
	04-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	4.00
	04-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	4.00
	04-JUN-1992	BA	BARIUM		130.000000	µg/g	0.10
	04-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	4.00
	04-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	4.00
	04-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	4.00
	04-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	4.00
	04-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	4.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.10
	04-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	4.00
	04-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	4.00
	04-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	4.00
	04-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	4.00
	04-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	4.00
	04-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	4.00
	04-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	4.00
	04-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	4.00
	04-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	4.00
	04-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	4.00
	04-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	4.00
	04-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	4.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.10
	04-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006370	µg/g	4.00
	04-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	4.00
	04-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	4.00
	04-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	4.00
	04-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-02	04-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	4.00
	04-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	4.00
	04-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	4.00
	04-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	4.00
	04-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	4.00
	04-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	4.00
	04-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	4.00
	04-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	4.00
	04-JUN-1992	CR	CHROMIUM		14.200000	µg/g	0.10
	04-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	4.00
	04-JUN-1992	CU	COPPER		5.090000	µg/g	0.10
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	4.00
	04-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	4.00
	04-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	4.00
	04-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	4.00
	04-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	4.00
	04-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	04-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	4.00
	04-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	4.00
	04-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	04-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	4.00
	04-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	4.00
	04-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	4.00
	04-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	4.00
	04-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	4.00
	04-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	4.00
	04-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	4.00
	04-JUN-1992	FE	IRON		13000.000000	µg/g	0.10
	04-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	4.00
	04-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	4.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	4.00
	04-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	4.00
	04-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	4.00
	04-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	4.00
	04-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	4.00
	04-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	4.00
	04-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	4.00
	04-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	4.00
	04-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	4.00
	04-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	4.00
	04-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	4.00
	04-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	4.00
	04-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	4.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	4.00
	04-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	4.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.10
	04-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	4.00
	04-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	4.00
	04-JUN-1992	PB	LEAD		9.500000	µg/g	4.00
	04-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	4.00
	04-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	4.00
	04-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	4.00
	04-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	4.00
	04-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	4.00
	04-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	4.00
	04-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-02	04-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	4.00
	04-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.10
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.10
	04-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	4.00
	04-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	4.00
	04-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	4.00
	04-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	4.00
	04-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.10
	04-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	4.00
	04-JUN-1992	UNK536			0.220000	µg/g	4.00
	04-JUN-1992	UNK546			0.220000	µg/g	4.00
	04-JUN-1992	UNK657			0.330000	µg/g	4.00
	04-JUN-1992	ZN	ZINC		38.000000	µg/g	0.10
WSB-92-03	24-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	2.00
	24-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	2.00
	24-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	2.00
	24-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	2.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	2.00
	24-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	2.00
	24-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	2.00
	24-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	2.00
	24-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	2.00
	24-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	2.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.00
	24-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	2.00
	24-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL	ND	0.330000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ O-CRESOL				
WSB-92-03	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ACET	ACETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.00
	24-JUN-1992	AG	SILVER		0.164000	µg/g	2.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.00
	24-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.00
	24-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	2.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY)	ND	0.330000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			METHANE				
WSB-92-03	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.00
	24-JUN-1992	BA	BARIUM		73.000000	µg/g	2.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	2.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.00
	24-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.00
	24-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	2.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	2.00
	24-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	2.00
	24-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	2.00
	24-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	2.00
	24-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-03	24-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	2.00
	24-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008200	µg/g	2.00
	24-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	2.00
	24-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	2.00
	24-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	2.00
	24-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	2.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.00
	24-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	2.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.00
	24-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	2.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.00
	24-JUN-1992	CR	CHROMIUM		13.300000	µg/g	2.00
	24-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	2.00
	24-JUN-1992	CU	COPPER		9.110000	µg/g	2.00
	24-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.00
	24-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	2.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-03	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	2.00
	24-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.00
	24-JUN-1992	FE	IRON		10000.000000	µg/g	2.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	2.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.00
	24-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	2.00
	24-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.00
	24-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.00
	24-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.00
	24-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	2.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-03	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.00
	24-JUN-1992	NO3	NITRATE		5.070000	µg/g	2.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.00
	24-JUN-1992	PB	LEAD		19.000000	µg/g	2.00
	24-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	PO4	PHOSPHATE		5.910000	µg/g	2.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.00
	24-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	2.00
	24-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	2.00
	24-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	2.00
	24-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	2.00
	24-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	2.00
	24-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	2.00
	24-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	2.00
	24-JUN-1992	UNK533			1.120000	µg/g	2.00
	24-JUN-1992	UNK643			0.223000	µg/g	2.00
	24-JUN-1992	UNK663			0.223000	µg/g	2.00
	24-JUN-1992	ZN	ZINC		46.000000	µg/g	2.00
WSB-92-04	24-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	3.00
	24-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	3.00
	24-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	3.00
	24-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	3.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	24-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	24-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	3.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	3.00
	24-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-04	24-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	3.00
	24-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	3.00
	24-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	3.00
	24-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	3.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	3.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	3.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	3.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	3.00
	24-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	3.00
	24-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	3.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	3.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	3.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	3.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	3.00
	24-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	3.00
	24-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	3.00
	24-JUN-1992	ACET	ACETONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	3.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	3.00
	24-JUN-1992	AG	SILVER		0.170000	µg/g	3.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	3.00
	24-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	3.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	3.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	3.00
	24-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	3.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	3.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	3.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	3.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	3.00
	24-JUN-1992	BA	BARIUM		53.000000	µg/g	3.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	3.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	3.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	3.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	3.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	3.00
	24-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	3.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	3.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	3.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	3.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	3.00
	24-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	3.00
	24-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	3.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-04	24-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	3.00
	24-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	3.00
	24-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	3.00
	24-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	3.00
	24-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	3.00
	24-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	3.00
	24-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008300	µg/g	3.00
	24-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	3.00
	24-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	3.00
	24-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	3.00
	24-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	3.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	3.00
	24-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	3.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	3.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	3.00
	24-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	3.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	3.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	3.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	3.00
	24-JUN-1992	CR	CHROMIUM		9.320000	µg/g	3.00
	24-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	3.00
	24-JUN-1992	CU	COPPER		4.560000	µg/g	3.00
	24-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	3.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	3.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	3.00
	24-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	3.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	3.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	3.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	3.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	3.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	3.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	3.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	3.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	3.00
	24-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	3.00
	24-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	3.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	3.00
	24-JUN-1992	FE	IRON		7300.000000	µg/g	3.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	3.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	3.00
	24-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	3.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	3.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	3.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	3.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	3.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	3.00
	24-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	3.00
	24-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	3.00
	24-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	3.00
	24-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	3.00

Analytical Data for WASTE WATER SPREADING AREA (Site 35)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-04	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	3.00
	24-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	3.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	3.00
	24-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	3.00
	24-JUN-1992	NO3	NITRATE		3.990000	µg/g	3.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	3.00
	24-JUN-1992	PB	LEAD		9.900000	µg/g	3.00
	24-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	3.00
	24-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	PO4	PHOSPHATE		5.740000	µg/g	3.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	3.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	3.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	3.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	3.00
	24-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	3.00
	24-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	3.00
	24-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	3.00
	24-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	3.00
	24-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	3.00
	24-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	3.00
	24-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	3.00
	24-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	3.00
	24-JUN-1992	UNK533			0.990000	µg/g	3.00
	24-JUN-1992	ZN	ZINC		17.900000	µg/g	3.00
WSB-92-05	24-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	2.00
	24-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	2.00
	24-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	2.00
	24-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	2.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	2.00
	24-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	2.00
	24-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	2.00
	24-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	2.00
	24-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	2.00
	24-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	2.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.00
	24-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	2.00
	24-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL	ND	0.330000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ O-CRESOL				
WSB-92-05	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ACET	ACETONE		0.010000	µg/g	2.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.00
	24-JUN-1992	AG	SILVER		0.028800	µg/g	2.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.00
	24-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.00
	24-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	2.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.00
	24-JUN-1992	BA	BARIUM		40.000000	µg/g	2.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN E	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	2.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.00
	24-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	2.00
	24-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	2.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	2.00
	24-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	2.00
	24-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	2.00
	24-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	2.00
	24-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	2.00
	24-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	2.00
	24-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006700	µg/g	2.00
	24-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	2.00
	24-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	2.00
	24-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	2.00
	24-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	2.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.00
	24-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	2.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-05	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.00
	24-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	2.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.00
	24-JUN-1992	CR	CHROMIUM		7.940000	µg/g	2.00
	24-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	2.00
	24-JUN-1992	CU	COPPER		4.500000	µg/g	2.00
	24-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.00
	24-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	2.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	2.00
	24-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.00
	24-JUN-1992	FE	IRON		6800.000000	µg/g	2.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	2.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.00
	24-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	2.00
	24-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.00
	24-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.00
	24-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.00
	24-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	2.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	2.00
	24-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	2.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.00
	24-JUN-1992	PB	LEAD		8.100000	µg/g	2.00
	24-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	2.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON /	LT	0.460000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			APHAMITE / ALLERON / DNTP / FOSFERNO				
WSB-92-05	24-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	2.00
	24-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	2.00
	24-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	2.00
	24-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	2.00
	24-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	2.00
	24-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	2.00
	24-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	2.00
	24-JUN-1992	UNK533			0.616000	µg/g	2.00
	24-JUN-1992	ZN	ZINC		16.800000	µg/g	2.00
WSB-92-06	24-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	3.00
	24-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	3.00
	24-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	3.00
	24-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	3.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	24-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	24-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	3.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	3.00
	24-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	3.00
	24-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	3.00
	24-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	3.00
	24-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	3.00
	24-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	3.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	3.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	3.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	3.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	3.00
	24-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	3.00
	24-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	3.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	3.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	3.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	3.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	3.00
	24-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	3.00
	24-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	3.00
	24-JUN-1992	ACET	ACETONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-06	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	3.00
	24-JUN-1992	AG	SILVER		0.028500	µg/g	3.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	3.00
	24-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	3.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	3.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	3.00
	24-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	3.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	3.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	3.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	3.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	3.00
	24-JUN-1992	BA	BARIUM		31.000000	µg/g	3.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	3.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	3.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	3.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	3.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	3.00
	24-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	3.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	3.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	3.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	3.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	3.00
	24-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	3.00
	24-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	3.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	3.00
	24-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	3.00
	24-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	3.00
	24-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	3.00
	24-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	3.00
	24-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	3.00
	24-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	3.00
	24-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008200	µg/g	3.00
	24-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	3.00
	24-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	3.00
	24-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	3.00
	24-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	3.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	3.00
	24-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	3.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	3.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	3.00
	24-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	3.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	3.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	3.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	3.00
	24-JUN-1992	CR	CHROMIUM		6.820000	µg/g	3.00
	24-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	3.00
	24-JUN-1992	CU	COPPER		3.250000	µg/g	3.00
	24-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	3.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	3.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	3.00
	24-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	3.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	3.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-06	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	3.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	3.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	3.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	3.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	3.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	3.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	3.00
	24-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	3.00
	24-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	3.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	3.00
	24-JUN-1992	FE	IRON		5000.000000	µg/g	3.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	3.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	3.00
	24-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	3.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	3.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	3.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	3.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	3.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	3.00
	24-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	3.00
	24-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	3.00
	24-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	3.00
	24-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	3.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	3.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	3.00
	24-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	3.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	3.00
	24-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	3.00
	24-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	3.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	3.00
	24-JUN-1992	PB	LEAD		7.500000	µg/g	3.00
	24-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	3.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	3.00
	24-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	3.00
	24-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	3.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	3.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	3.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	3.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	3.00
	24-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	3.00
	24-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	3.00
	24-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	3.00
	24-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	3.00
	24-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	24-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	3.00
	24-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	3.00
	24-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	3.00
	24-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	3.00
	24-JUN-1992	UNK533			1.030000	µg/g	3.00
	24-JUN-1992	ZN	ZINC		11.600000	µg/g	3.00
WSB-92-07	24-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-07	24-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	2.00
	24-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	2.00
	24-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	2.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.00
	24-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	2.00
	24-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	2.00
	24-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	2.00
	24-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	2.00
	24-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	2.00
	24-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	2.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.00
	24-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	2.00
	24-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.00
	24-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ACET	ACETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.00
	24-JUN-1992	AG	SILVER		0.035600	µg/g	2.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.00
	24-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.00
	24-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	2.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.00
	24-JUN-1992	BA	BARIUM		230.000000	µg/g	2.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN	LT	0.360000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			E				
WSB-92-07	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	BE	BERYLLIUM	LT	0.230000	µg/g	2.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.00
	24-JUN-1992	BR	BROMIDE		7.620000	µg/g	2.00
	24-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	2.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.00
	24-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	2.00
	24-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	2.00
	24-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	2.00
	24-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	2.00
	24-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	2.00
	24-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	2.00
	24-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008000	µg/g	2.00
	24-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	2.00
	24-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	2.00
	24-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	2.00
	24-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	2.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.00
	24-JUN-1992	CL	CHLORIDE		7800.000000	µg/g	2.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.00
	24-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	2.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.00
	24-JUN-1992	CR	CHROMIUM		17.300000	µg/g	2.00
	24-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	2.00
	24-JUN-1992	CU	COPPER		15.000000	µg/g	2.00
	24-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.00
	24-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	2.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.00
	24-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	2.00
	24-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	2.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.00
	24-JUN-1992	FE	IRON		27000.000000	µg/g	2.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	2.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-07	24-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	2.00
	24-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.00
	24-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.00
	24-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	2.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.00
	24-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	2.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.00
	24-JUN-1992	NO2	NITRITE	LT	32.000000	µg/g	2.00
	24-JUN-1992	NO3	NITRATE		7.050000	µg/g	2.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.00
	24-JUN-1992	PB	LEAD		21.000000	µg/g	2.00
	24-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.00
	24-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.00
	24-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.00
	24-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	2.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.00
	24-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.00
	24-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	2.00
	24-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	2.00
	24-JUN-1992	SO4	SULFATE		780.000000	µg/g	2.00
	24-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	2.00
	24-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	2.00
	24-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	2.00
	24-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	2.00
	24-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	2.00
	24-JUN-1992	UNK533			1.000000	µg/g	2.00
	24-JUN-1992	ZN	ZINC		78.000000	µg/g	2.00
WSB-92-08	24-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	4.00
	24-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	4.00
	24-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	4.00
	24-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	4.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	24-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	24-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	4.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	4.00
	24-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	4.00
	24-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	4.00
	24-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	4.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	4.00
	24-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	4.00
	24-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	4.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	4.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-08	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	4.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	4.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	4.00
	24-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	4.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	4.00
	24-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	4.00
	24-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	4.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	4.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	4.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	4.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	4.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	4.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	4.00
	24-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	4.00
	24-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	4.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	4.00
	24-JUN-1992	ACET	ACETONE	ND	0.010000	µg/g	4.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	4.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	4.00
	24-JUN-1992	AG	SILVER	LT	0.014600	µg/g	4.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	4.00
	24-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	4.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	4.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	4.00
	24-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	4.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	4.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	4.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	4.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	4.00
	24-JUN-1992	BA	BARIUM		93.000000	µg/g	4.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	4.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	4.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	4.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	4.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	4.00
	24-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	4.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	4.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	4.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	4.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	4.00
	24-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	4.00
	24-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	4.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	4.00
	24-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	4.00
	24-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	4.00
	24-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	4.00
	24-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	4.00
	24-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	4.00
	24-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-08	24-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	4.00
	24-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	4.00
	24-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008200	µg/g	4.00
	24-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	4.00
	24-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	4.00
	24-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	4.00
	24-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	4.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	4.00
	24-JUN-1992	CL	CHLORIDE		4400.000000	µg/g	4.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	4.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	4.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	4.00
	24-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	4.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	4.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	4.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	4.00
	24-JUN-1992	CR	CHROMIUM		16.000000	µg/g	4.00
	24-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	4.00
	24-JUN-1992	CU	COPPER		10.700000	µg/g	4.00
	24-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	4.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	4.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	4.00
	24-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	4.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	4.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	4.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	4.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	4.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	4.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	4.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	4.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	4.00
	24-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	4.00
	24-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	4.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	4.00
	24-JUN-1992	FE	IRON		17000.000000	µg/g	4.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	4.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	4.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	4.00
	24-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	4.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	4.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	4.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	4.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	4.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	4.00
	24-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	4.00
	24-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	4.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	4.00
	24-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	4.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	4.00
	24-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	4.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	4.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	4.00
	24-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	4.00
	24-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	4.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	4.00
	24-JUN-1992	NO2	NITRITE	LT	32.000000	µg/g	4.00
	24-JUN-1992	NO3	NITRATE		5.840000	µg/g	4.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	4.00
	24-JUN-1992	PB	LEAD		14.000000	µg/g	4.00
	24-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-08	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	4.00
	24-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	4.00
	24-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	4.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	4.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	4.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	4.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	4.00
	24-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	4.00
	24-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	4.00
	24-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	4.00
	24-JUN-1992	SO4	SULFATE		950.000000	µg/g	4.00
	24-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	4.00
	24-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	4.00
	24-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	4.00
	24-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	4.00
	24-JUN-1992	TL	THALLIUM	LT	33.000000	µg/g	4.00
	24-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	4.00
	24-JUN-1992	UNK533			0.900000	µg/g	4.00
	24-JUN-1992	ZN	ZINC		49.000000	µg/g	4.00
WSB-92-09	24-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	6.00
	24-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	6.00
	24-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	6.00
	24-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	6.00
	24-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	6.00
	24-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	6.00
	24-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	6.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	6.00
	24-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	6.00
	24-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	6.00
	24-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	6.00
	24-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	6.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	6.00
	24-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	6.00
	24-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	6.00
	24-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	6.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	6.00
	24-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	6.00
	24-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	6.00
	24-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	6.00
	24-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	6.00
	24-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	6.00
	24-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	6.00
	24-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	6.00
	24-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	6.00
	24-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	6.00
	24-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	6.00
	24-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	6.00
	24-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	6.00
	24-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	6.00
	24-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	6.00
	24-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	6.00
	24-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	6.00
	24-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	6.00
	24-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	6.00
	24-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	6.00
	24-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	6.00
	24-JUN-1992	4CL3C	4-CHLORO-3-CRESOL /	ND	0.330000	µg/g	6.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			3-METHYL-4-CHLOROPHENOL				
WSB-92-09	24-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	6.00
	24-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	6.00
	24-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	6.00
	24-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	6.00
	24-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	6.00
	24-JUN-1992	ACET	ACETONE		0.009200	µg/g	6.00
	24-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	6.00
	24-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	6.00
	24-JUN-1992	AG	SILVER	LT	0.014600	µg/g	6.00
	24-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	6.00
	24-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	6.00
	24-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	6.00
	24-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	6.00
	24-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	6.00
	24-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	6.00
	24-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	6.00
	24-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	6.00
	24-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	6.00
	24-JUN-1992	BA	BARIUM		80.000000	µg/g	6.00
	24-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	6.00
	24-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	6.00
	24-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	6.00
	24-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	6.00
	24-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	6.00
	24-JUN-1992	BE	BERYLLIUM	LT	0.160000	µg/g	6.00
	24-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	6.00
	24-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	6.00
	24-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	6.00
	24-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	6.00
	24-JUN-1992	BR	BROMIDE		6.650000	µg/g	6.00
	24-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	6.00
	24-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	6.00
	24-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	6.00
	24-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	6.00
	24-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	6.00
	24-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	6.00
	24-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	6.00
	24-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	6.00
	24-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	6.00
	24-JUN-1992	CD	CADMIUM	LT	0.850000	µg/g	6.00
	24-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.005800	µg/g	6.00
	24-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	6.00
	24-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	6.00
	24-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	6.00
	24-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	6.00
	24-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	6.00
	24-JUN-1992	CL	CHLORIDE		7600.000000	µg/g	6.00
	24-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	6.00
	24-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	6.00
	24-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	6.00
	24-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	6.00
	24-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	6.00
	24-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	6.00
	24-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	6.00
	24-JUN-1992	CR	CHROMIUM		11.000000	µg/g	6.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-09	24-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	6.00
	24-JUN-1992	CU	COPPER		5.500000	µg/g	6.00
	24-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	6.00
	24-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	6.00
	24-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	6.00
	24-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	6.00
	24-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	6.00
	24-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	6.00
	24-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	6.00
	24-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	6.00
	24-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	6.00
	24-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	6.00
	24-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	6.00
	24-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	6.00
	24-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	6.00
	24-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	6.00
	24-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	6.00
	24-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	6.00
	24-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	6.00
	24-JUN-1992	FE	IRON		12000.000000	µg/g	6.00
	24-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	6.00
	24-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	6.00
	24-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	6.00
	24-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	6.00
	24-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	6.00
	24-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	6.00
	24-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	6.00
	24-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	6.00
	24-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	6.00
	24-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	6.00
	24-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	6.00
	24-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	6.00
	24-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	6.00
	24-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	6.00
	24-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	6.00
	24-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	6.00
	24-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	6.00
	24-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	6.00
	24-JUN-1992	NI	NICKEL	LT	5.000000	µg/g	6.00
	24-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	6.00
	24-JUN-1992	NO2	NITRITE	LT	32.000000	µg/g	6.00
	24-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	6.00
	24-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	6.00
	24-JUN-1992	PB	LEAD		14.000000	µg/g	6.00
	24-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	6.00
	24-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	6.00
	24-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	6.00
	24-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	6.00
	24-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	6.00
	24-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	6.00
	24-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	6.00
	24-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	6.00
	24-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	6.00
	24-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	6.00
	24-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	6.00
	24-JUN-1992	SO4	SULFATE		3000.000000	µg/g	6.00
	24-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	6.00
	24-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	6.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-09	24-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	6.00
	24-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	6.00
	24-JUN-1992	TL	THALLIUM	LT	1700.000000	µg/g	6.00
	24-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	6.00
	24-JUN-1992	UNK533			1.000000	µg/g	6.00
	24-JUN-1992	ZN	ZINC		27.000000	µg/g	6.00
WSS-92-01	04-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	04-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	04-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	04-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	04-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	04-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	04-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	04-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	04-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	04-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	04-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	04-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	04-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	04-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	04-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	04-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	04-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	04-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	04-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	04-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	04-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	04-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	04-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	04-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	04-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	04-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	04-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	04-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-01	04-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	04-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	04-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	04-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	04-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	04-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	04-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	04-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	04-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	04-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	04-JUN-1992	ACET	ACETONE		0.012200	µg/g	0.00
	04-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	04-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	04-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	04-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	04-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	04-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	04-JUN-1992	AG	SILVER		0.252000	µg/g	0.00
	04-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	04-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	04-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	04-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	04-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	04-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	04-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	04-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	04-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	04-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	04-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	04-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	04-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	04-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	04-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-01	04-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	04-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	04-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	04-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	04-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	04-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	04-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	04-JUN-1992	BA	BARIUM		150.000000	µg/g	0.00
	04-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	04-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	04-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	04-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	04-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	04-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	04-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	04-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	04-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	04-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	04-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	04-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	04-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.520000	µg/g	0.00
	04-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	04-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	04-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	04-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	04-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	04-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	04-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	04-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	04-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	04-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	04-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	04-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	04-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	04-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	04-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	04-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	04-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	04-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	04-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	04-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	04-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	04-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	04-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006350	µg/g	0.00
	04-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	04-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	04-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	04-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	04-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	04-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	04-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-01	11-JUN-1992	CL	CHLORIDE		42.100000	µg/g	0.00
	04-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	04-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	04-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	04-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	04-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	04-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	04-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	04-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	04-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	04-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	04-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	04-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	04-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	04-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	04-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	04-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	04-JUN-1992	CR	CHROMIUM		18.400000	µg/g	0.00
	04-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	04-JUN-1992	CU	COPPER		21.000000	µg/g	0.00
	04-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	04-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	04-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	04-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	04-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	04-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	04-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	04-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	04-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	04-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	04-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	04-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	04-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	04-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	04-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	04-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	04-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	04-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	04-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	04-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	04-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	04-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	04-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	04-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	04-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	04-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-01	04-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	04-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	04-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	04-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	04-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	04-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	04-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	04-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	04-JUN-1992	FE	IRON		19000.000000	µg/g	0.00
	04-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	04-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	04-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	04-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	04-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	04-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	04-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	04-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	04-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	04-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	04-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	04-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	04-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	04-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	04-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	04-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	04-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	04-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	04-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	04-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	04-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	04-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	04-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	04-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	04-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	04-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	04-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	04-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	04-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	04-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	04-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	04-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	04-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	04-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	04-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	04-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	04-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		6.150000	µg/g	0.00
	04-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	04-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	04-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	04-JUN-1992	PB	LEAD		82.000000	µg/g	0.00
	04-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	04-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	04-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	04-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	04-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE /	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			OXYBENZENE				
WSS-92-01	11-JUN-1992	PO4	PHOSPHATE		3.170000	µg/g	0.00
	04-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	04-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	04-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	04-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	04-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	04-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	04-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	04-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	04-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	04-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	04-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	04-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	04-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	04-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	04-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE		14.400000	µg/g	0.00
	04-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	04-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	04-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	04-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	04-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	04-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	04-JUN-1992	UNK536			0.110000	µg/g	0.00
	04-JUN-1992	UNK546			0.110000	µg/g	0.00
	04-JUN-1992	UNK630			0.220000	µg/g	0.00
	04-JUN-1992	UNK641			0.440000	µg/g	0.00
	04-JUN-1992	UNK648			0.110000	µg/g	0.00
	04-JUN-1992	UNK653			0.220000	µg/g	0.00
	04-JUN-1992	UNK657			1.100000	µg/g	0.00
	04-JUN-1992	UNK659			0.220000	µg/g	0.00
	04-JUN-1992	UNK682			0.780000	µg/g	0.00
	04-JUN-1992	ZN	ZINC		110.000000	µg/g	0.00
WSS-92-02	06-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	06-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	06-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	06-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	06-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	06-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	06-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	06-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	06-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	06-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-02	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	06-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	06-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	06-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	06-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	06-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	06-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ACET	ACETONE		0.013000	µg/g	0.00
	06-JUN-1992	ACLDAN	ALPHA-CHLORDANE		10.000000	µg/g	0.00
	06-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	06-JUN-1992	AG	SILVER		0.355000	µg/g	0.00
	06-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	06-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	06-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	06-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	06-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	06-JUN-1992	BA	BARIUM		120.000000	µg/g	0.00
	06-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	06-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	06-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	06-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	06-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	06-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	06-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	06-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	06-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	06-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-02	06-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	06-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	06-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	06-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	06-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006700	µg/g	0.00
	06-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	06-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	06-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	06-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	06-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	06-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	06-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	06-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	06-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	06-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	06-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	06-JUN-1992	CR	CHROMIUM		18.100000	µg/g	0.00
	06-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	06-JUN-1992	CU	COPPER		28.000000	µg/g	0.00
	06-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	06-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	06-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	06-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	06-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	06-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	06-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	06-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	06-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	06-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	06-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	06-JUN-1992	FE	IRON		17000.000000	µg/g	0.00
	06-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	GCLDAN	GAMMA-CHLORDANE		10.000000	µg/g	0.00
	06-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	06-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	06-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	06-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	06-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	06-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	06-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	06-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	06-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	06-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	06-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	06-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	06-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		5.140000	µg/g	0.00
	06-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-02	06-JUN-1992	PB	LEAD		77.000000	µg/g	0.00
	06-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		14.000000	µg/g	0.00
	06-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	06-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	06-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	06-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	06-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE		12.700000	µg/g	0.00
	06-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	06-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	06-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	06-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	06-JUN-1992	UNK604			3.100000	µg/g	0.00
	06-JUN-1992	UNK606			2.100000	µg/g	0.00
	06-JUN-1992	UNK607			0.420000	µg/g	0.00
	06-JUN-1992	UNK609			3.100000	µg/g	0.00
	06-JUN-1992	UNK610			0.420000	µg/g	0.00
	06-JUN-1992	UNK610			2.100000	µg/g	0.00
	06-JUN-1992	UNK612			0.830000	µg/g	0.00
	06-JUN-1992	UNK612			2.100000	µg/g	0.00
	06-JUN-1992	UNK613			0.520000	µg/g	0.00
	06-JUN-1992	UNK614			0.520000	µg/g	0.00
	06-JUN-1992	UNK615			2.100000	µg/g	0.00
	06-JUN-1992	UNK617			10.000000	µg/g	0.00
	06-JUN-1992	UNK623			3.100000	µg/g	0.00
	06-JUN-1992	UNK646			2.100000	µg/g	0.00
	06-JUN-1992	UNK662			5.200000	µg/g	0.00
	06-JUN-1992	ZN	ZINC		120.000000	µg/g	0.00
WSS-92-03	06-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	06-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	06-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	06-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	06-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	06-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	06-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	06-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	06-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	06-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	06-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-03	06-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	06-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	06-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	06-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	06-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	06-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	06-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	06-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	06-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	06-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	06-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	06-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ ALPHA-HEXACHLOROCYCLOHEXANE				
WSS-92-03	06-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ACET	ACETONE		0.013000	µg/g	0.00
	06-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	06-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	06-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	06-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	06-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	06-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	06-JUN-1992	AG	SILVER		0.240000	µg/g	0.00
	06-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	06-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	06-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	06-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	06-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	06-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	06-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	06-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	06-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	06-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	06-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	06-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	06-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	06-JUN-1992	BA	BARIUM		99.000000	µg/g	0.00
	06-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	06-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	06-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	06-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	06-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	06-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	06-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.280000	µg/g	0.00
	06-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.300000	µg/g	0.00
	06-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	06-JUN-1992	BENSLF	BETA-ENDOSULFAN /	ND	0.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-03	06-JUN-1992	BENSLF	ENDOSULFAN II BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	06-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	06-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	06-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	06-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	06-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	06-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	06-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	06-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	06-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	06-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	06-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	06-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	06-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	06-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	06-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	06-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	06-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	06-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006200	µg/g	0.00
	06-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	06-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	06-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	06-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	06-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	06-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	06-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	06-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	06-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	06-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	06-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	06-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	06-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	06-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	06-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	06-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	06-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	06-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	06-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	06-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	06-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	06-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	06-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	06-JUN-1992	CR	CHROMIUM		14.700000	µg/g	0.00
	06-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	06-JUN-1992	CU	COPPER		12.500000	µg/g	0.00
	06-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	06-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	06-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	06-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE	LT	0.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ DIBENZ[AH]ANTHRACENE				
WSS-92-03	06-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	06-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	06-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	06-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	06-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	06-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	06-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	06-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	06-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	06-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	06-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	06-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	06-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	06-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	06-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	06-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	06-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	06-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	06-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	06-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	06-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	06-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	06-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	06-JUN-1992	FE	IRON		13000.000000	µg/g	0.00
	06-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	06-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	06-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	06-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	06-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	06-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	06-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	06-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	06-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	06-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	06-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	06-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	06-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	06-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	06-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	06-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	06-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-03	06-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	06-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	06-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	06-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	06-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	06-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	06-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	06-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	06-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	06-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	06-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	06-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		2.600000	µg/g	0.00
	06-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	06-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	06-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	06-JUN-1992	PB	LEAD		35.000000	µg/g	0.00
	06-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		2.820000	µg/g	0.00
	06-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	06-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	06-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	06-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	06-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	06-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	06-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	06-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	06-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	06-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	06-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	06-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-03	06-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	06-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	06-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	06-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	06-JUN-1992	UNK546			0.510000	µg/g	0.00
	06-JUN-1992	UNK550			0.310000	µg/g	0.00
	06-JUN-1992	UNK635			0.410000	µg/g	0.00
	06-JUN-1992	UNK643			0.200000	µg/g	0.00
	06-JUN-1992	UNK646			1.000000	µg/g	0.00
	06-JUN-1992	UNK647			0.820000	µg/g	0.00
	06-JUN-1992	UNK662			2.000000	µg/g	0.00
	06-JUN-1992	ZN	ZINC		53.000000	µg/g	0.00
WSS-92-04	06-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	06-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	06-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	06-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	06-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	06-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	06-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	06-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	06-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	06-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	06-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	06-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	06-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	06-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	06-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	06-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ACET	ACETONE		0.018000	µg/g	0.00
	06-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	06-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	06-JUN-1992	AG	SILVER		0.345000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-04	06-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	06-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	06-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	06-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	06-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	06-JUN-1992	BA	BARIUM		170.000000	µg/g	0.00
	06-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	06-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	06-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	06-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	06-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	06-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	06-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	06-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	06-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	06-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	06-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	06-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	06-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	06-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	06-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006200	µg/g	0.00
	06-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	06-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	06-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	06-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	06-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE		4100.000000	µg/g	0.00
	06-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	06-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	06-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	06-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	06-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	06-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	06-JUN-1992	CR	CHROMIUM		20.600000	µg/g	0.00
	06-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	06-JUN-1992	CU	COPPER		8.980000	µg/g	0.00
	06-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	06-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	06-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	06-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	06-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	06-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	06-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	06-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-04	06-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	06-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	06-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	06-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	06-JUN-1992	FE	IRON		22000.000000	µg/g	0.00
	06-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	06-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	06-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	06-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	06-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	06-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	06-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	06-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	06-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	06-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	06-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	06-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	06-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	32.000000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		23.000000	µg/g	0.00
	06-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	06-JUN-1992	PB	LEAD		17.000000	µg/g	0.00
	06-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		4.570000	µg/g	0.00
	06-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	06-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	06-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	06-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	06-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE		900.000000	µg/g	0.00
	06-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	06-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	06-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	06-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	06-JUN-1992	UNK594			0.210000	µg/g	0.00
	06-JUN-1992	UNK635			0.850000	µg/g	0.00
	06-JUN-1992	UNK636			0.320000	µg/g	0.00
	06-JUN-1992	ZN	ZINC		62.000000	µg/g	0.00
WSS-92-05	06-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	06-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	06-JUN-1992	11DCE	1,1-DICHLOROETHENE /	LT	0.019000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			1,1-DICHLOROETHYLENE				
WSS-92-05	06-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	06-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	06-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	06-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	06-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	06-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	06-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	06-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	06-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	06-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	06-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	06-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	06-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ACET	ACETONE		0.014000	µg/g	0.00
	06-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	06-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	06-JUN-1992	AG	SILVER		0.479000	µg/g	0.00
	06-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	06-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	06-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	06-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	06-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	06-JUN-1992	BA	BARIUM		120.000000	µg/g	0.00
	06-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	06-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	06-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-05	06-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	06-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	06-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	06-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	06-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	06-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	06-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	06-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	06-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	06-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	06-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	06-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	06-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.005600	µg/g	0.00
	06-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	06-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	06-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	06-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	06-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	06-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	06-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	06-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	06-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	06-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	06-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	06-JUN-1992	CR	CHROMIUM		16.200000	µg/g	0.00
	06-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	06-JUN-1992	CU	COPPER		22.500000	µg/g	0.00
	06-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	06-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	06-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	06-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	06-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	06-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	06-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	06-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	06-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	06-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	06-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	06-JUN-1992	FE	IRON		14000.000000	µg/g	0.00
	06-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	HG	MERCURY		0.035800	µg/g	0.00
	06-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	06-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	06-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	06-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	06-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	06-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	06-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-05	06-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	06-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	06-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	06-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	06-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	06-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	11-JUN-1992	NO3	NITRATE		4.800000	µg/g	0.00
	06-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	06-JUN-1992	PB	LEAD		130.000000	µg/g	0.00
	06-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		7.490000	µg/g	0.00
	06-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	06-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	06-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	06-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	06-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	06-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	06-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	06-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	06-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	06-JUN-1992	UNK593			0.200000	µg/g	0.00
	06-JUN-1992	UNK622			0.200000	µg/g	0.00
	06-JUN-1992	UNK627			0.300000	µg/g	0.00
	06-JUN-1992	UNK635			0.710000	µg/g	0.00
	06-JUN-1992	UNK640			0.410000	µg/g	0.00
	06-JUN-1992	UNK643			0.410000	µg/g	0.00
	06-JUN-1992	UNK646			3.000000	µg/g	0.00
	06-JUN-1992	UNK648			0.410000	µg/g	0.00
	06-JUN-1992	UNK662			3.000000	µg/g	0.00
	06-JUN-1992	UNK685			2.000000	µg/g	0.00
	06-JUN-1992	UNK687			4.100000	µg/g	0.00
	06-JUN-1992	ZN	ZINC		200.000000	µg/g	0.00
WSS-92-06	06-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	06-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	06-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	06-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	06-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	06-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	06-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	06-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	06-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	06-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-06	06-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	06-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	06-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	06-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	06-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	06-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	06-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	06-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	06-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	06-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ACET	ACETONE		0.024000	µg/g	0.00
	06-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	06-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	06-JUN-1992	AG	SILVER		0.234000	µg/g	0.00
	06-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	06-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	06-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	06-JUN-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	06-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	06-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	06-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	06-JUN-1992	BA	BARIUM		120.000000	µg/g	0.00
	06-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	06-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	06-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	06-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	06-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	06-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	06-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	06-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	11-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	06-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	06-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	06-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER /	ND	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			VINYL ACETATE				
WSS-92-06	06-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	06-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	06-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	06-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	06-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	06-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006100	µg/g	0.00
	06-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	06-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	06-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	06-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	06-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	11-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	06-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	06-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	06-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	06-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	06-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	06-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	06-JUN-1992	CR	CHROMIUM		15.700000	µg/g	0.00
	06-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	06-JUN-1992	CU	COPPER		15.600000	µg/g	0.00
	06-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	06-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	06-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	06-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	06-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	06-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	06-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	06-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	06-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	06-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	06-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	06-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	11-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	06-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	06-JUN-1992	FE	IRON		16000.000000	µg/g	0.00
	06-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	06-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	06-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	06-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	06-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	06-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	06-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	06-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	06-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	06-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	06-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	06-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	06-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	06-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	06-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	11-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00

Analytical Data for WASTE WATER SPREADING AREA (Site 35)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSS-92-06	11-JUN-1992	NO3	NITRATE		4.600000	µg/g	0.00
	06-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	06-JUN-1992	PB	LEAD		57.000000	µg/g	0.00
	06-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	06-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		25.200000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		27.200000	µg/g	0.00
	11-JUN-1992	PO4	PHOSPHATE		26.500000	µg/g	0.00
	06-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	06-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	06-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	06-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	06-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	06-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	06-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	11-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	06-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	06-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	06-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	06-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	06-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	06-JUN-1992	UNK635			0.520000	µg/g	0.00
	06-JUN-1992	UNK640			0.210000	µg/g	0.00
	06-JUN-1992	UNK643			0.210000	µg/g	0.00
	06-JUN-1992	UNK646			2.100000	µg/g	0.00
	06-JUN-1992	UNK662			2.100000	µg/g	0.00
	06-JUN-1992	UNK685			0.720000	µg/g	0.00
	06-JUN-1992	ZN	ZINC		95.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-05	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.301000	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		580.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.250000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-05	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		7.730000	µg/g	0.00
	23-JUN-1992	CU	COPPER		430.000000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		15000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL		5.550000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		2.430000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		1200.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-05	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE		16.900000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	23-JUN-1992	UNK533			0.900000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		370.000000	µg/g	0.00
OSS-92-06	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.181000	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		400.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.020000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-06	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		8.550000	µg/g	0.00
	23-JUN-1992	CU	COPPER		2300.000000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE		0.055000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		13000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		2.100000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		1500.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-06	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	23-JUN-1992	UNK533			30.000000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		370.000000	µg/g	0.00
OSS-92-07	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.035200	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		47.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-07	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM	LT	3.900000	µg/g	0.00
	23-JUN-1992	CU	COPPER		5.540000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		5900.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		3.000000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		8.300000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-07	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	6.800000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	23-JUN-1992	UNK534			60.000000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		30.000000	µg/g	0.00
OSS-92-08	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.063300	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-08	23-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		40.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.054000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM	LT	3.900000	µg/g	0.00
	23-JUN-1992	CU	COPPER		18.300000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		10000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			OF MIRBANE / NITROBENZENE				
OSS-92-08	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		3.320000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		16.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	23-JUN-1992	UNK533			1.000000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		74.000000	µg/g	0.00
OSS-92-09	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			NE				
OSS-92-09	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.076300	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		120.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		13.600000	µg/g	0.00
	23-JUN-1992	CU	COPPER		12.900000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		16000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-09	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		7.110000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		18.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE		21.500000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	23-JUN-1992	UNK534			50.000000	µg/g	0.00
	23-JUN-1992	UNK643			0.100000	µg/g	0.00
	23-JUN-1992	UNK663			0.900000	µg/g	0.00
	23-JUN-1992	UNK692			0.500000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		81.000000	µg/g	0.00
OSS-92-10	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-10	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.050600	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		110.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.022000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		37.100000	µg/g	0.00
	23-JUN-1992	CU	COPPER		10.500000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-10	23-JUN-1992	FE	IRON		15000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL		8.030000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		3.070000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		18.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE		7.400000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	23-JUN-1992	UNK533			2.000000	µg/g	0.00
	23-JUN-1992	UNK616			0.500000	µg/g	0.00
	23-JUN-1992	UNK643			0.300000	µg/g	0.00
	23-JUN-1992	UNK663			1.000000	µg/g	0.00
	23-JUN-1992	UNK692			0.500000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		52.000000	µg/g	0.00
OSS-92-11	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-11	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.122000	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		120.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.025000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		12.600000	µg/g	0.00
	23-JUN-1992	CU	COPPER		18.600000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA	LT	0.290000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			NE				
OSS-92-11	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		15000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY		0.026600	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		4.270000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		21.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE		6.880000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	23-JUN-1992	UNK533			2.000000	µg/g	0.00
	23-JUN-1992	UNK616			0.200000	µg/g	0.00
	23-JUN-1992	UNK626			0.300000	µg/g	0.00
	23-JUN-1992	UNK632			0.500000	µg/g	0.00
	23-JUN-1992	UNK643			0.200000	µg/g	0.00
	23-JUN-1992	UNK663			0.900000	µg/g	0.00
	23-JUN-1992	UNK692			0.700000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		70.000000	µg/g	0.00
OSS-92-12	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-12	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ P-CRESOL				
OSS-92-12	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		0.062000	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		100.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-12	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.058000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.042000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		16.200000	µg/g	0.00
	23-JUN-1992	CU	COPPER		12.300000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-12	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		15000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-12	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		7.370000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		16.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE		15.800000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	23-JUN-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	23-JUN-1992	UNK533			5.000000	µg/g	0.00
	23-JUN-1992	UNK663			0.600000	µg/g	0.00
	23-JUN-1992	UNK692			0.500000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		66.000000	µg/g	0.00
OSS-92-13	23-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	23-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-13	23-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	23-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	23-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	23-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	23-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	23-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	23-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	23-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	23-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	23-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	23-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	23-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	23-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	23-JUN-1992	AG	SILVER		1.700000	µg/g	0.00
	23-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	23-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	23-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	23-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	23-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	23-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	23-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	23-JUN-1992	BA	BARIUM		400.000000	µg/g	0.00
	23-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	23-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	23-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	23-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.047000	µg/g	0.00
	23-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	23-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	23-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	23-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	23-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	23-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	23-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	23-JUN-1992	CD	CADMIUM	LT	20.000000	µg/g	0.00
	23-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	23-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	23-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	23-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-13	23-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	23-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	23-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	23-JUN-1992	CR	CHROMIUM		22.300000	µg/g	0.00
	23-JUN-1992	CU	COPPER		150.000000	µg/g	0.00
	23-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	23-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	23-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	23-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	23-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	23-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	23-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	23-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE		0.049000	µg/g	0.00
	23-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	23-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	23-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	23-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	23-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	23-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	23-JUN-1992	FE	IRON		54000.000000	µg/g	0.00
	23-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	23-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	23-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	23-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	23-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	23-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	23-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	23-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	23-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	23-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	23-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	23-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	23-JUN-1992	NI	NICKEL		12.800000	µg/g	0.00
	23-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	23-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	23-JUN-1992	NO3	NITRATE		3.620000	µg/g	0.00
	23-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	23-JUN-1992	PB	LEAD		1900.000000	µg/g	0.00
	23-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	23-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	23-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	23-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	23-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	23-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	23-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	23-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	23-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	23-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	23-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.00
	23-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	23-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT	LT	1.040000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ROBENZENAMINE				
OSS-92-13	23-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	23-JUN-1992	UNK533			8.000000	µg/g	0.00
	23-JUN-1992	UNK623			0.200000	µg/g	0.00
	23-JUN-1992	UNK627			0.200000	µg/g	0.00
	23-JUN-1992	UNK634			0.200000	µg/g	0.00
	23-JUN-1992	UNK657			0.200000	µg/g	0.00
	23-JUN-1992	UNK659			0.400000	µg/g	0.00
	23-JUN-1992	UNK663			0.400000	µg/g	0.00
	23-JUN-1992	UNK665			0.400000	µg/g	0.00
	23-JUN-1992	UNK666			0.200000	µg/g	0.00
	23-JUN-1992	UNK667			0.200000	µg/g	0.00
	23-JUN-1992	UNK670			0.200000	µg/g	0.00
	23-JUN-1992	UNK680			0.600000	µg/g	0.00
	23-JUN-1992	UNK693			0.100000	µg/g	0.00
	23-JUN-1992	UNK700			0.900000	µg/g	0.00
	23-JUN-1992	UNK708			0.400000	µg/g	0.00
	23-JUN-1992	UNK718			0.100000	µg/g	0.00
	23-JUN-1992	UNK725			0.600000	µg/g	0.00
	23-JUN-1992	ZN	ZINC		1500.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-101	07-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	9.00
	07-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	9.00
	07-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	9.00
	07-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	9.00
	07-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	07-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	07-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	07-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	9.00
	07-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	07-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	07-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	9.00
	07-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	9.00
	07-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	9.00
	07-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	9.00
	07-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	9.00
	07-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	9.00
	07-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	9.00
	07-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	9.00
	07-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	9.00
	07-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	9.00
	07-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	9.00
	07-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	9.00
	07-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	9.00
	07-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	9.00
	07-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	9.00
	07-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	9.00
	07-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	9.00
	07-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	9.00
	07-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	9.00
	07-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	9.00
	07-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	9.00
	07-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	9.00
	07-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	9.00
	07-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL	ND	0.330000	µg/g	9.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ETHER				
ARP-92-101	07-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	9.00
	07-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	9.00
	07-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	9.00
	07-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	9.00
	07-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	9.00
	07-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	9.00
	07-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	9.00
	07-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	9.00
	07-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	9.00
	07-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	9.00
	07-JUL-1992	AG	SILVER		0.019900	µg/g	9.00
	07-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	9.00
	07-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	9.00
	07-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	9.00
	07-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	9.00
	07-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	9.00
	07-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	9.00
	07-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	9.00
	07-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	9.00
	07-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	9.00
	07-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	9.00
	07-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	9.00
	07-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	9.00
	07-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	9.00
	07-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	9.00
	07-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	9.00
	07-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	9.00
	07-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	9.00
	07-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	9.00
	07-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	9.00
	07-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	9.00
	07-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	9.00
	07-JUL-1992	BA	BARIUM		46.000000	µg/g	9.00
	07-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	9.00
	07-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	9.00
	07-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	9.00
	07-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	9.00
	07-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	9.00
	07-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	9.00
	07-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	9.00
	07-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	9.00
	07-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	9.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-101	07-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	9.00
	07-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	9.00
	07-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	9.00
	07-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	9.00
	07-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	9.00
	07-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	9.00
	07-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	9.00
	07-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	9.00
	07-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	9.00
	07-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	9.00
	07-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	9.00
	07-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	9.00
	07-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	9.00
	07-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	9.00
	07-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	9.00
	07-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	9.00
	07-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	9.00
	07-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	9.00
	07-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	9.00
	07-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	9.00
	07-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	9.00
	07-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	9.00
	07-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	9.00
	07-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	9.00
	07-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	9.00
	07-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	9.00
	07-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	9.00
	07-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	9.00
	07-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	9.00
	07-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	9.00
	07-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	9.00
	07-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	9.00
	07-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	9.00
	07-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	9.00
	07-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	9.00
	07-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	9.00
	07-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	9.00
	07-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	9.00
	07-JUL-1992	CR	CHROMIUM		6.220000	µg/g	9.00
	07-JUL-1992	CU	COPPER		3.900000	µg/g	9.00
	07-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	9.00
	07-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	9.00
	07-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	9.00
	07-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	9.00
	07-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	9.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-101	07-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	9.00
	07-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	9.00
	07-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	9.00
	07-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	9.00
	07-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	9.00
	07-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	9.00
	07-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	9.00
	07-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	9.00
	07-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	9.00
	07-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	9.00
	07-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	9.00
	07-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	9.00
	07-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	9.00
	07-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	9.00
	07-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	9.00
	07-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	9.00
	07-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	9.00
	07-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	9.00
	07-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	9.00
	07-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	9.00
	07-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	9.00
	07-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	9.00
	07-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	9.00
	07-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	9.00
	07-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	9.00
	07-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	9.00
	07-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	9.00
	07-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	9.00
	07-JUL-1992	FE	IRON		8100.000000	µg/g	9.00
	07-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	9.00
	07-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	9.00
	07-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	9.00
	07-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	9.00
	07-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	9.00
	07-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	9.00
	07-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	9.00
	07-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	9.00
	07-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	9.00
	07-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	9.00
	07-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	9.00
	07-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	9.00
	07-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	9.00
	07-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	9.00
	07-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	9.00
	07-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	9.00
	07-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	9.00
	07-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	9.00
	07-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	9.00
	07-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	9.00
	07-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	9.00
	07-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	9.00
	07-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	9.00
	07-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	9.00
	07-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	9.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-101	07-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	9.00
	07-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	9.00
	07-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	9.00
	07-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	9.00
	07-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	9.00
	07-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	9.00
	07-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	9.00
	07-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	9.00
	07-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	9.00
	07-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	9.00
	07-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	9.00
	07-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	9.00
	07-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	9.00
	07-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	9.00
	07-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	9.00
	07-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	9.00
	07-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	9.00
	07-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	9.00
	07-JUL-1992	PB	LEAD		5.200000	µg/g	9.00
	07-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	9.00
	07-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	9.00
	07-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	9.00
	07-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	9.00
	07-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	9.00
	07-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	9.00
	07-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	9.00
	07-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	9.00
	07-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	9.00
	07-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	9.00
	07-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	9.00
	07-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	9.00
	07-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	9.00
	07-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	9.00
	07-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	9.00
	07-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	9.00
	07-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	9.00
	07-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	9.00
	07-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	9.00
	07-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	9.00
	07-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	9.00
	07-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	9.00
	07-JUL-1992	SO4	SULFATE		28.800000	µg/g	9.00
	07-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	9.00
	07-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	9.00
	07-JUL-1992	ZN	ZINC		16.100000	µg/g	9.00
ARP-92-201	08-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	7.00
	08-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	7.00
	08-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	7.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-201	08-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	7.00
	08-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	7.00
	08-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	7.00
	08-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	7.00
	08-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	7.00
	08-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	7.00
	08-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	7.00
	08-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	7.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	7.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	7.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	7.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	7.00
	08-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	7.00
	08-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	7.00
	08-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	7.00
	08-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	7.00
	08-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	7.00
	08-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	7.00
	08-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	7.00
	08-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.00
	08-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	7.00
	08-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	7.00
	08-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	7.00
	08-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	7.00
	08-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	7.00
	08-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	7.00
	08-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	7.00
	08-JUL-1992	AG	SILVER	LT	0.014600	µg/g	7.00
	08-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	7.00
	08-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	7.00
	08-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	7.00
	08-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	7.00
	08-JUL-1992	AS	ARSENIC	LT	48.000000	µg/g	7.00
	08-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	7.00
	08-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	7.00
	08-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	7.00
	08-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	7.00
	08-JUL-1992	BA	BARIUM		14.000000	µg/g	7.00
	08-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	7.00
	08-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	7.00
	08-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	7.00
	08-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	7.00
	08-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	7.00
	08-JUL-1992	BE	BERYLLIUM	LT	0.160000	µg/g	7.00
	08-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	7.00
	08-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	7.00
	08-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	7.00
	08-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	7.00
	08-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	7.00
	08-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	7.00
	08-JUL-1992	CD	CADMIUM	LT	0.850000	µg/g	7.00
	08-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	7.00
	08-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	7.00
	08-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	7.00
	08-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	7.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-201	08-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	7.00
	08-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	7.00
	08-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	7.00
	08-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	7.00
	08-JUL-1992	CR	CHROMIUM	LT	7.800000	µg/g	7.00
	08-JUL-1992	CU	COPPER	LT	3.900000	µg/g	7.00
	08-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	7.00
	08-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	7.00
	08-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	7.00
	08-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	7.00
	08-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	7.00
	08-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	7.00
	08-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	7.00
	08-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	7.00
	08-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	7.00
	08-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	7.00
	08-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	7.00
	08-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	7.00
	08-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	7.00
	08-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	7.00
	08-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	7.00
	08-JUL-1992	FE	IRON		10000.000000	µg/g	7.00
	08-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	7.00
	08-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	7.00
	08-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	7.00
	08-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	7.00
	08-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	7.00
	08-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	7.00
	08-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	7.00
	08-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	7.00
	08-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	7.00
	08-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	7.00
	08-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	7.00
	08-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	7.00
	08-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	7.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	7.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	7.00
	08-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	7.00
	08-JUL-1992	NI	NICKEL	LT	4.900000	µg/g	7.00
	08-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	7.00
	08-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	7.00
	08-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	7.00
	08-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	7.00
	08-JUL-1992	PB	LEAD		2.500000	µg/g	7.00
	08-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	7.00
	08-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	7.00
	08-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	7.00
	08-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	7.00
	08-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	7.00
	08-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	7.00
	08-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	7.00
	08-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	7.00
	08-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	7.00
	08-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	7.00
	08-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	7.00
	08-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	7.00
	08-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	7.00
	08-JUL-1992	TETRYL	TETRYL /	LT	1.040000	µg/g	7.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			N-METHYL-N,2,4,6-TETRANITROBENZENAMINE				
ARP-92-201	08-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	7.00
	08-JUL-1992	ZN	ZINC	LT	16.000000	µg/g	7.00
ARP-92-301	08-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	08-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	10.00
	08-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	08-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	10.00
	08-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	10.00
	08-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	10.00
	08-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	10.00
	08-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	10.00
	08-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	10.00
	08-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	10.00
	08-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	10.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	10.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	10.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	10.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	10.00
	08-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	10.00
	08-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	10.00
	08-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	10.00
	08-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	10.00
	08-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	10.00
	08-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	10.00
	08-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	10.00
	08-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	08-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	10.00
	08-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	10.00
	08-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	10.00
	08-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	10.00
	08-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	10.00
	08-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	10.00
	08-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	10.00
	08-JUL-1992	AG	SILVER		0.023600	µg/g	10.00
	08-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	10.00
	08-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	10.00
	08-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	10.00
	08-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	10.00
	08-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	10.00
	08-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	10.00
	08-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	10.00
	08-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	10.00
	08-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	10.00
	08-JUL-1992	BA	BARIUM		24.000000	µg/g	10.00
	08-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	10.00
	08-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	10.00
	08-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	10.00
	08-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	10.00
	08-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	10.00
	08-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	10.00
	08-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	10.00
	08-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	10.00
	08-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-301	08-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	10.00
	08-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	10.00
	08-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	10.00
	08-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	10.00
	08-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	10.00
	08-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	10.00
	08-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	10.00
	08-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	10.00
	08-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	10.00
	08-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	10.00
	08-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	10.00
	08-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	10.00
	08-JUL-1992	CR	CHROMIUM	LT	3.900000	µg/g	10.00
	08-JUL-1992	CU	COPPER		3.140000	µg/g	10.00
	08-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	10.00
	08-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	10.00
	08-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	10.00
	08-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	10.00
	08-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	08-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	10.00
	08-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	10.00
	08-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	10.00
	08-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	10.00
	08-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	10.00
	08-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	10.00
	08-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	10.00
	08-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	10.00
	08-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	10.00
	08-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	10.00
	08-JUL-1992	FE	IRON		4700.000000	µg/g	10.00
	08-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	10.00
	08-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	10.00
	08-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	10.00
	08-JUL-1992	HG	MERCURY		0.030900	µg/g	10.00
	08-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	10.00
	08-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	10.00
	08-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	10.00
	08-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	10.00
	08-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	10.00
	08-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	10.00
	08-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	10.00
	08-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	10.00
	08-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	10.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	10.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	10.00
	08-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	10.00
	08-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	10.00
	08-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	10.00
	08-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	10.00
	08-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	10.00
	08-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	10.00
	08-JUL-1992	PB	LEAD		5.600000	µg/g	10.00
	08-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	10.00
	08-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	10.00
	08-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	10.00
	08-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	10.00
	08-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	10.00
	08-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	10.00
	08-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	10.00
	08-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP	LT	0.460000	µg/g	10.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ FOSFERNO				
ARP-92-301	08-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	10.00
	08-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX		0.808000	µg/g	10.00
	08-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	10.00
	08-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	10.00
	08-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	10.00
	08-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	10.00
	08-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	10.00
	08-JUL-1992	ZN	ZINC		11.500000	µg/g	10.00
ARP-92-401	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	2.70
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	2.70
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	2.70
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	2.70
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	2.70
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	2.70
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	2.70
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	2.70
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	2.70
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		2.860000	µg/g	2.70
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	2.70
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE		2.910000	µg/g	2.70
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	2.70
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	2.70
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	2.70
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	2.70
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	2.70
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	2.70
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	2.70
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	2.70
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	2.70
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	2.70
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.70
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	2.70
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	2.70
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	2.70
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	2.70
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	2.70
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	2.70
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	2.70
	09-JUL-1992	AG	SILVER		0.770000	µg/g	2.70
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	2.70
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	2.70
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	2.70
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	2.70
	09-JUL-1992	AS	ARSENIC	LT	72.000000	µg/g	2.70
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	2.70
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	2.70
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	2.70
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	2.70
	09-JUL-1992	BA	BARIUM		110.000000	µg/g	2.70
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	2.70
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	2.70
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	2.70
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE /	LT	0.360000	µg/g	2.70

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			BETA-HEXACHLOROCYCLOHEXANE				
ARP-92-401	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	2.70
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	2.70
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	2.70
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	2.70
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	2.70
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	2.70
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	2.70
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	2.70
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	2.70
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	2.70
	09-JUL-1992	CL	CHLORIDE		56.400000	µg/g	2.70
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	2.70
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	2.70
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	2.70
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	2.70
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	2.70
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	2.70
	09-JUL-1992	CR	CHROMIUM		11.000000	µg/g	2.70
	09-JUL-1992	CU	COPPER		180.000000	µg/g	2.70
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	2.70
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	2.70
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	2.70
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	2.70
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	2.70
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	2.70
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	2.70
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	2.70
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	2.70
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	2.70
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	2.70
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	2.70
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	2.70
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	2.70
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	2.70
	09-JUL-1992	FE	IRON		15000.000000	µg/g	2.70
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	2.70
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	2.70
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	2.70
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	2.70
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE		2.370000	µg/g	2.70
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	2.70
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	2.70
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	2.70
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	2.70
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	2.70
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	2.70
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	2.70
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	2.70
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	2.70
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	2.70
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	2.70
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	2.70
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	2.70
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	2.70
	09-JUL-1992	NO3	NITRATE		115.000000	µg/g	2.70
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	2.70
	09-JUL-1992	PB	LEAD		51.000000	µg/g	2.70
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	2.70
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	2.70
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	2.70
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	2.70
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1	LT	0.180000	µg/g	2.70

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			,1-DICHLOROETHANE / TDE				
ARP-92-401	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	2.70
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	2.70
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	2.70
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	2.70
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX		34.000000	µg/g	2.70
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	2.70
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	2.70
	09-JUL-1992	SO4	SULFATE		20.000000	µg/g	2.70
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE		18.000000	µg/g	2.70
	09-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	2.70
	09-JUL-1992	UNK581			0.217000	µg/g	2.70
	09-JUL-1992	UNK587			0.326000	µg/g	2.70
	09-JUL-1992	UNK589			0.217000	µg/g	2.70
	09-JUL-1992	UNK592			0.543000	µg/g	2.70
	09-JUL-1992	UNK592			0.326000	µg/g	2.70
	09-JUL-1992	UNK595			0.217000	µg/g	2.70
	09-JUL-1992	UNK598			0.543000	µg/g	2.70
	09-JUL-1992	UNK598			0.326000	µg/g	2.70
	09-JUL-1992	UNK602			0.109000	µg/g	2.70
	09-JUL-1992	UNK602			0.435000	µg/g	2.70
	09-JUL-1992	UNK605			0.543000	µg/g	2.70
	09-JUL-1992	UNK607			0.543000	µg/g	2.70
	09-JUL-1992	UNK610			0.217000	µg/g	2.70
	09-JUL-1992	UNK612			0.326000	µg/g	2.70
	09-JUL-1992	UNK613			0.217000	µg/g	2.70
	09-JUL-1992	UNK614			0.326000	µg/g	2.70
	09-JUL-1992	UNK616			0.217000	µg/g	2.70
	09-JUL-1992	UNK618			0.435000	µg/g	2.70
	09-JUL-1992	UNK620			0.217000	µg/g	2.70
	09-JUL-1992	UNK646			0.217000	µg/g	2.70
	09-JUL-1992	UNK659			0.217000	µg/g	2.70
	09-JUL-1992	ZN	ZINC		56.000000	µg/g	2.70
ARP-92-402	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	8.50
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	8.50
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	8.50
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	8.50
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	8.50
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	8.50
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	8.50
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	8.50
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	8.50
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	8.50
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	8.50
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	8.50
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	8.50
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	8.50
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	8.50
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	8.50
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	8.50
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	8.50
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	8.50
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	8.50
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	8.50
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	8.50
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	8.50
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	8.50
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	8.50
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	8.50
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	8.50
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	8.50
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	8.50
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	8.50
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	8.50
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	8.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-402	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	8.50
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	8.50
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	8.50
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	8.50
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	8.50
	09-JUL-1992	AG	SILVER		0.024600	µg/g	8.50
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	8.50
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	8.50
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	8.50
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	8.50
	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	8.50
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	8.50
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	8.50
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	8.50
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	8.50
	09-JUL-1992	BA	BARIUM		34.000000	µg/g	8.50
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	8.50
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	8.50
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	8.50
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	8.50
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	8.50
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	8.50
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	8.50
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	8.50
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	8.50
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	8.50
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	8.50
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	8.50
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	8.50
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	8.50
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	8.50
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	8.50
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	8.50
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	8.50
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	8.50
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	8.50
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	8.50
	09-JUL-1992	CR	CHROMIUM		6.320000	µg/g	8.50
	09-JUL-1992	CU	COPPER		5.360000	µg/g	8.50
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	8.50
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	8.50
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	8.50
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	8.50
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	8.50
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	8.50
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	8.50
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	8.50
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	8.50
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	8.50
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	8.50
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	8.50
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	8.50
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	8.50
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	8.50
	09-JUL-1992	FE	IRON		8900.000000	µg/g	8.50
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	8.50
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	8.50
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	8.50
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	8.50
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRAN	LT	0.755000	µg/g	8.50

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ITRAMINE				
ARP-92-402	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	8.50
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	8.50
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	8.50
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	8.50
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	8.50
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	8.50
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	8.50
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	8.50
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	8.50
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	8.50
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	8.50
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	8.50
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	8.50
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	8.50
	09-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	8.50
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	8.50
	09-JUL-1992	PB	LEAD		8.100000	µg/g	8.50
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	8.50
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	8.50
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	8.50
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	8.50
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	8.50
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	8.50
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	8.50
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	8.50
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	8.50
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	8.50
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	8.50
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	8.50
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	8.50
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	8.50
	09-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	8.50
	09-JUL-1992	ZN	ZINC		16.700000	µg/g	8.50
ARS-92-101	07-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	07-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	07-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	07-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	07-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	07-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	07-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	07-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	07-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	07-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	07-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	07-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	07-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	07-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	07-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	07-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-101	07-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	07-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	07-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	07-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	07-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	07-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	07-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	07-JUL-1992	AG	SILVER		0.082300	µg/g	0.00
	07-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	07-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	07-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	07-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	07-JUL-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	07-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	07-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	07-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	07-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	07-JUL-1992	BA	BARIUM		43.000000	µg/g	0.00
	07-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	07-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	07-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	07-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	07-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	07-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	07-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	07-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	07-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	07-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	07-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	07-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	07-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	07-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	07-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	07-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	07-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	07-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	07-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	07-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	07-JUL-1992	CR	CHROMIUM		8.160000	µg/g	0.00
	07-JUL-1992	CU	COPPER		5.650000	µg/g	0.00
	07-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	07-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	07-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	07-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	07-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	07-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	07-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	07-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	07-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	07-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	07-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	07-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-101	07-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	07-JUL-1992	FE	IRON		5500.000000	µg/g	0.00
	07-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	07-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	07-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	07-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	07-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	07-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	07-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	07-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	07-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	07-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	07-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	07-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	07-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	07-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	07-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	07-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	07-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	07-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	07-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	07-JUL-1992	NO3	NITRATE		5.050000	µg/g	0.00
	07-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	07-JUL-1992	PB	LEAD		17.000000	µg/g	0.00
	07-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	07-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	07-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	07-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	07-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	07-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	07-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	07-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	07-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	07-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	07-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	07-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	07-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	07-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	07-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	07-JUL-1992	UNK636			0.315000	µg/g	0.00
	07-JUL-1992	UNK646			0.839000	µg/g	0.00
	07-JUL-1992	UNK659			0.839000	µg/g	0.00
	07-JUL-1992	UNK679			0.210000	µg/g	0.00
	07-JUL-1992	ZN	ZINC		19.700000	µg/g	0.00
ARS-92-201	08-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	08-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	08-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	08-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	08-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	08-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	08-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	08-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	08-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	08-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-201	08-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	08-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	08-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	08-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	08-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	08-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	08-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	08-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	08-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	08-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	08-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	08-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	08-JUL-1992	AG	SILVER		0.065800	µg/g	0.00
	08-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	08-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	08-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	08-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	08-JUL-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	08-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	08-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	08-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	08-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	08-JUL-1992	BA	BARIUM		110.000000	µg/g	0.00
	08-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	08-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	08-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	08-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	08-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	08-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	08-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	08-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	08-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	08-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	08-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	08-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	08-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	08-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	08-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	08-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	08-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	08-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	08-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	08-JUL-1992	CR	CHROMIUM		10.400000	µg/g	0.00
	08-JUL-1992	CU	COPPER		24.000000	µg/g	0.00
	08-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	08-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	08-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA	LT	0.290000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			NE				
ARS-92-201	08-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	08-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	08-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	08-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	08-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	08-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	08-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	08-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	08-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	08-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	08-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	08-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	08-JUL-1992	FE	IRON		13000.000000	µg/g	0.00
	08-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	08-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	08-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	08-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE		3.820000	µg/g	0.00
	08-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	08-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	08-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	08-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	08-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	08-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	08-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	08-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	08-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	08-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	08-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	08-JUL-1992	NO3	NITRATE		4.300000	µg/g	0.00
	08-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	08-JUL-1992	PB	LEAD		11.000000	µg/g	0.00
	08-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	08-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	08-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	08-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	08-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	08-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	08-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	08-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX		1.450000	µg/g	0.00
	08-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	08-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	08-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	08-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	08-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	08-JUL-1992	UNK646			0.318000	µg/g	0.00
	08-JUL-1992	ZN	ZINC		150.000000	µg/g	0.00
ARS-92-301	08-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	08-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	08-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	08-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	08-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	08-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	08-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	08-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-301	08-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	08-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	08-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	08-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	08-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	08-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	08-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	08-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	08-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	08-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	08-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	08-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	08-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	08-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	08-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	08-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	08-JUL-1992	AG	SILVER		0.930000	µg/g	0.00
	08-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	08-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	08-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	08-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	08-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	08-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	08-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	08-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	08-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	08-JUL-1992	BA	BARIUM		82.000000	µg/g	0.00
	08-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	08-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	08-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	08-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	08-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	08-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	08-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	08-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	08-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	08-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	08-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	08-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	08-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	08-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	08-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	08-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	08-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	08-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	08-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	08-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.690000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			SULFONE				
ARS-92-301	08-JUL-1992	CR	CHROMIUM		9.440000	µg/g	0.00
	08-JUL-1992	CU	COPPER		50.000000	µg/g	0.00
	08-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	08-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	08-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	08-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	08-JUL-1992	DEP	DIETHYL PHTHALATE		0.939000	µg/g	0.00
	08-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	08-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	08-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	08-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	08-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	08-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	08-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	08-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	08-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	08-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	08-JUL-1992	FE	IRON		11000.000000	µg/g	0.00
	08-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	08-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	08-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	08-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	08-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	08-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	08-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	08-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	08-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	08-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	08-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	08-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	08-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	08-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	08-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	08-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	08-JUL-1992	NO3	NITRATE		11.200000	µg/g	0.00
	08-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	08-JUL-1992	PB	LEAD		130.000000	µg/g	0.00
	08-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	08-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	08-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	08-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	08-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	08-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	08-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	08-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	08-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	08-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	08-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	08-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	08-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	08-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	08-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	08-JUL-1992	UNK636			0.640000	µg/g	0.00
	08-JUL-1992	UNK646			1.920000	µg/g	0.00
	08-JUL-1992	UNK659			1.920000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-301	08-JUL-1992	UNK662			0.427000	µg/g	0.00
	08-JUL-1992	UNK679			0.640000	µg/g	0.00
	08-JUL-1992	ZN	ZINC		150.000000	µg/g	0.00
ARS-92-401	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE		1.410000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.550000	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUL-1992	AS	ARSENIC	LT	240.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		76.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-401	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM		1.420000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		14.400000	µg/g	0.00
	09-JUL-1992	CU	COPPER		82.000000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE		0.167000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		11000.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE		5.920000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE		5.120000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		19.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-401	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX		44.000000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUL-1992	UNK565			0.446000	µg/g	0.00
	09-JUL-1992	UNK568			0.223000	µg/g	0.00
	09-JUL-1992	UNK646			0.557000	µg/g	0.00
	09-JUL-1992	UNK659			0.557000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		170.000000	µg/g	0.00
ARS-92-B01	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.073600	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		85.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE /	LT	0.360000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-B01	09-JUL-1992	BBHC	BENZO[B]FLUORANTHENE BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		9.690000	µg/g	0.00
	09-JUL-1992	CU	COPPER		10.000000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		10000.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE		7.040000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		110.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE /	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			OXYBENZENE				
ARS-92-B01	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUL-1992	UNK636			0.217000	µg/g	0.00
	09-JUL-1992	UNK646			0.543000	µg/g	0.00
	09-JUL-1992	UNK659			0.435000	µg/g	0.00
	09-JUL-1992	UNK682			0.761000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		30.000000	µg/g	0.00
ARS-92-B02	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.121000	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-B02	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		130.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM		4.600000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		12.400000	µg/g	0.00
	09-JUL-1992	CU	COPPER		160.000000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		12000.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL	ND	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			OF MIRBANE / NITROBENZENE				
ARS-92-B02	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		1300.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUL-1992	UNK636			0.225000	µg/g	0.00
	09-JUL-1992	UNK646			0.564000	µg/g	0.00
	09-JUL-1992	UNK659			0.338000	µg/g	0.00
	09-JUL-1992	UNK682			0.451000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		180.000000	µg/g	0.00
ARS-92-B03	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-B03	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.048000	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		77.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		11.800000	µg/g	0.00
	09-JUL-1992	CU	COPPER		13.300000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		11000.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-B03	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE		4.340000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		190.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUL-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUL-1992	UNK636			0.209000	µg/g	0.00
	09-JUL-1992	UNK646			0.628000	µg/g	0.00
	09-JUL-1992	UNK659			0.523000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		34.000000	µg/g	0.00
ARS-92-B04	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENO	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			L / 4,6-DINITRO-2-CRESOL				
ARS-92-B04	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.108000	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		84.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		10.100000	µg/g	0.00
	09-JUL-1992	CU	COPPER		12.200000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-B04	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		11000.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE		5.740000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		140.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUL-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	09-JUL-1992	UNK636			0.209000	µg/g	0.00
	09-JUL-1992	UNK637			0.313000	µg/g	0.00
	09-JUL-1992	UNK642			0.209000	µg/g	0.00
	09-JUL-1992	UNK646			0.522000	µg/g	0.00
	09-JUL-1992	UNK659			0.627000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		57.000000	µg/g	0.00
ARS-92-R21	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-R21	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.077600	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		100.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		12.000000	µg/g	0.00
	09-JUL-1992	CU	COPPER		13.200000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.290000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ DELTA-HEXACHLOROCYCLOHEXANE				
ARS-92-R21	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		13000.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		21.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUL-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	09-JUL-1992	UNK636			0.421000	µg/g	0.00
	09-JUL-1992	UNK646			1.050000	µg/g	0.00
	09-JUL-1992	UNK659			0.632000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		43.000000	µg/g	0.00
ARS-92-R31	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-R31	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.520000	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		58.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL	LT	0.370000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			SULFIDE				
ARS-92-R31	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		6.710000	µg/g	0.00
	09-JUL-1992	CU	COPPER		7.110000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		7200.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE		1.490000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		42.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-R31	09-JUL-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	09-JUL-1992	UNK636			0.229000	µg/g	0.00
	09-JUL-1992	UNK646			0.344000	µg/g	0.00
	09-JUL-1992	UNK649			1.030000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		55.000000	µg/g	0.00
ARS-92-R61	09-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE		6.840000	µg/g	0.00
	09-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUL-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUL-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUL-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUL-1992	AG	SILVER		0.047700	µg/g	0.00
	09-JUL-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUL-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUL-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUL-1992	BA	BARIUM		91.000000	µg/g	0.00
	09-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUL-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-R61	09-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUL-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUL-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUL-1992	CR	CHROMIUM		10.500000	µg/g	0.00
	09-JUL-1992	CU	COPPER		13.800000	µg/g	0.00
	09-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUL-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUL-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUL-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUL-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUL-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUL-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUL-1992	FE	IRON		12000.000000	µg/g	0.00
	09-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	5.000000	µg/g	0.00
	09-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUL-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUL-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUL-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUL-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	09-JUL-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUL-1992	PB	LEAD		18.000000	µg/g	0.00
	09-JUL-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUL-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUL-1992	PRTHN	PARATHION / ALKRON /	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			APHAMITE / ALLERON / DNTP / FOSFERNO				
ARS-92-R61	09-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUL-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	09-JUL-1992	UNK628			0.205000	µg/g	0.00
	09-JUL-1992	UNK636			0.410000	µg/g	0.00
	09-JUL-1992	UNK646			1.030000	µg/g	0.00
	09-JUL-1992	UNK656			0.205000	µg/g	0.00
	09-JUL-1992	UNK659			0.615000	µg/g	0.00
	09-JUL-1992	ZN	ZINC		39.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-01	10-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	3.00
	10-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	3.00
	10-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	3.00
	10-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	3.00
	10-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	10-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	10-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	3.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	3.00
	10-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	3.00
	10-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	3.00
	10-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.002000	µg/g	3.00
	10-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	3.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	3.00
	10-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	3.00
	10-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.002000	µg/g	3.00
	10-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	3.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	3.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	3.00
	10-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	3.00
	10-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	3.00
	10-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	3.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	3.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	3.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	3.00
	10-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	3.00
	10-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	3.00
	10-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	3.00
	10-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	3.00
	10-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	3.00
	10-JUN-1992	ACET	ACETONE		0.015000	µg/g	3.00
	10-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	3.00
	10-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	3.00
	10-JUN-1992	AG	SILVER		0.031600	µg/g	3.00
	10-JUN-1992	AG	SILVER	LT	320.000000	µg/l	3.00
	10-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	3.00
	10-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	3.00
	10-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	3.00
	10-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	3.00
	10-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	3.00
	10-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	3.00
	10-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-01	10-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	3.00
	10-JUN-1992	BA	BARIUM		900.000000	µg/l	3.00
	10-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	3.00
	10-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	3.00
	10-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	3.00
	10-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	3.00
	10-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	3.00
	10-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	3.00
	10-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	3.00
	10-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	3.00
	10-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	3.00
	10-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	3.00
	10-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	3.00
	10-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	3.00
	10-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	3.00
	10-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	3.00
	10-JUN-1992	CCL3F	TRICHLOROFLUOROMETHANE	ND	0.005000	µg/g	3.00
	10-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	3.00
	10-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	3.00
	10-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.005800	µg/g	3.00
	10-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	3.00
	10-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	3.00
	10-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	3.00
	10-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	3.00
	10-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	3.00
	10-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	3.00
	10-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	3.00
	10-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	3.00
	10-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	3.00
	10-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	3.00
	10-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	3.00
	10-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	3.00
	10-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	3.00
	10-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	3.00
	10-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	3.00
	10-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	3.00
	10-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	3.00
	10-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	3.00
	10-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	3.00
	10-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	3.00
	10-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	3.00
	10-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	3.00
	10-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	3.00
	10-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	3.00
	10-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	3.00
	10-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	3.00
	10-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	3.00
	10-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	3.00
	10-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	3.00
	10-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	3.00
	10-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-01	10-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	3.00
	10-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	3.00
	10-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	3.00
	10-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	3.00
	10-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	3.00
	10-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	3.00
	10-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	3.00
	10-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	3.00
	10-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	3.00
	10-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	3.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	3.00
	10-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	3.00
	10-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	3.00
	10-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	3.00
	10-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	3.00
	10-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	3.00
	10-JUN-1992	PB	LEAD		7.800000	µg/g	3.00
	10-JUN-1992	PB	LEAD	LT	410.000000	µg/l	3.00
	10-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	3.00
	10-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	3.00
	10-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	3.00
	10-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	3.00
	10-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	3.00
	10-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	3.00
	10-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	3.00
	10-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	3.00
	10-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	3.00
	10-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	3.00
	10-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	3.00
	10-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	3.00
	10-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	3.00
	10-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	3.00
	10-JUN-1992	UNK540			0.210000	µg/g	3.00
BEB-92-02	10-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	4.00
	10-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	4.00
	10-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	4.00
	10-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	4.00
	10-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	10-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	4.00
	10-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	4.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	4.00
	10-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	4.00
	10-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-02	10-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.002000	µg/g	4.00
	10-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	4.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	4.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	4.00
	10-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	4.00
	10-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.002000	µg/g	4.00
	10-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	4.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	4.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	4.00
	10-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	4.00
	10-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	4.00
	10-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	4.00
	10-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	4.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	4.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	4.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	4.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	4.00
	10-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	4.00
	10-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	4.00
	10-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	4.00
	10-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	4.00
	10-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	4.00
	10-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	4.00
	10-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	4.00
	10-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	4.00
	10-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	10-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	4.00
	10-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	4.00
	10-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	4.00
	10-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	4.00
	10-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	4.00
	10-JUN-1992	ACET	ACETONE		0.014000	µg/g	4.00
	10-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	4.00
	10-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	4.00
	10-JUN-1992	AG	SILVER		0.073300	µg/g	4.00
	10-JUN-1992	AG	SILVER	LT	320.000000	µg/l	4.00
	10-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	4.00
	10-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	4.00
	10-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	4.00
	10-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	4.00
	10-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	4.00
	10-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	4.00
	10-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	4.00
	10-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	4.00
	10-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE		0.430000	µg/g	4.00
	10-JUN-1992	BA	BARIUM		1100.000000	µg/l	4.00
	10-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	4.00
	10-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	4.00
	10-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	4.00
	10-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	4.00
	10-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	4.00
	10-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-02	10-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	4.00
	10-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	4.00
	10-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	4.00
	10-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	4.00
	10-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	4.00
	10-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	4.00
	10-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	4.00
	10-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	4.00
	10-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	4.00
	10-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	4.00
	10-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	4.00
	10-JUN-1992	CCL3F	TRICHLOROFLUOROMETHANE	ND	0.005000	µg/g	4.00
	10-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	4.00
	10-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	4.00
	10-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.005700	µg/g	4.00
	10-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	4.00
	10-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	4.00
	10-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	4.00
	10-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	4.00
	10-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	4.00
	10-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	4.00
	10-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	4.00
	10-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	4.00
	10-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	4.00
	10-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	4.00
	10-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	4.00
	10-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	4.00
	10-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	4.00
	10-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	4.00
	10-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	4.00
	10-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	4.00
	10-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	4.00
	10-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	4.00
	10-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	4.00
	10-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	4.00
	10-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	10-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	4.00
	10-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	4.00
	10-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	4.00
	10-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	4.00
	10-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	4.00
	10-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	4.00
	10-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	4.00
	10-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	4.00
	10-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	4.00
	10-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	4.00
	10-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	4.00
	10-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	4.00
	10-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	4.00
	10-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	4.00
	10-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	4.00
	10-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	4.00
	10-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	4.00
	10-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	4.00
	10-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	4.00
	10-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	4.00
	10-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	4.00
	10-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	4.00
	10-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	4.00
	10-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	4.00
	10-JUN-1992	MIBK	METHYL ISOBUTYL KETONE /	ND	0.010000	µg/g	4.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			4-METHYL-2-PENTANONE				
BEB-92-02	10-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	4.00
	10-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	4.00
	10-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	4.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	4.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	4.00
	10-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	4.00
	10-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	4.00
	10-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	4.00
	10-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	4.00
	10-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	4.00
	10-JUN-1992	PB	LEAD		9.800000	µg/g	4.00
	10-JUN-1992	PB	LEAD	LT	410.000000	µg/l	4.00
	10-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	4.00
	10-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	4.00
	10-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	4.00
	10-JUN-1992	PO4	PHOSPHATE		2.600000	µg/g	4.00
	10-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	4.00
	10-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	4.00
	10-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	4.00
	10-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	4.00
	10-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	4.00
	10-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	4.00
	10-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	4.00
	10-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	4.00
	10-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	4.00
	10-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	4.00
	10-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	4.00
	10-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	4.00
	10-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	4.00
	10-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	4.00
	10-JUN-1992	UNK540			0.100000	µg/g	4.00
BEB-92-03	10-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	3.00
	10-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	3.00
	10-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	3.00
	10-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	3.00
	10-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	10-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	10-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	3.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	3.00
	10-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	3.00
	10-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	3.00
	10-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.002000	µg/g	3.00
	10-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	3.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	3.00
	10-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	3.00
	10-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.002000	µg/g	3.00
	10-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	3.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	3.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	3.00
	10-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	3.00
	10-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE /	LT	0.931000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			2,4,6-TRINITROTOLUENE				
BEB-92-03	10-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	3.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	3.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	3.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	3.00
	10-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	3.00
	10-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	3.00
	10-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	3.00
	10-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	3.00
	10-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	3.00
	10-JUN-1992	ACET	ACETONE		0.014000	µg/g	3.00
	10-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	3.00
	10-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	3.00
	10-JUN-1992	AG	SILVER		0.018000	µg/g	3.00
	10-JUN-1992	AG	SILVER	LT	320.000000	µg/l	3.00
	10-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	3.00
	10-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	3.00
	10-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	3.00
	10-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	3.00
	10-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	3.00
	10-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	3.00
	10-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	3.00
	10-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	3.00
	10-JUN-1992	BA	BARIUM		720.000000	µg/l	3.00
	10-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	3.00
	10-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	3.00
	10-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	3.00
	10-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	3.00
	10-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	3.00
	10-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	3.00
	10-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	3.00
	10-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	3.00
	10-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	3.00
	10-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	3.00
	10-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	3.00
	10-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	3.00
	10-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	3.00
	10-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-03	10-JUN-1992	CCL3F	TRICHLOROFLUOROMETHANE	ND	0.005000	µg/g	3.00
	10-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	3.00
	10-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	3.00
	10-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.005700	µg/g	3.00
	10-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	3.00
	10-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	3.00
	10-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	3.00
	10-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	3.00
	10-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	3.00
	10-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	3.00
	10-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	3.00
	10-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	3.00
	10-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	3.00
	10-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	3.00
	10-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	3.00
	10-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	3.00
	10-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	3.00
	10-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	3.00
	10-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	3.00
	10-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	3.00
	10-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	3.00
	10-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	3.00
	10-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	3.00
	10-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	3.00
	10-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	3.00
	10-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	3.00
	10-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	3.00
	10-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	3.00
	10-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	3.00
	10-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	3.00
	10-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	3.00
	10-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	3.00
	10-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	3.00
	10-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	3.00
	10-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	3.00
	10-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	3.00
	10-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	3.00
	10-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	3.00
	10-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	3.00
	10-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	3.00
	10-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	3.00
	10-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	3.00
	10-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	3.00
	10-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	3.00
	10-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	3.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	3.00
	10-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	3.00
	10-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	3.00
	10-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	3.00
	10-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	3.00
	10-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-03	10-JUN-1992	PB	LEAD		6.000000	µg/g	3.00
	10-JUN-1992	PB	LEAD	LT	410.000000	µg/l	3.00
	10-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	3.00
	10-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	3.00
	10-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	3.00
	10-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	3.00
	10-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	3.00
	10-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	3.00
	10-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	3.00
	10-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	3.00
	10-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	3.00
	10-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	3.00
	10-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	3.00
	10-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	3.00
	10-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	3.00
	10-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	3.00
	10-JUN-1992	UNK540			0.100000	µg/g	3.00
BEB-92-04	10-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	3.00
	10-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	3.00
	10-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	3.00
	10-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	3.00
	10-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	10-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	3.00
	10-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	3.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	3.00
	10-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	3.00
	10-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	3.00
	10-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.002000	µg/g	3.00
	10-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	3.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	3.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	3.00
	10-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	3.00
	10-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.002000	µg/g	3.00
	10-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	3.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	3.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	3.00
	10-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	3.00
	10-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	3.00
	10-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	3.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	3.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	3.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	3.00
	10-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	3.00
	10-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	3.00
	10-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL	ND	0.330000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ O-CRESOL				
BEB-92-04	10-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	3.00
	10-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	3.00
	10-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	3.00
	10-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	LT	0.460000	µg/g	3.00
	10-JUN-1992	ACET	ACETONE		0.014000	µg/g	3.00
	10-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	3.00
	10-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	3.00
	10-JUN-1992	AG	SILVER		0.042800	µg/g	3.00
	10-JUN-1992	AG	SILVER	LT	320.000000	µg/l	3.00
	10-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	3.00
	10-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	3.00
	10-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	3.00
	10-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	3.00
	10-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	3.00
	10-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	3.00
	10-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	3.00
	10-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	3.00
	10-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	3.00
	10-JUN-1992	BA	BARIUM		530.000000	µg/l	3.00
	10-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	3.00
	10-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	3.00
	10-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	3.00
	10-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN E	LT	0.360000	µg/g	3.00
	10-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	3.00
	10-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	3.00
	10-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	3.00
	10-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	3.00
	10-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	3.00
	10-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	3.00
	10-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	3.00
	10-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	3.00
	10-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	3.00
	10-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	3.00
	10-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	3.00
	10-JUN-1992	CCL3F	TRICHLOROFLUOROMETHANE	ND	0.005000	µg/g	3.00
	10-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	3.00
	10-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	3.00
	10-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006200	µg/g	3.00
	10-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	3.00
	10-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	3.00
	10-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	3.00
	10-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	3.00
	10-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	3.00
	10-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	3.00
	10-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	3.00
	10-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-04	10-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	3.00
	10-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	3.00
	10-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	3.00
	10-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	3.00
	10-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	3.00
	10-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	3.00
	10-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	3.00
	10-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	3.00
	10-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	3.00
	10-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	3.00
	10-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	3.00
	10-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	3.00
	10-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	3.00
	10-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	3.00
	10-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	3.00
	10-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	3.00
	10-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	3.00
	10-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	3.00
	10-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	3.00
	10-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	3.00
	10-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	3.00
	10-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	3.00
	10-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	3.00
	10-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	3.00
	10-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	3.00
	10-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	3.00
	10-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	3.00
	10-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	3.00
	10-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	3.00
	10-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	3.00
	10-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	3.00
	10-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	3.00
	10-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	3.00
	10-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	3.00
	10-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	3.00
	10-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	3.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	3.00
	10-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	3.00
	10-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	3.00
	10-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	3.00
	10-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	3.00
	10-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	3.00
	10-JUN-1992	PB	LEAD		7.700000	µg/g	3.00
	10-JUN-1992	PB	LEAD	LT	410.000000	µg/l	3.00
	10-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	3.00
	10-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	3.00
	10-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	3.00
	10-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	3.00
	10-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	3.00
	10-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	3.00
	10-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	3.00
	10-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-04	10-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	3.00
	10-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	3.00
	10-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	3.00
	10-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	3.00
	10-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	3.00
	10-JUN-1992	SO4	SULFATE		10.200000	µg/g	3.00
	10-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	3.00
	10-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	3.00
	10-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	3.00
	10-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	3.00
	10-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	3.00
	10-JUN-1992	UNK540			0.210000	µg/g	3.00
BER-92-01	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE		0.007000	µg/g	0.00
	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE		0.014000	µg/g	0.00
	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	200.000000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	200.000000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	50.000000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	30.000000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	200.000000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	70.000000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	200.000000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	200.000000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	30.000000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	30.000000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	30.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-01	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	30.000000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	200.000000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	200.000000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	50.000000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.200000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	100.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	100.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.069700	µg/g	0.00
	09-JUN-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	30.000000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	50.000000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	50.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	440.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	30.000000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	30.000000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	30.000000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	40.000000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		4.340000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		430.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	40.000000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	30.000000	µg/g	0.00
	09-JUN-1992	BE	BERYLLIUM		0.099200	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	20.000000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	200.000000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	20.000000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	80.000000	µg/g	0.00
	09-JUN-1992	BR	BROMIDE	LT	88.000000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	30.000000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM		2.210000	µg/g	0.00
	09-JUN-1992	CD	CADMIUM		5.560000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006800	µg/g	0.00
	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	CL	CHLORIDE	LT	400.000000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	30.000000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	30.000000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	40.000000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	40.000000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	30.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-01	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	70.000000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		36.900000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		26.600000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CU	COPPER		5.630000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	20.000000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	30.000000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	30.000000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	30.000000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	20.000000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	30.000000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	30.000000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	30.000000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	60.000000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	40.000000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	20.000000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	20.000000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE		0.003800	µg/g	0.00
	09-JUN-1992	F	FLUORIDE	LT	190.000000	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	50.000000	µg/g	0.00
	09-JUN-1992	FE	IRON		1700.000000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	30.000000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	HG	MERCURY		0.958000	µg/l	0.00
	09-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	1.700000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	30.000000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	40.000000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	20.000000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	30.000000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	40.000000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE		0.003400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE		0.071000	µg/g	0.00
	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	100.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	50.000000	µg/g	0.00
	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	40.000000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	30.000000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	40.000000	µg/g	0.00
	09-JUN-1992	NI	NICKEL		110.000000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	30.000000	µg/g	0.00
	09-JUN-1992	NO2	NITRITE	LT	32.000000	µg/g	0.00
	09-JUN-1992	NO3	NITRATE	LT	34.000000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	20.000000	µg/g	0.00
	09-JUN-1992	PB	LEAD		17.000000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	200.000000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	30.000000	µg/g	0.00
	09-JUN-1992	PO4	PHOSPHATE	ND	50.000000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	20.000000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	20.000000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	40.000000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP	LT	50.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ FOSFERNO				
BER-92-01	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	40.000000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SB	ANTIMONY	LT	3.420000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	50.700000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	1000.000000	µg/l	0.00
	09-JUN-1992	SO4	SULFATE	LT	140.000000	µg/g	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	09-JUN-1992	UNK031			0.003000	µg/g	0.00
	09-JUN-1992	UNK032			0.003000	µg/g	0.00
	09-JUN-1992	UNK107			0.003000	µg/g	0.00
	09-JUN-1992	UNK115			0.004000	µg/g	0.00
	09-JUN-1992	UNK117			0.004000	µg/g	0.00
	09-JUN-1992	UNK120			0.003000	µg/g	0.00
	09-JUN-1992	UNK128			0.004000	µg/g	0.00
	09-JUN-1992	UNK149			0.020000	µg/g	0.00
	09-JUN-1992	UNK153			0.006000	µg/g	0.00
	09-JUN-1992	UNK164			0.004000	µg/g	0.00
	09-JUN-1992	UNK171			0.007000	µg/g	0.00
	09-JUN-1992	UNK172			0.007000	µg/g	0.00
	09-JUN-1992	UNK182			0.004000	µg/g	0.00
	09-JUN-1992	UNK186			0.005000	µg/g	0.00
	09-JUN-1992	UNK187			0.010000	µg/g	0.00
	09-JUN-1992	UNK189			0.006000	µg/g	0.00
	09-JUN-1992	UNK192			0.020000	µg/g	0.00
	09-JUN-1992	UNK195			0.020000	µg/g	0.00
	09-JUN-1992	UNK197			0.010000	µg/g	0.00
	09-JUN-1992	UNK199			0.030000	µg/g	0.00
	09-JUN-1992	UNK203			0.002000	µg/g	0.00
	09-JUN-1992	UNK208			0.005000	µg/g	0.00
	09-JUN-1992	UNK210			0.003000	µg/g	0.00
	09-JUN-1992	UNK213			0.004000	µg/g	0.00
	09-JUN-1992	UNK214			0.006000	µg/g	0.00
	09-JUN-1992	UNK218			0.006000	µg/g	0.00
	09-JUN-1992	UNK219			0.003000	µg/g	0.00
	09-JUN-1992	UNK223			0.003000	µg/g	0.00
	09-JUN-1992	UNK226			0.009000	µg/g	0.00
	09-JUN-1992	UNK228			0.100000	µg/g	0.00
	09-JUN-1992	UNK649			100.000000	µg/g	0.00
	09-JUN-1992	UNK657			200.000000	µg/g	0.00
	09-JUN-1992	UNK660			100.000000	µg/g	0.00
	09-JUN-1992	UNK664			100.000000	µg/g	0.00
	09-JUN-1992	UNK667			100.000000	µg/g	0.00
	09-JUN-1992	UNK676			200.000000	µg/g	0.00
	09-JUN-1992	ZN	ZINC	LT	7.960000	µg/g	0.00
BER-92-02	13-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.010000	µg/g	0.00
	13-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.070000	µg/g	0.00
	13-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.060000	µg/g	0.00
	13-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.006000	µg/g	0.00
	13-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	13-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	13-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.007000	µg/g	0.00
	13-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.004000	µg/g	0.00
	13-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.010000	µg/g	0.00
	13-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.007000	µg/g	0.00
	13-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.020000	µg/g	0.00
	13-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	13-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.007000	µg/g	0.00
	13-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.004000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-02	13-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.020000	µg/g	0.00
	13-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	13-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	14DCLB	1,4-DICHLOROBENZENE		0.002000	µg/g	0.00
	13-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	13-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	13-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	13-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	13-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.200000	µg/g	0.00
	13-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	13-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	13-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ACET	ACETONE	ND	0.030000	µg/g	0.00
	13-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	13-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	13-JUL-1992	AG	SILVER		0.067500	µg/g	0.00
	13-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	13-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	13-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00
	13-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	13-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	13-JUL-1992	AS	ARSENIC	LT	43.800000	µg/l	0.00
	13-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	13-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	13-JUL-1992	BA	BARIUM	LT	2.610000	µg/g	0.00
	13-JUL-1992	BA	BARIUM		150.000000	µg/l	0.00
	13-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	13-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	13-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	13-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	13-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	13-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	13-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-02	13-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	13-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.010000	µg/g	0.00
	13-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.020000	µg/g	0.00
	13-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.020000	µg/g	0.00
	13-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.030000	µg/g	0.00
	13-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.050000	µg/g	0.00
	13-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.090000	µg/g	0.00
	13-JUL-1992	C6H6	BENZENE	LT	0.010000	µg/g	0.00
	13-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.020000	µg/g	0.00
	13-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	13-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	13-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.020000	µg/g	0.00
	13-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.030000	µg/g	0.00
	13-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.060000	µg/g	0.00
	13-JUL-1992	CHBR3	BROMOFORM	LT	0.060000	µg/g	0.00
	13-JUL-1992	CHCL3	CHLOROFORM	LT	0.008000	µg/g	0.00
	13-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	13-JUL-1992	CL	CHLORIDE		41.400000	µg/g	0.00
	13-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	13-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	13-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.010000	µg/g	0.00
	13-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	13-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	13-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	13-JUL-1992	CR	CHROMIUM		16.300000	µg/g	0.00
	13-JUL-1992	CR	CHROMIUM		16.100000	µg/l	0.00
	13-JUL-1992	CS2	CARBON DISULFIDE	ND	0.020000	µg/g	0.00
	13-JUL-1992	CU	COPPER	LT	1.950000	µg/g	0.00
	13-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	13-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	13-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	13-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.050000	µg/g	0.00
	13-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	13-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	13-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	13-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	13-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	13-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.010000	µg/g	0.00
	13-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	13-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	13-JUL-1992	FE	IRON		2800.000000	µg/g	0.00
	13-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	13-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	13-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	13-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	13-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	13-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	13-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	13-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	13-JUL-1992	MEC6H5	TOLUENE	LT	0.030000	µg/g	0.00
	13-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE		0.070000	µg/g	0.00
	13-JUL-1992	MEXCLR	METHOXYCHLOR /	ND	200.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			METHOXY-DDT				
BER-92-02	13-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.030000	µg/g	0.00
	13-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	13-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.030000	µg/g	0.00
	13-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	13-JUL-1992	NI	NICKEL		120.000000	µg/g	0.00
	13-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	13-JUL-1992	NO3	NITRATE		11.100000	µg/g	0.00
	13-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	13-JUL-1992	PB	LEAD		1.150000	µg/g	0.00
	13-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	13-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	PO4	PHOSPHATE		15.400000	µg/g	0.00
	13-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	13-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	13-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	13-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	13-JUL-1992	SB	ANTIMONY	LT	3.420000	µg/g	0.00
	13-JUL-1992	SE	SELENIUM	LT	50.700000	µg/g	0.00
	13-JUL-1992	SE	SELENIUM	LT	104.000000	µg/l	0.00
	13-JUL-1992	SO4	SULFATE		56.500000	µg/g	0.00
	13-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.020000	µg/g	0.00
	13-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.020000	µg/g	0.00
	13-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.005000	µg/g	0.00
	13-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.006000	µg/g	0.00
	13-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	13-JUL-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	13-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.010000	µg/g	0.00
	13-JUL-1992	UNK532			40.000000	µg/g	0.00
	13-JUL-1992	UNK591			20.000000	µg/g	0.00
	13-JUL-1992	UNK597			20.000000	µg/g	0.00
	13-JUL-1992	UNK606			40.000000	µg/g	0.00
	13-JUL-1992	UNK610			40.000000	µg/g	0.00
	13-JUL-1992	UNK614			20.000000	µg/g	0.00
	13-JUL-1992	UNK619			40.000000	µg/g	0.00
	13-JUL-1992	UNK619			40.000000	µg/g	0.00
	13-JUL-1992	UNK623			40.000000	µg/g	0.00
	13-JUL-1992	UNK624			40.000000	µg/g	0.00
	13-JUL-1992	UNK626			40.000000	µg/g	0.00
	13-JUL-1992	UNK626			20.000000	µg/g	0.00
	13-JUL-1992	UNK627			60.000000	µg/g	0.00
	13-JUL-1992	UNK629			60.000000	µg/g	0.00
	13-JUL-1992	UNK632			20.000000	µg/g	0.00
	13-JUL-1992	UNK634			60.000000	µg/g	0.00
	13-JUL-1992	UNK647			40.000000	µg/g	0.00
	13-JUL-1992	UNK656			40.000000	µg/g	0.00
	13-JUL-1992	UNK658			40.000000	µg/g	0.00
	13-JUL-1992	UNK662			200.000000	µg/g	0.00
	13-JUL-1992	UNK665			400.000000	µg/g	0.00
	13-JUL-1992	UNK666			200.000000	µg/g	0.00
	13-JUL-1992	UNK667			200.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-02	13-JUL-1992	UNK671			400.000000	µg/g	0.00
	13-JUL-1992	UNK680			100.000000	µg/g	0.00
	13-JUL-1992	UNK686			400.000000	µg/g	0.00
	13-JUL-1992	UNK693			200.000000	µg/g	0.00
	13-JUL-1992	UNK699			100.000000	µg/g	0.00
	13-JUL-1992	UNK701			100.000000	µg/g	0.00
	13-JUL-1992	UNK724			400.000000	µg/g	0.00
	13-JUL-1992	ZN	ZINC		96.000000	µg/g	0.00
BER-92-03	13-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.005000	µg/g	0.00
	13-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	13-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.020000	µg/g	0.00
	13-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.002000	µg/g	0.00
	13-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	13-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	13-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	13-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001000	µg/g	0.00
	13-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.004000	µg/g	0.00
	13-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.003000	µg/g	0.00
	13-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.006000	µg/g	0.00
	13-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	13-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	13-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.002000	µg/g	0.00
	13-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE		0.004000	µg/g	0.00
	13-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	13-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	14DCLB	1,4-DICHLOROBENZENE		0.001000	µg/g	0.00
	13-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	13-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	13-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	13-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	13-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.060000	µg/g	0.00
	13-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	13-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	13-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ACET	ACETONE	ND	0.010000	µg/g	0.00
	13-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	13-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	13-JUL-1992	AG	SILVER	LT	0.014600	µg/g	0.00
	13-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	13-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	13-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-03	13-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	13-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	13-JUL-1992	AS	ARSENIC	LT	43.800000	µg/l	0.00
	13-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	13-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	13-JUL-1992	BA	BARIUM		7.770000	µg/g	0.00
	13-JUL-1992	BA	BARIUM		120.000000	µg/l	0.00
	13-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	13-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	13-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	BE	BERYLLIUM		0.605000	µg/g	0.00
	13-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	13-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	13-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	13-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	13-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	13-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.004000	µg/g	0.00
	13-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.006000	µg/g	0.00
	13-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.006000	µg/g	0.00
	13-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	13-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.020000	µg/g	0.00
	13-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.030000	µg/g	0.00
	13-JUL-1992	C6H6	BENZENE	LT	0.003000	µg/g	0.00
	13-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.007000	µg/g	0.00
	13-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	13-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	13-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006000	µg/g	0.00
	13-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	13-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.020000	µg/g	0.00
	13-JUL-1992	CHBR3	BROMOFORM	LT	0.020000	µg/g	0.00
	13-JUL-1992	CHCL3	CHLOROFORM	LT	0.003000	µg/g	0.00
	13-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	13-JUL-1992	CL	CHLORIDE		104.000000	µg/g	0.00
	13-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	13-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	13-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.003000	µg/g	0.00
	13-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	13-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	13-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	13-JUL-1992	CR	CHROMIUM		160.000000	µg/g	0.00
	13-JUL-1992	CR	CHROMIUM		19.600000	µg/l	0.00
	13-JUL-1992	CS2	CARBON DISULFIDE	ND	0.006000	µg/g	0.00
	13-JUL-1992	CU	COPPER		16.300000	µg/g	0.00
	13-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	13-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	13-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	13-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.020000	µg/g	0.00
	13-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	13-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-03	13-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	13-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	13-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	13-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.004000	µg/g	0.00
	13-JUL-1992	F	FLUORIDE		62.900000	µg/g	0.00
	13-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	13-JUL-1992	FE	IRON		7000.000000	µg/g	0.00
	13-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	13-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	13-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	13-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	13-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	13-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	13-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	13-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	13-JUL-1992	MEC6H5	TOLUENE	LT	0.010000	µg/g	0.00
	13-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	13-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	13-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	13-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	13-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	13-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	13-JUL-1992	NI	NICKEL		770.000000	µg/g	0.00
	13-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	13-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	13-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	13-JUL-1992	PB	LEAD		0.600000	µg/g	0.00
	13-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	13-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	13-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	13-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	13-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	13-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	13-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	13-JUL-1992	SE	SELENIUM	LT	50.700000	µg/g	0.00
	13-JUL-1992	SE	SELENIUM	LT	104.000000	µg/l	0.00
	13-JUL-1992	SO4	SULFATE		41.400000	µg/g	0.00
	13-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.006000	µg/g	0.00
	13-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.006000	µg/g	0.00
	13-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.002000	µg/g	0.00
	13-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.002000	µg/g	0.00
	13-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT	LT	1.040000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ROBENZENAMINE				
BER-92-03	13-JUL-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	13-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.005000	µg/g	0.00
	13-JUL-1992	TRIMBZ	*TRIMETHYL BENZENES		0.007000	µg/g	0.00
	13-JUL-1992	UNK079			0.005000	µg/g	0.00
	13-JUL-1992	UNK082			0.004000	µg/g	0.00
	13-JUL-1992	UNK150			0.007000	µg/g	0.00
	13-JUL-1992	UNK173			0.002000	µg/g	0.00
	13-JUL-1992	UNK182			0.004000	µg/g	0.00
	13-JUL-1992	UNK187			0.004000	µg/g	0.00
	13-JUL-1992	UNK200			0.020000	µg/g	0.00
	13-JUL-1992	UNK202			0.007000	µg/g	0.00
	13-JUL-1992	UNK207			0.002000	µg/g	0.00
	13-JUL-1992	UNK222			0.004000	µg/g	0.00
	13-JUL-1992	UNK228			0.004000	µg/g	0.00
	13-JUL-1992	UNK231			0.008000	µg/g	0.00
	13-JUL-1992	UNK236			0.004000	µg/g	0.00
	13-JUL-1992	UNK532			100.000000	µg/g	0.00
	13-JUL-1992	UNK591			40.000000	µg/g	0.00
	13-JUL-1992	UNK597			40.000000	µg/g	0.00
	13-JUL-1992	UNK606			40.000000	µg/g	0.00
	13-JUL-1992	UNK610			40.000000	µg/g	0.00
	13-JUL-1992	UNK611			40.000000	µg/g	0.00
	13-JUL-1992	UNK614			40.000000	µg/g	0.00
	13-JUL-1992	UNK619			40.000000	µg/g	0.00
	13-JUL-1992	UNK619			80.000000	µg/g	0.00
	13-JUL-1992	UNK621			40.000000	µg/g	0.00
	13-JUL-1992	UNK621			40.000000	µg/g	0.00
	13-JUL-1992	UNK622			60.000000	µg/g	0.00
	13-JUL-1992	UNK623			100.000000	µg/g	0.00
	13-JUL-1992	UNK624			100.000000	µg/g	0.00
	13-JUL-1992	UNK626			100.000000	µg/g	0.00
	13-JUL-1992	UNK626			40.000000	µg/g	0.00
	13-JUL-1992	UNK627			80.000000	µg/g	0.00
	13-JUL-1992	UNK629			100.000000	µg/g	0.00
	13-JUL-1992	UNK634			40.000000	µg/g	0.00
	13-JUL-1992	UNK656			60.000000	µg/g	0.00
	13-JUL-1992	UNK658			60.000000	µg/g	0.00
	13-JUL-1992	UNK660			200.000000	µg/g	0.00
	13-JUL-1992	UNK662			200.000000	µg/g	0.00
	13-JUL-1992	UNK665			400.000000	µg/g	0.00
	13-JUL-1992	UNK670			800.000000	µg/g	0.00
	13-JUL-1992	UNK680			800.000000	µg/g	0.00
	13-JUL-1992	UNK680			600.000000	µg/g	0.00
	13-JUL-1992	UNK686			600.000000	µg/g	0.00
	13-JUL-1992	UNK701			400.000000	µg/g	0.00
	13-JUL-1992	UNK724			600.000000	µg/g	0.00
	13-JUL-1992	ZN	ZINC		12.700000	µg/g	0.00
BER-92-04	14-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	14-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	14-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	14-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	14-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	14-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	14-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	14-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE		0.004900	µg/g	0.00
	14-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	14-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	14-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE		0.011000	µg/g	0.00
	14-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	14-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	14-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	14-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-04	14-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	14-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	14-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	14-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	14-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ACET	ACETONE		0.100000	µg/g	0.00
	14-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	14-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	14-JUL-1992	AG	SILVER		0.094300	µg/g	0.00
	14-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	14-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	14-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	440.000000	µg/l	0.00
	14-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	14-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	14-JUL-1992	BA	BARIUM		3.210000	µg/g	0.00
	14-JUL-1992	BA	BARIUM		1700.000000	µg/l	0.00
	14-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	14-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	14-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	14-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	14-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	14-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	14-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	14-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	14-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	14-JUL-1992	C2H3CL	CHLOROETHENE / VINYL	LT	0.015000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			CHLORIDE				
BER-92-04	14-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	14-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	14-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	14-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.007900	µg/g	0.00
	14-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	14-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	14-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	14-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	14-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE		1000.000000	µg/g	0.00
	14-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	14-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	14-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	14-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	14-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	14-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		15.000000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		43.300000	µg/l	0.00
	14-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	14-JUL-1992	CU	COPPER	LT	1.950000	µg/g	0.00
	14-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	14-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	14-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	14-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	14-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	14-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	14-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	14-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	14-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	14-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ETC6H5	ETHYLBENZENE		0.003100	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	14-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	14-JUL-1992	FE	IRON		4700.000000	µg/g	0.00
	14-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	14-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	14-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE		1.800000	µg/g	0.00
	14-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	14-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	14-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	14-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	14-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	14-JUL-1992	MEC6H5	TOLUENE		0.014000	µg/g	0.00
	14-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE		0.048000	µg/g	0.00
	14-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	14-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	14-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	14-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE		0.006400	µg/g	0.00
	14-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE		2.000000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL	ND	66.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			OF MIRBANE / NITROBENZENE				
BER-92-04	14-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	14-JUL-1992	NI	NICKEL		82.000000	µg/g	0.00
	14-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE		48.900000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		28.000000	µg/g	0.00
	14-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	14-JUL-1992	PB	LEAD		4.200000	µg/g	0.00
	14-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	14-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE		41.600000	µg/g	0.00
	14-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	14-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	14-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	14-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	14-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	50.700000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/l	0.00
	14-JUL-1992	SO4	SULFATE		890.000000	µg/g	0.00
	14-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	14-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	14-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	14-JUL-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	14-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	14-JUL-1992	UNK118			0.009000	µg/g	0.00
	14-JUL-1992	UNK137			0.004000	µg/g	0.00
	14-JUL-1992	UNK167			0.002000	µg/g	0.00
	14-JUL-1992	UNK186			0.003000	µg/g	0.00
	14-JUL-1992	UNK187			0.006000	µg/g	0.00
	14-JUL-1992	UNK189			0.003000	µg/g	0.00
	14-JUL-1992	UNK190			0.002000	µg/g	0.00
	14-JUL-1992	UNK196			0.010000	µg/g	0.00
	14-JUL-1992	UNK199			0.010000	µg/g	0.00
	14-JUL-1992	UNK201			0.006000	µg/g	0.00
	14-JUL-1992	UNK203			0.010000	µg/g	0.00
	14-JUL-1992	UNK217			0.002000	µg/g	0.00
	14-JUL-1992	UNK231			0.004000	µg/g	0.00
	14-JUL-1992	UNK234			0.007000	µg/g	0.00
	14-JUL-1992	UNK236			0.003000	µg/g	0.00
	14-JUL-1992	UNK236			0.002000	µg/g	0.00
	14-JUL-1992	UNK591			20.000000	µg/g	0.00
	14-JUL-1992	UNK597			20.000000	µg/g	0.00
	14-JUL-1992	UNK614			20.000000	µg/g	0.00
	14-JUL-1992	UNK617			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			20.000000	µg/g	0.00
	14-JUL-1992	UNK623			60.000000	µg/g	0.00
	14-JUL-1992	UNK624			80.000000	µg/g	0.00
	14-JUL-1992	UNK625			60.000000	µg/g	0.00
	14-JUL-1992	UNK626			40.000000	µg/g	0.00
	14-JUL-1992	UNK627			60.000000	µg/g	0.00
	14-JUL-1992	UNK629			60.000000	µg/g	0.00
	14-JUL-1992	UNK632			40.000000	µg/g	0.00
	14-JUL-1992	UNK634			60.000000	µg/g	0.00
	14-JUL-1992	UNK639			40.000000	µg/g	0.00
	14-JUL-1992	UNK647			40.000000	µg/g	0.00
	14-JUL-1992	UNK649			20.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-04	14-JUL-1992	UNK651			40.000000	µg/g	0.00
	14-JUL-1992	UNK656			60.000000	µg/g	0.00
	14-JUL-1992	UNK658			60.000000	µg/g	0.00
	14-JUL-1992	UNK660			400.000000	µg/g	0.00
	14-JUL-1992	UNK662			400.000000	µg/g	0.00
	14-JUL-1992	UNK665			600.000000	µg/g	0.00
	14-JUL-1992	UNK667			200.000000	µg/g	0.00
	14-JUL-1992	UNK670			1000.000000	µg/g	0.00
	14-JUL-1992	UNK686			800.000000	µg/g	0.00
	14-JUL-1992	UNK693			400.000000	µg/g	0.00
	14-JUL-1992	UNK699			200.000000	µg/g	0.00
	14-JUL-1992	UNK701			400.000000	µg/g	0.00
	14-JUL-1992	UNK724			600.000000	µg/g	0.00
	14-JUL-1992	ZN	ZINC	LT	7.960000	µg/g	0.00
BER-92-05	10-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	13-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	13-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	13-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	13-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	10-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	13-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	10-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE		0.019000	µg/g	0.00
	13-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	13-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	13-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	10-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE		0.040000	µg/g	0.00
	13-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	13-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	13-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	13-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	13-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	13-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	13-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	13-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	10-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	13-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	13-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL	ND	66.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ O-CRESOL				
BER-92-05	13-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	13-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	13-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	13-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	13-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	13-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	10-JUN-1992	ACET	ACETONE		1.000000	µg/g	0.00
	13-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	13-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	13-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	13-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	13-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	13-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	13-JUL-1992	AG	SILVER	LT	0.014600	µg/g	0.00
	13-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	13-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	13-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	13-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	13-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00
	13-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	13-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	13-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	13-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-05	13-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	13-JUL-1992	AS	ARSENIC	LT	440.000000	µg/l	0.00
	13-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	13-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	13-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	13-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	13-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	13-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	13-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	13-JUL-1992	BA	BARIUM		11.200000	µg/g	0.00
	13-JUL-1992	BA	BARIUM		330.000000	µg/l	0.00
	13-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	13-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	13-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	13-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	13-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	13-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	13-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	13-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	13-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	13-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	13-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	13-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	13-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	13-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	13-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	13-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	13-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	13-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	13-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	13-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	13-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	13-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	13-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	10-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-05	10-JUN-1992	C6H6	BENZENE		0.004000	µg/g	0.00
	10-JUN-1992	CCL3F	TRICHLOROFLUOROMETHANE	ND	0.005000	µg/g	0.00
	10-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	13-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	13-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	10-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.008100	µg/g	0.00
	10-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	13-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	13-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	13-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	13-JUL-1992	CL	CHLORIDE		57.500000	µg/g	0.00
	13-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	13-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	13-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	13-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	13-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	13-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	10-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	13-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	13-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	13-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	13-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	13-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	13-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	13-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	13-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	13-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	13-JUL-1992	CR	CHROMIUM		72.000000	µg/g	0.00
	13-JUL-1992	CR	CHROMIUM		93.700000	µg/l	0.00
	10-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	13-JUL-1992	CU	COPPER	LT	1.950000	µg/g	0.00
	13-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	13-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	13-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	13-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	13-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	13-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	13-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	10-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	13-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	13-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	13-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	13-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	13-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	13-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	13-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-05	13-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	13-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	13-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	13-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	13-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	13-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	13-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	13-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	13-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	13-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	13-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	10-JUN-1992	ETC6H5	ETHYLBENZENE		0.006000	µg/g	0.00
	13-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	13-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	13-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	13-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	13-JUL-1992	FE	IRON		1600.000000	µg/g	0.00
	13-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	13-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	13-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	13-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	13-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	13-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	13-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	13-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	13-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	13-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	13-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	13-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	13-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	13-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	13-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	13-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	13-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	13-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	13-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	13-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	10-JUN-1992	MEC6H5	TOLUENE		0.018000	µg/g	0.00
	10-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE		0.200000	µg/g	0.00
	13-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	13-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	13-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	10-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE		0.007200	µg/g	0.00
	13-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	13-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	13-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	10-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	13-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	13-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	13-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE		2.490000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-05	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	13-JUL-1992	NI	NICKEL		110.000000	µg/g	0.00
	13-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	13-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	13-JUL-1992	NO3	NITRATE		6.230000	µg/g	0.00
	13-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	13-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	13-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	13-JUL-1992	PB	LEAD		3.200000	µg/g	0.00
	13-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	13-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	13-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00
	13-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	13-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	13-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	13-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	13-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	13-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	13-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	13-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	13-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	13-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	13-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	13-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	13-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	13-JUL-1992	SB	ANTIMONY	LT	3.420000	µg/g	0.00
	13-JUL-1992	SE	SELENIUM	LT	50.700000	µg/g	0.00
	13-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/l	0.00
	13-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	13-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	13-JUL-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	10-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUN-1992	UNK067			0.005000	µg/g	0.00
	10-JUN-1992	UNK107			0.008000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-05	10-JUN-1992	UNK115			0.010000	µg/g	0.00
	10-JUN-1992	UNK117			0.030000	µg/g	0.00
	10-JUN-1992	UNK120			0.080000	µg/g	0.00
	10-JUN-1992	UNK128			0.006000	µg/g	0.00
	10-JUN-1992	UNK136			0.020000	µg/g	0.00
	10-JUN-1992	UNK138			0.020000	µg/g	0.00
	10-JUN-1992	UNK149			0.030000	µg/g	0.00
	10-JUN-1992	UNK153			0.010000	µg/g	0.00
	10-JUN-1992	UNK155			0.010000	µg/g	0.00
	10-JUN-1992	UNK164			0.010000	µg/g	0.00
	10-JUN-1992	UNK166			0.007000	µg/g	0.00
	10-JUN-1992	UNK170			0.020000	µg/g	0.00
	10-JUN-1992	UNK172			0.020000	µg/g	0.00
	10-JUN-1992	UNK179			0.020000	µg/g	0.00
	10-JUN-1992	UNK184			0.020000	µg/g	0.00
	10-JUN-1992	UNK185			0.010000	µg/g	0.00
	10-JUN-1992	UNK187			0.010000	µg/g	0.00
	10-JUN-1992	UNK192			0.050000	µg/g	0.00
	10-JUN-1992	UNK195			0.040000	µg/g	0.00
	10-JUN-1992	UNK197			0.040000	µg/g	0.00
	10-JUN-1992	UNK198			0.008000	µg/g	0.00
	10-JUN-1992	UNK199			0.060000	µg/g	0.00
	10-JUN-1992	UNK205			0.008000	µg/g	0.00
	10-JUN-1992	UNK208			0.010000	µg/g	0.00
	10-JUN-1992	UNK212			0.010000	µg/g	0.00
	10-JUN-1992	UNK226			0.020000	µg/g	0.00
	10-JUN-1992	UNK228			0.020000	µg/g	0.00
	13-JUL-1992	UNK605			40.000000	µg/g	0.00
	13-JUL-1992	UNK614			40.000000	µg/g	0.00
	13-JUL-1992	UNK616			20.000000	µg/g	0.00
	13-JUL-1992	UNK617			20.000000	µg/g	0.00
	13-JUL-1992	UNK618			40.000000	µg/g	0.00
	13-JUL-1992	UNK619			40.000000	µg/g	0.00
	13-JUL-1992	UNK621			40.000000	µg/g	0.00
	13-JUL-1992	UNK623			40.000000	µg/g	0.00
	13-JUL-1992	UNK624			40.000000	µg/g	0.00
	13-JUL-1992	UNK625			40.000000	µg/g	0.00
	13-JUL-1992	UNK627			40.000000	µg/g	0.00
	13-JUL-1992	UNK629			60.000000	µg/g	0.00
	13-JUL-1992	UNK631			20.000000	µg/g	0.00
	13-JUL-1992	UNK632			40.000000	µg/g	0.00
	13-JUL-1992	UNK634			40.000000	µg/g	0.00
	13-JUL-1992	UNK647			40.000000	µg/g	0.00
	13-JUL-1992	UNK651			20.000000	µg/g	0.00
	13-JUL-1992	UNK656			40.000000	µg/g	0.00
	13-JUL-1992	UNK660			100.000000	µg/g	0.00
	13-JUL-1992	UNK662			100.000000	µg/g	0.00
	13-JUL-1992	UNK665			200.000000	µg/g	0.00
	13-JUL-1992	UNK666			200.000000	µg/g	0.00
	13-JUL-1992	UNK666			200.000000	µg/g	0.00
	13-JUL-1992	UNK670			200.000000	µg/g	0.00
	13-JUL-1992	UNK679			100.000000	µg/g	0.00
	13-JUL-1992	UNK686			400.000000	µg/g	0.00
	13-JUL-1992	UNK692			200.000000	µg/g	0.00
	13-JUL-1992	UNK699			100.000000	µg/g	0.00
	13-JUL-1992	UNK707			100.000000	µg/g	0.00
	13-JUL-1992	UNK724			200.000000	µg/g	0.00
	13-JUL-1992	ZN	ZINC	LT	7.960000	µg/g	0.00
BER-92-06	14-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.010000	µg/g	0.00
	14-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.060000	µg/g	0.00
	14-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.060000	µg/g	0.00
	14-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.005000	µg/g	0.00
	14-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.006000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.004000	µg/g	0.00
	14-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.009000	µg/g	0.00
	14-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.007000	µg/g	0.00
	14-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.020000	µg/g	0.00
	14-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.006000	µg/g	0.00
	14-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.004000	µg/g	0.00
	14-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.020000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-06	14-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.003000	µg/g	0.00
	14-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	14-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	14-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	14-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.100000	µg/g	0.00
	14-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	14-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	14-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ACET	ACETONE		0.060000	µg/g	0.00
	14-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	14-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	14-JUL-1992	AG	SILVER	LT	0.014600	µg/g	0.00
	14-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	14-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	14-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	43.800000	µg/l	0.00
	14-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	14-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	14-JUL-1992	BA	BARIUM	LT	2.610000	µg/g	0.00
	14-JUL-1992	BA	BARIUM		190.000000	µg/l	0.00
	14-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	14-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	14-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	14-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	14-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	14-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	14-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	14-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-06	14-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.020000	µg/g	0.00
	14-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.020000	µg/g	0.00
	14-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.030000	µg/g	0.00
	14-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.040000	µg/g	0.00
	14-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.080000	µg/g	0.00
	14-JUL-1992	C6H6	BENZENE	LT	0.009000	µg/g	0.00
	14-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.020000	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	14-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.020000	µg/g	0.00
	14-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.030000	µg/g	0.00
	14-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.050000	µg/g	0.00
	14-JUL-1992	CHBR3	BROMOFORM	LT	0.050000	µg/g	0.00
	14-JUL-1992	CHCL3	CHLOROFORM	LT	0.007000	µg/g	0.00
	14-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE		186.000000	µg/g	0.00
	14-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	14-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	14-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.008000	µg/g	0.00
	14-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	14-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	14-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		12.500000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		9.100000	µg/l	0.00
	14-JUL-1992	CS2	CARBON DISULFIDE	ND	0.020000	µg/g	0.00
	14-JUL-1992	CU	COPPER		2.940000	µg/g	0.00
	14-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	14-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	14-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	14-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.040000	µg/g	0.00
	14-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	14-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	14-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	14-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	14-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	14-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.010000	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	14-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	14-JUL-1992	FE	IRON		1100.000000	µg/g	0.00
	14-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	14-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	14-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	14-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	14-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	14-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	14-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	14-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	14-JUL-1992	MEC6H5	TOLUENE	LT	0.030000	µg/g	0.00
	14-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE		0.020000	µg/g	0.00
	14-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	14-JUL-1992	MIBK	METHYL ISOBUTYL KETONE /	ND	0.030000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			4-METHYL-2-PENTANONE				
BER-92-06	14-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	14-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.030000	µg/g	0.00
	14-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	14-JUL-1992	NI	NICKEL		100.000000	µg/g	0.00
	14-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	14-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	14-JUL-1992	PB	LEAD		0.462000	µg/g	0.00
	14-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	14-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	14-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	14-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	14-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	14-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	14-JUL-1992	SB	ANTIMONY	LT	3.420000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	50.700000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	104.000000	µg/l	0.00
	14-JUL-1992	SO4	SULFATE		33.200000	µg/g	0.00
	14-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.020000	µg/g	0.00
	14-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.020000	µg/g	0.00
	14-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.005000	µg/g	0.00
	14-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.006000	µg/g	0.00
	14-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	14-JUL-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	14-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.010000	µg/g	0.00
	14-JUL-1992	UNK196			0.009000	µg/g	0.00
	14-JUL-1992	UNK199			0.006000	µg/g	0.00
	14-JUL-1992	UNK591			40.000000	µg/g	0.00
	14-JUL-1992	UNK597			40.000000	µg/g	0.00
	14-JUL-1992	UNK605			40.000000	µg/g	0.00
	14-JUL-1992	UNK610			40.000000	µg/g	0.00
	14-JUL-1992	UNK611			40.000000	µg/g	0.00
	14-JUL-1992	UNK614			60.000000	µg/g	0.00
	14-JUL-1992	UNK616			40.000000	µg/g	0.00
	14-JUL-1992	UNK617			40.000000	µg/g	0.00
	14-JUL-1992	UNK618			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			80.000000	µg/g	0.00
	14-JUL-1992	UNK623			60.000000	µg/g	0.00
	14-JUL-1992	UNK624			60.000000	µg/g	0.00
	14-JUL-1992	UNK625			60.000000	µg/g	0.00
	14-JUL-1992	UNK626			40.000000	µg/g	0.00
	14-JUL-1992	UNK627			40.000000	µg/g	0.00
	14-JUL-1992	UNK629			80.000000	µg/g	0.00
	14-JUL-1992	UNK632			40.000000	µg/g	0.00
	14-JUL-1992	UNK634			80.000000	µg/g	0.00
	14-JUL-1992	UNK639			40.000000	µg/g	0.00
	14-JUL-1992	UNK656			60.000000	µg/g	0.00
	14-JUL-1992	UNK658			60.000000	µg/g	0.00
	14-JUL-1992	UNK660			200.000000	µg/g	0.00
	14-JUL-1992	UNK662			100.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-06	14-JUL-1992	UNK665			400.000000	µg/g	0.00
	14-JUL-1992	UNK670			400.000000	µg/g	0.00
	14-JUL-1992	UNK679			400.000000	µg/g	0.00
	14-JUL-1992	UNK680			200.000000	µg/g	0.00
	14-JUL-1992	UNK686			400.000000	µg/g	0.00
	14-JUL-1992	UNK701			200.000000	µg/g	0.00
	14-JUL-1992	UNK724			400.000000	µg/g	0.00
	14-JUL-1992	ZN	ZINC	LT	7.960000	µg/g	0.00
BER-92-07	14-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	14-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	14-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	14-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	14-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	14-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	14-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	14-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	14-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	14-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	14-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	14-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	14-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	14-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	14-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	14-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	14-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ACET	ACETONE		0.020000	µg/g	0.00
	14-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	14-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	14-JUL-1992	AG	SILVER		0.710000	µg/g	0.00
	14-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	14-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	14-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-07	14-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	43.800000	µg/l	0.00
	14-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	14-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	14-JUL-1992	BA	BARIUM	LT	2.610000	µg/g	0.00
	14-JUL-1992	BA	BARIUM		160.000000	µg/l	0.00
	14-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	14-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	14-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	14-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	14-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	14-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	14-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	14-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	14-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	14-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	14-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	14-JUL-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	14-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	14-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.007300	µg/g	0.00
	14-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	14-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	14-JUL-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	14-JUL-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	14-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	14-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	14-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	14-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	14-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	14-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	14-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		11.200000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		9.330000	µg/l	0.00
	14-JUL-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	14-JUL-1992	CU	COPPER	LT	1.950000	µg/g	0.00
	14-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	14-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	14-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	14-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	14-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	14-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-07	14-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	14-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	14-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	14-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	14-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	14-JUL-1992	FE	IRON		3200.000000	µg/g	0.00
	14-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	14-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	14-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	14-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	14-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	14-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	14-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	14-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	14-JUL-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	14-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	14-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	14-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	14-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	14-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	14-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	14-JUL-1992	NI	NICKEL		65.000000	µg/g	0.00
	14-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	14-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	14-JUL-1992	PB	LEAD	LT	0.319000	µg/g	0.00
	14-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	14-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	14-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	14-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	14-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	14-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	14-JUL-1992	SB	ANTIMONY	LT	3.420000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	50.700000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/l	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	14-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	14-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	14-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	14-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT	LT	1.040000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ROBENZENAMINE				
BER-92-07	14-JUL-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	14-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	14-JUL-1992	UNK591			20.000000	µg/g	0.00
	14-JUL-1992	UNK597			40.000000	µg/g	0.00
	14-JUL-1992	UNK606			20.000000	µg/g	0.00
	14-JUL-1992	UNK610			20.000000	µg/g	0.00
	14-JUL-1992	UNK614			40.000000	µg/g	0.00
	14-JUL-1992	UNK616			40.000000	µg/g	0.00
	14-JUL-1992	UNK617			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			60.000000	µg/g	0.00
	14-JUL-1992	UNK621			60.000000	µg/g	0.00
	14-JUL-1992	UNK623			40.000000	µg/g	0.00
	14-JUL-1992	UNK624			40.000000	µg/g	0.00
	14-JUL-1992	UNK626			60.000000	µg/g	0.00
	14-JUL-1992	UNK627			60.000000	µg/g	0.00
	14-JUL-1992	UNK629			100.000000	µg/g	0.00
	14-JUL-1992	UNK632			60.000000	µg/g	0.00
	14-JUL-1992	UNK634			80.000000	µg/g	0.00
	14-JUL-1992	UNK651			40.000000	µg/g	0.00
	14-JUL-1992	UNK656			60.000000	µg/g	0.00
	14-JUL-1992	UNK658			60.000000	µg/g	0.00
	14-JUL-1992	UNK662			200.000000	µg/g	0.00
	14-JUL-1992	UNK665			400.000000	µg/g	0.00
	14-JUL-1992	UNK666			200.000000	µg/g	0.00
	14-JUL-1992	UNK667			200.000000	µg/g	0.00
	14-JUL-1992	UNK670			800.000000	µg/g	0.00
	14-JUL-1992	UNK686			400.000000	µg/g	0.00
	14-JUL-1992	UNK693			200.000000	µg/g	0.00
	14-JUL-1992	UNK701			200.000000	µg/g	0.00
	14-JUL-1992	UNK707			200.000000	µg/g	0.00
	14-JUL-1992	UNK724			200.000000	µg/g	0.00
	14-JUL-1992	ZN	ZINC	LT	7.960000	µg/g	0.00
BER-92-08	14-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.080000	µg/g	0.00
	14-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.400000	µg/g	0.00
	14-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.400000	µg/g	0.00
	14-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.030000	µg/g	0.00
	14-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.040000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.020000	µg/g	0.00
	14-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.060000	µg/g	0.00
	14-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.040000	µg/g	0.00
	14-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.100000	µg/g	0.00
	14-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.040000	µg/g	0.00
	14-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.030000	µg/g	0.00
	14-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.100000	µg/g	0.00
	14-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.020000	µg/g	0.00
	14-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	14-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	14-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	14-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	1.000000	µg/g	0.00
	14-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-08	14-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	14-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	14-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ACET	ACETONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	14-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	14-JUL-1992	AG	SILVER	LT	0.014600	µg/g	0.00
	14-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	14-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	14-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	440.000000	µg/l	0.00
	14-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	14-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	14-JUL-1992	BA	BARIUM		18.200000	µg/g	0.00
	14-JUL-1992	BA	BARIUM		260.000000	µg/l	0.00
	14-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	14-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	14-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	14-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	14-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	14-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	14-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	14-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.070000	µg/g	0.00
	14-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.100000	µg/g	0.00
	14-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.100000	µg/g	0.00
	14-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.200000	µg/g	0.00
	14-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.300000	µg/g	0.00
	14-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.500000	µg/g	0.00
	14-JUL-1992	C6H6	BENZENE	LT	0.060000	µg/g	0.00
	14-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.100000	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	14-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.100000	µg/g	0.00
	14-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.200000	µg/g	0.00
	14-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.300000	µg/g	0.00
	14-JUL-1992	CHBR3	BROMOFORM	LT	0.400000	µg/g	0.00
	14-JUL-1992	CHCL3	CHLOROFORM	LT	0.050000	µg/g	0.00
	14-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-08	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	14-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	14-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	14-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.060000	µg/g	0.00
	14-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	14-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	14-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		29.700000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM	LT	4.470000	µg/l	0.00
	14-JUL-1992	CS2	CARBON DISULFIDE	ND	0.100000	µg/g	0.00
	14-JUL-1992	CU	COPPER		6.420000	µg/g	0.00
	14-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	14-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	14-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	14-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.300000	µg/g	0.00
	14-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	14-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	14-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	14-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	14-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	14-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.070000	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	14-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	14-JUL-1992	FE	IRON		6300.000000	µg/g	0.00
	14-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	14-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	14-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	14-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	14-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	14-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	14-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	14-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	14-JUL-1992	MEC6H5	TOLUENE	LT	0.200000	µg/g	0.00
	14-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	14-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	14-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE		1.150000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	14-JUL-1992	NI	NICKEL		120.000000	µg/g	0.00
	14-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE		6.440000	µg/g	0.00
	14-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	14-JUL-1992	PB	LEAD		1.860000	µg/g	0.00
	14-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	14-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-08	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	14-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	14-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	14-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	14-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	14-JUL-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	14-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/l	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	14-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.100000	µg/g	0.00
	14-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.100000	µg/g	0.00
	14-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.030000	µg/g	0.00
	14-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.040000	µg/g	0.00
	14-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	14-JUL-1992	TL	THALLIUM	LT	16.600000	µg/g	0.00
	14-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.080000	µg/g	0.00
	14-JUL-1992	UNK597			20.000000	µg/g	0.00
	14-JUL-1992	UNK614			40.000000	µg/g	0.00
	14-JUL-1992	UNK616			40.000000	µg/g	0.00
	14-JUL-1992	UNK617			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			60.000000	µg/g	0.00
	14-JUL-1992	UNK622			40.000000	µg/g	0.00
	14-JUL-1992	UNK623			60.000000	µg/g	0.00
	14-JUL-1992	UNK624			40.000000	µg/g	0.00
	14-JUL-1992	UNK626			60.000000	µg/g	0.00
	14-JUL-1992	UNK626			40.000000	µg/g	0.00
	14-JUL-1992	UNK627			80.000000	µg/g	0.00
	14-JUL-1992	UNK629			100.000000	µg/g	0.00
	14-JUL-1992	UNK631			40.000000	µg/g	0.00
	14-JUL-1992	UNK632			80.000000	µg/g	0.00
	14-JUL-1992	UNK633			20.000000	µg/g	0.00
	14-JUL-1992	UNK634			100.000000	µg/g	0.00
	14-JUL-1992	UNK640			40.000000	µg/g	0.00
	14-JUL-1992	UNK648			40.000000	µg/g	0.00
	14-JUL-1992	UNK651			40.000000	µg/g	0.00
	14-JUL-1992	UNK656			60.000000	µg/g	0.00
	14-JUL-1992	UNK658			60.000000	µg/g	0.00
	14-JUL-1992	UNK662			200.000000	µg/g	0.00
	14-JUL-1992	UNK665			400.000000	µg/g	0.00
	14-JUL-1992	UNK671			600.000000	µg/g	0.00
	14-JUL-1992	UNK680			200.000000	µg/g	0.00
	14-JUL-1992	UNK686			400.000000	µg/g	0.00
	14-JUL-1992	UNK699			100.000000	µg/g	0.00
	14-JUL-1992	UNK701			200.000000	µg/g	0.00
	14-JUL-1992	UNK725			200.000000	µg/g	0.00
	14-JUL-1992	ZN	ZINC		22.800000	µg/g	0.00
BES-92-01	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-01	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.013000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.068400	µg/g	0.00
	09-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		110.000000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		1100.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN /	ND	0.200000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			ENDOSULFAN II				
BES-92-01	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006700	µg/g	0.00
	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		13.900000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CU	COPPER		8.640000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FE	IRON		15000.000000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	09-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-01	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	PB	LEAD		12.000000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	09-JUN-1992	UNK540			0.100000	µg/g	0.00
	09-JUN-1992	UNK646			1.000000	µg/g	0.00
	09-JUN-1992	UNK660			1.000000	µg/g	0.00
	09-JUN-1992	ZN	ZINC		43.000000	µg/g	0.00
BES-92-02	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE		0.000880	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-02	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE		0.000620	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.011000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.050000	µg/g	0.00
	09-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	48.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		110.000000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		1200.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-02	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.007200	µg/g	0.00
	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUN-1992	CL	CHLORIDE		36.300000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		16.200000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CU	COPPER		7.100000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	09-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FE	IRON		15000.000000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	09-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE		0.013000	µg/g	0.00
	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE /	ND	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			4-METHYL-2-PENTANONE				
BES-92-02	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE		0.008500	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	PB	LEAD		9.900000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	PO4	PHOSPHATE		3.080000	µg/g	0.00
	09-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	09-JUN-1992	SO4	SULFATE		19.100000	µg/g	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE		0.002100	µg/g	0.00
	09-JUN-1992	UNK635			0.230000	µg/g	0.00
	09-JUN-1992	UNK646			1.100000	µg/g	0.00
	09-JUN-1992	UNK662			1.100000	µg/g	0.00
	09-JUN-1992	ZN	ZINC		37.000000	µg/g	0.00
BES-92-03	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-03	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.010000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.021900	µg/g	0.00
	09-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		63.000000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		930.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE		0.510000	µg/g	0.00
	09-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-03	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006100	µg/g	0.00
	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		6.160000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CU	COPPER		3.320000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	09-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FE	IRON		7200.000000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	09-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-03	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUN-1992	NO3	NITRATE		1.950000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	PB	LEAD		6.800000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	PO4	PHOSPHATE		3.040000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	09-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	09-JUN-1992	UNK646			0.600000	µg/g	0.00
	09-JUN-1992	UNK662			0.600000	µg/g	0.00
	09-JUN-1992	ZN	ZINC		15.000000	µg/g	0.00
BES-92-04	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-04	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.006300	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.026000	µg/g	0.00
	09-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		65.000000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		840.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-04	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006500	µg/g	0.00
	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		8.260000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CU	COPPER		3.510000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	09-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FE	IRON		7500.000000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	09-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-04	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUN-1992	NI	NICKEL	LT	2.460000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	09-JUN-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	PB	LEAD		6.700000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	09-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	09-JUN-1992	UNK646			0.620000	µg/g	0.00
	09-JUN-1992	UNK662			0.620000	µg/g	0.00
	09-JUN-1992	ZN	ZINC		16.900000	µg/g	0.00
BES-92-05	10-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	10-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	10-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	10-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	10-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	10-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	10-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	10-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	10-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	10-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	10-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.002000	µg/g	0.00
	10-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	10-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-05	10-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	10-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.002000	µg/g	0.00
	10-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	10-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	10-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	10-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	10-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	10-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	10-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	10-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	10-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	10-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	10-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	10-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	10-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	10-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	10-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	10-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	10-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	10-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	10-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	10-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	10-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	10-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	10-JUN-1992	ACET	ACETONE		0.022000	µg/g	0.00
	10-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	10-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	10-JUN-1992	AG	SILVER		0.033200	µg/g	0.00
	10-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	10-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	10-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	10-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	10-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	10-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	10-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	10-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	10-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	10-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	10-JUN-1992	BA	BARIUM		920.000000	µg/l	0.00
	10-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	10-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	10-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	10-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	10-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	10-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	10-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	10-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	10-JUN-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	10-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-05	10-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	10-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	10-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	10-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	10-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	10-JUN-1992	CCL3F	TRICHLOROFLUOROMETHANE	ND	0.005000	µg/g	0.00
	10-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	10-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	10-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006500	µg/g	0.00
	10-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	10-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	10-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	10-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	10-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	10-JUN-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	10-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	10-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	10-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	10-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	10-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	10-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	10-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	10-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	10-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	10-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	10-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	10-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	10-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	10-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	10-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	10-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	10-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	10-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	10-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	10-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	10-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	10-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	10-JUN-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	10-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	10-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	10-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	10-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	10-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	10-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	10-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	10-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	10-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	10-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	10-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	10-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	10-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	10-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	10-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	10-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	10-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	10-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-05	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	10-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	10-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	10-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	10-JUN-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	10-JUN-1992	NO3	NITRATE		2.940000	µg/g	0.00
	10-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	10-JUN-1992	PB	LEAD		9.900000	µg/g	0.00
	10-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	10-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	10-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	10-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	10-JUN-1992	PO4	PHOSPHATE		4.960000	µg/g	0.00
	10-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	10-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	10-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	10-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	10-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	10-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	10-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	10-JUN-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	10-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	10-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	10-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	10-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	10-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	10-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	10-JUN-1992	UNK646			2.000000	µg/g	0.00
	10-JUN-1992	UNK660			0.710000	µg/g	0.00
BES-92-06	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-06	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.010000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.081400	µg/g	0.00
	09-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		1300.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE /		0.006400	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			METHYLENE CHLORIDE				
BES-92-06	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	09-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	PB	LEAD		14.000000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1	LT	0.180000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-06	09-JUN-1992	PPDDE	,1-DICHLOROETHANE / TDE 2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	09-JUN-1992	UNK540			0.100000	µg/g	0.00
	09-JUN-1992	UNK635			0.420000	µg/g	0.00
	09-JUN-1992	UNK646			3.100000	µg/g	0.00
	09-JUN-1992	UNK661			2.100000	µg/g	0.00
BES-92-07	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.048000	µg/g	0.00
	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENO	ND	1.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			L / 4,6-DINITRO-2-CRESOL				
BES-92-07	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.013000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.077900	µg/g	0.00
	09-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		140.000000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		700.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BE	BERYLLIUM	LT	0.230000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	1.300000	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006400	µg/g	0.00
	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL	LT	0.370000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			SULFIDE				
BES-92-07	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		15.000000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CU	COPPER		8.000000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FE	IRON		18000.000000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	09-JUN-1992	HG	MERCURY		0.026800	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUN-1992	NI	NICKEL	LT	7.400000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	PB	LEAD		14.000000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-07	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.003800	µg/g	0.00
	09-JUN-1992	UNK594			0.310000	µg/g	0.00
	09-JUN-1992	UNK646			1.000000	µg/g	0.00
	09-JUN-1992	UNK660			0.720000	µg/g	0.00
	09-JUN-1992	ZN	ZINC		46.000000	µg/g	0.00
BES-92-08	09-JUN-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.004200	µg/g	0.00
	09-JUN-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.020000	µg/g	0.00
	09-JUN-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.019000	µg/g	0.00
	09-JUN-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.001700	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.290000	µg/g	0.00
	09-JUN-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.002000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.001200	µg/g	0.00
	09-JUN-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.003100	µg/g	0.00
	09-JUN-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.002200	µg/g	0.00
	09-JUN-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.330000	µg/g	0.00
	09-JUN-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.002000	µg/g	0.00
	09-JUN-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.001300	µg/g	0.00
	09-JUN-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.000900	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	0.300000	µg/g	0.00
	09-JUN-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DCLP	2,4-DICHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNP	2,4-DINITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	09-JUN-1992	24DNT	2,4-DINITROTOLUENE	LT	0.390000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	26DNT	2,6-DINITROTOLUENE	LT	0.530000	µg/g	0.00
	09-JUN-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER	LT	0.048000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			/ (2-CHLOROETHOXY)ETHENE				
BES-92-08	09-JUN-1992	2CLP	2-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2CNAP	2-CHLORONAPHTHALENE	LT	0.320000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MNAP	2-METHYLNAPHTHALENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NANIL	2-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NP	2-NITROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	0.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	3NANIL	3-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CANIL	4-CHLOROANILINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NANIL	4-NITROANILINE	ND	1.700000	µg/g	0.00
	09-JUN-1992	4NP	4-NITROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ACET	ACETONE		0.015000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	ACLDAN	ALPHA-CHLORDANE	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	1.000000	µg/g	0.00
	09-JUN-1992	AG	SILVER		0.080400	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-08	09-JUN-1992	AG	SILVER	LT	320.000000	µg/l	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ALDRN	ALDRIN	LT	0.290000	µg/g	0.00
	09-JUN-1992	ANAPNE	ACENAPHTHENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANAPYL	ACENAPHTHYLENE	LT	0.460000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	ANTRC	ANTHRACENE	LT	0.540000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	72.000000	µg/g	0.00
	09-JUN-1992	AS	ARSENIC	LT	4400.000000	µg/l	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	0.330000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	0.390000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		110.000000	µg/g	0.00
	09-JUN-1992	BA	BARIUM		1100.000000	µg/l	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE	LT	0.300000	µg/g	0.00
	09-JUN-1992	BAANTR	BENZO[A]ANTHRACENE		0.220000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE		0.600000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE	LT	0.380000	µg/g	0.00
	09-JUN-1992	BAPYR	BENZO[A]PYRENE		0.540000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	0.360000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	BE	BERYLLIUM	LT	0.230000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	0.200000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BENZOA	BENZOIC ACID	ND	1.700000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE		0.240000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	0.240000	µg/g	0.00
	09-JUN-1992	BGHIPY	BENZO[GHI]PERYLENE		0.180000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	0.800000	µg/g	0.00
	09-JUN-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.003300	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-08	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	BZALC	BENZYL ALCOHOL	ND	0.330000	µg/g	0.00
	09-JUN-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.010000	µg/g	0.00
	09-JUN-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.015000	µg/g	0.00
	09-JUN-1992	C2H5CL	CHLOROETHANE	LT	0.027000	µg/g	0.00
	09-JUN-1992	C6H6	BENZENE	LT	0.002900	µg/g	0.00
	09-JUN-1992	CCL4	CARBON TETRACHLORIDE	LT	0.005600	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	1.300000	µg/g	0.00
	09-JUN-1992	CD	CADMIUM	LT	27.000000	µg/l	0.00
	09-JUN-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.006900	µg/g	0.00
	09-JUN-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.010000	µg/g	0.00
	09-JUN-1992	CH3CL	CHLOROMETHANE	LT	0.017000	µg/g	0.00
	09-JUN-1992	CHBR3	BROMOFORM	LT	0.018000	µg/g	0.00
	09-JUN-1992	CHCL3	CHLOROFORM	LT	0.002300	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE		0.480000	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE	LT	0.450000	µg/g	0.00
	09-JUN-1992	CHRY	CHRYSENE		0.450000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6BZ	HEXACHLOROBENZENE	LT	0.260000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CL6ET	HEXACHLOROETHANE	LT	0.400000	µg/g	0.00
	09-JUN-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.002800	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	0.370000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	0.270000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	0.690000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM		16.000000	µg/g	0.00
	09-JUN-1992	CR	CHROMIUM	LT	45.000000	µg/l	0.00
	09-JUN-1992	CS2	CARBON DISULFIDE	ND	0.005000	µg/g	0.00
	09-JUN-1992	CU	COPPER		8.400000	µg/g	0.00
	09-JUN-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	0.200000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	0.290000	µg/g	0.00
	09-JUN-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.014000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-08	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DBZFUR	DIBENZOFURAN	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DEP	DIETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DITH	DITHIANE	LT	0.240000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DLDRN	DIELDRIN	LT	0.300000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DMP	DIMETHYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	0.330000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	0.590000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRN	ENDRIN	LT	0.410000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ENDRNK	ENDRIN KETONE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ESFSO4	ENDOSULFAN SULFATE	ND	0.200000	µg/g	0.00
	09-JUN-1992	ETC6H5	ETHYLBENZENE	LT	0.003300	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FANT	FLUORANTHENE	LT	0.520000	µg/g	0.00
	09-JUN-1992	FE	IRON		14000.000000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	0.420000	µg/g	0.00
	09-JUN-1992	HG	MERCURY	LT	0.566000	µg/l	0.00
	09-JUN-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	09-JUN-1992	HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	LT	0.755000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCL	HEPTACHLOR	LT	0.280000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	0.360000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	0.210000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	ISOPHR	ISOPHORONE	ND	0.330000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	0.430000	µg/g	0.00
	09-JUN-1992	MEC6H5	TOLUENE	LT	0.008400	µg/g	0.00
	09-JUN-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	1.000000	µg/g	0.00
	09-JUN-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00
	09-JUN-1992	MLTHN	MALATHION	LT	0.480000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-08	09-JUN-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.010000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	0.420000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	0.360000	µg/g	0.00
	09-JUN-1992	NI	NICKEL	LT	7.400000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	0.330000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	OXAT	1,4-OXATHIANE	LT	0.250000	µg/g	0.00
	09-JUN-1992	PB	LEAD		46.000000	µg/g	0.00
	09-JUN-1992	PB	LEAD	LT	410.000000	µg/l	0.00
	09-JUN-1992	PCP	PENTACHLOROPHENOL	ND	1.700000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHANTR	PHENANTHRENE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	0.330000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	LT	0.180000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	LT	0.220000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	LT	0.410000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	0.460000	µg/g	0.00
	09-JUN-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE		0.990000	µg/g	0.00
	09-JUN-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	09-JUN-1992	SB	ANTIMONY	LT	34.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	5100.000000	µg/g	0.00
	09-JUN-1992	SE	SELENIUM	LT	10000.000000	µg/l	0.00
	09-JUN-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.005000	µg/g	0.00
	09-JUN-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.001600	µg/g	0.00
	09-JUN-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.001900	µg/g	0.00
	09-JUN-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	09-JUN-1992	TL	THALLIUM	LT	170.000000	µg/g	0.00
	09-JUN-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN /	LT	0.003800	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
			GEMALGENE				
BES-92-08	09-JUN-1992	UNK616			0.210000	µg/g	0.00
	09-JUN-1992	UNK618			0.410000	µg/g	0.00
	09-JUN-1992	UNK622			0.620000	µg/g	0.00
	09-JUN-1992	UNK623			0.820000	µg/g	0.00
	09-JUN-1992	UNK624			0.410000	µg/g	0.00
	09-JUN-1992	UNK624			0.310000	µg/g	0.00
	09-JUN-1992	UNK627			0.410000	µg/g	0.00
	09-JUN-1992	UNK628			0.620000	µg/g	0.00
	09-JUN-1992	UNK628			0.510000	µg/g	0.00
	09-JUN-1992	UNK628			0.310000	µg/g	0.00
	09-JUN-1992	UNK629			0.410000	µg/g	0.00
	09-JUN-1992	UNK629			0.310000	µg/g	0.00
	09-JUN-1992	UNK630			0.310000	µg/g	0.00
	09-JUN-1992	UNK632			0.310000	µg/g	0.00
	09-JUN-1992	UNK636			0.310000	µg/g	0.00
	09-JUN-1992	UNK642			0.410000	µg/g	0.00
	09-JUN-1992	UNK646			1.000000	µg/g	0.00
	09-JUN-1992	UNK653			1.000000	µg/g	0.00
	09-JUN-1992	UNK661			2.100000	µg/g	0.00
	09-JUN-1992	ZN	ZINC		42.000000	µg/g	0.00
BES-92-09	14-JUL-1992	111TCE	1,1,1-TRICHLOROETHANE	LT	0.070000	µg/g	0.00
	14-JUL-1992	112TCE	1,1,2-TRICHLOROETHANE	LT	0.300000	µg/g	0.00
	14-JUL-1992	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	LT	0.300000	µg/g	0.00
	14-JUL-1992	11DCLE	1,1-DICHLOROETHANE	LT	0.030000	µg/g	0.00
	14-JUL-1992	123TCB	1,2,3-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	124TCB	1,2,4-TRICHLOROBENZENE	LT	58.000000	µg/g	0.00
	14-JUL-1992	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	LT	0.030000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	12DCLB	1,2-DICHLOROBENZENE	LT	0.020000	µg/g	0.00
	14-JUL-1992	12DCLE	1,2-DICHLOROETHANE	LT	0.050000	µg/g	0.00
	14-JUL-1992	12DCLP	1,2-DICHLOROPROPANE	LT	0.040000	µg/g	0.00
	14-JUL-1992	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	ND	0.080000	µg/g	0.00
	14-JUL-1992	135TNB	1,3,5-TRINITROBENZENE	LT	0.352000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	66.000000	µg/g	0.00
	14-JUL-1992	13DCLB	1,3-DICHLOROBENZENE	LT	0.030000	µg/g	0.00
	14-JUL-1992	13DCP	1,3-DICHLOROPROPANE	LT	0.020000	µg/g	0.00
	14-JUL-1992	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	ND	0.080000	µg/g	0.00
	14-JUL-1992	13DNB	1,3-DINITROBENZENE	LT	0.304000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	14DCLB	1,4-DICHLOROBENZENE	LT	0.010000	µg/g	0.00
	14-JUL-1992	245TCP	2,4,5-TRICHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	246TCP	2,4,6-TRICHLOROPHENOL	ND	60.000000	µg/g	0.00
	14-JUL-1992	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	LT	0.931000	µg/g	0.00
	14-JUL-1992	24DCLP	2,4-DICHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DMPN	2,4-DIMETHYLPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	24DNP	2,4-DINITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	0.744000	µg/g	0.00
	14-JUL-1992	24DNT	2,4-DINITROTOLUENE	LT	78.000000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	0.830000	µg/g	0.00
	14-JUL-1992	26DNT	2,6-DINITROTOLUENE	LT	106.000000	µg/g	0.00
	14-JUL-1992	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	LT	0.800000	µg/g	0.00
	14-JUL-1992	2CLP	2-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2CNAP	2-CHLORONAPHTHALENE	LT	64.000000	µg/g	0.00
	14-JUL-1992	2MNAP	2-METHYLNAPHTHALENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NANIL	2-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	2NP	2-NITROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	2NT	2-NITROTOLUENE	LT	1.590000	µg/g	0.00
	14-JUL-1992	33DCBD	3,3'-DICHLOROBENZIDINE	ND	140.000000	µg/g	0.00
	14-JUL-1992	3NANIL	3-NITROANILINE	ND	340.000000	µg/g	0.00
	14-JUL-1992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CANIL	4-CHLOROANILINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	4NANIL	4-NITROANILINE	ND	340.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-09	14-JUL-1992	4NP	4-NITROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ACET	ACETONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	ACLDAN	ALPHA-CHLORDANE	ND	200.000000	µg/g	0.00
	14-JUL-1992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	ND	200.000000	µg/g	0.00
	14-JUL-1992	AG	SILVER		0.079700	µg/g	0.00
	17-JUL-1992	AG	SILVER	LT	32.000000	µg/l	0.00
	14-JUL-1992	ALDRN	ALDRIN	LT	58.000000	µg/g	0.00
	14-JUL-1992	ANAPNE	ACENAPHTHENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	ANAPYL	ACENAPHTHYLENE	LT	92.000000	µg/g	0.00
	14-JUL-1992	ANTRC	ANTHRACENE	LT	108.000000	µg/g	0.00
	14-JUL-1992	AS	ARSENIC	LT	24.000000	µg/g	0.00
	17-JUL-1992	AS	ARSENIC	LT	440.000000	µg/l	0.00
	14-JUL-1992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	ND	66.000000	µg/g	0.00
	14-JUL-1992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	LT	66.000000	µg/g	0.00
	14-JUL-1992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	LT	78.000000	µg/g	0.00
	14-JUL-1992	BA	BARIUM		66.000000	µg/g	0.00
	17-JUL-1992	BA	BARIUM		290.000000	µg/l	0.00
	14-JUL-1992	BAANTR	BENZO[A]ANTHRACENE	LT	60.000000	µg/g	0.00
	14-JUL-1992	BAPYR	BENZO[A]PYRENE	LT	76.000000	µg/g	0.00
	14-JUL-1992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	LT	72.000000	µg/g	0.00
	14-JUL-1992	BBZP	BUTYLBENZYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	BE	BERYLLIUM	LT	0.078000	µg/g	0.00
	14-JUL-1992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	ND	40.000000	µg/g	0.00
	14-JUL-1992	BENZOA	BENZOIC ACID	ND	340.000000	µg/g	0.00
	14-JUL-1992	BGHIPY	BENZO[GHI]PERYLENE	LT	48.000000	µg/g	0.00
	14-JUL-1992	BKFANT	BENZO[K]FLUORANTHENE	LT	160.000000	µg/g	0.00
	14-JUL-1992	BR	BROMIDE	LT	8.830000	µg/g	0.00
	14-JUL-1992	BRDCLM	BROMODICHLOROMETHANE	LT	0.050000	µg/g	0.00
	14-JUL-1992	BZALC	BENZYL ALCOHOL	ND	66.000000	µg/g	0.00
	14-JUL-1992	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	ND	0.080000	µg/g	0.00
	14-JUL-1992	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	ND	0.080000	µg/g	0.00
	14-JUL-1992	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	ND	0.200000	µg/g	0.00
	14-JUL-1992	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	LT	0.200000	µg/g	0.00
	14-JUL-1992	C2H5CL	CHLOROETHANE	LT	0.400000	µg/g	0.00
	14-JUL-1992	C6H6	BENZENE	LT	0.050000	µg/g	0.00
	14-JUL-1992	CCL4	CARBON TETRACHLORIDE	LT	0.090000	µg/g	0.00
	14-JUL-1992	CD	CADMIUM	LT	0.424000	µg/g	0.00
	17-JUL-1992	CD	CADMIUM	LT	2.670000	µg/l	0.00
	14-JUL-1992	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE		0.100000	µg/g	0.00
	14-JUL-1992	CH3BR	BROMOMETHANE / METHYL BROMIDE	ND	0.200000	µg/g	0.00
	14-JUL-1992	CH3CL	CHLOROMETHANE	LT	0.300000	µg/g	0.00
	14-JUL-1992	CHBR3	BROMOFORM	LT	0.300000	µg/g	0.00
	14-JUL-1992	CHCL3	CHLOROFORM	LT	0.040000	µg/g	0.00
	14-JUL-1992	CHRY	CHRYSENE	LT	90.000000	µg/g	0.00
	14-JUL-1992	CL	CHLORIDE	LT	39.600000	µg/g	0.00
	14-JUL-1992	CL6BZ	HEXACHLOROBENZENE	LT	52.000000	µg/g	0.00
	14-JUL-1992	CL6CP	HEXACHLOROCYCLOPENTADIENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	CL6ET	HEXACHLOROETHANE	LT	80.000000	µg/g	0.00
	14-JUL-1992	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	LT	0.040000	µg/g	0.00
	14-JUL-1992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	LT	74.000000	µg/g	0.00
	14-JUL-1992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	LT	54.000000	µg/g	0.00
	14-JUL-1992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	LT	138.000000	µg/g	0.00
	14-JUL-1992	CR	CHROMIUM		13.700000	µg/g	0.00
	17-JUL-1992	CR	CHROMIUM	LT	4.470000	µg/l	0.00
	14-JUL-1992	CS2	CARBON DISULFIDE	ND	0.080000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-09	14-JUL-1992	CU	COPPER		11.600000	µg/g	0.00
	14-JUL-1992	CYN	CYANIDE	LT	5.000000	µg/g	0.00
	14-JUL-1992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	LT	40.000000	µg/g	0.00
	14-JUL-1992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	LT	58.000000	µg/g	0.00
	14-JUL-1992	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	LT	0.200000	µg/g	0.00
	14-JUL-1992	DBZFUR	DIBENZOFURAN	ND	66.000000	µg/g	0.00
	14-JUL-1992	DEP	DIETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DITH	DITHIANE	LT	48.000000	µg/g	0.00
	14-JUL-1992	DLDRN	DIELDRIN	LT	60.000000	µg/g	0.00
	14-JUL-1992	DMP	DIMETHYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNBP	DI-N-BUTYL PHTHALATE	ND	66.000000	µg/g	0.00
	14-JUL-1992	DNOP	DI-N-OCTYL PHTHALATE	LT	118.000000	µg/g	0.00
	14-JUL-1992	ENDRN	ENDRIN	LT	82.000000	µg/g	0.00
	14-JUL-1992	ENDRNK	ENDRIN KETONE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ESFSO4	ENDOSULFAN SULFATE	ND	40.000000	µg/g	0.00
	14-JUL-1992	ETC6H5	ETHYLBENZENE	LT	0.050000	µg/g	0.00
	14-JUL-1992	F	FLUORIDE	LT	19.200000	µg/g	0.00
	14-JUL-1992	FANT	FLUORANTHENE	LT	104.000000	µg/g	0.00
	14-JUL-1992	FE	IRON		8500.000000	µg/g	0.00
	14-JUL-1992	FLRENE	9H-FLUORENE / FLUORENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	GCLDAN	GAMMA-CHLORDANE	ND	1000.000000	µg/g	0.00
	14-JUL-1992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	HG	MERCURY	LT	0.025900	µg/g	0.00
	14-JUL-1992	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	LT	0.755000	µg/g	0.00
	14-JUL-1992	HPCL	HEPTACHLOR	LT	56.000000	µg/g	0.00
	14-JUL-1992	HPCLE	HEPTACHLOR EPOXIDE	LT	72.000000	µg/g	0.00
	14-JUL-1992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	LT	42.000000	µg/g	0.00
	14-JUL-1992	ISOPHR	ISOPHORONE	ND	66.000000	µg/g	0.00
	14-JUL-1992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	LT	86.000000	µg/g	0.00
	14-JUL-1992	MEC6H5	TOLUENE	LT	0.100000	µg/g	0.00
	14-JUL-1992	MEK	2-BUTANONE / METHYL ETHYL KETONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	ND	200.000000	µg/g	0.00
	14-JUL-1992	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	MLTHN	MALATHION	LT	96.000000	µg/g	0.00
	14-JUL-1992	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	ND	0.200000	µg/g	0.00
	14-JUL-1992	NAP	NAPHTHALENE / TAR CAMPHOR	LT	84.000000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	LT	1.040000	µg/g	0.00
	14-JUL-1992	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NDNPA	NITROSO DI-N-PROPYLAMINE	LT	72.000000	µg/g	0.00
	14-JUL-1992	NI	NICKEL		48.000000	µg/g	0.00
	14-JUL-1992	NNDPA	N-NITROSODIPHENYLAMINE	ND	66.000000	µg/g	0.00
	14-JUL-1992	NO2	NITRITE	LT	3.160000	µg/g	0.00
	14-JUL-1992	NO3	NITRATE	LT	3.360000	µg/g	0.00
	14-JUL-1992	OXAT	1,4-OXATHIANE	LT	50.000000	µg/g	0.00
	14-JUL-1992	PB	LEAD		22.000000	µg/g	0.00
	17-JUL-1992	PB	LEAD	LT	40.600000	µg/l	0.00
	14-JUL-1992	PCP	PENTACHLOROPHENOL	ND	340.000000	µg/g	0.00
	14-JUL-1992	PHANTR	PHENANTHRENE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	ND	66.000000	µg/g	0.00
	14-JUL-1992	PO4	PHOSPHATE	ND	5.000000	µg/g	0.00
	14-JUL-1992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	LT	36.000000	µg/g	0.00
	14-JUL-1992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	LT	44.000000	µg/g	0.00
	14-JUL-1992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	LT	82.000000	µg/g	0.00
	14-JUL-1992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	LT	92.000000	µg/g	0.00
	14-JUL-1992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	LT	84.000000	µg/g	0.00
	14-JUL-1992	RDX	CYCLONITE / HEXOGEN / RDX	LT	0.445000	µg/g	0.00
	14-JUL-1992	SB	ANTIMONY	LT	10.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-09	14-JUL-1992	SE	SELENIUM	LT	510.000000	µg/g	0.00
	17-JUL-1992	SE	SELENIUM	LT	1000.000000	µg/l	0.00
	14-JUL-1992	SO4	SULFATE	LT	14.400000	µg/g	0.00
	14-JUL-1992	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	ND	0.080000	µg/g	0.00
	14-JUL-1992	T13DCP	TRANS-1,3-DICHLOROPROPENE	ND	0.080000	µg/g	0.00
	14-JUL-1992	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	LT	0.030000	µg/g	0.00
	14-JUL-1992	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	LT	0.030000	µg/g	0.00
	14-JUL-1992	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	LT	1.040000	µg/g	0.00
	14-JUL-1992	TL	THALLIUM	LT	50.000000	µg/g	0.00
	14-JUL-1992	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	LT	0.060000	µg/g	0.00
	14-JUL-1992	UNK532			100.000000	µg/g	0.00
	14-JUL-1992	UNK606			20.000000	µg/g	0.00
	14-JUL-1992	UNK610			40.000000	µg/g	0.00
	14-JUL-1992	UNK614			40.000000	µg/g	0.00
	14-JUL-1992	UNK617			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			40.000000	µg/g	0.00
	14-JUL-1992	UNK619			80.000000	µg/g	0.00
	14-JUL-1992	UNK620			40.000000	µg/g	0.00
	14-JUL-1992	UNK621			60.000000	µg/g	0.00
	14-JUL-1992	UNK621			40.000000	µg/g	0.00
	14-JUL-1992	UNK623			60.000000	µg/g	0.00
	14-JUL-1992	UNK624			40.000000	µg/g	0.00
	14-JUL-1992	UNK626			40.000000	µg/g	0.00
	14-JUL-1992	UNK626			40.000000	µg/g	0.00
	14-JUL-1992	UNK627			80.000000	µg/g	0.00
	14-JUL-1992	UNK629			80.000000	µg/g	0.00
	14-JUL-1992	UNK634			40.000000	µg/g	0.00
	14-JUL-1992	UNK647			40.000000	µg/g	0.00
	14-JUL-1992	UNK656			60.000000	µg/g	0.00
	14-JUL-1992	UNK658			60.000000	µg/g	0.00
	14-JUL-1992	UNK660			200.000000	µg/g	0.00
	14-JUL-1992	UNK662			200.000000	µg/g	0.00
	14-JUL-1992	UNK665			400.000000	µg/g	0.00
	14-JUL-1992	UNK666			200.000000	µg/g	0.00
	14-JUL-1992	UNK667			400.000000	µg/g	0.00
	14-JUL-1992	UNK670			600.000000	µg/g	0.00
	14-JUL-1992	UNK680			200.000000	µg/g	0.00
	14-JUL-1992	UNK680			200.000000	µg/g	0.00
	14-JUL-1992	UNK686			400.000000	µg/g	0.00
	14-JUL-1992	UNK707			200.000000	µg/g	0.00
	14-JUL-1992	ZN	ZINC		41.000000	µg/g	0.00

Background Data

*Meas Bool = A mathematical term of comparison (i.e., less than, greater than, or equal to) used by IRDMIS.

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BKB-92-01	15-JUL-1992	AG	SILVER		0.078800 µg/	µg/g	3.00
		AL	ALUMINUM		32000.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC	LT	240.000000 µg/	µg/g	3.00
	15-JUL-1992	BA	BARIUM		270.000000 µg/	µg/g	3.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.230000 µg/	µg/g	3.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	3.00
		CA	CALCIUM		79000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	1.300000 µg/	µg/g	3.00
	15-JUL-1992	CL	CHLORIDE		136.000000 µg/	µg/g	3.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		19.000000 µg/	µg/g	3.00
	15-JUL-1992	CU	COPPER		13.000000 µg/	µg/g	3.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	3.00
	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	3.00
	15-JUL-1992	FE	IRON		26000.000000 µg/	µg/g	3.00
	15-JUL-1992	HG	MERCURY	LT	0.025900 µg/	µg/g	3.00
		K	POTASSIUM		8200.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		18000.000000 µg/	µg/g	0.00
		MN	MANGANESE		600.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	7.500000 µg/	µg/g	3.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	3.00
	15-JUL-1992	NO3	NITRATE	LT	3.360000 µg/	µg/g	3.00
	15-JUL-1992	PB	LEAD		22.000000 µg/	µg/g	3.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	3.00
	15-JUL-1992	SB	ANTIMONY	LT	34.000000 µg/	µg/g	3.00
	15-JUL-1992	SE	SELENIUM	LT	5100.000000 µg/	µg/g	3.00
	15-JUL-1992	SO4	SULFATE		466.000000 µg/	µg/g	3.00
	15-JUL-1992	TL	THALLIUM	LT	170.000000 µg/	µg/g	3.00
		V	VANADIUM		28.000000 µg/	µg/g	0.00
	15-JUL-1992	ZN	ZINC		70.000000 µg/	µg/g	3.00
BKB-92-02	15-JUL-1992	AG	SILVER		0.065800 µg/	µg/g	2.00
		AL	ALUMINUM		11000.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC	LT	48.000000 µg/	µg/g	2.00
	15-JUL-1992	BA	BARIUM		100.000000 µg/	µg/g	2.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.078000 µg/	µg/g	2.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	2.00
		CA	CALCIUM		37000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	0.424000 µg/	µg/g	2.00
	15-JUL-1992	CL	CHLORIDE	LT	39.600000 µg/	µg/g	2.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		13.500000 µg/	µg/g	2.00
	15-JUL-1992	CU	COPPER		10.700000 µg/	µg/g	2.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	2.00
	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	2.00
	15-JUL-1992	FE	IRON		11000.000000 µg/	µg/g	2.00
	15-JUL-1992	HG	MERCURY	LT	0.025900 µg/	µg/g	2.00
		K	POTASSIUM		2800.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		5300.000000 µg/	µg/g	0.00
		MN	MANGANESE		270.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	2.460000 µg/	µg/g	2.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	2.00
	15-JUL-1992	NO3	NITRATE	LT	3.360000 µg/	µg/g	2.00
	15-JUL-1992	PB	LEAD		0.786000 µg/	µg/g	2.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	2.00
	15-JUL-1992	SB	ANTIMONY	LT	34.000000 µg/	µg/g	2.00
	15-JUL-1992	SE	SELENIUM	LT	510.000000 µg/	µg/g	2.00
	15-JUL-1992	SO4	SULFATE	LT	14.400000 µg/	µg/g	2.00
	15-JUL-1992	TL	THALLIUM	LT	170.000000 µg/	µg/g	2.00
		V	VANADIUM		13.700000 µg/	µg/g	0.00
	15-JUL-1992	ZN	ZINC		40.000000 µg/	µg/g	2.00
BKB-92-03	15-JUL-1992	AG	SILVER		0.024200 µg/	µg/g	3.00
		AL	ALUMINUM		2700.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC	LT	240.000000 µg/	µg/g	3.00
	15-JUL-1992	BA	BARIUM		46.000000 µg/	µg/g	3.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.078000 µg/	µg/g	3.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	3.00
		CA	CALCIUM		56000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	0.424000 µg/	µg/g	3.00
	15-JUL-1992	CL	CHLORIDE	LT	39.600000 µg/	µg/g	3.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		5.180000 µg/	µg/g	3.00
	15-JUL-1992	CU	COPPER	LT	1.950000 µg/	µg/g	3.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	3.00
	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BKB-92-03	15-JUL-1992	FE	IRON		3400.000000 µg/	µg/g	3.00
	15-JUL-1992	HG	MERCURY	LT	0.025900 µg/	µg/g	3.00
		K	POTASSIUM		600.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		3900.000000 µg/	µg/g	0.00
		MN	MANGANESE		59.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	2.460000 µg/	µg/g	3.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	3.00
	15-JUL-1992	NO3	NITRATE	LT	3.360000 µg/	µg/g	3.00
	15-JUL-1992	PB	LEAD		6.000000 µg/	µg/g	3.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	3.00
	15-JUL-1992	SB	ANTIMONY	LT	3.420000 µg/	µg/g	3.00
	15-JUL-1992	SE	SELENIUM	LT	510.000000 µg/	µg/g	3.00
	15-JUL-1992	SO4	SULFATE	LT	14.400000 µg/	µg/g	3.00
	15-JUL-1992	TL	THALLIUM	LT	170.000000 µg/	µg/g	3.00
		V	VANADIUM	LT	1.340000 µg/	µg/g	0.00
	15-JUL-1992	ZN	ZINC	LT	7.960000 µg/	µg/g	3.00
BKB-92-04	15-JUL-1992	AG	SILVER		0.042100 µg/	µg/g	3.00
		AL	ALUMINUM		9900.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC	LT	240.000000 µg/	µg/g	3.00
	15-JUL-1992	BA	BARIUM		99.000000 µg/	µg/g	3.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.078000 µg/	µg/g	3.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	3.00
		CA	CALCIUM		37000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	0.424000 µg/	µg/g	3.00
	15-JUL-1992	CL	CHLORIDE	LT	39.600000 µg/	µg/g	3.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		9.330000 µg/	µg/g	3.00
	15-JUL-1992	CU	COPPER		5.770000 µg/	µg/g	3.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	3.00
	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	3.00
	15-JUL-1992	FE	IRON		11000.000000 µg/	µg/g	3.00
	15-JUL-1992	HG	MERCURY	LT	0.025900 µg/	µg/g	3.00
		K	POTASSIUM		2400.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		5600.000000 µg/	µg/g	0.00
		MN	MANGANESE		220.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	2.460000 µg/	µg/g	3.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	3.00
	15-JUL-1992	NO3	NITRATE	LT	3.360000 µg/	µg/g	3.00
	15-JUL-1992	PB	LEAD		7.700000 µg/	µg/g	3.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	3.00
	15-JUL-1992	SB	ANTIMONY	LT	34.000000 µg/	µg/g	3.00
	15-JUL-1992	SE	SELENIUM	LT	510.000000 µg/	µg/g	3.00
	15-JUL-1992	SO4	SULFATE	LT	14.400000 µg/	µg/g	3.00
	15-JUL-1992	TL	THALLIUM	LT	170.000000 µg/	µg/g	3.00
		V	VANADIUM		10.800000 µg/	µg/g	0.00
	15-JUL-1992	ZN	ZINC		26.900000 µg/	µg/g	3.00
BKS-92-01	15-JUL-1992	AG	SILVER		0.212000 µg/	µg/g	0.00
		AL	ALUMINUM		26000.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC	LT	120.000000 µg/	µg/g	0.00
	15-JUL-1992	BA	BARIUM		190.000000 µg/	µg/g	0.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.078000 µg/	µg/g	0.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	0.00
		CA	CALCIUM		32000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	0.424000 µg/	µg/g	0.00
	15-JUL-1992	CL	CHLORIDE	LT	39.600000 µg/	µg/g	0.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		12.600000 µg/	µg/g	0.00
	15-JUL-1992	CU	COPPER		12.700000 µg/	µg/g	0.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	0.00
	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	0.00
	15-JUL-1992	FE	IRON		20000.000000 µg/	µg/g	0.00
	15-JUL-1992	HG	MERCURY		0.037400 µg/	µg/g	0.00
		K	POTASSIUM		7100.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		15000.000000 µg/	µg/g	0.00
		MN	MANGANESE		610.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	2.460000 µg/	µg/g	0.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	0.00
	15-JUL-1992	NO3	NITRATE		9.450000 µg/	µg/g	0.00
	15-JUL-1992	PB	LEAD		17.000000 µg/	µg/g	0.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	0.00
	15-JUL-1992	SB	ANTIMONY	LT	34.000000 µg/	µg/g	0.00
	15-JUL-1992	SE	SELENIUM	LT	5100.000000 µg/	µg/g	0.00
	15-JUL-1992	SO4	SULFATE	LT	14.400000 µg/	µg/g	0.00
	15-JUL-1992	TL	THALLIUM	LT	83.000000 µg/	µg/g	0.00
		V	VANADIUM		14.800000 µg/	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BKS-92-01	15-JUL-1992	ZN	ZINC		85.000000 µg/	µg/g	0.00
BKS-92-02	15-JUL-1992	AG	SILVER		0.121000 µg/	µg/g	0.00
		AL	ALUMINUM		22000.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC	LT	120.000000 µg/	µg/g	0.00
	15-JUL-1992	BA	BARIUM		190.000000 µg/	µg/g	0.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.078000 µg/	µg/g	0.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	0.00
		CA	CALCIUM		38000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	0.424000 µg/	µg/g	0.00
	15-JUL-1992	CL	CHLORIDE	LT	39.600000 µg/	µg/g	0.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		16.500000 µg/	µg/g	0.00
	15-JUL-1992	CU	COPPER		29.000000 µg/	µg/g	0.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	0.00
	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	0.00
	15-JUL-1992	FE	IRON		17000.000000 µg/	µg/g	0.00
	15-JUL-1992	HG	MERCURY	LT	0.025900 µg/	µg/g	0.00
		K	POTASSIUM		6800.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		11000.000000 µg/	µg/g	0.00
		MN	MANGANESE		660.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	2.460000 µg/	µg/g	0.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	0.00
	15-JUL-1992	NO3	NITRATE	LT	3.360000 µg/	µg/g	0.00
	15-JUL-1992	PB	LEAD		62.000000 µg/	µg/g	0.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	0.00
	15-JUL-1992	SB	ANTIMONY	LT	34.000000 µg/	µg/g	0.00
	15-JUL-1992	SE	SELENIUM	LT	510.000000 µg/	µg/g	0.00
	15-JUL-1992	SO4	SULFATE	LT	14.400000 µg/	µg/g	0.00
	15-JUL-1992	TL	THALLIUM	LT	83.000000 µg/	µg/g	0.00
		V	VANADIUM		17.100000 µg/	µg/g	0.00
	15-JUL-1992	ZN	ZINC		84.000000 µg/	µg/g	0.00
BKS-92-03	15-JUL-1992	AG	SILVER		0.660000 µg/	µg/g	0.00
		AL	ALUMINUM		5500.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC		63.200000 µg/	µg/g	0.00
	15-JUL-1992	BA	BARIUM		49.000000 µg/	µg/g	0.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.078000 µg/	µg/g	0.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	0.00
		CA	CALCIUM		11000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	0.424000 µg/	µg/g	0.00
	15-JUL-1992	CL	CHLORIDE	LT	39.600000 µg/	µg/g	0.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		6.060000 µg/	µg/g	0.00
	15-JUL-1992	CU	COPPER		14.400000 µg/	µg/g	0.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	0.00
	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	0.00
	15-JUL-1992	FE	IRON		7500.000000 µg/	µg/g	0.00
	15-JUL-1992	HG	MERCURY	LT	0.025900 µg/	µg/g	0.00
		K	POTASSIUM		1300.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		3200.000000 µg/	µg/g	0.00
		MN	MANGANESE		270.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	2.460000 µg/	µg/g	0.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	0.00
	15-JUL-1992	NO3	NITRATE	LT	3.360000 µg/	µg/g	0.00
	15-JUL-1992	PB	LEAD		160.000000 µg/	µg/g	0.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	0.00
	15-JUL-1992	SB	ANTIMONY	LT	34.000000 µg/	µg/g	0.00
	15-JUL-1992	SE	SELENIUM	LT	510.000000 µg/	µg/g	0.00
	15-JUL-1992	SO4	SULFATE	LT	14.400000 µg/	µg/g	0.00
	15-JUL-1992	TL	THALLIUM	LT	170.000000 µg/	µg/g	0.00
		V	VANADIUM		6.720000 µg/	µg/g	0.00
	15-JUL-1992	ZN	ZINC		210.000000 µg/	µg/g	0.00
BKS-92-04	15-JUL-1992	AG	SILVER		0.068700 µg/	µg/g	0.00
		AL	ALUMINUM		19000.000000 µg/	µg/g	0.00
	15-JUL-1992	AS	ARSENIC	LT	72.000000 µg/	µg/g	0.00
	15-JUL-1992	BA	BARIUM		160.000000 µg/	µg/g	0.00
	15-JUL-1992	BE	BERYLLIUM	LT	0.078000 µg/	µg/g	0.00
	15-JUL-1992	BR	BROMIDE	LT	8.830000 µg/	µg/g	0.00
		CA	CALCIUM		21000.000000 µg/	µg/g	0.00
	15-JUL-1992	CD	CADMIUM	LT	0.424000 µg/	µg/g	0.00
	15-JUL-1992	CL	CHLORIDE	LT	39.600000 µg/	µg/g	0.00
		CO	COBALT	LT	1.420000 µg/	µg/g	0.00
	15-JUL-1992	CR	CHROMIUM		13.200000 µg/	µg/g	0.00
	15-JUL-1992	CU	COPPER		11.900000 µg/	µg/g	0.00
	15-JUL-1992	CYN	CYANIDE	LT	5.000000 µg/	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BKS-92-04	15-JUL-1992	F	FLUORIDE	LT	19.200000 µg/	µg/g	0.00
	15-JUL-1992	FE	IRON		16000.000000 µg/	µg/g	0.00
	15-JUL-1992	HG	MERCURY	LT	0.025900 µg/	µg/g	0.00
		K	POTASSIUM		5000.000000 µg/	µg/g	0.00
		MG	MAGNESIUM		11000.000000 µg/	µg/g	0.00
		MN	MANGANESE		520.000000 µg/	µg/g	0.00
	15-JUL-1992	NI	NICKEL	LT	2.460000 µg/	µg/g	0.00
	15-JUL-1992	NO2	NITRITE	LT	3.160000 µg/	µg/g	0.00
	15-JUL-1992	NO3	NITRATE		5.990000 µg/	µg/g	0.00
	15-JUL-1992	PB	LEAD		16.000000 µg/	µg/g	0.00
	15-JUL-1992	PO4	PHOSPHATE	ND	5.000000 µg/	µg/g	0.00
	15-JUL-1992	SB	ANTIMONY	LT	34.000000 µg/	µg/g	0.00
	15-JUL-1992	SE	SELENIUM	LT	510.000000 µg/	µg/g	0.00
	15-JUL-1992	SO4	SULFATE	LT	14.400000 µg/	µg/g	0.00
	15-JUL-1992	TL	THALLIUM	LT	170.000000 µg/	µg/g	0.00
		V	VANADIUM		21.000000 µg/	µg/g	0.00
	15-JUL-1992	ZN	ZINC		54.000000 µg/	µg/g	0.00
SB-BK-001	26-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	0.00
	26-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	3.00
	26-JUL-1992	AL	ALUMINUM		9510.000000 µg/	µg/g	0.00
	26-JUL-1992	AL	ALUMINUM		2280.000000 µg/	µg/g	3.00
	26-JUL-1992	AS	ARSENIC		4.040000 µg/	µg/g	0.00
	26-JUL-1992	AS	ARSENIC		3.220000 µg/	µg/g	3.00
	26-JUL-1992	BA	BARIUM		92.600000 µg/	µg/g	0.00
	26-JUL-1992	BA	BARIUM		36.700000 µg/	µg/g	3.00
	26-JUL-1992	BE	BERYLLIUM		1.210000 µg/	µg/g	0.00
	26-JUL-1992	BE	BERYLLIUM		0.633000 µg/	µg/g	3.00
	26-JUL-1992	CA	CALCIUM		2580.000000 µg/	µg/g	0.00
	26-JUL-1992	CA	CALCIUM		9060.000000 µg/	µg/g	3.00
	26-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	0.00
	26-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	3.00
	26-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	0.00
	26-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	3.00
	26-JUL-1992	CO	COBALT		3.980000 µg/	µg/g	0.00
	26-JUL-1992	CO	COBALT		2.080000 µg/	µg/g	3.00
	26-JUL-1992	CR	CHROMIUM		10.400000 µg/	µg/g	0.00
	26-JUL-1992	CR	CHROMIUM	LT	4.050000 µg/	µg/g	3.00
	26-JUL-1992	CU	COPPER		9.340000 µg/	µg/g	0.00
	26-JUL-1992	CU	COPPER		3.360000 µg/	µg/g	3.00
	26-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	0.00
	26-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	3.00
	26-JUL-1992	FE	IRON		10200.000000 µg/	µg/g	0.00
	26-JUL-1992	FE	IRON		4450.000000 µg/	µg/g	3.00
	26-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	0.00
	26-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	3.00
	26-JUL-1992	K	POTASSIUM		2720.000000 µg/	µg/g	0.00
	26-JUL-1992	K	POTASSIUM		541.000000 µg/	µg/g	3.00
	26-JUL-1992	MG	MAGNESIUM		3760.000000 µg/	µg/g	0.00
	26-JUL-1992	MG	MAGNESIUM		1330.000000 µg/	µg/g	3.00
	26-JUL-1992	MN	MANGANESE		273.000000 µg/	µg/g	0.00
	26-JUL-1992	MN	MANGANESE		85.100000 µg/	µg/g	3.00
	26-JUL-1992	NA	SODIUM		225.000000 µg/	µg/g	0.00
	26-JUL-1992	NA	SODIUM		193.000000 µg/	µg/g	3.00
	26-JUL-1992	NI	NICKEL		9.730000 µg/	µg/g	0.00
	26-JUL-1992	NI	NICKEL		4.350000 µg/	µg/g	3.00
	26-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		0.999000 µg/	µg/g	0.00
	26-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC	LT	0.600000 µg/	µg/g	3.00
	26-JUL-1992	PB	LEAD		4.360000 µg/	µg/g	3.00
	26-JUL-1992	PB	LEAD		8.500000 µg/	µg/g	0.00
	26-JUL-1992	PH	*PH		8.560000 µ /	µ /	0.00
	26-JUL-1992	PH	*PH		8.060000 µ /	µ /	3.00
	26-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	0.00
	26-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	3.00
	26-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	0.00
	26-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	3.00
	26-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	0.00
	26-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	3.00
	26-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	0.00
	26-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	3.00
	26-JUL-1992	TPO4	*TOTAL PHOSPHATES		400.000000 µg/	µg/g	0.00
	26-JUL-1992	TPO4	*TOTAL PHOSPHATES		270.000000 µg/	µg/g	3.00
	26-JUL-1992	V	VANADIUM		15.100000 µg/	µg/g	0.00
	26-JUL-1992	V	VANADIUM		8.480000 µg/	µg/g	3.00
	26-JUL-1992	ZN	ZINC		39.600000 µg/	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
SB-BK-001	26-JUL-1992	ZN	ZINC		13.800000 µg/	µg/g	3.00
SB-BK-002	26-JUL-1992	AG	SILVER		0.634000 µg/	µg/g	0.00
	26-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	2.00
	26-JUL-1992	AL	ALUMINUM		8910.000000 µg/	µg/g	0.00
	26-JUL-1992	AL	ALUMINUM		2590.000000 µg/	µg/g	2.00
	26-JUL-1992	AS	ARSENIC		6.050000 µg/	µg/g	0.00
	26-JUL-1992	AS	ARSENIC		5.760000 µg/	µg/g	2.00
	26-JUL-1992	BA	BARIUM		86.000000 µg/	µg/g	0.00
	26-JUL-1992	BA	BARIUM		38.700000 µg/	µg/g	2.00
	26-JUL-1992	BE	BERYLLIUM		1.200000 µg/	µg/g	0.00
	26-JUL-1992	BE	BERYLLIUM	LT	0.500000 µg/	µg/g	2.00
	26-JUL-1992	CA	CALCIUM		3160.000000 µg/	µg/g	0.00
	26-JUL-1992	CA	CALCIUM		18900.000000 µg/	µg/g	2.00
	26-JUL-1992	CD	CADMIUM		0.814000 µg/	µg/g	0.00
	26-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	2.00
	26-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	0.00
	26-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	2.00
	26-JUL-1992	CO	COBALT		4.070000 µg/	µg/g	0.00
	26-JUL-1992	CO	COBALT		2.150000 µg/	µg/g	2.00
	26-JUL-1992	CR	CHROMIUM		11.900000 µg/	µg/g	0.00
	26-JUL-1992	CR	CHROMIUM		6.850000 µg/	µg/g	2.00
	26-JUL-1992	CU	COPPER		17.800000 µg/	µg/g	0.00
	26-JUL-1992	CU	COPPER		6.510000 µg/	µg/g	2.00
	26-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	0.00
	26-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	2.00
	26-JUL-1992	FE	IRON		10200.000000 µg/	µg/g	0.00
	26-JUL-1992	FE	IRON		4790.000000 µg/	µg/g	2.00
	26-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	0.00
	26-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	2.00
	26-JUL-1992	K	POTASSIUM		3070.000000 µg/	µg/g	0.00
	26-JUL-1992	K	POTASSIUM		781.000000 µg/	µg/g	2.00
	26-JUL-1992	MG	MAGNESIUM		4070.000000 µg/	µg/g	0.00
	26-JUL-1992	MG	MAGNESIUM		2160.000000 µg/	µg/g	2.00
	26-JUL-1992	MN	MANGANESE		232.000000 µg/	µg/g	0.00
	26-JUL-1992	MN	MANGANESE		84.800000 µg/	µg/g	2.00
	26-JUL-1992	NA	SODIUM		243.000000 µg/	µg/g	0.00
	26-JUL-1992	NA	SODIUM		189.000000 µg/	µg/g	2.00
	26-JUL-1992	NI	NICKEL		9.260000 µg/	µg/g	0.00
	26-JUL-1992	NI	NICKEL		5.140000 µg/	µg/g	2.00
	26-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		1.340000 µg/	µg/g	0.00
	26-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC	LT	0.600000 µg/	µg/g	2.00
	26-JUL-1992	PB	LEAD		32.500000 µg/	µg/g	0.00
	26-JUL-1992	PB	LEAD		5.740000 µg/	µg/g	2.00
	26-JUL-1992	PH	*PH		6.080000 µ /	µ /	0.00
	26-JUL-1992	PH	*PH		6.750000 µ /	µ /	2.00
	26-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	0.00
	26-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	2.00
	26-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	0.00
	26-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	2.00
	26-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	0.00
	26-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	2.00
	26-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	0.00
	26-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	2.00
	26-JUL-1992	TPO4	*TOTAL PHOSPHATES		190.000000 µg/	µg/g	0.00
	26-JUL-1992	TPO4	*TOTAL PHOSPHATES		230.000000 µg/	µg/g	2.00
	26-JUL-1992	V	VANADIUM		15.900000 µg/	µg/g	0.00
	26-JUL-1992	V	VANADIUM		9.400000 µg/	µg/g	2.00
	26-JUL-1992	ZN	ZINC		54.100000 µg/	µg/g	0.00
	26-JUL-1992	ZN	ZINC		18.000000 µg/	µg/g	2.00
SB-BK-003	26-JUL-1992	AG	SILVER		0.660000 µg/	µg/g	0.00
	26-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	2.00
	26-JUL-1992	AL	ALUMINUM		13200.000000 µg/	µg/g	0.00
	26-JUL-1992	AL	ALUMINUM		12100.000000 µg/	µg/g	2.00
	26-JUL-1992	AS	ARSENIC		24.000000 µg/	µg/g	0.00
	26-JUL-1992	AS	ARSENIC		19.000000 µg/	µg/g	2.00
	26-JUL-1992	BA	BARIUM		188.000000 µg/	µg/g	0.00
	26-JUL-1992	BA	BARIUM		157.000000 µg/	µg/g	2.00
	26-JUL-1992	BE	BERYLLIUM		1.350000 µg/	µg/g	0.00
	26-JUL-1992	BE	BERYLLIUM		1.260000 µg/	µg/g	2.00
	26-JUL-1992	CA	CALCIUM		38200.000000 µg/	µg/g	0.00
	26-JUL-1992	CA	CALCIUM		34600.000000 µg/	µg/g	2.00
	26-JUL-1992	CD	CADMIUM		0.847000 µg/	µg/g	0.00
	26-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	2.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
SB-BK-003	26-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	0.00
	26-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	2.00
	26-JUL-1992	CO	COBALT		5.390000 µg/	µg/g	0.00
	26-JUL-1992	CO	COBALT		4.060000 µg/	µg/g	2.00
	26-JUL-1992	CR	CHROMIUM		15.600000 µg/	µg/g	0.00
	26-JUL-1992	CR	CHROMIUM		14.400000 µg/	µg/g	2.00
	26-JUL-1992	CU	COPPER		23.100000 µg/	µg/g	0.00
	26-JUL-1992	CU	COPPER		15.900000 µg/	µg/g	2.00
	26-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	0.00
	26-JUL-1992	FE	IRON		12900.000000 µg/	µg/g	0.00
	26-JUL-1992	FE	IRON		10900.000000 µg/	µg/g	2.00
	26-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	0.00
	26-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	2.00
	26-JUL-1992	K	POTASSIUM		4570.000000 µg/	µg/g	0.00
	26-JUL-1992	K	POTASSIUM		3830.000000 µg/	µg/g	2.00
	26-JUL-1992	MG	MAGNESIUM		10100.000000 µg/	µg/g	0.00
	26-JUL-1992	MG	MAGNESIUM		7800.000000 µg/	µg/g	2.00
	26-JUL-1992	MN	MANGANESE		458.000000 µg/	µg/g	0.00
	26-JUL-1992	MN	MANGANESE		370.000000 µg/	µg/g	2.00
	26-JUL-1992	NA	SODIUM		343.000000 µg/	µg/g	0.00
	26-JUL-1992	NA	SODIUM		323.000000 µg/	µg/g	2.00
	26-JUL-1992	NI	NICKEL		13.100000 µg/	µg/g	0.00
	26-JUL-1992	NI	NICKEL		11.200000 µg/	µg/g	2.00
	26-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		2.080000 µg/	µg/g	0.00
	26-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		2.150000 µg/	µg/g	2.00
	26-JUL-1992	PB	LEAD		55.500000 µg/	µg/g	0.00
	26-JUL-1992	PB	LEAD		32.700000 µg/	µg/g	2.00
	26-JUL-1992	PH	*PH		5.910000 µ /	µ /	2.00
	26-JUL-1992	PH	*PH		7.750000 µ /	µ /	0.00
	26-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	0.00
	26-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	2.00
	26-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	0.00
	26-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	2.00
	26-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	0.00
	26-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	2.00
	26-JUL-1992	TL	THALLIUM		9.600000 µg/	µg/g	0.00
	26-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	2.00
	26-JUL-1992	TPO4	*TOTAL PHOSPHATES		410.000000 µg/	µg/g	0.00
	26-JUL-1992	V	VANADIUM		20.500000 µg/	µg/g	0.00
	26-JUL-1992	V	VANADIUM		19.400000 µg/	µg/g	2.00
	26-JUL-1992	ZN	ZINC		107.000000 µg/	µg/g	0.00
	26-JUL-1992	ZN	ZINC		76.200000 µg/	µg/g	2.00
SB-BK-004	27-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	0.00
	27-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	3.00
	27-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	0.00
	27-JUL-1992	AL	ALUMINUM		17100.000000 µg/	µg/g	0.00
	27-JUL-1992	AL	ALUMINUM		10900.000000 µg/	µg/g	3.00
	27-JUL-1992	AL	ALUMINUM		15700.000000 µg/	µg/g	0.00
	27-JUL-1992	AS	ARSENIC		6.550000 µg/	µg/g	0.00
	27-JUL-1992	AS	ARSENIC		6.860000 µg/	µg/g	3.00
	27-JUL-1992	AS	ARSENIC		6.660000 µg/	µg/g	0.00
	27-JUL-1992	BA	BARIUM		169.000000 µg/	µg/g	0.00
	27-JUL-1992	BA	BARIUM		147.000000 µg/	µg/g	3.00
	27-JUL-1992	BA	BARIUM		166.000000 µg/	µg/g	0.00
	27-JUL-1992	BE	BERYLLIUM		1.530000 µg/	µg/g	0.00
	27-JUL-1992	BE	BERYLLIUM		1.290000 µg/	µg/g	3.00
	27-JUL-1992	BE	BERYLLIUM		1.380000 µg/	µg/g	0.00
	27-JUL-1992	CA	CALCIUM		47100.000000 µg/	µg/g	0.00
	27-JUL-1992	CA	CALCIUM		28000.000000 µg/	µg/g	3.00
	27-JUL-1992	CA	CALCIUM		47300.000000 µg/	µg/g	0.00
	27-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	0.00
	27-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	3.00
	27-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	0.00
	27-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	0.00
	27-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	0.00
	27-JUL-1992	CL	CHLORIDE		240.000000 µg/	µg/g	3.00
	27-JUL-1992	CO	COBALT		6.870000 µg/	µg/g	0.00
	27-JUL-1992	CO	COBALT		5.660000 µg/	µg/g	3.00
	27-JUL-1992	CO	COBALT		7.010000 µg/	µg/g	0.00
	27-JUL-1992	CR	CHROMIUM		19.500000 µg/	µg/g	0.00
	27-JUL-1992	CR	CHROMIUM		15.200000 µg/	µg/g	3.00
	27-JUL-1992	CR	CHROMIUM		18.700000 µg/	µg/g	0.00
	27-JUL-1992	CU	COPPER		15.000000 µg/	µg/g	0.00
	27-JUL-1992	CU	COPPER		11.300000 µg/	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
SB-BK-004	27-JUL-1992	CU	COPPER		14.600000 µg/	µg/g	0.00
	27-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	0.00
	27-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	3.00
	27-JUL-1992	FE	IRON		16300.000000 µg/	µg/g	0.00
	27-JUL-1992	FE	IRON		13300.000000 µg/	µg/g	3.00
	27-JUL-1992	FE	IRON		15400.000000 µg/	µg/g	0.00
	27-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	0.00
	27-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	3.00
	27-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	0.00
	27-JUL-1992	K	POTASSIUM		5670.000000 µg/	µg/g	0.00
	27-JUL-1992	K	POTASSIUM		2320.000000 µg/	µg/g	3.00
	27-JUL-1992	K	POTASSIUM		5200.000000 µg/	µg/g	0.00
	27-JUL-1992	MG	MAGNESIUM		11400.000000 µg/	µg/g	0.00
	27-JUL-1992	MG	MAGNESIUM		6950.000000 µg/	µg/g	3.00
	27-JUL-1992	MG	MAGNESIUM		11100.000000 µg/	µg/g	0.00
	27-JUL-1992	MN	MANGANESE		477.000000 µg/	µg/g	0.00
	27-JUL-1992	MN	MANGANESE		376.000000 µg/	µg/g	3.00
	27-JUL-1992	MN	MANGANESE		456.000000 µg/	µg/g	0.00
	27-JUL-1992	NA	SODIUM		463.000000 µg/	µg/g	0.00
	27-JUL-1992	NA	SODIUM		1790.000000 µg/	µg/g	3.00
	27-JUL-1992	NA	SODIUM		498.000000 µg/	µg/g	0.00
	27-JUL-1992	NI	NICKEL		17.900000 µg/	µg/g	0.00
	27-JUL-1992	NI	NICKEL		14.200000 µg/	µg/g	3.00
	27-JUL-1992	NI	NICKEL		16.900000 µg/	µg/g	0.00
	27-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		0.924000 µg/	µg/g	0.00
	27-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		0.697000 µg/	µg/g	3.00
	27-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		1.040000 µg/	µg/g	0.00
	27-JUL-1992	PB	LEAD		12.000000 µg/	µg/g	0.00
	27-JUL-1992	PB	LEAD		10.900000 µg/	µg/g	3.00
	27-JUL-1992	PB	LEAD		15.000000 µg/	µg/g	0.00
	27-JUL-1992	PH	*PH		8.540000 µ /	µ /	0.00
	27-JUL-1992	PH	*PH		9.110000 µ /	µ /	3.00
	27-JUL-1992	PH	*PH		9.100000 µ /	µ /	0.00
	27-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	0.00
	27-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	3.00
	27-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	0.00
	27-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	0.00
	27-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	3.00
	27-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	0.00
	27-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	0.00
	27-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	3.00
	27-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	0.00
	27-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	0.00
	27-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	3.00
	27-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	0.00
	27-JUL-1992	TPO4	*TOTAL PHOSPHATES		350.000000 µg/	µg/g	3.00
	27-JUL-1992	TPO4	*TOTAL PHOSPHATES		560.000000 µg/	µg/g	0.00
	27-JUL-1992	V	VANADIUM		27.700000 µg/	µg/g	0.00
	27-JUL-1992	V	VANADIUM		23.800000 µg/	µg/g	3.00
	27-JUL-1992	V	VANADIUM		25.900000 µg/	µg/g	0.00
	27-JUL-1992	ZN	ZINC		65.100000 µg/	µg/g	0.00
	27-JUL-1992	ZN	ZINC		53.800000 µg/	µg/g	3.00
	27-JUL-1992	ZN	ZINC		61.700000 µg/	µg/g	0.00
SB-BK-005	27-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	0.00
	27-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	3.00
	27-JUL-1992	AL	ALUMINUM		6550.000000 µg/	µg/g	0.00
	27-JUL-1992	AL	ALUMINUM		4460.000000 µg/	µg/g	3.00
	27-JUL-1992	AS	ARSENIC		19.000000 µg/	µg/g	0.00
	27-JUL-1992	AS	ARSENIC		16.000000 µg/	µg/g	3.00
	27-JUL-1992	BA	BARIUM		92.200000 µg/	µg/g	0.00
	27-JUL-1992	BA	BARIUM		64.900000 µg/	µg/g	3.00
	27-JUL-1992	BE	BERYLLIUM		0.638000 µg/	µg/g	0.00
	27-JUL-1992	BE	BERYLLIUM		0.838000 µg/	µg/g	3.00
	27-JUL-1992	CA	CALCIUM		36800.000000 µg/	µg/g	0.00
	27-JUL-1992	CA	CALCIUM		69000.000000 µg/	µg/g	3.00
	27-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	0.00
	27-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	3.00
	27-JUL-1992	CL	CHLORIDE	LT	6.050000 µg/	µg/g	0.00
	27-JUL-1992	CL	CHLORIDE		8.450000 µg/	µg/g	3.00
	27-JUL-1992	CO	COBALT		2.570000 µg/	µg/g	0.00
	27-JUL-1992	CO	COBALT		2.670000 µg/	µg/g	3.00
	27-JUL-1992	CR	CHROMIUM		9.870000 µg/	µg/g	0.00
	27-JUL-1992	CR	CHROMIUM		10.300000 µg/	µg/g	3.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
SB-BK-005	27-JUL-1992	CU	COPPER		10.400000 µg/	µg/g	0.00
	27-JUL-1992	CU	COPPER		4.830000 µg/	µg/g	3.00
	27-JUL-1992	CYN	CYANIDE	LT	0.920000 µg/	µg/g	0.00
	27-JUL-1992	FE	IRON		7040.000000 µg/	µg/g	0.00
	27-JUL-1992	FE	IRON		6770.000000 µg/	µg/g	3.00
	27-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	0.00
	27-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	3.00
	27-JUL-1992	K	POTASSIUM		2300.000000 µg/	µg/g	0.00
	27-JUL-1992	K	POTASSIUM		1620.000000 µg/	µg/g	3.00
	27-JUL-1992	MG	MAGNESIUM		5620.000000 µg/	µg/g	0.00
	27-JUL-1992	MG	MAGNESIUM		9990.000000 µg/	µg/g	3.00
	27-JUL-1992	MN	MANGANESE		195.000000 µg/	µg/g	0.00
	27-JUL-1992	MN	MANGANESE		140.000000 µg/	µg/g	3.00
	27-JUL-1992	NA	SODIUM		272.000000 µg/	µg/g	0.00
	27-JUL-1992	NA	SODIUM		683.000000 µg/	µg/g	3.00
	27-JUL-1992	NI	NICKEL		7.190000 µg/	µg/g	0.00
	27-JUL-1992	NI	NICKEL		8.140000 µg/	µg/g	3.00
	27-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		1.480000 µg/	µg/g	0.00
	27-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC	LT	0.600000 µg/	µg/g	3.00
	27-JUL-1992	PB	LEAD		30.500000 µg/	µg/g	0.00
	27-JUL-1992	PB	LEAD		10.700000 µg/	µg/g	3.00
	27-JUL-1992	PH	*PH		8.720000 µ /	µ /	0.00
	27-JUL-1992	PH	*PH		9.760000 µ /	µ /	3.00
	27-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	0.00
	27-JUL-1992	SB	ANTIMONY	LT	7.140000 µg/	µg/g	3.00
	27-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	0.00
	27-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	3.00
	27-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	0.00
	27-JUL-1992	SO4	SULFATE	LT	90.400000 µg/	µg/g	3.00
	27-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	0.00
	27-JUL-1992	TL	THALLIUM	LT	6.620000 µg/	µg/g	3.00
	27-JUL-1992	TPO4	*TOTAL PHOSPHATES		130.000000 µg/	µg/g	0.00
	27-JUL-1992	TPO4	*TOTAL PHOSPHATES		260.000000 µg/	µg/g	3.00
	27-JUL-1992	V	VANADIUM		13.100000 µg/	µg/g	0.00
	27-JUL-1992	V	VANADIUM		23.100000 µg/	µg/g	3.00
	27-JUL-1992	ZN	ZINC		59.400000 µg/	µg/g	0.00
	27-JUL-1992	ZN	ZINC		26.900000 µg/	µg/g	3.00
SB-BK-006	22-JUL-1992	AG	SILVER	LT	0.589000 µg/	µg/g	10.00
	22-JUL-1992	AL	ALUMINUM		3310.000000 µg/	µg/g	10.00
	22-JUL-1992	AS	ARSENIC		6.500000 µg/	µg/g	10.00
	22-JUL-1992	BA	BARIUM		45.300000 µg/	µg/g	10.00
	22-JUL-1992	BE	BERYLLIUM	LT	0.500000 µg/	µg/g	10.00
	22-JUL-1992	CA	CALCIUM		170000.000000 µg/	µg/g	10.00
	22-JUL-1992	CD	CADMIUM	LT	0.700000 µg/	µg/g	10.00
	22-JUL-1992	CL	CHLORIDE		470.000000 µg/	µg/g	10.00
	22-JUL-1992	CO	COBALT		2.360000 µg/	µg/g	10.00
	22-JUL-1992	CR	CHROMIUM		7.550000 µg/	µg/g	10.00
	22-JUL-1992	CU	COPPER		5.600000 µg/	µg/g	10.00
	22-JUL-1992	FE	IRON		5580.000000 µg/	µg/g	10.00
	22-JUL-1992	HG	MERCURY	LT	0.050000 µg/	µg/g	10.00
	22-JUL-1992	K	POTASSIUM		801.000000 µg/	µg/g	10.00
	22-JUL-1992	MG	MAGNESIUM		35600.000000 µg/	µg/g	10.00
	22-JUL-1992	MN	MANGANESE		449.000000 µg/	µg/g	10.00
	22-JUL-1992	NA	SODIUM		830.000000 µg/	µg/g	10.00
	22-JUL-1992	NI	NICKEL		11.800000 µg/	µg/g	10.00
	22-JUL-1992	NIT	*NITRITE, NITRATE-NON SPECIFIC		1.070000 µg/	µg/g	10.00
	22-JUL-1992	PB	LEAD		6.050000 µg/	µg/g	10.00
	22-JUL-1992	PH	*PH		8.700000 µ /	µ /	10.00
	22-JUL-1992	SB	ANTIMONY		15.000000 µg/	µg/g	10.00
	22-JUL-1992	SE	SELENIUM	LT	0.250000 µg/	µg/g	10.00
	22-JUL-1992	SO4	SULFATE		295.000000 µg/	µg/g	10.00
	22-JUL-1992	TL	THALLIUM		11.700000 µg/	µg/g	10.00
	22-JUL-1992	TPO4	*TOTAL PHOSPHATES		360.000000 µg/	µg/g	10.00
	22-JUL-1992	V	VANADIUM		15.900000 µg/	µg/g	10.00
	22-JUL-1992	ZN	ZINC		23.300000 µg/	µg/g	10.00

The following pages are analytical results for several inorganics (Al, Be, Ca, Co, K, Mg, Mn, and V) that were hand calculated from raw output data obtained from the laboratory.

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BKB-92-01	07/15/92	AL	ALUMINUM		245.000000	µg/g	3.00
	07/15/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	07/15/92	CA	CALCIUM		61.400000	µg/g	3.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	3.00
	07/15/92	K	POTASSIUM		76.300000	µg/g	3.00
	07/15/92	MG	MAGNESIUM		138.000000	µg/g	3.00
	07/15/92	MN	MANGANESE		4.970000	µg/g	3.00
	07/15/92	V	VANADIUM		2.260000	µg/g	3.00
BKB-92-02	07/15/92	AL	ALUMINUM		87.100000	µg/g	2.00
	07/15/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.00
	07/15/92	CA	CALCIUM		29.800000	µg/g	2.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	2.00
	07/15/92	K	POTASSIUM		267.000000	µg/g	2.00
	07/15/92	MG	MAGNESIUM		42.600000	µg/g	2.00
	07/15/92	MN	MANGANESE		22.900000	µg/g	2.00
	07/15/92	V	VANADIUM		11.700000	µg/g	2.00
BKB-92-03	07/15/92	AL	ALUMINUM		224.000000	µg/g	3.00
	07/15/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	07/15/92	CA	CALCIUM		45.800000	µg/g	3.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	3.00
	07/15/92	K	POTASSIUM		58.300000	µg/g	3.00
	07/15/92	MG	MAGNESIUM		30.800000	µg/g	3.00
	07/15/92	MN	MANGANESE		5.070000	µg/g	3.00
	07/15/92	V	VANADIUM	LT	0.000000	µg/g	3.00
BKB-92-04	07/15/92	AL	ALUMINUM		80.200000	µg/g	3.00
	07/15/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	07/15/92	CA	CALCIUM		29.800000	µg/g	3.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	3.00
	07/15/92	K	POTASSIUM		231.000000	µg/g	3.00
	07/15/92	MG	MAGNESIUM		44.200000	µg/g	3.00
	07/15/92	MN	MANGANESE		19.100000	µg/g	3.00
	07/15/92	V	VANADIUM		9.170000	µg/g	3.00
BKS-92-01	07/15/92	AL	ALUMINUM		200.000000	µg/g	0.00
	07/15/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/15/92	CA	CALCIUM		25.000000	µg/g	0.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/15/92	K	POTASSIUM		67.000000	µg/g	0.00
	07/15/92	MG	MAGNESIUM		120.000000	µg/g	0.00
	07/15/92	MN	MANGANESE		5.100000	µg/g	0.00
	07/15/92	V	VANADIUM		12.200000	µg/g	0.00
BKS-92-02	07/15/92	AL	ALUMINUM		174.000000	µg/g	0.00
	07/15/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/15/92	CA	CALCIUM		30.700000	µg/g	0.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/15/92	K	POTASSIUM		64.700000	µg/g	0.00
	07/15/92	MG	MAGNESIUM		87.500000	µg/g	0.00
	07/15/92	MN	MANGANESE		5.630000	µg/g	0.00
	07/15/92	V	VANADIUM		14.400000	µg/g	0.00
BKS-92-03	07/15/92	AL	ALUMINUM	LT	0.000000	µg/g	0.00
	07/15/92	BE	BERYLLIUM		87.600000	µg/g	0.00
	07/15/92	CA	CALCIUM		87.600000	µg/g	0.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/15/92	K	POTASSIUM		129.000000	µg/g	0.00
	07/15/92	MG	MAGNESIUM		264.000000	µg/g	0.00
	07/15/92	MN	MANGANESE		2.360000	µg/g	0.00
	07/15/92	V	VANADIUM		5.850000	µg/g	0.00
BKS-92-04	07/15/92	AL	ALUMINUM		147.000000	µg/g	0.00
	07/15/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/15/92	CA	CALCIUM		17.000000	µg/g	0.00
	07/15/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/15/92	K	POTASSIUM		47.700000	µg/g	0.00
	07/15/92	MG	MAGNESIUM		86.300000	µg/g	0.00
	07/15/92	MN	MANGANESE		4.420000	µg/g	0.00
	07/15/92	V	VANADIUM		17.500000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-101	06/17/92	AL	ALUMINUM		130.000000	µg/g	5.00
	06/17/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.00
	06/17/92	CA	CALCIUM		91.000000	µg/g	5.00
	06/17/92	CO	COBALT	LT	0.000000	µg/g	5.00
	06/17/92	K	POTASSIUM		29.000000	µg/g	5.00
	06/17/92	MG	MAGNESIUM		40.000000	µg/g	5.00
	06/17/92	MN	MANGANESE		5.100000	µg/g	5.00
	06/17/92	V	VANADIUM		18.200000	µg/g	5.00
OBP-92-102	06/17/92	AL	ALUMINUM		450.000000	µg/g	5.00
	06/17/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.00
	06/17/92	CA	CALCIUM		26.000000	µg/g	5.00
	06/17/92	CO	COBALT	LT	0.000000	µg/g	5.00
	06/17/92	K	POTASSIUM		120.000000	µg/g	5.00
	06/17/92	MG	MAGNESIUM		220.000000	µg/g	5.00
	06/17/92	MN	MANGANESE		9.900000	µg/g	5.00
	06/17/92	V	VANADIUM		3.630000	µg/g	5.00
OBP-92-103	06/17/92	AL	ALUMINUM		100.000000	µg/g	4.00
	06/17/92	BE	BERYLLIUM	LT	0.000000	µg/g	4.00
	06/17/92	CA	CALCIUM		14.000000	µg/g	4.00
	06/17/92	CO	COBALT	LT	0.000000	µg/g	4.00
	06/17/92	K	POTASSIUM		40.000000	µg/g	4.00
	06/17/92	MG	MAGNESIUM		38.000000	µg/g	4.00
	06/17/92	MN	MANGANESE		3.300000	µg/g	4.00
	06/17/92	V	VANADIUM		13.700000	µg/g	4.00
OBP-92-104	06/17/92	AL	ALUMINUM		64.000000	µg/g	10.00
	06/17/92	BE	BERYLLIUM	LT	0.000000	µg/g	10.00
	06/17/92	CA	CALCIUM		32.000000	µg/g	10.00
	06/17/92	CO	COBALT	LT	0.000000	µg/g	10.00
	06/17/92	K	POTASSIUM		130.000000	µg/g	10.00
	06/17/92	MG	MAGNESIUM		40.000000	µg/g	10.00
	06/17/92	MN	MANGANESE		15.000000	µg/g	10.00
	06/17/92	V	VANADIUM		2.760000	µg/g	10.00
OBP-92-201	06/18/92	AL	ALUMINUM		450.000000	µg/g	2.00
	06/18/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.00
	06/18/92	CA	CALCIUM		110.000000	µg/g	2.00
	06/18/92	CO	COBALT	LT	0.000000	µg/g	2.00
	06/18/92	K	POTASSIUM		100.000000	µg/g	2.00
	06/18/92	MG	MAGNESIUM		230.000000	µg/g	2.00
	06/18/92	MN	MANGANESE		13.000000	µg/g	2.00
	06/18/92	V	VANADIUM		8.320000	µg/g	2.00
OBP-92-202	06/18/92	AL	ALUMINUM		100.000000	µg/g	5.00
	06/18/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.00
	06/18/92	CA	CALCIUM		19.000000	µg/g	5.00
	06/18/92	CO	COBALT	LT	0.000000	µg/g	5.00
	06/18/92	K	POTASSIUM		160.000000	µg/g	5.00
	06/18/92	MG	MAGNESIUM		64.000000	µg/g	5.00
	06/18/92	MN	MANGANESE		10.000000	µg/g	5.00
	06/18/92	V	VANADIUM		6.700000	µg/g	5.00
OBP-92-203	06/18/92	AL	ALUMINUM		160.000000	µg/g	7.50
	06/18/92	BE	BERYLLIUM	LT	0.000000	µg/g	7.50
	06/18/92	CA	CALCIUM		22.000000	µg/g	7.50
	06/18/92	CO	COBALT	LT	0.000000	µg/g	7.50
	06/18/92	K	POTASSIUM		45.000000	µg/g	7.50
	06/18/92	MG	MAGNESIUM		73.000000	µg/g	7.50
	06/18/92	MN	MANGANESE		7.600000	µg/g	7.50
	06/18/92	V	VANADIUM		33.700000	µg/g	7.50
OBP-92-204	06/18/92	AL	ALUMINUM		300.000000	µg/g	12.00
	06/18/92	BE	BERYLLIUM	LT	0.000000	µg/g	12.00
	06/18/92	CA	CALCIUM		35.000000	µg/g	12.00
	06/18/92	CO	COBALT	LT	0.000000	µg/g	12.00
	06/18/92	K	POTASSIUM		98.000000	µg/g	12.00
	06/18/92	MG	MAGNESIUM		84.000000	µg/g	12.00
	06/18/92	MN	MANGANESE		14.000000	µg/g	12.00
	06/18/92	V	VANADIUM		27.800000	µg/g	12.00
OBP-92-301	06/19/92	AL	ALUMINUM		120.000000	µg/g	1.00
	06/19/92	BE	BERYLLIUM	LT	0.000000	µg/g	1.00
	06/19/92	CA	CALCIUM		17.000000	µg/g	1.00
	06/19/92	CO	COBALT	LT	0.000000	µg/g	1.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBP-92-301	06/19/92	K	POTASSIUM		44.000000	µg/g	1.00
	06/19/92	MG	MAGNESIUM		47.000000	µg/g	1.00
	06/19/92	MN	MANGANESE		2.600000	µg/g	1.00
	06/19/92	V	VANADIUM		15.200000	µg/g	1.00
OBP-92-302	06/19/92	AL	ALUMINUM		86.000000	µg/g	5.00
	06/19/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.00
	06/19/92	CA	CALCIUM		36.000000	µg/g	5.00
	06/19/92	CO	COBALT	LT	0.000000	µg/g	5.00
	06/19/92	K	POTASSIUM		200.000000	µg/g	5.00
	06/19/92	MG	MAGNESIUM		32.000000	µg/g	5.00
	06/19/92	MN	MANGANESE		11.000000	µg/g	5.00
	06/19/92	V	VANADIUM		3.090000	µg/g	5.00
OBP-92-303	06/19/92	AL	ALUMINUM		130.000000	µg/g	7.50
	06/19/92	BE	BERYLLIUM	LT	0.000000	µg/g	7.50
	06/19/92	CA	CALCIUM		100.000000	µg/g	7.50
	06/19/92	CO	COBALT	LT	0.000000	µg/g	7.50
	06/19/92	K	POTASSIUM		31.000000	µg/g	7.50
	06/19/92	MG	MAGNESIUM		95.000000	µg/g	7.50
	06/19/92	MN	MANGANESE		20.000000	µg/g	7.50
	06/19/92	V	VANADIUM	LT	0.000000	µg/g	7.50
OBP-92-304	06/19/92	AL	ALUMINUM		88.000000	µg/g	10.00
	06/19/92	BE	BERYLLIUM	LT	0.000000	µg/g	10.00
	06/19/92	CA	CALCIUM		89.000000	µg/g	10.00
	06/19/92	CO	COBALT	LT	0.000000	µg/g	10.00
	06/19/92	K	POTASSIUM		230.000000	µg/g	10.00
	06/19/92	MG	MAGNESIUM		97.000000	µg/g	10.00
	06/19/92	MN	MANGANESE		17.000000	µg/g	10.00
	06/19/92	V	VANADIUM	LT	0.000000	µg/g	10.00
OBP-92-401	06/20/92	AL	ALUMINUM		95.000000	µg/g	2.50
	06/20/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.50
	06/20/92	CA	CALCIUM		13.000000	µg/g	2.50
	06/20/92	CO	COBALT	LT	0.000000	µg/g	2.50
	06/20/92	K	POTASSIUM		240.000000	µg/g	2.50
	06/20/92	MG	MAGNESIUM		30.000000	µg/g	2.50
	06/20/92	MN	MANGANESE		20.000000	µg/g	2.50
	06/20/92	V	VANADIUM		12.400000	µg/g	2.50
OBP-92-402	06/20/92	AL	ALUMINUM		89.000000	µg/g	5.00
	06/20/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.00
	06/20/92	CA	CALCIUM		110.000000	µg/g	5.00
	06/20/92	CO	COBALT	LT	0.000000	µg/g	5.00
	06/20/92	K	POTASSIUM		230.000000	µg/g	5.00
	06/20/92	MG	MAGNESIUM		280.000000	µg/g	5.00
	06/20/92	MN	MANGANESE		20.000000	µg/g	5.00
	06/20/92	V	VANADIUM		10.500000	µg/g	5.00
OBP-92-403	06/20/92	AL	ALUMINUM		290.000000	µg/g	7.50
	06/20/92	BE	BERYLLIUM	LT	0.000000	µg/g	7.50
	06/20/92	CA	CALCIUM		22.000000	µg/g	7.50
	06/20/92	CO	COBALT	LT	0.000000	µg/g	7.50
	06/20/92	K	POTASSIUM		80.000000	µg/g	7.50
	06/20/92	MG	MAGNESIUM		33.000000	µg/g	7.50
	06/20/92	MN	MANGANESE		11.000000	µg/g	7.50
	06/20/92	V	VANADIUM		7.250000	µg/g	7.50
OBP-92-404	06/20/92	AL	ALUMINUM		160.000000	µg/g	9.00
	06/20/92	BE	BERYLLIUM	LT	0.000000	µg/g	9.00
	06/20/92	CA	CALCIUM		18.000000	µg/g	9.00
	06/20/92	CO	COBALT	LT	0.000000	µg/g	9.00
	06/20/92	K	POTASSIUM		60.000000	µg/g	9.00
	06/20/92	MG	MAGNESIUM		86.000000	µg/g	9.00
	06/20/92	MN	MANGANESE		4.800000	µg/g	9.00
	06/20/92	V	VANADIUM	LT	0.000000	µg/g	9.00
OBS-92-101	06/17/92	AL	ALUMINUM		130.000000	µg/g	0.00
	06/17/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/17/92	CA	CALCIUM		93.000000	µg/g	0.00
	06/17/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/17/92	K	POTASSIUM		49.000000	µg/g	0.00
	06/17/92	MG	MAGNESIUM		45.000000	µg/g	0.00
	06/17/92	MN	MANGANESE		3.000000	µg/g	0.00
	06/17/92	V	VANADIUM		14.700000	µg/g	0.00

Analytical Data for OLD BURN AREA (Site 6)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OBS-92-201	06/18/92	AL	ALUMINUM		86.000000	µg/g	0.00
	06/18/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/18/92	CA	CALCIUM		75.000000	µg/g	0.00
	06/18/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/18/92	K	POTASSIUM		210.000000	µg/g	0.00
	06/18/92	MG	MAGNESIUM		33.000000	µg/g	0.00
	06/18/92	MN	MANGANESE		3.500000	µg/g	0.00
	06/18/92	V	VANADIUM		17.200000	µg/g	0.00
OBS-92-301	06/19/92	AL	ALUMINUM		160.000000	µg/g	0.00
	06/19/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/19/92	CA	CALCIUM		35.000000	µg/g	0.00
	06/19/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/19/92	K	POTASSIUM		63.000000	µg/g	0.00
	06/19/92	MG	MAGNESIUM		57.000000	µg/g	0.00
	06/19/92	MN	MANGANESE		3.300000	µg/g	0.00
	06/19/92	V	VANADIUM		21.000000	µg/g	0.00
OBS-92-401	06/20/92	AL	ALUMINUM		110.000000	µg/g	0.00
	06/20/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/20/92	CA	CALCIUM		74.000000	µg/g	0.00
	06/20/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/20/92	K	POTASSIUM		39.000000	µg/g	0.00
	06/20/92	MG	MAGNESIUM		33.000000	µg/g	0.00
	06/20/92	MN	MANGANESE		2.700000	µg/g	0.00
	06/20/92	V	VANADIUM		14.600000	µg/g	0.00
OBS-92-G01	06/07/92	AL	ALUMINUM		200.000000	µg/g	0.00
	06/07/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/07/92	CA	CALCIUM		46.000000	µg/g	0.00
	06/07/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/07/92	K	POTASSIUM		54.000000	µg/g	0.00
	06/07/92	MG	MAGNESIUM		59.000000	µg/g	0.00
	06/07/92	MN	MANGANESE		5.300000	µg/g	0.00
	06/07/92	V	VANADIUM		22.800000	µg/g	0.00
OBS-92-G02	06/07/92	AL	ALUMINUM		110.000000	µg/g	0.00
	06/07/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/07/92	CA	CALCIUM		25.000000	µg/g	0.00
	06/07/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/07/92	K	POTASSIUM		34.000000	µg/g	0.00
	06/07/92	MG	MAGNESIUM		34.000000	µg/g	0.00
	06/07/92	MN	MANGANESE		3.000000	µg/g	0.00
	06/07/92	V	VANADIUM		14.300000	µg/g	0.00
OBS-92-G03	06/07/92	AL	ALUMINUM		110.000000	µg/g	0.00
	06/07/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/07/92	CA	CALCIUM		24.000000	µg/g	0.00
	06/07/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/07/92	K	POTASSIUM		21.000000	µg/g	0.00
	06/07/92	MG	MAGNESIUM		29.000000	µg/g	0.00
	06/07/92	MN	MANGANESE		2.700000	µg/g	0.00
	06/07/92	V	VANADIUM		13.600000	µg/g	0.00
OBS-92-G04	06/07/92	AL	ALUMINUM		150.000000	µg/g	0.00
	06/07/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/07/92	CA	CALCIUM		33.000000	µg/g	0.00
	06/07/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/07/92	K	POTASSIUM		35.000000	µg/g	0.00
	06/07/92	MG	MAGNESIUM		43.000000	µg/g	0.00
	06/07/92	MN	MANGANESE		3.500000	µg/g	0.00
	06/07/92	V	VANADIUM		18.400000	µg/g	0.00
OBS-92-G05	06/07/92	AL	ALUMINUM		150.000000	µg/g	0.00
	06/07/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/07/92	CA	CALCIUM		110.000000	µg/g	0.00
	06/07/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/07/92	K	POTASSIUM		40.000000	µg/g	0.00
	06/07/92	MG	MAGNESIUM		66.000000	µg/g	0.00
	06/07/92	MN	MANGANESE		3.900000	µg/g	0.00
	06/07/92	V	VANADIUM		16.600000	µg/g	0.00

Analytical Data for CHEMICAL RANGE (Site 7)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRS-92-101	06/21/92	AL	ALUMINUM		180.000000	µg/g	0.00
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/21/92	CA	CALCIUM		31.000000	µg/g	0.00
	06/21/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/21/92	K	POTASSIUM		52.000000	µg/g	0.00
	06/21/92	MG	MAGNESIUM		67.000000	µg/g	0.00
	06/21/92	MN	MANGANESE		3.400000	µg/g	0.00
	06/21/92	V	VANADIUM		16.100000	µg/g	0.00
CRS-92-201	06/21/92	AL	ALUMINUM		2000.000000	µg/g	0.00
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/21/92	CA	CALCIUM		2700.000000	µg/g	0.00
	06/21/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/21/92	K	POTASSIUM		540.000000	µg/g	0.00
	06/21/92	MG	MAGNESIUM		730.000000	µg/g	0.00
	06/21/92	MN	MANGANESE		37.000000	µg/g	0.00
	06/21/92	V	VANADIUM		18.300000	µg/g	0.00
CRS-92-301	06/23/92	AL	ALUMINUM		190.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		37.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		53.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		69.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		3.600000	µg/g	0.00
	06/23/92	V	VANADIUM		15.400000	µg/g	0.00
CRT-92-101	06/21/92	AL	ALUMINUM		180.000000	µg/g	2.50
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.50
	06/21/92	CA	CALCIUM		38.000000	µg/g	2.50
	06/21/92	CO	COBALT	LT	0.000000	µg/g	2.50
	06/21/92	K	POTASSIUM		55.000000	µg/g	2.50
	06/21/92	MG	MAGNESIUM		57.000000	µg/g	2.50
	06/21/92	MN	MANGANESE		2.900000	µg/g	2.50
	06/21/92	V	VANADIUM		14.800000	µg/g	2.50
CRT-92-102	06/21/92	AL	ALUMINUM		180.000000	µg/g	5.00
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.00
	06/21/92	CA	CALCIUM		30.000000	µg/g	5.00
	06/21/92	CO	COBALT	LT	0.000000	µg/g	5.00
	06/21/92	K	POTASSIUM		50.000000	µg/g	5.00
	06/21/92	MG	MAGNESIUM		61.000000	µg/g	5.00
	06/21/92	MN	MANGANESE		3.600000	µg/g	5.00
	06/21/92	V	VANADIUM		19.100000	µg/g	5.00
CRT-92-103	06/21/92	AL	ALUMINUM		140.000000	µg/g	7.50
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	7.50
	06/21/92	CA	CALCIUM		24.000000	µg/g	7.50
	06/21/92	CO	COBALT	LT	0.000000	µg/g	7.50
	06/21/92	K	POTASSIUM		33.000000	µg/g	7.50
	06/21/92	MG	MAGNESIUM		49.000000	µg/g	7.50
	06/21/92	MN	MANGANESE		2.600000	µg/g	7.50
	06/21/92	V	VANADIUM		14.200000	µg/g	7.50
CRT-92-104	06/21/92	AL	ALUMINUM		48.000000	µg/g	10.00
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	10.00
	06/21/92	CA	CALCIUM		81.000000	µg/g	10.00
	06/21/92	CO	COBALT	LT	0.000000	µg/g	10.00
	06/21/92	K	POTASSIUM		19.000000	µg/g	10.00
	06/21/92	MG	MAGNESIUM		18.000000	µg/g	10.00
	06/21/92	MN	MANGANESE		1.000000	µg/g	10.00
	06/21/92	V	VANADIUM		7.720000	µg/g	10.00
CRT-92-201	06/21/92	AL	ALUMINUM		7300.000000	µg/g	3.00
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	06/21/92	CA	CALCIUM		15000.000000	µg/g	3.00
	06/21/92	CO	COBALT	LT	0.000000	µg/g	3.00
	06/21/92	K	POTASSIUM		1700.000000	µg/g	3.00
	06/21/92	MG	MAGNESIUM		2500.000000	µg/g	3.00
	06/21/92	MN	MANGANESE		100.000000	µg/g	3.00
	06/21/92	V	VANADIUM		4.900000	µg/g	3.00
CRT-92-202	06/21/92	AL	ALUMINUM		5400.000000	µg/g	5.50
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.50
	06/21/92	CA	CALCIUM		8000.000000	µg/g	5.50
	06/21/92	CO	COBALT	LT	0.000000	µg/g	5.50

Analytical Data for CHEMICAL RANGE (Site 7)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
CRT-92-202	06/21/92	K	POTASSIUM		1200.000000	µg/g	5.50
	06/21/92	MG	MAGNESIUM		2000.000000	µg/g	5.50
	06/21/92	MN	MANGANESE		100.000000	µg/g	5.50
	06/21/92	V	VANADIUM		6.000000	µg/g	5.50
CRT-92-203	06/21/92	AL	ALUMINUM		5100.000000	µg/g	7.50
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	7.50
	06/21/92	CA	CALCIUM		5400.000000	µg/g	7.50
	06/21/92	CO	COBALT	LT	0.000000	µg/g	7.50
	06/21/92	K	POTASSIUM		1200.000000	µg/g	7.50
	06/21/92	MG	MAGNESIUM		1700.000000	µg/g	7.50
	06/21/92	MN	MANGANESE		98.000000	µg/g	7.50
	06/21/92	V	VANADIUM		5.900000	µg/g	7.50
CRT-92-204	06/21/92	AL	ALUMINUM		42.000000	µg/g	10.00
	06/21/92	BE	BERYLLIUM	LT	0.000000	µg/g	10.00
	06/21/92	CA	CALCIUM		87.000000	µg/g	10.00
	06/21/92	CO	COBALT	LT	0.000000	µg/g	10.00
	06/21/92	K	POTASSIUM		28.000000	µg/g	10.00
	06/21/92	MG	MAGNESIUM		19.000000	µg/g	10.00
	06/21/92	MN	MANGANESE		26.000000	µg/g	10.00
	06/21/92	V	VANADIUM		1.500000	µg/g	10.00
CRT-92-301	06/23/92	AL	ALUMINUM		140.000000	µg/g	2.50
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.50
	06/23/92	CA	CALCIUM		35.000000	µg/g	2.50
	06/23/92	CO	COBALT	LT	0.000000	µg/g	2.50
	06/23/92	K	POTASSIUM		33.000000	µg/g	2.50
	06/23/92	MG	MAGNESIUM		55.000000	µg/g	2.50
	06/23/92	MN	MANGANESE		2.700000	µg/g	2.50
	06/23/92	V	VANADIUM		12.800000	µg/g	2.50
CRT-92-302	06/23/92	AL	ALUMINUM		140.000000	µg/g	5.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	5.00
	06/23/92	CA	CALCIUM		31.000000	µg/g	5.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	5.00
	06/23/92	K	POTASSIUM		35.000000	µg/g	5.00
	06/23/92	MG	MAGNESIUM		53.000000	µg/g	5.00
	06/23/92	MN	MANGANESE		2.700000	µg/g	5.00
	06/23/92	V	VANADIUM		13.800000	µg/g	5.00
CRT-92-303	06/23/92	AL	ALUMINUM		150.000000	µg/g	7.50
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	7.50
	06/23/92	CA	CALCIUM		23.000000	µg/g	7.50
	06/23/92	CO	COBALT	LT	0.000000	µg/g	7.50
	06/23/92	K	POTASSIUM		33.000000	µg/g	7.50
	06/23/92	MG	MAGNESIUM		52.000000	µg/g	7.50
	06/23/92	MN	MANGANESE		3.100000	µg/g	7.50
	06/23/92	V	VANADIUM		16.200000	µg/g	7.50
CRT-92-304	06/23/92	AL	ALUMINUM		140.000000	µg/g	10.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	10.00
	06/23/92	CA	CALCIUM		18.000000	µg/g	10.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	10.00
	06/23/92	K	POTASSIUM		33.000000	µg/g	10.00
	06/23/92	MG	MAGNESIUM		52.000000	µg/g	10.00
	06/23/92	MN	MANGANESE		2.800000	µg/g	10.00
	06/23/92	V	VANADIUM		15.100000	µg/g	10.00

Analytical Data for BUILDING 1303 WASHOUT POND (Site 22)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BWS-92-01	06/04/92	AL	ALUMINUM		78.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		40.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		230.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		210.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		2.700000	µg/g	0.00
	06/04/92	V	VANADIUM		11.400000	µg/g	0.00
BWS-92-02	06/04/92	AL	ALUMINUM		370.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		31.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		130.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		130.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		6.300000	µg/g	0.00
	06/04/92	V	VANADIUM	LT	0.000000	µg/g	0.00
BWS-92-03	06/04/92	AL	ALUMINUM		58.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		36.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		150.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		160.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		11.000000	µg/g	0.00
	06/04/92	V	VANADIUM		9.660000	µg/g	0.00
BWS-92-04	06/04/92	AL	ALUMINUM		70.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		24.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		180.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		200.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		13.000000	µg/g	0.00
	06/04/92	V	VANADIUM		10.500000	µg/g	0.00
BWS-92-05	06/04/92	AL	ALUMINUM		77.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		18.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		210.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		210.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		16.000000	µg/g	0.00
	06/04/92	V	VANADIUM		11.500000	µg/g	0.00
BWS-92-06	06/04/92	AL	ALUMINUM		81.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		17.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		200.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		220.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		17.000000	µg/g	0.00
	06/04/92	V	VANADIUM		11.700000	µg/g	0.00
BWS-92-07	06/04/92	AL	ALUMINUM		76.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		40.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		200.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		220.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		15.000000	µg/g	0.00
	06/04/92	V	VANADIUM		10.500000	µg/g	0.00
BWS-92-08	06/04/92	AL	ALUMINUM		75.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		23.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		210.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		230.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		17.000000	µg/g	0.00
	06/04/92	V	VANADIUM		12.200000	µg/g	0.00
BWS-92-09	06/04/92	AL	ALUMINUM		90.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		25.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00

Analytical Data for BUILDING 1303 WASHOUT POND (Site 22)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BWS-92-09	06/04/92	K	POTASSIUM		230.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		240.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		19.000000	µg/g	0.00
	06/04/92	V	VANADIUM		13.100000	µg/g	0.00
BWS-92-10	06/04/92	AL	ALUMINUM		92.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		31.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		240.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		270.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		19.000000	µg/g	0.00
	06/04/92	V	VANADIUM		12.600000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRD-92-01	07/10/92	AL	ALUMINUM		270.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		56.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		64.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		100.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		14.000000	µg/g	0.00
	07/10/92	V	VANADIUM	LT	0.000000	µg/g	0.00
BRD-92-02	07/10/92	AL	ALUMINUM		63.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		36.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		170.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		240.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		6.300000	µg/g	0.00
	07/10/92	V	VANADIUM		19.000000	µg/g	0.00
BRS-92-01	07/10/92	AL	ALUMINUM		240.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		19.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		64.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		96.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		2.800000	µg/g	0.00
	07/10/92	V	VANADIUM		21.800000	µg/g	0.00
BRS-92-02	07/10/92	AL	ALUMINUM		430.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		30.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		99.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		37.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		15.000000	µg/g	0.00
	07/10/92	V	VANADIUM		2.560000	µg/g	0.00
BRS-92-03	07/10/92	AL	ALUMINUM		380.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		61.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		120.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		45.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		9.600000	µg/g	0.00
	07/10/92	V	VANADIUM	LT	0.000000	µg/g	0.00
BRS-92-04	07/10/92	AL	ALUMINUM		92.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		27.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		230.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		52.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		2.600000	µg/g	0.00
	07/10/92	V	VANADIUM		27.200000	µg/g	0.00
BRS-92-05	07/10/92	AL	ALUMINUM		72.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		20.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		170.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		35.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		18.000000	µg/g	0.00
	07/10/92	V	VANADIUM		27.600000	µg/g	0.00
BRS-92-06	07/10/92	AL	ALUMINUM		310.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		71.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		100.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		110.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		14.000000	µg/g	0.00
	07/10/92	V	VANADIUM	LT	0.000000	µg/g	0.00
BRS-92-07	07/10/92	AL	ALUMINUM		350.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		17.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BRS-92-07	07/10/92	K	POTASSIUM		85.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		260.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		11.000000	µg/g	0.00
	07/10/92	V	VANADIUM		4.510000	µg/g	0.00
BRS-92-08	07/10/92	AL	ALUMINUM		490.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		53.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		130.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		64.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		10.000000	µg/g	0.00
	07/10/92	V	VANADIUM	LT	0.000000	µg/g	0.00
BRS-92-09	07/10/92	AL	ALUMINUM		70.000000	µg/g	0.00
	07/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/10/92	CA	CALCIUM		55.000000	µg/g	0.00
	07/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/10/92	K	POTASSIUM		200.000000	µg/g	0.00
	07/10/92	MG	MAGNESIUM		80.000000	µg/g	0.00
	07/10/92	MN	MANGANESE		16.000000	µg/g	0.00
	07/10/92	V	VANADIUM	LT	0.000000	µg/g	0.00

Analytical Data for WASTE WATER SPREADING AREA (Site 35)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-01	06/04/92	AL	ALUMINUM		220.000000	µg/g	2.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.00
	06/04/92	CA	CALCIUM		24.000000	µg/g	2.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	2.00
	06/04/92	K	POTASSIUM		56.000000	µg/g	2.00
	06/04/92	MG	MAGNESIUM		66.000000	µg/g	2.00
	06/04/92	MN	MANGANESE		3.700000	µg/g	2.00
	06/04/92	V	VANADIUM		20.400000	µg/g	2.00
WSB-92-02	06/04/92	AL	ALUMINUM		140.000000	µg/g	4.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	4.00
	06/04/92	CA	CALCIUM		28.000000	µg/g	4.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	4.00
	06/04/92	K	POTASSIUM		37.000000	µg/g	4.00
	06/04/92	MG	MAGNESIUM		47.000000	µg/g	4.00
	06/04/92	MN	MANGANESE		2.600000	µg/g	4.00
	06/04/92	V	VANADIUM		12.900000	µg/g	4.00
WSB-92-03	06/24/92	AL	ALUMINUM		90.000000	µg/g	2.00
	06/24/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.00
	06/24/92	CA	CALCIUM		19.000000	µg/g	2.00
	06/24/92	CO	COBALT	LT	0.000000	µg/g	2.00
	06/24/92	K	POTASSIUM		220.000000	µg/g	2.00
	06/24/92	MG	MAGNESIUM		35.000000	µg/g	2.00
	06/24/92	MN	MANGANESE		17.000000	µg/g	2.00
	06/24/92	V	VANADIUM		12.200000	µg/g	2.00
WSB-92-04	06/24/92	AL	ALUMINUM		54.000000	µg/g	3.00
	06/24/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	06/24/92	CA	CALCIUM		36.000000	µg/g	3.00
	06/24/92	CO	COBALT	LT	0.000000	µg/g	3.00
	06/24/92	K	POTASSIUM		120.000000	µg/g	3.00
	06/24/92	MG	MAGNESIUM		28.000000	µg/g	3.00
	06/24/92	MN	MANGANESE		10.000000	µg/g	3.00
	06/24/92	V	VANADIUM		3.200000	µg/g	3.00
WSB-92-05	06/24/92	AL	ALUMINUM		59.000000	µg/g	2.00
	06/24/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.00
	06/24/92	CA	CALCIUM		14.000000	µg/g	2.00
	06/24/92	CO	COBALT	LT	0.000000	µg/g	2.00
	06/24/92	K	POTASSIUM		110.000000	µg/g	2.00
	06/24/92	MG	MAGNESIUM		210.000000	µg/g	2.00
	06/24/92	MN	MANGANESE		12.000000	µg/g	2.00
	06/24/92	V	VANADIUM		6.880000	µg/g	2.00
WSB-92-06	06/24/92	AL	ALUMINUM		470.000000	µg/g	3.00
	06/24/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	06/24/92	CA	CALCIUM		16.000000	µg/g	3.00
	06/24/92	CO	COBALT	LT	0.000000	µg/g	3.00
	06/24/92	K	POTASSIUM		86.000000	µg/g	3.00
	06/24/92	MG	MAGNESIUM		200.000000	µg/g	3.00
	06/24/92	MN	MANGANESE		8.800000	µg/g	3.00
	06/24/92	V	VANADIUM		5.450000	µg/g	3.00
WSB-92-07	06/24/92	AL	ALUMINUM		250.000000	µg/g	2.00
	06/24/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.00
	06/24/92	CA	CALCIUM		22.000000	µg/g	2.00
	06/24/92	CO	COBALT	LT	0.000000	µg/g	2.00
	06/24/92	K	POTASSIUM		66.000000	µg/g	2.00
	06/24/92	MG	MAGNESIUM		95.000000	µg/g	2.00
	06/24/92	MN	MANGANESE		4.900000	µg/g	2.00
	06/24/92	V	VANADIUM		20.300000	µg/g	2.00
WSB-92-08	06/24/92	AL	ALUMINUM		150.000000	µg/g	4.00
	06/24/92	BE	BERYLLIUM	LT	0.000000	µg/g	4.00
	06/24/92	CA	CALCIUM		50.000000	µg/g	4.00
	06/24/92	CO	COBALT	LT	0.000000	µg/g	4.00
	06/24/92	K	POTASSIUM		36.000000	µg/g	4.00
	06/24/92	MG	MAGNESIUM		49.000000	µg/g	4.00
	06/24/92	MN	MANGANESE		2.800000	µg/g	4.00
	06/24/92	V	VANADIUM		17.600000	µg/g	4.00
WSB-92-09	06/24/92	AL	ALUMINUM		100.000000	µg/g	6.00
	06/24/92	BE	BERYLLIUM	LT	0.000000	µg/g	6.00
	06/24/92	CA	CALCIUM		89.000000	µg/g	6.00
	06/24/92	CO	COBALT	LT	0.000000	µg/g	6.00

Analytical Data for WASTE WATER SPREADING AREA (Site 35)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
WSB-92-09	06/24/92	K	POTASSIUM		190.000000	µg/g	6.00
	06/24/92	MG	MAGNESIUM		80.000000	µg/g	6.00
	06/24/92	MN	MANGANESE		20.000000	µg/g	6.00
	06/24/92	V	VANADIUM	LT	0.000000	µg/g	6.00
WSS-92-01	06/04/92	AL	ALUMINUM		200.000000	µg/g	0.00
	06/04/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/04/92	CA	CALCIUM		82.000000	µg/g	0.00
	06/04/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/04/92	K	POTASSIUM		53.000000	µg/g	0.00
	06/04/92	MG	MAGNESIUM		59.000000	µg/g	0.00
	06/04/92	MN	MANGANESE		3.900000	µg/g	0.00
	06/04/92	V	VANADIUM		21.000000	µg/g	0.00
WSS-92-02	06/06/92	AL	ALUMINUM		190.000000	µg/g	0.00
	06/06/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/06/92	CA	CALCIUM		20.000000	µg/g	0.00
	06/06/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/06/92	K	POTASSIUM		54.000000	µg/g	0.00
	06/06/92	MG	MAGNESIUM		57.000000	µg/g	0.00
	06/06/92	MN	MANGANESE		21.700000	µg/g	0.00
	06/06/92	V	VANADIUM		20.500000	µg/g	0.00
WSS-92-03	06/06/92	AL	ALUMINUM		140.000000	µg/g	0.00
	06/06/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/06/92	CA	CALCIUM		31.000000	µg/g	0.00
	06/06/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/06/92	K	POTASSIUM		44.000000	µg/g	0.00
	06/06/92	MG	MAGNESIUM		73.000000	µg/g	0.00
	06/06/92	MN	MANGANESE		22.000000	µg/g	0.00
	06/06/92	V	VANADIUM		11.700000	µg/g	0.00
WSS-92-04	06/06/92	AL	ALUMINUM		250.000000	µg/g	0.00
	06/06/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/06/92	CA	CALCIUM		78.000000	µg/g	0.00
	06/06/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/06/92	K	POTASSIUM		66.000000	µg/g	0.00
	06/06/92	MG	MAGNESIUM		83.000000	µg/g	0.00
	06/06/92	MN	MANGANESE		4.800000	µg/g	0.00
	06/06/92	V	VANADIUM		26.200000	µg/g	0.00
WSS-92-05	06/06/92	AL	ALUMINUM		150.000000	µg/g	0.00
	06/06/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/06/92	CA	CALCIUM		28.000000	µg/g	0.00
	06/06/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/06/92	K	POTASSIUM		45.000000	µg/g	0.00
	06/06/92	MG	MAGNESIUM		68.000000	µg/g	0.00
	06/06/92	MN	MANGANESE		3.000000	µg/g	0.00
	06/06/92	V	VANADIUM		12.100000	µg/g	0.00
WSS-92-06	06/06/92	AL	ALUMINUM		160.000000	µg/g	0.00
	06/06/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/06/92	CA	CALCIUM		49.000000	µg/g	0.00
	06/06/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/06/92	K	POTASSIUM		45.000000	µg/g	0.00
	06/06/92	MG	MAGNESIUM		79.000000	µg/g	0.00
	06/06/92	MN	MANGANESE		3.100000	µg/g	0.00
	06/06/92	V	VANADIUM		6.520000	µg/g	0.00

Analytical Data for OLD BURN STAGING AREA (Site 36)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-05	06/23/92	AL	ALUMINUM		380.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		33.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		94.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		41.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		20.000000	µg/g	0.00
	06/23/92	V	VANADIUM	LT	0.000000	µg/g	0.00
OSS-92-06	06/23/92	AL	ALUMINUM		73.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		41.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		170.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		57.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		2.600000	µg/g	0.00
	06/23/92	V	VANADIUM		3.430000	µg/g	0.00
OSS-92-07	06/23/92	AL	ALUMINUM		340.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		33.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		83.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		45.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		13.000000	µg/g	0.00
	06/23/92	V	VANADIUM	LT	0.000000	µg/g	0.00
OSS-92-08	06/23/92	AL	ALUMINUM		330.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		49.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		52.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		69.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		13.000000	µg/g	0.00
	06/23/92	V	VANADIUM	LT	0.000000	µg/g	0.00
OSS-92-09	06/23/92	AL	ALUMINUM		140.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		39.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		44.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		46.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		3.800000	µg/g	0.00
	06/23/92	V	VANADIUM		21.200000	µg/g	0.00
OSS-92-10	06/23/92	AL	ALUMINUM		130.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		36.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		40.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		43.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		3.600000	µg/g	0.00
	06/23/92	V	VANADIUM		18.200000	µg/g	0.00
OSS-92-11	06/23/92	AL	ALUMINUM		130.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		82.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		35.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		63.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		3.700000	µg/g	0.00
	06/23/92	V	VANADIUM		19.200000	µg/g	0.00
OSS-92-12	06/23/92	AL	ALUMINUM		110.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		93.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/23/92	K	POTASSIUM		290.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		41.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		2.900000	µg/g	0.00
	06/23/92	V	VANADIUM		20.300000	µg/g	0.00
OSS-92-13	06/23/92	AL	ALUMINUM		71.000000	µg/g	0.00
	06/23/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/23/92	CA	CALCIUM		50.000000	µg/g	0.00
	06/23/92	CO	COBALT	LT	0.000000	µg/g	0.00

Analytical Data for OLD BURN STAGING AREA (Site 36)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
OSS-92-13	06/23/92	K	POTASSIUM		120.000000	µg/g	0.00
	06/23/92	MG	MAGNESIUM		54.000000	µg/g	0.00
	06/23/92	MN	MANGANESE		6.200000	µg/g	0.00
	06/23/92	V	VANADIUM		11.700000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARP-92-101	07/07/92	AL	ALUMINUM		420.000000	µg/g	9.00
	07/07/92	BE	BERYLLIUM	LT	0.000000	µg/g	9.00
	07/07/92	CA	CALCIUM		30.000000	µg/g	9.00
	07/07/92	CO	COBALT	LT	0.000000	µg/g	9.00
	07/07/92	K	POTASSIUM		100.000000	µg/g	9.00
	07/07/92	MG	MAGNESIUM		32.000000	µg/g	9.00
	07/07/92	MN	MANGANESE		12.000000	µg/g	9.00
	07/07/92	V	VANADIUM		4.500000	µg/g	9.00
ARP-92-201	07/08/92	AL	ALUMINUM		140.000000	µg/g	7.00
	07/08/92	BE	BERYLLIUM	LT	0.000000	µg/g	7.00
	07/08/92	CA	CALCIUM		57.000000	µg/g	7.00
	07/08/92	CO	COBALT	LT	0.000000	µg/g	7.00
	07/08/92	K	POTASSIUM		281.000000	µg/g	7.00
	07/08/92	MG	MAGNESIUM		200.000000	µg/g	7.00
	07/08/92	MN	MANGANESE		19.000000	µg/g	7.00
	07/08/92	V	VANADIUM	LT	0.000000	µg/g	7.00
ARP-92-301	07/08/92	AL	ALUMINUM		240.000000	µg/g	10.00
	07/08/92	BE	BERYLLIUM	LT	0.000000	µg/g	10.00
	07/08/92	CA	CALCIUM		120.000000	µg/g	10.00
	07/08/92	CO	COBALT	LT	0.000000	µg/g	10.00
	07/08/92	K	POTASSIUM		63.000000	µg/g	10.00
	07/08/92	MG	MAGNESIUM		160.000000	µg/g	10.00
	07/08/92	MN	MANGANESE		6.600000	µg/g	10.00
	07/08/92	V	VANADIUM		3.590000	µg/g	10.00
ARP-92-401	07/09/92	AL	ALUMINUM		120.000000	µg/g	2.70
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	2.70
	07/09/92	CA	CALCIUM		23.000000	µg/g	2.70
	07/09/92	CO	COBALT	LT	0.000000	µg/g	2.70
	07/09/92	K	POTASSIUM		34.000000	µg/g	2.70
	07/09/92	MG	MAGNESIUM		53.000000	µg/g	2.70
	07/09/92	MN	MANGANESE		2.400000	µg/g	2.70
	07/09/92	V	VANADIUM		11.700000	µg/g	2.70
ARP-92-402	07/09/92	AL	ALUMINUM		360.000000	µg/g	8.50
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	8.50
	07/09/92	CA	CALCIUM		15.000000	µg/g	8.50
	07/09/92	CO	COBALT	LT	0.000000	µg/g	8.50
	07/09/92	K	POTASSIUM		76.000000	µg/g	8.50
	07/09/92	MG	MAGNESIUM		170.000000	µg/g	8.50
	07/09/92	MN	MANGANESE		6.700000	µg/g	8.50
	07/09/92	V	VANADIUM		9.470000	µg/g	8.50
ARS-92-101	07/07/92	AL	ALUMINUM		460.000000	µg/g	0.00
	07/07/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/07/92	CA	CALCIUM		52.000000	µg/g	0.00
	07/07/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/07/92	K	POTASSIUM		160.000000	µg/g	0.00
	07/07/92	MG	MAGNESIUM		49.000000	µg/g	0.00
	07/07/92	MN	MANGANESE		11.000000	µg/g	0.00
	07/07/92	V	VANADIUM	LT	0.000000	µg/g	0.00
ARS-92-201	07/08/92	AL	ALUMINUM		92.000000	µg/g	0.00
	07/08/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/08/92	CA	CALCIUM		23.000000	µg/g	0.00
	07/08/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/08/92	K	POTASSIUM		240.000000	µg/g	0.00
	07/08/92	MG	MAGNESIUM		40.000000	µg/g	0.00
	07/08/92	MN	MANGANESE		21.000000	µg/g	0.00
	07/08/92	V	VANADIUM		9.860000	µg/g	0.00
ARS-92-301	07/08/92	AL	ALUMINUM		84.000000	µg/g	0.00
	07/08/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/08/92	CA	CALCIUM		17.000000	µg/g	0.00
	07/08/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/08/92	K	POTASSIUM		260.000000	µg/g	0.00
	07/08/92	MG	MAGNESIUM		47.000000	µg/g	0.00
	07/08/92	MN	MANGANESE		2.800000	µg/g	0.00
	07/08/92	V	VANADIUM		8.280000	µg/g	0.00
ARS-92-401	07/09/92	AL	ALUMINUM		110.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		16.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
ARS-92-401	07/09/92	K	POTASSIUM		240.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		37.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		17.000000	µg/g	0.00
	07/09/92	V	VANADIUM		8.960000	µg/g	0.00
ARS-92-B01	07/09/92	AL	ALUMINUM		76.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		18.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/09/92	K	POTASSIUM		210.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		40.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		16.000000	µg/g	0.00
	07/09/92	V	VANADIUM		10.500000	µg/g	0.00
ARS-92-B02	07/09/92	AL	ALUMINUM		79.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		19.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/09/92	K	POTASSIUM		220.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		43.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		18.000000	µg/g	0.00
	07/09/92	V	VANADIUM		10.200000	µg/g	0.00
ARS-92-B03	07/09/92	AL	ALUMINUM		70.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		20.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/09/92	K	POTASSIUM		200.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		51.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		17.000000	µg/g	0.00
	07/09/92	V	VANADIUM		12.300000	µg/g	0.00
ARS-92-B04	07/09/92	AL	ALUMINUM		80.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		22.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/09/92	K	POTASSIUM		250.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		42.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		17.000000	µg/g	0.00
	07/09/92	V	VANADIUM		10.900000	µg/g	0.00
ARS-92-R21	07/09/92	AL	ALUMINUM		110.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		73.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/09/92	K	POTASSIUM		40.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		62.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		2.800000	µg/g	0.00
	07/09/92	V	VANADIUM		16.700000	µg/g	0.00
ARS-92-R31	07/09/92	AL	ALUMINUM		53.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		17.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/09/92	K	POTASSIUM		150.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		30.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		14.000000	µg/g	0.00
	07/09/92	V	VANADIUM		4.330000	µg/g	0.00
ARS-92-R61	07/09/92	AL	ALUMINUM		100.000000	µg/g	0.00
	07/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/09/92	CA	CALCIUM		81.000000	µg/g	0.00
	07/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/09/92	K	POTASSIUM		35.000000	µg/g	0.00
	07/09/92	MG	MAGNESIUM		43.000000	µg/g	0.00
	07/09/92	MN	MANGANESE		2.500000	µg/g	0.00
	07/09/92	V	VANADIUM		15.600000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BEB-92-01	06/10/92	AL	ALUMINUM		74.000000	µg/g	3.00
	06/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	06/10/92	CA	CALCIUM		38.000000	µg/g	3.00
	06/10/92	CO	COBALT	LT	0.000000	µg/g	3.00
	06/10/92	K	POTASSIUM		200.000000	µg/g	3.00
	06/10/92	MG	MAGNESIUM		43.000000	µg/g	3.00
	06/10/92	MN	MANGANESE		14.000000	µg/g	3.00
	06/10/92	V	VANADIUM		4.000000	µg/g	3.00
BEB-92-02	06/10/92	AL	ALUMINUM		120.000000	µg/g	4.00
	06/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	4.00
	06/10/92	CA	CALCIUM		36.000000	µg/g	4.00
	06/10/92	CO	COBALT	LT	0.000000	µg/g	4.00
	06/10/92	K	POTASSIUM		40.000000	µg/g	4.00
	06/10/92	MG	MAGNESIUM		59.000000	µg/g	4.00
	06/10/92	MN	MANGANESE		22.000000	µg/g	4.00
	06/10/92	V	VANADIUM		8.870000	µg/g	4.00
BEB-92-03	06/10/92	AL	ALUMINUM		58.000000	µg/g	3.00
	06/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	06/10/92	CA	CALCIUM		33.000000	µg/g	3.00
	06/10/92	CO	COBALT	LT	0.000000	µg/g	3.00
	06/10/92	K	POTASSIUM		150.000000	µg/g	3.00
	06/10/92	MG	MAGNESIUM		36.000000	µg/g	3.00
	06/10/92	MN	MANGANESE		18.000000	µg/g	3.00
	06/10/92	V	VANADIUM		4.030000	µg/g	3.00
BEB-92-04	06/10/92	AL	ALUMINUM		76.000000	µg/g	3.00
	06/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	3.00
	06/10/92	CA	CALCIUM		34.000000	µg/g	3.00
	06/10/92	CO	COBALT	LT	0.000000	µg/g	3.00
	06/10/92	K	POTASSIUM		220.000000	µg/g	3.00
	06/10/92	MG	MAGNESIUM		44.000000	µg/g	3.00
	06/10/92	MN	MANGANESE		16.000000	µg/g	3.00
	06/10/92	V	VANADIUM		4.450000	µg/g	3.00
BER-92-01	06/09/92	AL	ALUMINUM		155.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM		0.087000	µg/g	0.00
	06/09/92	CA	CALCIUM		85.000000	µg/g	0.00
	06/09/92	CO	COBALT		3.780000	µg/g	0.00
	06/09/92	K	POTASSIUM		152.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		164.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		7.970000	µg/g	0.00
	06/09/92	V	VANADIUM		4.600000	µg/g	0.00
BER-92-02	07/13/92	AL	ALUMINUM		50.900000	µg/g	0.00
	07/13/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/13/92	CA	CALCIUM		14.000000	µg/g	0.00
	07/13/92	CO	COBALT		3.880000	µg/g	0.00
	07/13/92	K	POTASSIUM		133.000000	µg/g	0.00
	07/13/92	MG	MAGNESIUM		44.300000	µg/g	0.00
	07/13/92	MN	MANGANESE		10.100000	µg/g	0.00
	07/13/92	V	VANADIUM		5.200000	µg/g	0.00
BER-92-03	07/13/92	AL	ALUMINUM		432.000000	µg/g	0.00
	07/13/92	BE	BERYLLIUM		0.529000	µg/g	0.00
	07/13/92	CA	CALCIUM		17.000000	µg/g	0.00
	07/13/92	CO	COBALT		33.900000	µg/g	0.00
	07/13/92	K	POTASSIUM		180.000000	µg/g	0.00
	07/13/92	MG	MAGNESIUM		56.000000	µg/g	0.00
	07/13/92	MN	MANGANESE		3.200000	µg/g	0.00
	07/13/92	V	VANADIUM		5.700000	µg/g	0.00
BER-92-04	07/14/92	AL	ALUMINUM		263.000000	µg/g	0.00
	07/14/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/14/92	CA	CALCIUM		100.000000	µg/g	0.00
	07/14/92	CO	COBALT		2.000000	µg/g	0.00
	07/14/92	K	POTASSIUM		205.000000	µg/g	0.00
	07/14/92	MG	MAGNESIUM		219.000000	µg/g	0.00
	07/14/92	MN	MANGANESE		17.100000	µg/g	0.00
	07/14/92	V	VANADIUM		33.300000	µg/g	0.00
BER-92-05	07/13/92	AL	ALUMINUM		130.000000	µg/g	0.00
	07/13/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/13/92	CA	CALCIUM		37.000000	µg/g	0.00
	07/13/92	CO	COBALT	LT	0.000000	µg/g	0.00

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BER-92-05	07/13/92	K	POTASSIUM		47.000000	µg/g	0.00
	07/13/92	MG	MAGNESIUM		79.000000	µg/g	0.00
	07/13/92	MN	MANGANESE		2.600000	µg/g	0.00
	07/13/92	V	VANADIUM		45.600000	µg/g	0.00
BER-92-06	07/14/92	AL	ALUMINUM		23.500000	µg/g	0.00
	07/14/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/14/92	CA	CALCIUM		46.700000	µg/g	0.00
	07/14/92	CO	COBALT		3.180000	µg/g	0.00
	07/14/92	K	POTASSIUM		87.500000	µg/g	0.00
	07/14/92	MG	MAGNESIUM		13.900000	µg/g	0.00
	07/14/92	MN	MANGANESE		3.450000	µg/g	0.00
	07/14/92	V	VANADIUM		4.900000	µg/g	0.00
BER-92-07	07/14/92	AL	ALUMINUM		67.600000	µg/g	0.00
	07/14/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/14/92	CA	CALCIUM		32.000000	µg/g	0.00
	07/14/92	CO	COBALT		1.990000	µg/g	0.00
	07/14/92	K	POTASSIUM		57.400000	µg/g	0.00
	07/14/92	MG	MAGNESIUM		64.700000	µg/g	0.00
	07/14/92	MN	MANGANESE		10.600000	µg/g	0.00
	07/14/92	V	VANADIUM		29.000000	µg/g	0.00
BER-92-08	07/14/92	AL	ALUMINUM		180.000000	µg/g	0.00
	07/14/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/14/92	CA	CALCIUM		48.000000	µg/g	0.00
	07/14/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/14/92	K	POTASSIUM		59.000000	µg/g	0.00
	07/14/92	MG	MAGNESIUM		110.000000	µg/g	0.00
	07/14/92	MN	MANGANESE		4.900000	µg/g	0.00
	07/14/92	V	VANADIUM		5.200000	µg/g	0.00
BES-92-01	06/09/92	AL	ALUMINUM		130.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/09/92	CA	CALCIUM		43.000000	µg/g	0.00
	06/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/09/92	K	POTASSIUM		32.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		76.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		2.600000	µg/g	0.00
	06/09/92	V	VANADIUM		12.100000	µg/g	0.00
BES-92-02	06/09/92	AL	ALUMINUM		120.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/09/92	CA	CALCIUM		41.000000	µg/g	0.00
	06/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/09/92	K	POTASSIUM		23.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		60.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		23.000000	µg/g	0.00
	06/09/92	V	VANADIUM		12.000000	µg/g	0.00
BES-92-03	06/09/92	AL	ALUMINUM		460.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/09/92	CA	CALCIUM		35.000000	µg/g	0.00
	06/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/09/92	K	POTASSIUM		140.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		31.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		11.000000	µg/g	0.00
	06/09/92	V	VANADIUM		3.290000	µg/g	0.00
BES-92-04	06/09/92	AL	ALUMINUM		520.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/09/92	CA	CALCIUM		31.000000	µg/g	0.00
	06/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/09/92	K	POTASSIUM		150.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		37.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		12.000000	µg/g	0.00
	06/09/92	V	VANADIUM		6.140000	µg/g	0.00
BES-92-05	06/10/92	AL	ALUMINUM		93.000000	µg/g	0.00
	06/10/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/10/92	CA	CALCIUM		33.000000	µg/g	0.00
	06/10/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/10/92	K	POTASSIUM		270.000000	µg/g	0.00
	06/10/92	MG	MAGNESIUM		51.000000	µg/g	0.00
	06/10/92	MN	MANGANESE		16.000000	µg/g	0.00
	06/10/92	V	VANADIUM		7.830000	µg/g	0.00

Analytical Data for BOX ELDER WASH DRUM SITE (Site 41)

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
BES-92-06	06/09/92	AL	ALUMINUM		150.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/09/92	CA	CALCIUM		43.000000	µg/g	0.00
	06/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/09/92	K	POTASSIUM		56.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		81.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		2.700000	µg/g	0.00
	06/09/92	V	VANADIUM		11.700000	µg/g	0.00
BES-92-07	06/09/92	AL	ALUMINUM		170.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/09/92	CA	CALCIUM		66.000000	µg/g	0.00
	06/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/09/92	K	POTASSIUM		47.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		110.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		3.400000	µg/g	0.00
	06/09/92	V	VANADIUM		11.600000	µg/g	0.00
BES-92-08	06/09/92	AL	ALUMINUM		140.000000	µg/g	0.00
	06/09/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	06/09/92	CA	CALCIUM		48.000000	µg/g	0.00
	06/09/92	CO	COBALT	LT	0.000000	µg/g	0.00
	06/09/92	K	POTASSIUM		32.000000	µg/g	0.00
	06/09/92	MG	MAGNESIUM		77.000000	µg/g	0.00
	06/09/92	MN	MANGANESE		2.600000	µg/g	0.00
	06/09/92	V	VANADIUM		13.000000	µg/g	0.00
BES-92-09	07/14/92	AL	ALUMINUM		63.000000	µg/g	0.00
	07/14/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/14/92	CA	CALCIUM		23.000000	µg/g	0.00
	07/14/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/14/92	K	POTASSIUM		230.000000	µg/g	0.00
	07/14/92	MG	MAGNESIUM		44.000000	µg/g	0.00
	07/14/92	MN	MANGANESE		18.000000	µg/g	0.00
	07/14/92	V	VANADIUM		23.000000	µg/g	0.00

Analytical Data for

Site ID	Sample Date	Analyte Code	Analyte	Meas Bool	Value	Unit Meas	Depth
N-DECON-92	07/16/92	AL	ALUMINUM		160.000000	µg/g	0.00
	07/16/92	BE	BERYLLIUM	LT	0.000000	µg/g	0.00
	07/16/92	CA	CALCIUM		31.000000	µg/g	0.00
	07/16/92	CO	COBALT	LT	0.000000	µg/g	0.00
	07/16/92	K	POTASSIUM		47.000000	µg/g	0.00
	07/16/92	MG	MAGNESIUM		69.000000	µg/g	0.00
	07/16/92	MN	MANGANESE		3.100000	µg/g	0.00
	07/16/92	V	VANADIUM		15.100000	µg/g	0.00

APPENDIX G

QA/QC ANALYTICAL DATA

KEY

QC Type

F	Field Blank
M	Method Blank
R	Rinse Blank
T	Trip Blank
N	Natural Matrix Spike
S	Standard Matrix Spike

Flagging Codes

B	Analyte found in blank as well as sample.
D	Duplicate sample or test name.
F	Sample filtered before analysis.
G	Analyte found in rinse blank as well as sample.
K	Reported results affected by interferences or high background.
L	Out of control, data rejected due to low recoveries.
O	Missed holding time.
P	Value is less than the method reporting limit but greater than the instrument's detection limit.
R	Analyte required for reporting purposes but not currently certified.
S	Results based on internal standard.
T	Analyzed for but not detected.
X	Analyte recovery outside of certified range but within acceptable limits.

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	F	IHU	BRW9201	PO4	PHOSPHATE	0.000000	TT08	15-JUL-1992	LT	33.000000	µg/l	F	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AAQT		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AAQT		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM25		LT	0.220000	µg/g		LIT
UB	M	AAQT		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	AAQT		12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	AAQT		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	AAQT		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM25		LT	0.034000	µg/g		LIT
UB	M	AAQT		236TCP	2,3,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.620000	µg/g		LIT
UB	M	AAQT		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM25		LT	0.490000	µg/g		LIT
UB	M	AAQT		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.061000	µg/g		LIT
UB	M	AAQT		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	AAQT		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	AAQT		24DNP	2,4-DINITROPHENOL	0.000000	LM25		LT	4.700000	µg/g		LIT
UB	M	AAQT		24DNT	2,4-DINITROTOLUENE	0.000000	LM25		LT	1.400000	µg/g		LIT
UB	M	AAQT		26DNA	2,6-DINITROANILINE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	AAQT		26DNT	2,6-DINITROTOLUENE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	AAQT		2CLP	2-CHLOROPHENOL	0.000000	LM25		LT	0.055000	µg/g		LIT
UB	M	AAQT		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AAQT		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AAQT		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM25		LT	0.098000	µg/g		LIT
UB	M	AAQT		2NANIL	2-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	AAQT		2NP	2-NITROPHENOL	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	AAQT		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	AAQT		35DNA	3,5-DINITROANILINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	AAQT		3NANIL	3-NITROANILINE	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	AAQT		3NT	3-NITROTOLUENE	0.000000	LM25		LT	0.340000	µg/g		LIT
UB	M	AAQT		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM25		LT	0.800000	µg/g		LIT
UB	M	AAQT		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	AAQT		4CANIL	4-CHLOROANILINE	0.000000	LM25		ND	0.630000	µg/g	R	LIT
UB	M	AAQT		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM25		LT	0.930000	µg/g		LIT
UB	M	AAQT		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM25		LT	0.170000	µg/g		LIT
UB	M	AAQT		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AAQT		4NANIL	4-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	AAQT		4NP	4-NITROPHENOL	0.000000	LM25		LT	3.300000	µg/g		LIT
UB	M	AAQT		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AAQT		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM25		LT	0.400000	µg/g		LIT
UB	M	AAQT		ALDRN	ALDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AAQT		ANAPNE	ACENAPHTHENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	AAQT		ANAPYL	ACENAPHTHYLENE	0.000000	LM25		LT	0.033000	µg/g		LIT
UB	M	AAQT		ANTRC	ANTHRACENE	0.000000	LM25		LT	0.710000	µg/g		LIT
UB	M	AAQT		ATZ	ATRAZINE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	AAQT		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM25		LT	0.190000	µg/g		LIT
UB	M	AAQT		B2CIPE	BIS(2-CHLOROISOPROPYL)	0.000000	LM25		LT	0.440000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ETHER								
UB	M	AAQT		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM25		LT	0.360000	µg/g		LIT
UB	M	AAQT		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	AAQT		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	AAQT		BAPYR	BENZO[A]PYRENE	0.000000	LM25		LT	1.200000	µg/g		LIT
UB	M	AAQT		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	AAQT		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AAQT		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AAQT		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	AAQT		BENZOA	BENZOIC ACID	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	AAQT		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	AAQT		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM25		LT	0.130000	µg/g		LIT
UB	M	AAQT		BZALC	BENZYL ALCOHOL	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AAQT		CHRY	CHRYSENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AAQT		CL6BZ	HEXACHLOROBENZENE	0.000000	LM25		LT	0.080000	µg/g		LIT
UB	M	AAQT		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	AAQT		CL6ET	HEXACHLOROETHANE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AAQT		CLDAN	CHLORDANE	0.000000	LM25		LT	0.680000	µg/g		LIT
UB	M	AAQT		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM25		LT	0.097000	µg/g		LIT
UB	M	AAQT		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	AAQT		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM25		LT	0.066000	µg/g		LIT
UB	M	AAQT		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	AAQT		DBCP	DIBROMOCHLOROPROPANE	0.000000	LM25		LT	0.071000	µg/g		LIT
UB	M	AAQT		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	0.210000	µg/g		LIT
UB	M	AAQT		DBZFUR	DIBENZOFURAN	0.000000	LM25		LT	0.038000	µg/g		LIT
UB	M	AAQT		DCPD	DICYCLOPENTADIENE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	AAQT		DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	AAQT		DEP	DIETHYL PHTHALATE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AAQT		DITH	DITHIANE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	AAQT		DLDRN	DIELDRIN	0.000000	LM25		LT	0.079000	µg/g		LIT
UB	M	AAQT		DMP	DIMETHYL PHTHALATE	0.000000	LM25		LT	0.063000	µg/g		LIT
UB	M	AAQT		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AAQT		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM25		LT	0.230000	µg/g		LIT
UB	M	AAQT		ENDRN	ENDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AAQT		ENDRNA	ENDRIN ALDEHYDE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AAQT		ENDRNK	ENDRIN KETONE	0.000000	LM25		ND	0.280000	µg/g	R	LIT
UB	M	AAQT		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM25		LT	1.200000	µg/g		LIT
UB	M	AAQT		FANT	FLUORANTHENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AAQT		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM25		LT	0.065000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AAQT		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM25		LT	0.970000	µg/g		LIT
UB	M	AAQT		HPCL	HEPTACHLOR	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AAQT		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	AAQT		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	AAQT		ISODR	ISODRIN	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	AAQT		ISOPHR	ISOPHORONE	0.000000	LM25		LT	0.390000	µg/g		LIT
UB	M	AAQT		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	AAQT		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM25		LT	0.260000	µg/g		LIT
UB	M	AAQT		MIREX	MIREX	0.000000	LM25		LT	0.140000	µg/g		LIT
UB	M	AAQT		MLTHN	MALATHION	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	AAQT		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM25		LT	0.740000	µg/g		LIT
UB	M	AAQT		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AAQT		NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	LM25		LT	0.460000	µg/g		LIT
UB	M	AAQT		NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	AAQT		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM25		LT	0.290000	µg/g		LIT
UB	M	AAQT		OXAT	1,4-OXATHIANE	0.000000	LM25		LT	0.075000	µg/g		LIT
UB	M	AAQT		PCB016	PCB 1016	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	AAQT		PCB221	PCB 1221	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AAQT		PCB232	PCB 1232	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AAQT		PCB242	PCB 1242	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AAQT		PCB248	PCB 1248	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AAQT		PCB254	PCB 1254	0.000000	LM25		ND	3.800000	µg/g	R	LIT
UB	M	AAQT		PCB260	PCB 1260	0.000000	LM25		LT	0.790000	µg/g		LIT
UB	M	AAQT		PCB262	PCB 1262	0.000000	LM25		LT	6.300000	µg/g		LIT
UB	M	AAQT		PCP	PENTACHLOROPHENOL	0.000000	LM25		LT	0.760000	µg/g		LIT
UB	M	AAQT		PHANTR	PHENANTHRENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AAQT		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM25		LT	0.052000	µg/g		LIT
UB	M	AAQT		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM25		LT	0.064000	µg/g		LIT
UB	M	AAQT		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	AAQT		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	AAQT		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM25		LT	1.700000	µg/g		LIT
UB	M	AAQT		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM25		LT	0.083000	µg/g		LIT
UB	M	AAQT		SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	LM25		LT	0.920000	µg/g		LIT
UB	M	AAQT		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LM25		LT	12.000000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AAQU		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	AAQU		AL	ALUMINUM	0.000000	JS12			1260.000000	µg/g		LIT
UB	M	AAQU		BA	BARIUM	0.000000	JS12			11.100000	µg/g		LIT
UB	M	AAQU		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	AAQU		CA	CALCIUM	0.000000	JS12			1260.000000	µg/g		LIT
UB	M	AAQU		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	AAQU		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	AAQU		CR	CHROMIUM	0.000000	JS12		LT	1.040000	µg/g		LIT
UB	M	AAQU		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	AAQU		FE	IRON	0.000000	JS12			1850.000000	µg/g		LIT
UB	M	AAQU		K	POTASSIUM	0.000000	JS12			263.000000	µg/g		LIT
UB	M	AAQU		MG	MAGNESIUM	0.000000	JS12			387.000000	µg/g		LIT
UB	M	AAQU		MN	MANGANESE	0.000000	JS12			26.300000	µg/g		LIT
UB	M	AAQU		NA	SODIUM	0.000000	JS12			55.100000	µg/g		LIT
UB	M	AAQU		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	AAQU		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	AAQU		V	VANADIUM	0.000000	JS12			3.740000	µg/g		LIT
UB	M	AAQU		ZN	ZINC	0.000000	JS12			5.340000	µg/g		LIT
UB	M	AAQV		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	AAQW		PB	LEAD	0.000000	JD21			0.919000	µg/g		LIT
UB	M	AAQX		SE	SELENIUM	0.000000	JD20		LT	0.449000	µg/g		LIT
UB	M	AAQZ		HG	MERCURY	0.000000	Y9		LT	0.050000	µg/g		LIT
UB	M	AARB		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW23		LT	0.922000	µg/g		LIT
UB	M	AARB		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	M	AARB		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AARB		24DNT	2,4-DINITROTOLUENE	0.000000	LW23		LT	2.500000	µg/g		LIT
UB	M	AARB		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AARB		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AARB		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW23		LT	1.140000	µg/g		LIT
UB	M	AARB		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW23		LT	1.280000	µg/g		LIT
UB	M	AARB		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	M	AARC		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.002800	µg/g		LIT
UB	M	AARC		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LH17		LT	0.001000	µg/g		LIT
UB	M	AARC		ALDRN	ALDRIN	0.000000	LH17		LT	0.001400	µg/g		LIT
UB	M	AARC		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.007700	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AARC		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH17		LT	0.000700	µg/g		LIT
UB	M	AARC		CLDAN	CHLORDANE	0.000000	LH17		LT	0.068400	µg/g		LIT
UB	M	AARC		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.008500	µg/g		LIT
UB	M	AARC		DLDRN	DIELDRIN	0.000000	LH17		LT	0.001600	µg/g		LIT
UB	M	AARC		ENDRN	ENDRIN	0.000000	LH17		LT	0.006500	µg/g		LIT
UB	M	AARC		ENDRNK	ENDRIN KETONE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	M	AARC		ESFSO4	ENDOSULFAN SULFATE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	M	AARC		HPCL	HEPTACHLOR	0.000000	LH17		LT	0.002200	µg/g		LIT
UB	M	AARC		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH17		LT	0.001300	µg/g		LIT
UB	M	AARC		ISODR	ISODRIN	0.000000	LH17		LT	0.003000	µg/g		LIT
UB	M	AARC		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LH17		LT	0.001000	µg/g		LIT
UB	M	AARC		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LH17		LT	0.035900	µg/g		LIT
UB	M	AARC		PCB016	PCB 1016	0.000000	LH17		LT	0.100000	µg/g		LIT
UB	M	AARC		PCB221	PCB 1221	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AARC		PCB232	PCB 1232	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AARC		PCB242	PCB 1242	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AARC		PCB248	PCB 1248	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AARC		PCB254	PCB 1254	0.000000	LH17		ND	0.047900	µg/g	R	LIT
UB	M	AARC		PCB260	PCB 1260	0.000000	LH17		LT	0.047900	µg/g		LIT
UB	M	AARC		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	M	AARC		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	M	AARC		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LH17		LT	0.003500	µg/g		LIT
UB	M	AARC		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH17		LT	0.226000	µg/g		LIT
UB	M	AARI		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM25		LT	5.800000	µg/l		LIT
UB	M	AARI		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM25		LT	2.400000	µg/l		LIT
UB	M	AARI		12DCLB	1,2-DICHLOROBENZENE	0.000000	UM25		LT	1.200000	µg/l		LIT
UB	M	AARI		12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	UM25		LT	13.000000	µg/l		LIT
UB	M	AARI		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM25		LT	3.400000	µg/l		LIT
UB	M	AARI		14DCLB	1,4-DICHLOROBENZENE	0.000000	UM25		LT	1.500000	µg/l		LIT
UB	M	AARI		236TCP	2,3,6-TRICHLOROPHENOL	0.000000	UM25		LT	1.700000	µg/l		LIT
UB	M	AARI		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM25		LT	2.800000	µg/l		LIT
UB	M	AARI		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM25		LT	3.600000	µg/l		LIT
UB	M	AARI		24DCLP	2,4-DICHLOROPHENOL	0.000000	UM25		LT	8.400000	µg/l		LIT
UB	M	AARI		24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM25		LT	4.400000	µg/l		LIT
UB	M	AARI		24DNP	2,4-DINITROPHENOL	0.000000	UM25		LT	180.000000	µg/l		LIT
UB	M	AARI		24DNT	2,4-DINITROTOLUENE	0.000000	UM25		LT	5.800000	µg/l		LIT
UB	M	AARI		26DNA	2,6-DINITROANILINE	0.000000	UM25		LT	8.800000	µg/l		LIT
UB	M	AARI		26DNT	2,6-DINITROTOLUENE	0.000000	UM25		LT	6.700000	µg/l		LIT
UB	M	AARI		2CLP	2-CHLOROPHENOL	0.000000	UM25		LT	2.800000	µg/l		LIT
UB	M	AARI		2CNAP	2-CHLORONAPHTHALENE	0.000000	UM25		LT	2.600000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AARI		2MNAP	2-METHYLNAPHTHALENE	0.000000	UM25		LT	1.300000	µg/l		LIT
UB	M	AARI		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM25		LT	3.600000	µg/l		LIT
UB	M	AARI		2NANIL	2-NITROANILINE	0.000000	UM25		ND	31.000000	µg/l	R	LIT
UB	M	AARI		2NP	2-NITROPHENOL	0.000000	UM25		LT	8.200000	µg/l		LIT
UB	M	AARI		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM25		LT	5.000000	µg/l		LIT
UB	M	AARI		35DNA	3,5-DINITROANILINE	0.000000	UM25		LT	21.000000	µg/l		LIT
UB	M	AARI		3NANIL	3-NITROANILINE	0.000000	UM25		LT	15.000000	µg/l		LIT
UB	M	AARI		3NT	3-NITROTOLUENE	0.000000	UM25		LT	2.900000	µg/l		LIT
UB	M	AARI		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	UM25		ND	50.000000	µg/l	R	LIT
UB	M	AARI		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM25		LT	22.000000	µg/l		LIT
UB	M	AARI		4CANIL	4-CHLOROANILINE	0.000000	UM25		ND	1.000000	µg/l	R	LIT
UB	M	AARI		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM25		LT	8.500000	µg/l		LIT
UB	M	AARI		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	UM25		LT	23.000000	µg/l		LIT
UB	M	AARI		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM25		LT	2.800000	µg/l		LIT
UB	M	AARI		4NANIL	4-NITROANILINE	0.000000	UM25		ND	31.000000	µg/l	R	LIT
UB	M	AARI		4NP	4-NITROPHENOL	0.000000	UM25		LT	96.000000	µg/l		LIT
UB	M	AARI		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM25		LT	5.300000	µg/l		LIT
UB	M	AARI		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM25		LT	23.000000	µg/l		LIT
UB	M	AARI		ALDRN	ALDRIN	0.000000	UM25		LT	13.000000	µg/l		LIT
UB	M	AARI		ANAPNE	ACENAPHTHENE	0.000000	UM25		LT	5.800000	µg/l		LIT
UB	M	AARI		ANAPYL	ACENAPHTHYLENE	0.000000	UM25		LT	5.100000	µg/l		LIT
UB	M	AARI		ANTRC	ANTHRACENE	0.000000	UM25		LT	5.200000	µg/l		LIT
UB	M	AARI		ATZ	ATRAZINE	0.000000	UM25		LT	5.900000	µg/l		LIT
UB	M	AARI		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM25		LT	6.800000	µg/l		LIT
UB	M	AARI		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	UM25		LT	5.000000	µg/l		LIT
UB	M	AARI		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM25		LT	0.680000	µg/l		LIT
UB	M	AARI		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM25		LT	7.700000	µg/l		LIT
UB	M	AARI		BAANTR	BENZO[A]ANTHRACENE	0.000000	UM25		LT	9.800000	µg/l		LIT
UB	M	AARI		BAPYR	BENZO[A]PYRENE	0.000000	UM25		LT	14.000000	µg/l		LIT
UB	M	AARI		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM25		LT	10.000000	µg/l		LIT
UB	M	AARI		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM25		LT	17.000000	µg/l		LIT
UB	M	AARI		BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM25		LT	28.000000	µg/l		LIT
UB	M	AARI		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM25		LT	42.000000	µg/l		LIT
UB	M	AARI		BENZOA	BENZOIC ACID	0.000000	UM25		ND	3.100000	µg/l	R	LIT
UB	M	AARI		BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM25		LT	15.000000	µg/l		LIT
UB	M	AARI		BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM25		LT	10.000000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AARI		BRMCIL	BROMACIL	0.000000	UM25		LT	2.900000	µg/l		LIT
UB	M	AARI		BZALC	BENZYL ALCOHOL	0.000000	UM25		LT	4.000000	µg/l		LIT
UB	M	AARI		CHRY	CHRYSENE	0.000000	UM25		LT	7.400000	µg/l		LIT
UB	M	AARI		CL6BZ	HEXACHLOROBENZENE	0.000000	UM25		LT	12.000000	µg/l		LIT
UB	M	AARI		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM25		LT	54.000000	µg/l		LIT
UB	M	AARI		CL6ET	HEXACHLOROETHANE	0.000000	UM25		LT	8.300000	µg/l		LIT
UB	M	AARI		CLDAN	CHLORDANE	0.000000	UM25		LT	37.000000	µg/l		LIT
UB	M	AARI		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM25		LT	10.000000	µg/l		LIT
UB	M	AARI		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM25		LT	15.000000	µg/l		LIT
UB	M	AARI		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM25		LT	5.300000	µg/l		LIT
UB	M	AARI		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM25		LT	12.000000	µg/l		LIT
UB	M	AARI		DBCP	DIBROMOCHLOROPROPANE	0.000000	UM25		LT	12.000000	µg/l		LIT
UB	M	AARI		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UM25		ND	3.000000	µg/l	R	LIT
UB	M	AARI		DBZFUR	DIBENZOFURAN	0.000000	UM25		LT	5.100000	µg/l		LIT
UB	M	AARI		DCPD	DICYCLOPENTADIENE	0.000000	UM25		LT	5.500000	µg/l		LIT
UB	M	AARI		DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	UM25		LT	8.500000	µg/l		LIT
UB	M	AARI		DEP	DIETHYL PHTHALATE	0.000000	UM25		LT	5.900000	µg/l		LIT
UB	M	AARI		DIMP	DIISOPROPYLMETHYL PHOSPHONATE	0.000000	UM25		LT	21.000000	µg/l		LIT
UB	M	AARI		DITH	DITHIANE	0.000000	UM25		LT	3.300000	µg/l		LIT
UB	M	AARI		DLDRN	DIELDRIN	0.000000	UM25		LT	26.000000	µg/l		LIT
UB	M	AARI		DMMP	DIMETHYLMETHYL PHOSPHATE	0.000000	UM25		LT	130.000000	µg/l		LIT
UB	M	AARI		DMP	DIMETHYL PHTHALATE	0.000000	UM25		LT	2.200000	µg/l		LIT
UB	M	AARI		DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM25		LT	33.000000	µg/l		LIT
UB	M	AARI		DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM25		LT	1.500000	µg/l		LIT
UB	M	AARI		ENDRN	ENDRIN	0.000000	UM25		LT	18.000000	µg/l		LIT
UB	M	AARI		ENDRNA	ENDRIN ALDEHYDE	0.000000	UM25		LT	5.000000	µg/l		LIT
UB	M	AARI		ENDRNK	ENDRIN KETONE	0.000000	UM25		ND	6.000000	µg/l	R	LIT
UB	M	AARI		ESFSO4	ENDOSULFAN SULFATE	0.000000	UM25		LT	50.000000	µg/l		LIT
UB	M	AARI		FANT	FLUORANTHENE	0.000000	UM25		LT	24.000000	µg/l		LIT
UB	M	AARI		FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM25		LT	9.200000	µg/l		LIT
UB	M	AARI		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM25		LT	8.700000	µg/l		LIT
UB	M	AARI		HPCL	HEPTACHLOR	0.000000	UM25		LT	38.000000	µg/l		LIT
UB	M	AARI		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM25		LT	28.000000	µg/l		LIT
UB	M	AARI		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM25		LT	21.000000	µg/l		LIT
UB	M	AARI		ISODR	ISODRIN	0.000000	UM25		LT	7.800000	µg/l		LIT
UB	M	AARI		ISOPHR	ISOPHORONE	0.000000	UM25		LT	2.400000	µg/l		LIT
UB	M	AARI		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM25		LT	7.200000	µg/l		LIT
UB	M	AARI		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM25		LT	11.000000	µg/l		LIT
UB	M	AARI		MIREX	MIREX	0.000000	UM25		LT	24.000000	µg/l		LIT
UB	M	AARI		MLTHN	MALATHION	0.000000	UM25		LT	21.000000	µg/l		LIT
UB	M	AARI		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM25		LT	0.500000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AARI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UM25		LT	3.700000	µg/l		LIT
UB	M	AARI		NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	UM25		LT	9.700000	µg/l		LIT
UB	M	AARI		NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	UM25		LT	6.800000	µg/l		LIT
UB	M	AARI		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM25		LT	3.700000	µg/l		LIT
UB	M	AARI		OXAT	1,4-OXATHIANE	0.000000	UM25		LT	27.000000	µg/l		LIT
UB	M	AARI		PCB016	PCB 1016	0.000000	UM25		ND	9.100000	µg/l	R	LIT
UB	M	AARI		PCB221	PCB 1221	0.000000	UM25		ND	7.200000	µg/l	R	LIT
UB	M	AARI		PCB232	PCB 1232	0.000000	UM25		ND	9.900000	µg/l	R	LIT
UB	M	AARI		PCB242	PCB 1242	0.000000	UM25		ND	5.200000	µg/l	R	LIT
UB	M	AARI		PCB248	PCB 1248	0.000000	UM25		ND	38.000000	µg/l	R	LIT
UB	M	AARI		PCB254	PCB 1254	0.000000	UM25		ND	33.000000	µg/l	R	LIT
UB	M	AARI		PCB260	PCB 1260	0.000000	UM25		ND	13.000000	µg/l	R	LIT
UB	M	AARI		PCP	PENTACHLOROPHENOL	0.000000	UM25		LT	9.100000	µg/l		LIT
UB	M	AARI		PHANTR	PHENANTHRENE	0.000000	UM25		LT	9.900000	µg/l		LIT
UB	M	AARI		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM25		LT	2.200000	µg/l		LIT
UB	M	AARI		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	UM25		LT	18.000000	µg/l		LIT
UB	M	AARI		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UM25		LT	14.000000	µg/l		LIT
UB	M	AARI		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UM25		LT	18.000000	µg/l		LIT
UB	M	AARI		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM25		LT	37.000000	µg/l		LIT
UB	M	AARI		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	UM25		LT	17.000000	µg/l		LIT
UB	M	AARI		SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	UM25		LT	19.000000	µg/l		LIT
UB	M	AARI		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UM25		ND	17.000000	µg/l	R	LIT
UB	M	AARI		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	M	AARI		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	M	AARI		BA	BARIUM	0.000000	SS12		LT	2.820000	µg/l		LIT
UB	M	AARI		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	M	AARI		CA	CALCIUM	0.000000	SS12		LT	105.000000	µg/l		LIT
UB	M	AARI		CD	CADMIUM	0.000000	SS12		LT	6.780000	µg/l		LIT
UB	M	AARI		CO	COBALT	0.000000	SS12		LT	25.000000	µg/l		LIT
UB	M	AARI		CR	CHROMIUM	0.000000	SS12		LT	16.800000	µg/l		LIT
UB	M	AARI		CU	COPPER	0.000000	SS12		LT	18.800000	µg/l		LIT
UB	M	AARI		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	M	AARI		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	M	AARI		MG	MAGNESIUM	0.000000	SS12		LT	135.000000	µg/l		LIT
UB	M	AARI		MN	MANGANESE	0.000000	SS12		LT	9.670000	µg/l		LIT
UB	M	AARI		NA	SODIUM	0.000000	SS12		LT	279.000000	µg/l		LIT
UB	M	AARI		NI	NICKEL	0.000000	SS12		LT	32.100000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AARJ		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	M	AARJ		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	M	AARJ		ZN	ZINC	0.000000	SS12		LT	18.000000	µg/l		LIT
UB	M	AARK		HG	MERCURY	0.000000	CC8		LT	0.100000	µg/l		LIT
UB	M	AARL		AS	ARSENIC	0.000000	AX8		LT	2.350000	µg/l		LIT
UB	M	AARM		PB	LEAD	0.000000	SD18		LT	4.470000	µg/l		LIT
UB	M	AARN		SE	SELENIUM	0.000000	SD25		LT	2.530000	µg/l		LIT
UB	M	AARO		SB	ANTIMONY	0.000000	7041		LT	3.000000	µg/l		LIT
UB	M	AARP		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW25		LT	0.210000	µg/l		LIT
UB	M	AARP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	M	AARP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW25		LT	0.426000	µg/l		LIT
UB	M	AARP		24DNT	2,4-DINITROTOLUENE	0.000000	UW25		LT	0.397000	µg/l		LIT
UB	M	AARP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	M	AARP		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	M	AARP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW25		LT	0.682000	µg/l		LIT
UB	M	AARP		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW25		LT	0.416000	µg/l		LIT
UB	M	AARP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	M	AARQ		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AARQ		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AARQ		ALDRN	ALDRIN	0.000000	UH20		LT	0.007400	µg/l		LIT
UB	M	AARQ		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.009900	µg/l		LIT
UB	M	AARQ		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20		LT	0.007700	µg/l		LIT
UB	M	AARQ		CLDAN	CHLORDANE	0.000000	UH20		LT	0.031200	µg/l		LIT
UB	M	AARQ		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.003400	µg/l		LIT
UB	M	AARQ		DLDRN	DIELDRIN	0.000000	UH20		LT	0.007400	µg/l		LIT
UB	M	AARQ		ENDRN	ENDRIN	0.000000	UH20		LT	0.017600	µg/l		LIT
UB	M	AARQ		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20		ND	0.050400	µg/l	R	LIT
UB	M	AARQ		ENDRNK	ENDRIN KETONE	0.000000	UH20		ND	0.038000	µg/l	R	LIT
UB	M	AARQ		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20		ND	0.002500	µg/l	R	LIT
UB	M	AARQ		HPCL	HEPTACHLOR	0.000000	UH20		LT	0.002500	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AARQ		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20		LT	0.006300	µg/l		LIT
UB	M	AARQ		ISODR	ISODRIN	0.000000	UH20		LT	0.002550	µg/l	K	LIT
UB	M	AARQ		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AARQ		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20		LT	0.075000	µg/l		LIT
UB	M	AARQ		PCB016	PCB 1016	0.000000	UH20		LT	0.385000	µg/l		LIT
UB	M	AARQ		PCB221	PCB 1221	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AARQ		PCB232	PCB 1232	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AARQ		PCB242	PCB 1242	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AARQ		PCB248	PCB 1248	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AARQ		PCB254	PCB 1254	0.000000	UH20		ND	0.176000	µg/l	R	LIT
UB	M	AARQ		PCB260	PCB 1260	0.000000	UH20		LT	0.176000	µg/l		LIT
UB	M	AARQ		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20		LT	0.008100	µg/l		LIT
UB	M	AARQ		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20		LT	0.003900	µg/l		LIT
UB	M	AARQ		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AARQ		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20		LT	1.640000	µg/l		LIT
UB	M	AATH		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM25		LT	0.032000	µg/g		
UB	M	AATH		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM25		LT	0.220000	µg/g		
UB	M	AATH		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		
UB	M	AATH		12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	LM25		LT	0.520000	µg/g		
UB	M	AATH		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		
UB	M	AATH		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM25		LT	0.034000	µg/g		
UB	M	AATH		236TCP	2,3,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.620000	µg/g		
UB	M	AATH		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM25		LT	0.490000	µg/g		
UB	M	AATH		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.061000	µg/g		
UB	M	AATH		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM25		LT	0.065000	µg/g		
UB	M	AATH		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM25		LT	3.000000	µg/g		
UB	M	AATH		24DNP	2,4-DINITROPHENOL	0.000000	LM25		LT	4.700000	µg/g		
UB	M	AATH		24DNT	2,4-DINITROTOLUENE	0.000000	LM25		LT	1.400000	µg/g		
UB	M	AATH		26DNA	2,6-DINITROANILINE	0.000000	LM25		LT	0.570000	µg/g		
UB	M	AATH		26DNT	2,6-DINITROTOLUENE	0.000000	LM25		LT	0.320000	µg/g		
UB	M	AATH		2CLP	2-CHLOROPHENOL	0.000000	LM25		LT	0.055000	µg/g		
UB	M	AATH		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM25		LT	0.240000	µg/g		
UB	M	AATH		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM25		LT	0.032000	µg/g		
UB	M	AATH		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM25		LT	0.098000	µg/g		
UB	M	AATH		2NANIL	2-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	
UB	M	AATH		2NP	2-NITROPHENOL	0.000000	LM25		LT	1.100000	µg/g		
UB	M	AATH		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM25		LT	1.600000	µg/g		
UB	M	AATH		35DNA	3,5-DINITROANILINE	0.000000	LM25		LT	1.600000	µg/g		
UB	M	AATH		3NANIL	3-NITROANILINE	0.000000	LM25		LT	3.000000	µg/g		
UB	M	AATH		3NT	3-NITROTOLUENE	0.000000	LM25		LT	0.340000	µg/g		
UB	M	AATH		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM25		LT	0.800000	µg/g		
UB	M	AATH		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM25		LT	0.041000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AATH		4CANIL	4-CHLOROANILINE	0.000000	LM25		ND	0.630000	µg/g	R	
UB	M	AATH		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM25		LT	0.930000	µg/g		
UB	M	AATH		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM25		LT	0.170000	µg/g		
UB	M	AATH		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM25		LT	0.240000	µg/g		
UB	M	AATH		4NANIL	4-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	
UB	M	AATH		4NP	4-NITROPHENOL	0.000000	LM25		LT	3.300000	µg/g		
UB	M	AATH		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		
UB	M	AATH		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM25		LT	0.400000	µg/g		
UB	M	AATH		ALDRN	ALDRIN	0.000000	LM25		LT	1.300000	µg/g		
UB	M	AATH		ANAPNE	ACENAPHTHENE	0.000000	LM25		LT	0.041000	µg/g		
UB	M	AATH		ANAPYL	ACENAPHTHYLENE	0.000000	LM25		LT	0.033000	µg/g		
UB	M	AATH		ANTRC	ANTHRACENE	0.000000	LM25		LT	0.710000	µg/g		
UB	M	AATH		ATZ	ATRAZINE	0.000000	LM25		LT	0.065000	µg/g		
UB	M	AATH		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM25		LT	0.190000	µg/g		
UB	M	AATH		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM25		LT	0.440000	µg/g		
UB	M	AATH		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM25		LT	0.360000	µg/g		
UB	M	AATH		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM25		LT	0.480000	µg/g		
UB	M	AATH		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM25		LT	0.041000	µg/g		
UB	M	AATH		BAPYR	BENZO[A]PYRENE	0.000000	LM25		LT	1.200000	µg/g		
UB	M	AATH		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM25		LT	0.310000	µg/g		
UB	M	AATH		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		
UB	M	AATH		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM25		LT	1.800000	µg/g		
UB	M	AATH		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM25		LT	2.400000	µg/g		
UB	M	AATH		BENZOA	BENZOIC ACID	0.000000	LM25		ND	3.100000	µg/g	R	
UB	M	AATH		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM25		LT	0.180000	µg/g		
UB	M	AATH		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM25		LT	0.130000	µg/g		
UB	M	AATH		BZALC	BENZYL ALCOHOL	0.000000	LM25		LT	0.032000	µg/g		
UB	M	AATH		CHRY	CHRYSENE	0.000000	LM25		LT	0.032000	µg/g		
UB	M	AATH		CL6BZ	HEXACHLOROBENZENE	0.000000	LM25		LT	0.080000	µg/g		
UB	M	AATH		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM25		LT	0.520000	µg/g		
UB	M	AATH		CL6ET	HEXACHLOROETHANE	0.000000	LM25		LT	1.800000	µg/g		
UB	M	AATH		CLDAN	CHLORDANE	0.000000	LM25		LT	0.680000	µg/g		
UB	M	AATH		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM25		LT	0.097000	µg/g		
UB	M	AATH		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM25		LT	0.320000	µg/g		
UB	M	AATH		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM25		LT	0.066000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AATH		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM25		LT	0.310000	µg/g		
UB	M	AATH		DBCP	DIBROMOCHLOROPROPANE	0.000000	LM25		LT	0.071000	µg/g		
UB	M	AATH		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	0.210000	µg/g		
UB	M	AATH		DBZFUR	DIBENZOFURAN	0.000000	LM25		LT	0.038000	µg/g		
UB	M	AATH		DCPD	DICYCLOPENTADIENE	0.000000	LM25		LT	0.570000	µg/g		
UB	M	AATH		DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	LM25		LT	0.068000	µg/g		
UB	M	AATH		DEP	DIETHYL PHTHALATE	0.000000	LM25		LT	0.240000	µg/g		
UB	M	AATH		DITH	DITHIANE	0.000000	LM25		LT	0.065000	µg/g		
UB	M	AATH		DLDRN	DIELDRIN	0.000000	LM25		LT	0.079000	µg/g		
UB	M	AATH		DMP	DIMETHYL PHTHALATE	0.000000	LM25		LT	0.063000	µg/g		
UB	M	AATH		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM25		LT	1.300000	µg/g		
UB	M	AATH		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM25		LT	0.230000	µg/g		
UB	M	AATH		ENDRN	ENDRIN	0.000000	LM25		LT	1.300000	µg/g		
UB	M	AATH		ENDRNA	ENDRIN ALDEHYDE	0.000000	LM25		LT	1.800000	µg/g		
UB	M	AATH		ENDRNK	ENDRIN KETONE	0.000000	LM25		ND	0.280000	µg/g	R	
UB	M	AATH		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM25		LT	1.200000	µg/g		
UB	M	AATH		FANT	FLUORANTHENE	0.000000	LM25		LT	0.032000	µg/g		
UB	M	AATH		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM25		LT	0.065000	µg/g		
UB	M	AATH		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM25		LT	0.970000	µg/g		
UB	M	AATH		HPCL	HEPTACHLOR	0.000000	LM25		LT	0.240000	µg/g		
UB	M	AATH		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM25		LT	0.480000	µg/g		
UB	M	AATH		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM25		LT	2.400000	µg/g		
UB	M	AATH		ISODR	ISODRIN	0.000000	LM25		LT	0.480000	µg/g		
UB	M	AATH		ISOPHR	ISOPHORONE	0.000000	LM25		LT	0.390000	µg/g		
UB	M	AATH		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM25		LT	0.100000	µg/g		
UB	M	AATH		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM25		LT	0.260000	µg/g		
UB	M	AATH		MIREX	MIREX	0.000000	LM25		LT	0.140000	µg/g		
UB	M	AATH		MLTHN	MALATHION	0.000000	LM25		LT	0.180000	µg/g		
UB	M	AATH		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM25		LT	0.740000	µg/g		
UB	M	AATH		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM25		LT	1.800000	µg/g		
UB	M	AATH		NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	LM25		LT	0.460000	µg/g		
UB	M	AATH		NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	LM25		LT	1.100000	µg/g		
UB	M	AATH		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM25		LT	0.290000	µg/g		
UB	M	AATH		OXAT	1,4-OXATHIANE	0.000000	LM25		LT	0.075000	µg/g		
UB	M	AATH		PCB016	PCB 1016	0.000000	LM25		LT	0.320000	µg/g		
UB	M	AATH		PCB221	PCB 1221	0.000000	LM25		ND	1.900000	µg/g	R	
UB	M	AATH		PCB232	PCB 1232	0.000000	LM25		ND	1.900000	µg/g	R	
UB	M	AATH		PCB242	PCB 1242	0.000000	LM25		ND	1.900000	µg/g	R	
UB	M	AATH		PCB248	PCB 1248	0.000000	LM25		ND	1.900000	µg/g	R	
UB	M	AATH		PCB254	PCB 1254	0.000000	LM25		ND	3.800000	µg/g	R	
UB	M	AATH		PCB260	PCB 1260	0.000000	LM25		LT	0.790000	µg/g		
UB	M	AATH		PCB262	PCB 1262	0.000000	LM25		LT	6.300000	µg/g		
UB	M	AATH		PCP	PENTACHLOROPHENOL	0.000000	LM25		LT	0.760000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AATH		PHANTR	PHENANTHRENE	0.000000	LM25		LT	0.032000	µg/g		
UB	M	AATH		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM25		LT	0.052000	µg/g		
UB	M	AATH		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM25		LT	0.064000	µg/g		
UB	M	AATH		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM25		LT	0.068000	µg/g		
UB	M	AATH		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM25		LT	0.100000	µg/g		
UB	M	AATH		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM25		LT	1.700000	µg/g		
UB	M	AATH		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM25		LT	0.083000	µg/g		
UB	M	AATH		SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	LM25		LT	0.920000	µg/g		
UB	M	AATH		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LM25		LT	12.000000	µg/g		
UB	M	AATI		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW23		LT	0.922000	µg/g		LIT
UB	M	AATI		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	M	AATI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AATI		24DNT	2,4-DINITROTOLUENE	0.000000	LW23		LT	2.500000	µg/g		LIT
UB	M	AATI		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AATI		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AATI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW23		LT	1.140000	µg/g		LIT
UB	M	AATI		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW23		LT	1.280000	µg/g		LIT
UB	M	AATI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	M	AATJ		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.002800	µg/g		LIT
UB	M	AATJ		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LH17		LT	0.001000	µg/g		LIT
UB	M	AATJ		ALDRN	ALDRIN	0.000000	LH17		LT	0.001400	µg/g		LIT
UB	M	AATJ		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.007700	µg/g		LIT
UB	M	AATJ		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH17		LT	0.000700	µg/g		LIT
UB	M	AATJ		CLDAN	CHLORDANE	0.000000	LH17		LT	0.068400	µg/g		LIT
UB	M	AATJ		DBHC	DELTA-BENZENEHEXACHLORIDE	0.000000	LH17		LT	0.008500	µg/g		LIT

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ DELTA-HEXACHLOROCYCLOHEXANE								
UB	M	AATJ		DLDRN	DIELDRIN	0.000000	LH17		LT	0.001600	µg/g		LIT
UB	M	AATJ		ENDRN	ENDRIN	0.000000	LH17		LT	0.006500	µg/g		LIT
UB	M	AATJ		HPCL	HEPTACHLOR	0.000000	LH17		LT	0.002200	µg/g		LIT
UB	M	AATJ		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH17		LT	0.001300	µg/g		LIT
UB	M	AATJ		ISODR	ISODRIN	0.000000	LH17		LT	0.003000	µg/g		LIT
UB	M	AATJ		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LH17		LT	0.001000	µg/g		LIT
UB	M	AATJ		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LH17		LT	0.035900	µg/g		LIT
UB	M	AATJ		PCB016	PCB 1016	0.000000	LH17		LT	0.100000	µg/g		LIT
UB	M	AATJ		PCB221	PCB 1221	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AATJ		PCB232	PCB 1232	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AATJ		PCB242	PCB 1242	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AATJ		PCB254	PCB 1254	0.000000	LH17		ND	0.047900	µg/g	R	LIT
UB	M	AATJ		PCB260	PCB 1260	0.000000	LH17		LT	0.047900	µg/g		LIT
UB	M	AATJ		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	M	AATJ		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	M	AATJ		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LH17		LT	0.003500	µg/g		LIT
UB	M	AATJ		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH17		LT	0.226000	µg/g		LIT
UB	M	AATK		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	AATK		AL	ALUMINUM	0.000000	JS12			1000.000000	µg/g		LIT
UB	M	AATK		BA	BARIUM	0.000000	JS12			12.200000	µg/g		LIT
UB	M	AATK		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	AATK		CA	CALCIUM	0.000000	JS12			1270.000000	µg/g		LIT
UB	M	AATK		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	AATK		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	AATK		CR	CHROMIUM	0.000000	JS12			1.640000	µg/g		LIT
UB	M	AATK		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	AATK		FE	IRON	0.000000	JS12			1520.000000	µg/g		LIT
UB	M	AATK		K	POTASSIUM	0.000000	JS12			232.000000	µg/g		LIT
UB	M	AATK		MG	MAGNESIUM	0.000000	JS12			416.000000	µg/g		LIT
UB	M	AATK		MN	MANGANESE	0.000000	JS12			27.100000	µg/g		LIT
UB	M	AATK		NA	SODIUM	0.000000	JS12			39.800000	µg/g		LIT
UB	M	AATK		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	AATK		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	AATK		V	VANADIUM	0.000000	JS12			3.020000	µg/g		LIT
UB	M	AATK		ZN	ZINC	0.000000	JS12			4.110000	µg/g		LIT
UB	M	AATL		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	AATM		SE	SELENIUM	0.000000	JD20			0.449000	µg/g		LIT
UB	M	AATN		PB	LEAD	0.000000	JD21			0.738000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AATP		HG	MERCURY	0.000000	Y9		LT	0.050000	µg/g		LIT
UB	M	AATS		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AATS		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM25		LT	0.220000	µg/g		LIT
UB	M	AATS		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	AATS		12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	AATS		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	AATS		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM25		LT	0.034000	µg/g		LIT
UB	M	AATS		236TCP	2,3,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.620000	µg/g		LIT
UB	M	AATS		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM25		LT	0.490000	µg/g		LIT
UB	M	AATS		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.061000	µg/g		LIT
UB	M	AATS		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	AATS		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	AATS		24DNP	2,4-DINITROPHENOL	0.000000	LM25		LT	4.700000	µg/g		LIT
UB	M	AATS		24DNT	2,4-DINITROTOLUENE	0.000000	LM25		LT	1.400000	µg/g		LIT
UB	M	AATS		26DNA	2,6-DINITROANILINE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	AATS		26DNT	2,6-DINITROTOLUENE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	AATS		2CLP	2-CHLOROPHENOL	0.000000	LM25		LT	0.055000	µg/g		LIT
UB	M	AATS		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AATS		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AATS		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM25		LT	0.098000	µg/g		LIT
UB	M	AATS		2NANIL	2-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	AATS		2NP	2-NITROPHENOL	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	AATS		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	AATS		35DNA	3,5-DINITROANILINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	AATS		3NANIL	3-NITROANILINE	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	AATS		3NT	3-NITROTOLUENE	0.000000	LM25		LT	0.340000	µg/g		LIT
UB	M	AATS		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM25		LT	0.800000	µg/g		LIT
UB	M	AATS		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	AATS		4CANIL	4-CHLOROANILINE	0.000000	LM25		ND	0.630000	µg/g	R	LIT
UB	M	AATS		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM25		LT	0.930000	µg/g		LIT
UB	M	AATS		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM25		LT	0.170000	µg/g		LIT
UB	M	AATS		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AATS		4NANIL	4-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	AATS		4NP	4-NITROPHENOL	0.000000	LM25		LT	3.300000	µg/g		LIT
UB	M	AATS		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AATS		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM25		LT	0.400000	µg/g		LIT
UB	M	AATS		ALDRN	ALDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AATS		ANAPNE	ACENAPHTHENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	AATS		ANAPYL	ACENAPHTHYLENE	0.000000	LM25		LT	0.033000	µg/g		LIT
UB	M	AATS		ANTRC	ANTHRACENE	0.000000	LM25		LT	0.710000	µg/g		LIT
UB	M	AATS		ATZ	ATRAZINE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	AATS		B2CEXM	BIS(2-CHLOROETHOXY)	0.000000	LM25		LT	0.190000	µg/g		LIT

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					METHANE								
UB	M	AATS		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM25		LT	0.440000	µg/g		LIT
UB	M	AATS		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM25		LT	0.360000	µg/g		LIT
UB	M	AATS		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	AATS		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	AATS		BAPYR	BENZO[A]PYRENE	0.000000	LM25		LT	1.200000	µg/g		LIT
UB	M	AATS		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	AATS		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AATS		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AATS		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	AATS		BENZOA	BENZOIC ACID	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	AATS		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	AATS		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM25		LT	0.130000	µg/g		LIT
UB	M	AATS		BZALC	BENZYL ALCOHOL	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AATS		CHRY	CHRYSENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AATS		CL6BZ	HEXACHLOROBENZENE	0.000000	LM25		LT	0.080000	µg/g		LIT
UB	M	AATS		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	AATS		CL6ET	HEXACHLOROETHANE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AATS		CLDAN	CHLORDANE	0.000000	LM25		LT	0.680000	µg/g		LIT
UB	M	AATS		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM25		LT	0.097000	µg/g		LIT
UB	M	AATS		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	AATS		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM25		LT	0.066000	µg/g		LIT
UB	M	AATS		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	AATS		DBCP	DIBROMOCHLOROPROPANE	0.000000	LM25		LT	0.071000	µg/g		LIT
UB	M	AATS		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	0.210000	µg/g		LIT
UB	M	AATS		DBZFUR	DIBENZOFURAN	0.000000	LM25		LT	0.038000	µg/g		LIT
UB	M	AATS		DCPD	DICYCLOPENTADIENE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	AATS		DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	AATS		DEP	DIETHYL PHTHALATE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AATS		DITH	DITHIANE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	AATS		DLDRN	DIELDRIN	0.000000	LM25		LT	0.079000	µg/g		LIT
UB	M	AATS		DMP	DIMETHYL PHTHALATE	0.000000	LM25		LT	0.063000	µg/g		LIT
UB	M	AATS		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AATS		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM25		LT	0.230000	µg/g		LIT
UB	M	AATS		ENDRN	ENDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	AATS		ENDRNA	ENDRIN ALDEHYDE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AATS		ENDRNK	ENDRIN KETONE	0.000000	LM25		ND	0.280000	µg/g	R	LIT
UB	M	AATS		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM25		LT	1.200000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AATS		FANT	FLUORANTHENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AATS		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	AATS		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM25		LT	0.970000	µg/g		LIT
UB	M	AATS		HPCL	HEPTACHLOR	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	AATS		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	AATS		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	AATS		ISODR	ISODRIN	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	AATS		ISOPHR	ISOPHORONE	0.000000	LM25		LT	0.390000	µg/g		LIT
UB	M	AATS		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	AATS		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM25		LT	0.260000	µg/g		LIT
UB	M	AATS		MIREX	MIREX	0.000000	LM25		LT	0.140000	µg/g		LIT
UB	M	AATS		MLTHN	MALATHION	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	AATS		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM25		LT	0.740000	µg/g		LIT
UB	M	AATS		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	AATS		NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	LM25		LT	0.460000	µg/g		LIT
UB	M	AATS		NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	AATS		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM25		LT	0.290000	µg/g		LIT
UB	M	AATS		OXAT	1,4-OXATHIANE	0.000000	LM25		LT	0.075000	µg/g		LIT
UB	M	AATS		PCB016	PCB 1016	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	AATS		PCB221	PCB 1221	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AATS		PCB232	PCB 1232	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AATS		PCB242	PCB 1242	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AATS		PCB248	PCB 1248	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	AATS		PCB254	PCB 1254	0.000000	LM25		ND	3.800000	µg/g	R	LIT
UB	M	AATS		PCB260	PCB 1260	0.000000	LM25		LT	0.790000	µg/g		LIT
UB	M	AATS		PCB262	PCB 1262	0.000000	LM25		LT	6.300000	µg/g		LIT
UB	M	AATS		PCP	PENTACHLOROPHENOL	0.000000	LM25		LT	0.760000	µg/g		LIT
UB	M	AATS		PHANTR	PHENANTHRENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	AATS		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM25		LT	0.052000	µg/g		LIT
UB	M	AATS		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM25		LT	0.064000	µg/g		LIT
UB	M	AATS		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	AATS		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	AATS		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM25		LT	1.700000	µg/g		LIT
UB	M	AATS		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM25		LT	0.083000	µg/g		LIT
UB	M	AATS		SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	LM25		LT	0.920000	µg/g		LIT
UB	M	AATS		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE /	0.000000	LM25		LT	12.000000	µg/g		LIT

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					CAMPHECHLOR								
UB	M	AATT		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	AATT		AL	ALUMINUM	0.000000	JS12			989.000000	µg/g		LIT
UB	M	AATT		BA	BARIUM	0.000000	JS12			16.200000	µg/g		LIT
UB	M	AATT		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	AATT		CA	CALCIUM	0.000000	JS12			1490.000000	µg/g		LIT
UB	M	AATT		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	AATT		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	AATT		CR	CHROMIUM	0.000000	JS12			1.440000	µg/g		LIT
UB	M	AATT		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	AATT		FE	IRON	0.000000	JS12			1520.000000	µg/g		LIT
UB	M	AATT		K	POTASSIUM	0.000000	JS12			204.000000	µg/g		LIT
UB	M	AATT		MG	MAGNESIUM	0.000000	JS12			446.000000	µg/g		LIT
UB	M	AATT		MN	MANGANESE	0.000000	JS12			29.600000	µg/g		LIT
UB	M	AATT		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	M	AATT		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	AATT		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	AATT		V	VANADIUM	0.000000	JS12			2.980000	µg/g		LIT
UB	M	AATT		ZN	ZINC	0.000000	JS12			3.490000	µg/g		LIT
UB	M	AATU		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	AATV		PB	LEAD	0.000000	JD21			0.862000	µg/g		LIT
UB	M	AATW		HG	MERCURY	0.000000	Y9		LT	0.050000	µg/g		LIT
UB	M	AATX		SE	SELENIUM	0.000000	JD20		LT	0.449000	µg/g		LIT
UB	M	AATY		SB	ANTIMONY	0.000000	7041		LT	0.500000	µg/g		LIT
UB	M	AAU		CL	CHLORIDE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAU		F	FLUORIDE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAU		NO2	NITRITE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAU		NO3	NITRATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAU		PO4	PHOSPHATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAU		SO4	SULFATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAUA		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW23		LT	0.922000	µg/g		LIT
UB	M	AAUA		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	M	AAUA		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AAUA		24DNT	2,4-DINITROTOLUENE	0.000000	LW23		LT	2.500000	µg/g		LIT
UB	M	AAUA		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AAUA		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	AAUA		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW23		LT	1.140000	µg/g		LIT
UB	M	AAUA		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW23		LT	1.280000	µg/g		LIT
UB	M	AAUA		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AAUB		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.002800	µg/g		LIT
UB	M	AAUB		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LH17		LT	0.001000	µg/g		LIT
UB	M	AAUB		ALDRN	ALDRIN	0.000000	LH17		LT	0.001400	µg/g		LIT
UB	M	AAUB		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.007700	µg/g		LIT
UB	M	AAUB		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH17		LT	0.000700	µg/g		LIT
UB	M	AAUB		CLDAN	CHLORDANE	0.000000	LH17		LT	0.068400	µg/g		LIT
UB	M	AAUB		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.008500	µg/g		LIT
UB	M	AAUB		DLDRN	DIELDRIN	0.000000	LH17		LT	0.001600	µg/g		LIT
UB	M	AAUB		ENDRN	ENDRIN	0.000000	LH17		LT	0.006500	µg/g		LIT
UB	M	AAUB		ENDRNK	ENDRIN KETONE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	M	AAUB		ESFSO4	ENDOSULFAN SULFATE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	M	AAUB		HPCL	HEPTACHLOR	0.000000	LH17		LT	0.002200	µg/g		LIT
UB	M	AAUB		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH17		LT	0.001300	µg/g		LIT
UB	M	AAUB		ISODR	ISODRIN	0.000000	LH17		LT	0.003000	µg/g		LIT
UB	M	AAUB		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LH17		LT	0.001000	µg/g		LIT
UB	M	AAUB		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LH17		LT	0.035900	µg/g		LIT
UB	M	AAUB		PCB016	PCB 1016	0.000000	LH17		LT	0.100000	µg/g		LIT
UB	M	AAUB		PCB221	PCB 1221	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AAUB		PCB232	PCB 1232	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AAUB		PCB242	PCB 1242	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AAUB		PCB248	PCB 1248	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	M	AAUB		PCB254	PCB 1254	0.000000	LH17		ND	0.047900	µg/g	R	LIT
UB	M	AAUB		PCB260	PCB 1260	0.000000	LH17		LT	0.047900	µg/g		LIT
UB	M	AAUB		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	M	AAUB		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	M	AAUB		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LH17		LT	0.003500	µg/g		LIT
UB	M	AAUB		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH17		LT	0.226000	µg/g		LIT
UB	M	AAUE		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW25		LT	0.210000	µg/l		LIT
UB	M	AAUE		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	M	AAUE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW25		LT	0.426000	µg/l		LIT
UB	M	AAUE		24DNT	2,4-DINITROTOLUENE	0.000000	UW25		LT	0.397000	µg/l		LIT
UB	M	AAUE		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AAUE		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	M	AAUE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW25		LT	0.682000	µg/l		LIT
UB	M	AAUE		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW25		LT	0.416000	µg/l		LIT
UB	M	AAUE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	M	AAUF		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	M	AAUF		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	M	AAUF		BA	BARIUM	0.000000	SS12		LT	2.820000	µg/l		LIT
UB	M	AAUF		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	M	AAUF		CA	CALCIUM	0.000000	SS12		LT	105.000000	µg/l		LIT
UB	M	AAUF		CD	CADMIUM	0.000000	SS12		LT	6.780000	µg/l		LIT
UB	M	AAUF		CO	COBALT	0.000000	SS12		LT	25.000000	µg/l		LIT
UB	M	AAUF		CR	CHROMIUM	0.000000	SS12		LT	16.800000	µg/l		LIT
UB	M	AAUF		CU	COPPER	0.000000	SS12		LT	18.800000	µg/l		LIT
UB	M	AAUF		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	M	AAUF		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	M	AAUF		MG	MAGNESIUM	0.000000	SS12		LT	135.000000	µg/l		LIT
UB	M	AAUF		MN	MANGANESE	0.000000	SS12		LT	9.670000	µg/l		LIT
UB	M	AAUF		NA	SODIUM	0.000000	SS12		LT	279.000000	µg/l		LIT
UB	M	AAUF		NI	NICKEL	0.000000	SS12		LT	32.100000	µg/l		LIT
UB	M	AAUF		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	M	AAUF		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	M	AAUF		ZN	ZINC	0.000000	SS12		LT	18.000000	µg/l		LIT
UB	M	AAUG		AS	ARSENIC	0.000000	AX8		LT	2.350000	µg/l		LIT
UB	M	AAUH		PB	LEAD	0.000000	SD18		LT	4.470000	µg/l		LIT
UB	M	AAUI		HG	MERCURY	0.000000	CC8		LT	0.100000	µg/l		LIT
UB	M	AAUJ		SE	SELENIUM	0.000000	SD25		LT	2.530000	µg/l		LIT
UB	M	AAUK		SB	ANTIMONY	0.000000	7041		LT	3.000000	µg/l		LIT
UB	M	AAUL		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAUL		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAUL		ALDRN	ALDRIN	0.000000	UH20		LT	0.007400	µg/l		LIT
UB	M	AAUL		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.009900	µg/l		LIT
UB	M	AAUL		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20		LT	0.007700	µg/l		LIT
UB	M	AAUL		CLDAN	CHLORDANE	0.000000	UH20		LT	0.031200	µg/l		LIT
UB	M	AAUL		DBHC	DELTA-BENZENEHEXACHLORIDE	0.000000	UH20		LT	0.003400	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ DELTA-HEXACHLOROCYCLOHEXANE								
UB	M	AAUL		DLDRN	DIELDRIN	0.000000	UH20		LT	0.007400	µg/l		LIT
UB	M	AAUL		ENDRN	ENDRIN	0.000000	UH20		LT	0.017600	µg/l		LIT
UB	M	AAUL		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20		ND	0.050400	µg/l	R	LIT
UB	M	AAUL		HPCL	HEPTACHLOR	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAUL		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20		LT	0.006300	µg/l		LIT
UB	M	AAUL		ISODR	ISODRIN	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAUL		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAUL		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20		LT	0.075000	µg/l		LIT
UB	M	AAUL		PCB016	PCB 1016	0.000000	UH20		LT	0.385000	µg/l		LIT
UB	M	AAUL		PCB221	PCB 1221	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AAUL		PCB232	PCB 1232	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AAUL		PCB242	PCB 1242	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AAUL		PCB254	PCB 1254	0.000000	UH20		ND	0.176000	µg/l	R	LIT
UB	M	AAUL		PCB260	PCB 1260	0.000000	UH20		LT	0.176000	µg/l		LIT
UB	M	AAUL		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20		LT	0.008100	µg/l		LIT
UB	M	AAUL		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20		LT	0.003900	µg/l		LIT
UB	M	AAUL		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAUL		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20		LT	1.640000	µg/l		LIT
UB	M	AAV		CL	CHLORIDE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAV		F	FLUORIDE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAV		NO2	NITRITE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAV		NO3	NITRATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAV		PO4	PHOSPHATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAV		SO4	SULFATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	AAWO		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAWO		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAWO		ALDRN	ALDRIN	0.000000	UH20		LT	0.007400	µg/l		LIT
UB	M	AAWO		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.009900	µg/l		LIT
UB	M	AAWO		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20		LT	0.007700	µg/l		LIT
UB	M	AAWO		CLDAN	CHLORDANE	0.000000	UH20		LT	0.031200	µg/l		LIT
UB	M	AAWO		DBHC	DELTA-BENZENEHEXACHLORIDE /	0.000000	UH20		LT	0.003400	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					DELTA-HEXACHLOROCYCLOHEXANE								
UB	M	AAWO		DLDRN	DIELDRIN	0.000000	UH20		LT	0.007400	µg/l		LIT
UB	M	AAWO		ENDRN	ENDRIN	0.000000	UH20		LT	0.017600	µg/l		LIT
UB	M	AAWO		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20		ND	0.050400	µg/l	R	LIT
UB	M	AAWO		ENDRNK	ENDRIN KETONE	0.000000	UH20		ND	0.002500	µg/l	R	LIT
UB	M	AAWO		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20		ND	0.002500	µg/l	R	LIT
UB	M	AAWO		HPCL	HEPTACHLOR	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAWO		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20		LT	0.006300	µg/l		LIT
UB	M	AAWO		ISODR	ISODRIN	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAWO		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAWO		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20		LT	0.075000	µg/l		LIT
UB	M	AAWO		PCB016	PCB 1016	0.000000	UH20		LT	0.385000	µg/l		LIT
UB	M	AAWO		PCB221	PCB 1221	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AAWO		PCB232	PCB 1232	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AAWO		PCB242	PCB 1242	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AAWO		PCB248	PCB 1248	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	M	AAWO		PCB254	PCB 1254	0.000000	UH20		ND	0.176000	µg/l	R	LIT
UB	M	AAWO		PCB260	PCB 1260	0.000000	UH20		LT	0.176000	µg/l		LIT
UB	M	AAWO		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20		LT	0.008100	µg/l		LIT
UB	M	AAWO		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20		LT	0.003900	µg/l		LIT
UB	M	AAWO		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	M	AAWO		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20		LT	1.640000	µg/l		LIT
UB	M	AAWP		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW25		LT	0.210000	µg/l		LIT
UB	M	AAWP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	M	AAWP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW25		LT	0.426000	µg/l		LIT
UB	M	AAWP		24DNT	2,4-DINITROTOLUENE	0.000000	UW25		LT	0.397000	µg/l		LIT
UB	M	AAWP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	M	AAWP		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	M	AAWP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW25		LT	0.682000	µg/l		LIT
UB	M	AAWP		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW25		LT	0.416000	µg/l		LIT
UB	M	AAWP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	M	AAX		111TCE	1,1,1-TRICHLOROETHANE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		111TCE	1,1,1-TRICHLOROETHANE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		12DCLE	1,2-DICHLOROETHANE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		12DCLE	1,2-DICHLOROETHANE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		C6H6	BENZENE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		C6H6	BENZENE	0.000000	2J		LT	1.000000	µg/l	S	PR2

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AAX		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		T12DCE	TRANS-1,2-DICHLOROETHYLENE / TRANS-1,2-DICHLOROETHENE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		T12DCE	TRANS-1,2-DICHLOROETHYLENE / TRANS-1,2-DICHLOROETHENE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAX		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	2J		LT	1.000000	µg/l	S	PR2
UB	M	AAY		HG	MERCURY	0.000000	1D		LT	0.200000	µg/l	S	PR2
UB	M	AAZ		24DMPN	2,4-DIMETHYLPHENOL	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		24DNP	2,4-DINITROPHENOL	0.000000	3W		LT	30.000000	µg/l	S	PR2
UB	M	AAZ		2A46DT	2-AMINO-4,6-DINITROTOLUENE	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		35DNA	3,5-DINITROANILINE	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		3NT	3-NITROTOLUENE	0.000000	3W		LT	10.000000	µg/l	S	PR2
UB	M	AAZ		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		CL6ET	HEXACHLOROETHANE	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		DEP	DIETHYL PHTHALATE	0.000000	3W		LT	2.000000	µg/l	S	PR2
UB	M	AAZ		DLDRN	DIELDRIN	0.000000	3W		LT	2.000000	µg/l	S	PR2
UB	M	AAZ		FANT	FLUORANTHENE	0.000000	3W		LT	2.000000	µg/l	S	PR2
UB	M	AAZ		HPCL	HEPTACHLOR	0.000000	3W		LT	8.000000	µg/l	S	PR2
UB	M	AAZ		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	3W		LT	2.000000	µg/l	S	PR2
UB	M	AAZ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	3W		LT	8.000000	µg/l	S	PR2
UB	M	AAZ		PCB016	PCB 1016	0.000000	3W		LT	70.000000	µg/l	S	PR2
UB	M	AAZ		PCB262	PCB 1262	0.000000	3W		LT	100.000000	µg/l	S	PR2
UB	M	AAZ		PCP	PENTACHLOROPHENOL	0.000000	3W		LT	20.000000	µg/l	S	PR2
UB	M	AAZ		PHEND6	PHENOL-D6	0.000000	3W		LT	3.000000	µg/l	S	PR2

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	AAZ		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	3W		LT	2.000000	µg/l	S	PR2
UB	M	ABAY		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABAY		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM25		LT	0.220000	µg/g		LIT
UB	M	ABAY		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	ABAY		12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	ABAY		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	ABAY		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM25		LT	0.034000	µg/g		LIT
UB	M	ABAY		236TCP	2,3,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.620000	µg/g		LIT
UB	M	ABAY		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM25		LT	0.490000	µg/g		LIT
UB	M	ABAY		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.061000	µg/g		LIT
UB	M	ABAY		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	ABAY		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	ABAY		24DNP	2,4-DINITROPHENOL	0.000000	LM25		LT	4.700000	µg/g		LIT
UB	M	ABAY		24DNT	2,4-DINITROTOLUENE	0.000000	LM25		LT	1.400000	µg/g		LIT
UB	M	ABAY		26DNA	2,6-DINITROANILINE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	ABAY		26DNT	2,6-DINITROTOLUENE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	ABAY		2CLP	2-CHLOROPHENOL	0.000000	LM25		LT	0.055000	µg/g		LIT
UB	M	ABAY		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABAY		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABAY		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM25		LT	0.098000	µg/g		LIT
UB	M	ABAY		2NANIL	2-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	ABAY		2NP	2-NITROPHENOL	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	ABAY		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	ABAY		35DNA	3,5-DINITROANILINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	ABAY		3NANIL	3-NITROANILINE	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	ABAY		3NT	3-NITROTOLUENE	0.000000	LM25		LT	0.340000	µg/g		LIT
UB	M	ABAY		46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	0.000000	LM25		LT	0.800000	µg/g		LIT
UB	M	ABAY		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	ABAY		4CANIL	4-CHLOROANILINE	0.000000	LM25		ND	0.630000	µg/g	R	LIT
UB	M	ABAY		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM25		LT	0.930000	µg/g		LIT
UB	M	ABAY		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM25		LT	0.170000	µg/g		LIT
UB	M	ABAY		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABAY		4NANIL	4-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	ABAY		4NP	4-NITROPHENOL	0.000000	LM25		LT	3.300000	µg/g		LIT
UB	M	ABAY		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABAY		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM25		LT	0.400000	µg/g		LIT
UB	M	ABAY		ALDRN	ALDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABAY		ANAPNE	ACENAPHTHENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	ABAY		ANAPYL	ACENAPHTHYLENE	0.000000	LM25		LT	0.033000	µg/g		LIT
UB	M	ABAY		ANTRC	ANTHRACENE	0.000000	LM25		LT	0.710000	µg/g		LIT
UB	M	ABAY		ATZ	ATRAZINE	0.000000	LM25		LT	0.065000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABAY		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM25		LT	0.190000	µg/g		LIT
UB	M	ABAY		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM25		LT	0.440000	µg/g		LIT
UB	M	ABAY		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM25		LT	0.360000	µg/g		LIT
UB	M	ABAY		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	ABAY		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	ABAY		BAPYR	BENZO[A]PYRENE	0.000000	LM25		LT	1.200000	µg/g		LIT
UB	M	ABAY		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	ABAY		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABAY		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABAY		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	ABAY		BENZOA	BENZOIC ACID	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	ABAY		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	ABAY		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM25		LT	0.130000	µg/g		LIT
UB	M	ABAY		BZALC	BENZYL ALCOHOL	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABAY		CHRY	CHRYSENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABAY		CL6BZ	HEXACHLOROBENZENE	0.000000	LM25		LT	0.080000	µg/g		LIT
UB	M	ABAY		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	ABAY		CL6ET	HEXACHLOROETHANE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABAY		CLDAN	CHLORDANE	0.000000	LM25		LT	0.680000	µg/g		LIT
UB	M	ABAY		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM25		LT	0.097000	µg/g		LIT
UB	M	ABAY		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	ABAY		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM25		LT	0.066000	µg/g		LIT
UB	M	ABAY		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	ABAY		DBCP	DIBROMOCHLOROPROPANE	0.000000	LM25		LT	0.071000	µg/g		LIT
UB	M	ABAY		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	0.210000	µg/g		LIT
UB	M	ABAY		DBZFUR	DIBENZOFURAN	0.000000	LM25		LT	0.038000	µg/g		LIT
UB	M	ABAY		DCPD	DICYCLOPENTADIENE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	ABAY		DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	ABAY		DEP	DIETHYL PHTHALATE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABAY		DITH	DITHIANE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	ABAY		DLDRN	DIELDRIN	0.000000	LM25		LT	0.079000	µg/g		LIT
UB	M	ABAY		DMP	DIMETHYL PHTHALATE	0.000000	LM25		LT	0.063000	µg/g		LIT
UB	M	ABAY		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABAY		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM25		LT	0.230000	µg/g		LIT
UB	M	ABAY		ENDRN	ENDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABAY		ENDRNA	ENDRIN ALDEHYDE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABAY		ENDRNK	ENDRIN KETONE	0.000000	LM25		ND	0.280000	µg/g	R	LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABAY		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM25		LT	1.200000	µg/g		LIT
UB	M	ABAY		FANT	FLUORANTHENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABAY		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	ABAY		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM25		LT	0.970000	µg/g		LIT
UB	M	ABAY		HPCL	HEPTACHLOR	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABAY		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	ABAY		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	ABAY		ISODR	ISODRIN	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	ABAY		ISOPHR	ISOPHORONE	0.000000	LM25		LT	0.390000	µg/g		LIT
UB	M	ABAY		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	ABAY		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM25		LT	0.260000	µg/g		LIT
UB	M	ABAY		MIREX	MIREX	0.000000	LM25		LT	0.140000	µg/g		LIT
UB	M	ABAY		MLTHN	MALATHION	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	ABAY		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM25		LT	0.740000	µg/g		LIT
UB	M	ABAY		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABAY		NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	LM25		LT	0.460000	µg/g		LIT
UB	M	ABAY		NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	ABAY		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM25		LT	0.290000	µg/g		LIT
UB	M	ABAY		OXAT	1,4-OXATHIANE	0.000000	LM25		LT	0.075000	µg/g		LIT
UB	M	ABAY		PCB016	PCB 1016	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	ABAY		PCB221	PCB 1221	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABAY		PCB232	PCB 1232	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABAY		PCB242	PCB 1242	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABAY		PCB248	PCB 1248	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABAY		PCB254	PCB 1254	0.000000	LM25		ND	3.800000	µg/g	R	LIT
UB	M	ABAY		PCB260	PCB 1260	0.000000	LM25		LT	0.790000	µg/g		LIT
UB	M	ABAY		PCB262	PCB 1262	0.000000	LM25		LT	6.300000	µg/g		LIT
UB	M	ABAY		PCP	PENTACHLOROPHENOL	0.000000	LM25		LT	0.760000	µg/g		LIT
UB	M	ABAY		PHANTR	PHENANTHRENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABAY		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM25		LT	0.052000	µg/g		LIT
UB	M	ABAY		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM25		LT	0.064000	µg/g		LIT
UB	M	ABAY		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	ABAY		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	ABAY		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM25		LT	1.700000	µg/g		LIT
UB	M	ABAY		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM25		LT	0.083000	µg/g		LIT
UB	M	ABAY		SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	LM25		LT	0.920000	µg/g		LIT
UB	M	ABAY		TXPHEN	TOXAPHENE / ALLTOX /	0.000000	LM25		LT	12.000000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					CHLORINATED CAMPHENE / CAMPHECHLOR								
UB	M	ABAZ		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW23		LT	0.922000	µg/g		LIT
UB	M	ABAZ		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	M	ABAZ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	ABAZ		24DNT	2,4-DINITROTOLUENE	0.000000	LW23		LT	2.500000	µg/g		LIT
UB	M	ABAZ		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	ABAZ		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	ABAZ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW23		LT	1.140000	µg/g		LIT
UB	M	ABAZ		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW23		LT	1.280000	µg/g		LIT
UB	M	ABAZ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	M	ABBB		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	ABBB		AL	ALUMINUM	0.000000	JS12			1510.000000	µg/g		LIT
UB	M	ABBB		BA	BARIUM	0.000000	JS12			12.100000	µg/g		LIT
UB	M	ABBB		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	ABBB		CA	CALCIUM	0.000000	JS12			1200.000000	µg/g		LIT
UB	M	ABBB		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	ABBB		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	ABBB		CR	CHROMIUM	0.000000	JS12			1.680000	µg/g		LIT
UB	M	ABBB		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	ABBB		FE	IRON	0.000000	JS12			1820.000000	µg/g		LIT
UB	M	ABBB		K	POTASSIUM	0.000000	JS12			347.000000	µg/g		LIT
UB	M	ABBB		MG	MAGNESIUM	0.000000	JS12			473.000000	µg/g		LIT
UB	M	ABBB		MN	MANGANESE	0.000000	JS12			25.500000	µg/g		LIT
UB	M	ABBB		NA	SODIUM	0.000000	JS12			43.900000	µg/g		LIT
UB	M	ABBB		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	ABBB		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	ABBB		V	VANADIUM	0.000000	JS12			3.600000	µg/g		LIT
UB	M	ABBB		ZN	ZINC	0.000000	JS12			4.010000	µg/g		LIT
UB	M	ABBC		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	ABBD		PB	LEAD	0.000000	JD21			1.040000	µg/g		LIT
UB	M	ABBE		SE	SELENIUM	0.000000	JD20		LT	0.449000	µg/g		LIT
UB	M	ABBF		SB	ANTIMONY	0.000000	7041		LT	0.500000	µg/g		LIT
UB	M	ABBG		HG	MERCURY	0.000000	Y9		LT	0.050000	µg/g		LIT
UB	M	ABCX		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	M	ABCX		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	M	ABCX		BA	BARIUM	0.000000	SS12		LT	2.820000	µg/l		LIT
UB	M	ABCX		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	M	ABCX		CA	CALCIUM	0.000000	SS12		LT	105.000000	µg/l		LIT
UB	M	ABCX		CD	CADMIUM	0.000000	SS12		LT	6.780000	µg/l		LIT

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABCX		CO	COBALT	0.000000	SS12		LT	25.000000	µg/l		LIT
UB	M	ABCX		CR	CHROMIUM	0.000000	SS12		LT	16.800000	µg/l		LIT
UB	M	ABCX		CU	COPPER	0.000000	SS12		LT	18.800000	µg/l		LIT
UB	M	ABCX		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	M	ABCX		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	M	ABCX		MG	MAGNESIUM	0.000000	SS12		LT	135.000000	µg/l		LIT
UB	M	ABCX		MN	MANGANESE	0.000000	SS12		LT	9.670000	µg/l		LIT
UB	M	ABCX		NA	SODIUM	0.000000	SS12		LT	279.000000	µg/l		LIT
UB	M	ABCX		NI	NICKEL	0.000000	SS12		LT	32.100000	µg/l		LIT
UB	M	ABCX		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	M	ABCX		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	M	ABCX		ZN	ZINC	0.000000	SS12		LT	18.000000	µg/l		LIT
UB	M	ABCY		AS	ARSENIC	0.000000	AX8		LT	2.350000	µg/l		LIT
UB	M	ABCZ		PB	LEAD	0.000000	SD18		LT	4.470000	µg/l		LIT
UB	M	ABDA		SE	SELENIUM	0.000000	SD25		LT	2.530000	µg/l		LIT
UB	M	ABDB		SB	ANTIMONY	0.000000	7041		LT	5.000000	µg/l		LIT
UB	M	ABFD		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABFD		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM25		LT	0.220000	µg/g		LIT
UB	M	ABFD		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	ABFD		12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	ABFD		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM25		LT	0.042000	µg/g		LIT
UB	M	ABFD		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM25		LT	0.034000	µg/g		LIT
UB	M	ABFD		236TCP	2,3,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.620000	µg/g		LIT
UB	M	ABFD		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM25		LT	0.490000	µg/g		LIT
UB	M	ABFD		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM25		LT	0.061000	µg/g		LIT
UB	M	ABFD		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	ABFD		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	ABFD		24DNP	2,4-DINITROPHENOL	0.000000	LM25		LT	4.700000	µg/g		LIT
UB	M	ABFD		24DNT	2,4-DINITROTOLUENE	0.000000	LM25		LT	1.400000	µg/g		LIT
UB	M	ABFD		26DNA	2,6-DINITROANILINE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	ABFD		26DNT	2,6-DINITROTOLUENE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	ABFD		2CLP	2-CHLOROPHENOL	0.000000	LM25		LT	0.055000	µg/g		LIT
UB	M	ABFD		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABFD		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABFD		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM25		LT	0.098000	µg/g		LIT
UB	M	ABFD		2NANIL	2-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	ABFD		2NP	2-NITROPHENOL	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	ABFD		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	ABFD		35DNA	3,5-DINITROANILINE	0.000000	LM25		LT	1.600000	µg/g		LIT
UB	M	ABFD		3NANIL	3-NITROANILINE	0.000000	LM25		LT	3.000000	µg/g		LIT
UB	M	ABFD		3NT	3-NITROTOLUENE	0.000000	LM25		LT	0.340000	µg/g		LIT
UB	M	ABFD		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM25		LT	0.800000	µg/g		LIT
UB	M	ABFD		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	ABFD		4CANIL	4-CHLOROANILINE	0.000000	LM25		ND	0.630000	µg/g	R	LIT
UB	M	ABFD		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM25		LT	0.930000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABFD		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM25		LT	0.170000	µg/g		LIT
UB	M	ABFD		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABFD		4NANIL	4-NITROANILINE	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	ABFD		4NP	4-NITROPHENOL	0.000000	LM25		LT	3.300000	µg/g		LIT
UB	M	ABFD		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABFD		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM25		LT	0.400000	µg/g		LIT
UB	M	ABFD		ALDRN	ALDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABFD		ANAPNE	ACENAPHTHENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	ABFD		ANAPYL	ACENAPHTHYLENE	0.000000	LM25		LT	0.033000	µg/g		LIT
UB	M	ABFD		ANTRC	ANTHRACENE	0.000000	LM25		LT	0.710000	µg/g		LIT
UB	M	ABFD		ATZ	ATRAZINE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	ABFD		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM25		LT	0.190000	µg/g		LIT
UB	M	ABFD		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM25		LT	0.440000	µg/g		LIT
UB	M	ABFD		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM25		LT	0.360000	µg/g		LIT
UB	M	ABFD		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	ABFD		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM25		LT	0.041000	µg/g		LIT
UB	M	ABFD		BAPYR	BENZO[A]PYRENE	0.000000	LM25		LT	1.200000	µg/g		LIT
UB	M	ABFD		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	ABFD		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABFD		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABFD		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	ABFD		BENZOA	BENZOIC ACID	0.000000	LM25		ND	3.100000	µg/g	R	LIT
UB	M	ABFD		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	ABFD		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM25		LT	0.130000	µg/g		LIT
UB	M	ABFD		BZALC	BENZYL ALCOHOL	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABFD		CHRY	CHRYSENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABFD		CL6BZ	HEXACHLOROBENZENE	0.000000	LM25		LT	0.080000	µg/g		LIT
UB	M	ABFD		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM25		LT	0.520000	µg/g		LIT
UB	M	ABFD		CL6ET	HEXACHLOROETHANE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABFD		CLDAN	CHLORDANE	0.000000	LM25		LT	0.680000	µg/g		LIT
UB	M	ABFD		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM25		LT	0.097000	µg/g		LIT
UB	M	ABFD		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	ABFD		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM25		LT	0.066000	µg/g		LIT
UB	M	ABFD		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM25		LT	0.310000	µg/g		LIT
UB	M	ABFD		DBCP	DIBROMOCHLOROPROPANE	0.000000	LM25		LT	0.071000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABFD		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM25		LT	0.210000	µg/g		LIT
UB	M	ABFD		DBZFUR	DIBENZOFURAN	0.000000	LM25		LT	0.038000	µg/g		LIT
UB	M	ABFD		DCPD	DICYCLOPENTADIENE	0.000000	LM25		LT	0.570000	µg/g		LIT
UB	M	ABFD		DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	ABFD		DEP	DIETHYL PHTHALATE	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABFD		DITH	DITHIANE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	ABFD		DLDRN	DIELDRIN	0.000000	LM25		LT	0.079000	µg/g		LIT
UB	M	ABFD		DMP	DIMETHYL PHTHALATE	0.000000	LM25		LT	0.063000	µg/g		LIT
UB	M	ABFD		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABFD		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM25		LT	0.230000	µg/g		LIT
UB	M	ABFD		ENDRN	ENDRIN	0.000000	LM25		LT	1.300000	µg/g		LIT
UB	M	ABFD		ENDRNA	ENDRIN ALDEHYDE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABFD		ENDRNK	ENDRIN KETONE	0.000000	LM25		ND	0.280000	µg/g	R	LIT
UB	M	ABFD		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM25		LT	1.200000	µg/g		LIT
UB	M	ABFD		FANT	FLUORANTHENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABFD		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM25		LT	0.065000	µg/g		LIT
UB	M	ABFD		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM25		LT	0.970000	µg/g		LIT
UB	M	ABFD		HPCL	HEPTACHLOR	0.000000	LM25		LT	0.240000	µg/g		LIT
UB	M	ABFD		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	ABFD		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM25		LT	2.400000	µg/g		LIT
UB	M	ABFD		ISODR	ISODRIN	0.000000	LM25		LT	0.480000	µg/g		LIT
UB	M	ABFD		ISOPHR	ISOPHORONE	0.000000	LM25		LT	0.390000	µg/g		LIT
UB	M	ABFD		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	ABFD		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM25		LT	0.260000	µg/g		LIT
UB	M	ABFD		MIREX	MIREX	0.000000	LM25		LT	0.140000	µg/g		LIT
UB	M	ABFD		MLTHN	MALATHION	0.000000	LM25		LT	0.180000	µg/g		LIT
UB	M	ABFD		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM25		LT	0.740000	µg/g		LIT
UB	M	ABFD		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM25		LT	1.800000	µg/g		LIT
UB	M	ABFD		NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	LM25		LT	0.460000	µg/g		LIT
UB	M	ABFD		NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	LM25		LT	1.100000	µg/g		LIT
UB	M	ABFD		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM25		LT	0.290000	µg/g		LIT
UB	M	ABFD		OXAT	1,4-OXATHIANE	0.000000	LM25		LT	0.075000	µg/g		LIT
UB	M	ABFD		PCB016	PCB 1016	0.000000	LM25		LT	0.320000	µg/g		LIT
UB	M	ABFD		PCB221	PCB 1221	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABFD		PCB232	PCB 1232	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABFD		PCB242	PCB 1242	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABFD		PCB248	PCB 1248	0.000000	LM25		ND	1.900000	µg/g	R	LIT
UB	M	ABFD		PCB254	PCB 1254	0.000000	LM25		ND	3.800000	µg/g	R	LIT
UB	M	ABFD		PCB260	PCB 1260	0.000000	LM25		LT	0.790000	µg/g		LIT
UB	M	ABFD		PCB262	PCB 1262	0.000000	LM25		LT	6.300000	µg/g		LIT
UB	M	ABFD		PCP	PENTACHLOROPHENOL	0.000000	LM25		LT	0.760000	µg/g		LIT
UB	M	ABFD		PHANTR	PHENANTHRENE	0.000000	LM25		LT	0.032000	µg/g		LIT
UB	M	ABFD		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE /	0.000000	LM25		LT	0.052000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABFD		PPDDD	OXYBENZENE 2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM25		LT	0.064000	µg/g		LIT
UB	M	ABFD		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM25		LT	0.068000	µg/g		LIT
UB	M	ABFD		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM25		LT	0.100000	µg/g		LIT
UB	M	ABFD		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM25		LT	1.700000	µg/g		LIT
UB	M	ABFD		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM25		LT	0.083000	µg/g		LIT
UB	M	ABFD		SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	LM25		LT	0.920000	µg/g		LIT
UB	M	ABFD		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LM25		LT	12.000000	µg/g		LIT
UB	M	ABFE		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW23		LT	0.922000	µg/g		LIT
UB	M	ABFE		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	M	ABFE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	ABFE		24DNT	2,4-DINITROTOLUENE	0.000000	LW23		LT	2.500000	µg/g		LIT
UB	M	ABFE		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	ABFE		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	M	ABFE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW23		LT	1.140000	µg/g		LIT
UB	M	ABFE		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW23		LT	1.280000	µg/g		LIT
UB	M	ABFE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	M	ABFG		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	ABFG		AL	ALUMINUM	0.000000	JS12			1010.000000	µg/g		LIT
UB	M	ABFG		BA	BARIUM	0.000000	JS12			10.500000	µg/g		LIT
UB	M	ABFG		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	ABFG		CA	CALCIUM	0.000000	JS12			1190.000000	µg/g		LIT
UB	M	ABFG		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	ABFG		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	ABFG		CR	CHROMIUM	0.000000	JS12			1.470000	µg/g		LIT
UB	M	ABFG		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	ABFG		FE	IRON	0.000000	JS12			1500.000000	µg/g		LIT
UB	M	ABFG		K	POTASSIUM	0.000000	JS12			220.000000	µg/g		LIT
UB	M	ABFG		MG	MAGNESIUM	0.000000	JS12			396.000000	µg/g		LIT
UB	M	ABFG		MN	MANGANESE	0.000000	JS12			23.900000	µg/g		LIT
UB	M	ABFG		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	M	ABFG		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	ABFG		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	ABFG		V	VANADIUM	0.000000	JS12			2.390000	µg/g		LIT
UB	M	ABFG		ZN	ZINC	0.000000	JS12			3.510000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABFH		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	ABFI		PB	LEAD	0.000000	JD21			0.687000	µg/g		LIT
UB	M	ABFJ		SE	SELENIUM	0.000000	JD20		LT	0.449000	µg/g		LIT
UB	M	ABFK		SB	ANTIMONY	0.000000	7041		LT	0.500000	µg/g		LIT
UB	M	ABFL		HG	MERCURY	0.000000	Y9		LT	0.050000	µg/g		LIT
UB	M	ABFS		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	ABFS		AL	ALUMINUM	0.000000	JS12			1140.000000	µg/g		LIT
UB	M	ABFS		BA	BARIUM	0.000000	JS12			12.400000	µg/g		LIT
UB	M	ABFS		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	ABFS		CA	CALCIUM	0.000000	JS12			1300.000000	µg/g		LIT
UB	M	ABFS		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	ABFS		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	ABFS		CR	CHROMIUM	0.000000	JS12			1.250000	µg/g		LIT
UB	M	ABFS		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	ABFS		FE	IRON	0.000000	JS12			1660.000000	µg/g		LIT
UB	M	ABFS		K	POTASSIUM	0.000000	JS12			267.000000	µg/g		LIT
UB	M	ABFS		MG	MAGNESIUM	0.000000	JS12			438.000000	µg/g		LIT
UB	M	ABFS		MN	MANGANESE	0.000000	JS12			26.200000	µg/g		LIT
UB	M	ABFS		NA	SODIUM	0.000000	JS12			44.100000	µg/g		LIT
UB	M	ABFS		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	ABFS		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	ABFS		V	VANADIUM	0.000000	JS12			3.470000	µg/g		LIT
UB	M	ABFS		ZN	ZINC	0.000000	JS12			3.850000	µg/g		LIT
UB	M	ABFT		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	ABFU		PB	LEAD	0.000000	JD21			1.010000	µg/g		LIT
UB	M	ABFV		SE	SELENIUM	0.000000	JD20		LT	0.449000	µg/g		LIT
UB	M	ABFX		HG	MERCURY	0.000000	Y9		LT	0.050000	µg/g		LIT
UB	M	ABIF		PB	LEAD	0.000000	JD21			0.994000	µg/g		LIT
UB	M	ABIO		AS	ARSENIC	0.000000	AX8		LT	2.350000	µg/l		LIT
UB	M	ABIQ		SE	SELENIUM	0.000000	SD25		LT	2.530000	µg/l		LIT
UB	M	ABIS		HG	MERCURY	0.000000	CC8		LT	0.100000	µg/l		LIT
UB	M	ABJ		AS	ARSENIC	0.000000	7T		LT	7.000000	µg/l	S	PR2
UB	M	ABJ		ZN	ZINC	0.000000	7T		GT	1.000000	µg/l	S	PR2
UB	M	ABK		NA	SODIUM	0.000000	1M		LT	1000.000000	µg/l	S	PR2
UB	M	ABL		AG	SILVER	0.000000	3T		LT	8.000000	µg/l	S	PR2
UB	M	ABL		AS	ARSENIC	0.000000	3T		LT	60.000000	µg/l	S	PR2

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABL		BE	BERYLLIUM	0.000000	3T		LT	0.500000	µg/l	S	PR2
UB	M	ABL		CD	CADMIUM	0.000000	3T		LT	6.000000	µg/l	S	PR2
UB	M	ABL		CR	CHROMIUM	0.000000	3T		LT	5.000000	µg/l	S	PR2
UB	M	ABL		CU	COPPER	0.000000	3T		LT	6.000000	µg/l	S	PR2
UB	M	ABL		NI	NICKEL	0.000000	3T		LT	20.000000	µg/l	S	PR2
UB	M	ABL		PB	LEAD	0.000000	3T		LT	30.000000	µg/l	S	PR2
UB	M	ABL		ZN	ZINC	0.000000	3T		LT	20.000000	µg/l	S	PR2
UB	M	ABM		CYN	CYANIDE	0.000000	4K		LT	10.000000	µg/l	S	PR2
UB	M	ABN		OILGR	*OIL & GREASE	0.000000	00		LT	5000.000000	µg/l		PR2
UB	M	ABN		OILGR	*OIL & GREASE	0.000000	00		LT	5000.000000	µg/l		PR2
UB	M	ABOW		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	ABOX		PB	LEAD	0.000000	JD21			1.850000	µg/g		LIT
UB	M	ABOY		SE	SELENIUM	0.000000	JD20		LT	0.449000	µg/g		LIT
UB	M	ABPC		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	ABPC		AL	ALUMINUM	0.000000	JS12			1050.000000	µg/g		LIT
UB	M	ABPC		BA	BARIUM	0.000000	JS12			11.900000	µg/g		LIT
UB	M	ABPC		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	ABPC		CA	CALCIUM	0.000000	JS12			1330.000000	µg/g		LIT
UB	M	ABPC		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	ABPC		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	ABPC		CR	CHROMIUM	0.000000	JS12			1.470000	µg/g		LIT
UB	M	ABPC		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	ABPC		FE	IRON	0.000000	JS12			1640.000000	µg/g		LIT
UB	M	ABPC		K	POTASSIUM	0.000000	JS12			176.000000	µg/g		LIT
UB	M	ABPC		MG	MAGNESIUM	0.000000	JS12			431.000000	µg/g		LIT
UB	M	ABPC		MN	MANGANESE	0.000000	JS12			27.000000	µg/g		LIT
UB	M	ABPC		NA	SODIUM	0.000000	JS12			40.000000	µg/g		LIT
UB	M	ABPC		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	ABPC		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	ABPC		V	VANADIUM	0.000000	JS12			3.100000	µg/g		LIT
UB	M	ABPC		ZN	ZINC	0.000000	JS12			4.220000	µg/g		LIT
UB	M	ABPG		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	M	ABPG		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	M	ABPG		BA	BARIUM	0.000000	SS12		LT	2.820000	µg/l		LIT
UB	M	ABPG		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	M	ABPG		CA	CALCIUM	0.000000	SS12		LT	105.000000	µg/l		LIT
UB	M	ABPG		CD	CADMIUM	0.000000	SS12		LT	6.780000	µg/l		LIT
UB	M	ABPG		CO	COBALT	0.000000	SS12		LT	25.000000	µg/l		LIT
UB	M	ABPG		CR	CHROMIUM	0.000000	SS12		LT	16.800000	µg/l		LIT
UB	M	ABPG		CU	COPPER	0.000000	SS12		LT	18.800000	µg/l		LIT
UB	M	ABPG		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	M	ABPG		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	M	ABPG		MG	MAGNESIUM	0.000000	SS12		LT	135.000000	µg/l		LIT
UB	M	ABPG		MN	MANGANESE	0.000000	SS12		LT	9.670000	µg/l		LIT
UB	M	ABPG		NA	SODIUM	0.000000	SS12		LT	279.000000	µg/l		LIT
UB	M	ABPG		NI	NICKEL	0.000000	SS12		LT	32.100000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	ABPG		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	M	ABPG		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	M	ABPG		ZN	ZINC	0.000000	SS12		LT	18.000000	µg/l		LIT
UB	M	ABPL		HG	MERCURY	0.000000	CC8		LT	0.100000	µg/l		LIT
UB	M	ACG		F	FLUORIDE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	ACG		NO2	NITRITE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	ACG		NO3	NITRATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	ACG		PO4	PHOSPHATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	ACG		SO4	SULFATE	0.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	M	ACJ		AG	SILVER	0.000000	3T		GT	8.000000	µg/l	S	PR2
UB	M	ACJ		AS	ARSENIC	0.000000	3T		LT	60.000000	µg/l	S	PR2
UB	M	ACJ		BE	BERYLLIUM	0.000000	3T		LT	50.000000	µg/l	S	PR2
UB	M	ACJ		CD	CADMIUM	0.000000	3T		LT	6.000000	µg/l	S	PR2
UB	M	ACJ		CR	CHROMIUM	0.000000	3T		LT	5.000000	µg/l	S	PR2
UB	M	ACJ		CU	COPPER	0.000000	3T		LT	6.000000	µg/l	S	PR2
UB	M	ACJ		NI	NICKEL	0.000000	3T		LT	20.000000	µg/l	S	PR2
UB	M	ACJ		PB	LEAD	0.000000	3T		LT	30.000000	µg/l	S	PR2
UB	M	ACJ		ZN	ZINC	0.000000	3T		LT	2.000000	µg/l	S	PR2
UB	M	ACK		HG	MERCURY	0.000000	1D		LT	0.200000	µg/l	S	PR2
UB	M	ACM		CYN	CYANIDE	0.000000	4K		LT	10.000000	µg/l	S	PR2
UB	M	ACO		OILGR	*OIL & GREASE	0.000000	00		LT	5000.000000	µg/l		PR2
AL	M	CDX		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.005050	µg/g		
AL	M	CDX		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.005050	µg/g		
AL	M	CDX		ACLDAN	ALPHA-CHLORDANE	0.000000	99		LT	0.001840	µg/g		
AL	M	CDX		ACLDAN	ALPHA-CHLORDANE	0.000000	99		LT	0.001840	µg/g		
AL	M	CDX		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	99		LT	0.008000	µg/g		
AL	M	CDX		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	99		LT	0.008000	µg/g		
AL	M	CDX		ALDRN	ALDRIN	0.000000	99		LT	0.008070	µg/g		
AL	M	CDX		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.008000	µg/g		
AL	M	CDX		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.008000	µg/g		
AL	M	CDX		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	99		LT	0.016000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	CDX		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	99		LT	0.016000	µg/g		
AL	M	CDX		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.004900	µg/g		
AL	M	CDX		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.004900	µg/g		
AL	M	CDX		DLDRN	DIELDRIN	0.000000	99		LT	0.005190	µg/g		
AL	M	CDX		ENDRN	ENDRIN	0.000000	99		LT	0.007540	µg/g		
AL	M	CDX		ENDRNA	ENDRIN ALDEHYDE	0.000000	99		LT	0.016000	µg/g		
AL	M	CDX		ENDRNA	ENDRIN ALDEHYDE	0.000000	99		LT	0.016000	µg/g		
AL	M	CDX		ENDRNK	ENDRIN KETONE	0.000000	99		LT	0.016000	µg/g		
AL	M	CDX		ENDRNK	ENDRIN KETONE	0.000000	99		LT	0.016000	µg/g		
AL	M	CDX		ESFSO4	ENDOSULFAN SULFATE	0.000000	99		LT	0.016000	µg/g		
AL	M	CDX		ESFSO4	ENDOSULFAN SULFATE	0.000000	99		LT	0.016000	µg/g		
AL	M	CDX		GCLDAN	GAMMA-CHLORDANE	0.000000	99		LT	0.003800	µg/g		
AL	M	CDX		HPCL	HEPTACHLOR	0.000000	99			0.001860	µg/g	U	
AL	M	CDX		HPCLE	HEPTACHLOR EPOXIDE	0.000000	99		LT	0.003550	µg/g		
AL	M	CDX		HPCLE	HEPTACHLOR EPOXIDE	0.000000	99		LT	0.003550	µg/g		
AL	M	CDX		ISODR	ISODRIN	0.000000	99		LT	0.007930	µg/g		
AL	M	CDX		ISODR	ISODRIN	0.000000	99		LT	0.007930	µg/g		
AL	M	CDX		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	99		LT	0.004650	µg/g		
AL	M	CDX		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	99		LT	0.080000	µg/g		
AL	M	CDX		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	99		LT	0.080000	µg/g		
AL	M	CDX		PCB016	PCB 1016	0.000000	99		LT	0.070400	µg/g	L	
AL	M	CDX		PCB260	PCB 1260	0.000000	99		LT	0.053800	µg/g	L	
AL	M	CDX		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	99		LT	0.010100	µg/g		
AL	M	CDX		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	99		LT	0.003990	µg/g		
AL	M	CDX		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	99		LT	0.003990	µg/g		
AL	M	CDX		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	99			0.121000	µg/g	U	
AL	M	CDX		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	99			0.151000	µg/g	U	
AL	M	CDX		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	99		LT	0.160000	µg/g		
AL	M	CDX		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	99		LT	0.160000	µg/g		
AL	M	CDY		ABHC	ALPHA-BENZENEHEXACHLORIDE /	0.000000	UH16		LT	0.005610	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	CDY		ABHC	ALPHA-HEXACHLOROCYCLOHEXANE ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		LT	0.005610	µg/l		
AL	M	CDY		ACLDAN	ALPHA-CHLORDANE	0.000000	UH16		LT	0.002010	µg/l		
AL	M	CDY		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CDY		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CDY		ALDRN	ALDRIN	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CDY		ALDRN	ALDRIN	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CDY		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CDY		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CDY		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		LT	0.036900	µg/l		
AL	M	CDY		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		LT	0.036900	µg/l		
AL	M	CDY		DLDRN	DIELDRIN	0.000000	UH16		LT	0.021800	µg/l		
AL	M	CDY		ENDRN	ENDRIN	0.000000	UH16		LT	0.007640	µg/l		
AL	M	CDY		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		ENDRNK	ENDRIN KETONE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		ENDRNK	ENDRIN KETONE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		GCLDAN	GAMMA-CHLORDANE	0.000000	UH16		LT	0.030900	µg/l		
AL	M	CDY		GCLDAN	GAMMA-CHLORDANE	0.000000	UH16		LT	0.030900	µg/l		
AL	M	CDY		HPCL	HEPTACHLOR	0.000000	UH16		LT	0.008410	µg/l		
AL	M	CDY		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16		LT	0.061000	µg/l		
AL	M	CDY		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16		LT	0.061000	µg/l		
AL	M	CDY		ISODR	ISODRIN	0.000000	UH16		LT	0.134000	µg/l		
AL	M	CDY		ISODR	ISODRIN	0.000000	UH16		LT	0.134000	µg/l		
AL	M	CDY		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH16		LT	0.033000	µg/l		
AL	M	CDY		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH16		ND	0.500000	µg/l	T	
AL	M	CDY		MEXCLR	METHOXYCHLOR /	0.000000	UH16		ND	0.500000	µg/l	T	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					METHOXY-DDT								
AL	M	CDY		PCB016	PCB 1016	0.000000	UH16		LT	0.068100	µg/l		
AL	M	CDY		PCB260	PCB 1260	0.000000	UH16		LT	0.075400	µg/l		
AL	M	CDY		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	UH16		LT	0.020100	µg/l		
AL	M	CDY		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UH16		LT	0.088000	µg/l		
AL	M	CDY		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UH16		LT	0.088000	µg/l		
AL	M	CDY		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CDY		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH16		ND	1.000000	µg/l	T	
AL	M	CDY		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH16		ND	1.000000	µg/l	T	
AL	M	CED		PCB016	PCB 1016	0.000000	99		LT	0.070400	µg/g		
AL	M	CED		PCB260	PCB 1260	0.000000	99		LT	0.053800	µg/g		
AL	M	CEE		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	0.000000	LH13		LT	0.005050	µg/g		
AL	M	CEE		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	0.000000	LH13		LT	0.005050	µg/g		
AL	M	CEE		ACLDAN	ALPHA-CHLORDANE	0.000000	LH13		LT	0.001840	µg/g		
AL	M	CEE		ACLDAN	ALPHA-CHLORDANE	0.000000	LH13		LT	0.001840	µg/g		
AL	M	CEE		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LH13		ND	0.008000	µg/g	T	
AL	M	CEE		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LH13		ND	0.008000	µg/g	T	
AL	M	CEE		ALDRN	ALDRIN	0.000000	LH13		LT	0.008070	µg/g		
AL	M	CEE		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN E	0.000000	LH13		ND	0.008000	µg/g	T	
AL	M	CEE		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN E	0.000000	LH13		ND	0.008000	µg/g	T	
AL	M	CEE		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		DBHC	DELTA-BENZENEHEXACHLORIDE	0.000000	LH13		LT	0.004900	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ DELTA-HEXACHLOROCYCLOHEXANE								
AL	M	CEE		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LH13		LT	0.004900	µg/g		
AL	M	CEE		DLDRN	DIELDRIN	0.000000	LH13		LT	0.005190	µg/g		
AL	M	CEE		ENDRN	ENDRIN	0.000000	LH13		LT	0.007540	µg/g		
AL	M	CEE		ENDRNA	ENDRIN ALDEHYDE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		ENDRNA	ENDRIN ALDEHYDE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		ENDRNK	ENDRIN KETONE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		ENDRNK	ENDRIN KETONE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		ESFSO4	ENDOSULFAN SULFATE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		ESFSO4	ENDOSULFAN SULFATE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		GCLDAN	GAMMA-CHLORDANE	0.000000	LH13		LT	0.003800	µg/g		
AL	M	CEE		HPCL	HEPTACHLOR	0.000000	LH13		LT	0.001150	µg/g		
AL	M	CEE		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH13		LT	0.003550	µg/g		
AL	M	CEE		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH13		LT	0.003550	µg/g		
AL	M	CEE		ISODR	ISODRIN	0.000000	LH13		LT	0.007930	µg/g		
AL	M	CEE		ISODR	ISODRIN	0.000000	LH13		LT	0.007930	µg/g		
AL	M	CEE		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LH13		LT	0.004650	µg/g		
AL	M	CEE		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LH13		ND	0.080000	µg/g	T	
AL	M	CEE		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LH13		ND	0.080000	µg/g	T	
AL	M	CEE		PCB016	PCB 1016	0.000000	LH13		LT	0.070400	µg/g		
AL	M	CEE		PCB260	PCB 1260	0.000000	LH13		LT	0.053800	µg/g		
AL	M	CEE		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LH13		LT	0.010100	µg/g		
AL	M	CEE		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LH13		LT	0.003990	µg/g		
AL	M	CEE		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LH13		LT	0.003990	µg/g		
AL	M	CEE		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LH13		ND	0.016000	µg/g	T	
AL	M	CEE		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH13		ND	0.160000	µg/g	T	
AL	M	CEE		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH13		ND	0.160000	µg/g	T	
AL	M	CEF		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		LT	0.005610	µg/l		
AL	M	CEF		ABHC	ALPHA-BENZENEHEXACHLORIDE	0.000000	UH16		LT	0.005610	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ ALPHA-HEXACHLOROCYCLOHEXANE								
AL	M	CEF		ACLDAN	ALPHA-CHLORDANE	0.000000	UH16		LT	0.002010	µg/l		
AL	M	CEF		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CEF		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CEF		ALDRN	ALDRIN	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CEF		ALDRN	ALDRIN	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CEF		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CEF		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		ND	0.050000	µg/l	T	
AL	M	CEF		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		LT	0.036900	µg/l		
AL	M	CEF		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16		LT	0.036900	µg/l		
AL	M	CEF		DLDRN	DIELDRIN	0.000000	UH16		LT	0.021800	µg/l		
AL	M	CEF		ENDRN	ENDRIN	0.000000	UH16		LT	0.007640	µg/l		
AL	M	CEF		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		ENDRNK	ENDRIN KETONE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		ENDRNK	ENDRIN KETONE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		GCLDAN	GAMMA-CHLORDANE	0.000000	UH16		LT	0.030900	µg/l		
AL	M	CEF		GCLDAN	GAMMA-CHLORDANE	0.000000	UH16		LT	0.030900	µg/l		
AL	M	CEF		HPCL	HEPTACHLOR	0.000000	UH16		LT	0.008410	µg/l		
AL	M	CEF		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16		LT	0.061000	µg/l		
AL	M	CEF		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16		LT	0.061000	µg/l		
AL	M	CEF		ISODR	ISODRIN	0.000000	UH16		LT	0.134000	µg/l		
AL	M	CEF		ISODR	ISODRIN	0.000000	UH16		LT	0.134000	µg/l		
AL	M	CEF		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH16		LT	0.033000	µg/l		
AL	M	CEF		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH16		ND	0.500000	µg/l	T	
AL	M	CEF		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH16		ND	0.500000	µg/l	T	
AL	M	CEF		PCB016	PCB 1016	0.000000	UH16		LT	0.068100	µg/l		
AL	M	CEF		PCB260	PCB 1260	0.000000	UH16		LT	0.075400	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	CEF		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	UH16		LT	0.020100	µg/l		
AL	M	CEF		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UH16		LT	0.088000	µg/l		
AL	M	CEF		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UH16		LT	0.088000	µg/l		
AL	M	CEF		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UH16		ND	0.100000	µg/l	T	
AL	M	CEF		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH16		ND	1.000000	µg/l	T	
AL	M	CEF		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH16		ND	1.000000	µg/l	T	
AL	M	DEL		HG	MERCURY	0.000000	JB03		LT	0.025900	µg/g		
AL	M	DEM		HG	MERCURY	0.000000	SB03			0.682000	µg/l		
AL	M	DEN		HG	MERCURY	0.000000	SB03		LT	0.566000	µg/l		
AL	M	DEO		HG	MERCURY	0.000000	JB03		LT	0.025900	µg/g		
AL	M	DEP		HG	MERCURY	0.000000	JB03		LT	0.025900	µg/g		
AL	M	DEQ		HG	MERCURY	0.000000	JB03		LT	0.025900	µg/g		
AL	M	DET		HG	MERCURY	0.000000	JB03		LT	0.025900	µg/g		
AL	M	DEU		HG	MERCURY	0.000000	SB03		LT	0.566000	µg/l		
AL	M	DEV		HG	MERCURY	0.000000	JB03		LT	0.025900	µg/g		
AL	M	EGE		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGE		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGE		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGE		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGE		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGE		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGE		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	EGF		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGF		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGF		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGF		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGF		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGF		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGF		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGF		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGF		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGF		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGG		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGG		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGG		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGG		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGG		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGG		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGG		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGG		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGG		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGG		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGH		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGH		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGH		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGH		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGH		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGH		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGH		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGH		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGH		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGH		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGI		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGI		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGI		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	EGI		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGI		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGI		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGI		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGJ		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGJ		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGJ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGJ		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGJ		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGJ		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGJ		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGJ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGJ		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGJ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGK		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGK		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGK		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGK		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGK		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGK		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGK		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGK		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGK		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGK		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGL		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW26		LT	0.388000	µg/l		
AL	M	EGL		13DNB	1,3-DINITROBENZENE	0.000000	UW26		LT	0.270000	µg/l		
AL	M	EGL		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW26		LT	0.767000	µg/l		
AL	M	EGL		24DNT	2,4-DINITROTOLUENE	0.000000	UW26		LT	1.160000	µg/l		
AL	M	EGL		26DNT	2,6-DINITROTOLUENE	0.000000	UW26		LT	1.110000	µg/l		
AL	M	EGL		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	UW26		LT	0.869000	µg/l		
AL	M	EGL		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW26		LT	1.540000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	EGL		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW26		LT	0.617000	µg/l		
AL	M	EGL		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW26		LT	0.191000	µg/l		
AL	M	EGP		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGP		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGP		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGP		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGP		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGP		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGP		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGT		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		
AL	M	EGT		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGT		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGT		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGT		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGT		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGT		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGT		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGT		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGT		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGU		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW26		LT	0.388000	µg/l		
AL	M	EGU		13DNB	1,3-DINITROBENZENE	0.000000	UW26		LT	0.270000	µg/l		
AL	M	EGU		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW26		LT	0.767000	µg/l		
AL	M	EGU		24DNT	2,4-DINITROTOLUENE	0.000000	UW26		LT	1.160000	µg/l		
AL	M	EGU		26DNT	2,6-DINITROTOLUENE	0.000000	UW26		LT	1.110000	µg/l		
AL	M	EGU		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	UW26		LT	0.869000	µg/l		
AL	M	EGU		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW26		LT	1.540000	µg/l		
AL	M	EGU		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW26		LT	0.617000	µg/l		
AL	M	EGU		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW26		LT	0.191000	µg/l		
AL	M	EGV		135TNB	1,3,5-TRINITROBENZENE	0.000000	LW26		LT	0.352000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	EGV		13DNB	1,3-DINITROBENZENE	0.000000	LW26		LT	0.304000	µg/g		
AL	M	EGV		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	LW26		LT	0.931000	µg/g		
AL	M	EGV		24DNT	2,4-DINITROTOLUENE	0.000000	LW26		LT	0.744000	µg/g		
AL	M	EGV		26DNT	2,6-DINITROTOLUENE	0.000000	LW26		LT	0.830000	µg/g		
AL	M	EGV		2NT	2-NITROTOLUENE	0.000000	LW26		LT	1.590000	µg/g		
AL	M	EGV		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW26		LT	0.755000	µg/g		
AL	M	EGV		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	EGV		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	LW26		LT	0.445000	µg/g		
AL	M	EGV		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW26		LT	1.040000	µg/g		
AL	M	FNZ		PB	LEAD	0.000000	JD13		LT	0.319000	µg/g		
AL	M	FOB		AG	SILVER	0.000000	JD13		LT	0.014600	µg/g		
AL	M	FOG		AG	SILVER	0.000000	JD13		LT	0.014600	µg/g		
AL	M	FOH		PB	LEAD	0.000000	JD13		LT	0.319000	µg/g		
AL	M	FPA		AG	SILVER	0.000000	JD13		LT	0.014600	µg/g		
AL	M	FPB		PB	LEAD	0.000000	JD13		LT	0.319000	µg/g		
AL	M	FPD		PB	LEAD	0.000000	SD24		LT	4.740000	µg/l		
AL	M	FPE		AG	SILVER	0.000000	JD13		LT	0.014600	µg/g		
AL	M	FPF		PB	LEAD	0.000000	JD13		LT	0.319000	µg/g		
AL	M	FPG		AG	SILVER	0.000000	JD13		LT	0.014600	µg/g		
AL	M	FPI		AG	SILVER	0.000000	JD13		LT	0.014600	µg/g		
AL	M	FPK		AG	SILVER	0.000000	SD24		LT	0.316000	µg/l		
AL	M	FPL		PB	LEAD	0.000000	JD13		LT	0.319000	µg/g		
AL	M	FPM		PB	LEAD	0.000000	JD13		LT	0.319000	µg/g		
AL	M	IHD		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHD		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHD		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHD		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHD		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHD		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHD		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHD		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHD		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHD		SO4	SULFATE	0.000000	KT04			27.000000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	IHE		NO2	NITRITE	0.000000	TT08		LT	28.300000	µg/l		
AL	M	IHE		NO3	NITRATE	0.000000	TT08		LT	24.300000	µg/l		
AL	M	IHE		PO4	PHOSPHATE	0.000000	TT08		LT	33.000000	µg/l		
AL	M	IHF		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		GO
AL	M	IHF		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		GO
AL	M	IHF		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		GO
AL	M	IHF		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		GO
AL	M	IHF		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		GO
AL	M	IHF		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHF		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHF		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHF		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHF		SO4	SULFATE	0.000000	KT04			31.900000	µg/g		GO
AL	M	IHG		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		GO
AL	M	IHG		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		GO
AL	M	IHG		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		GO
AL	M	IHG		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		GO
AL	M	IHG		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		GO
AL	M	IHG		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHG		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHG		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHG		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	GO
AL	M	IHG		SO4	SULFATE	0.000000	KT04			25.000000	µg/g		GO
AL	M	IHH		BR	BROMIDE	0.000000	TT08		LT	50.000000	µg/l		
AL	M	IHH		CL	CHLORIDE	0.000000	TT08		LT	273.000000	µg/l		
AL	M	IHH		F	FLUORIDE	0.000000	TT08		LT	71.000000	µg/l		
AL	M	IHH		SO4	SULFATE	0.000000	TT08		LT	137.000000	µg/l		
AL	M	IHI		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHI		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHI		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHI		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHI		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHI		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHI		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHI		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHI		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHI		SO4	SULFATE	0.000000	KT04			24.200000	µg/g		
AL	M	IHJ		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHJ		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHJ		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHJ		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHJ		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHJ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHJ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHJ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHJ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHJ		SO4	SULFATE	0.000000	KT04			26.500000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	IHK		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHK		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHK		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHK		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHK		NO3	NITRATE	0.000000	KT04			2.670000	µg/g	P	
AL	M	IHK		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHK		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHK		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHK		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHK		SO4	SULFATE	0.000000	KT04			27.400000	µg/g		
AL	M	IHL		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHL		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHL		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHL		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHL		NO3	NITRATE	0.000000	KT04			2.820000	µg/g	P	
AL	M	IHL		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHL		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHL		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHL		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHL		SO4	SULFATE	0.000000	KT04			25.600000	µg/g		
AL	M	IHM		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHM		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHM		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHM		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHM		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHM		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHM		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHM		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHM		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHM		SO4	SULFATE	0.000000	KT04			26.400000	µg/g		
AL	M	IHO		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHO		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHO		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHO		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHO		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHO		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHO		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHO		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHO		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHO		SO4	SULFATE	0.000000	KT04			27.900000	µg/g		
AL	M	IHP		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHP		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHP		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHP		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHP		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHP		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHP		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHP		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	IHP		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHP		SO4	SULFATE	0.000000	KT04			26.500000	µg/g		
AL	M	IHQ		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHQ		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHQ		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHQ		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHQ		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHQ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHQ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHQ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHQ		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHQ		SO4	SULFATE	0.000000	KT04			26.100000	µg/g		
AL	M	IHR		BR	BROMIDE	0.000000	KT04			16.600000	µg/g		
AL	M	IHR		CL	CHLORIDE	0.000000	KT04		GT	200.000000	µg/g		
AL	M	IHR		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHR		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHR		NO3	NITRATE	0.000000	KT04			4.650000	µg/g		
AL	M	IHR		PO4	PHOSPHATE	0.000000	KT04			9.560000	µg/g	T	
AL	M	IHR		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHR		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHR		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHR		SO4	SULFATE	0.000000	KT04		GT	500.000000	µg/g		
AL	M	IHS		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHS		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHS		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHS		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHS		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHS		PO4	PHOSPHATE	0.000000	KT04			10.600000	µg/g	T	
AL	M	IHS		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHS		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHS		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHS		SO4	SULFATE	0.000000	KT04			59.300000	µg/g		
AL	M	IHU		BR	BROMIDE	0.000000	TT08		LT	50.000000	µg/l		
AL	M	IHU		CL	CHLORIDE	0.000000	TT08		LT	273.000000	µg/l		
AL	M	IHU		F	FLUORIDE	0.000000	TT08		LT	71.000000	µg/l		
AL	M	IHU		NO2	NITRITE	0.000000	TT08		LT	28.300000	µg/l		
AL	M	IHU		NO3	NITRATE	0.000000	TT08		LT	24.300000	µg/l		
AL	M	IHU		PO4	PHOSPHATE	0.000000	TT08		LT	33.000000	µg/l		
AL	M	IHU		SO4	SULFATE	0.000000	TT08		LT	137.000000	µg/l		
AL	M	IHV		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHV		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHV		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHV		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHV		NO3	NITRATE	0.000000	KT04			3.430000	µg/g		
AL	M	IHV		PO4	PHOSPHATE	0.000000	KT04			7.280000	µg/g	T	
AL	M	IHV		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHV		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHV		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	IHV		SO4	SULFATE	0.000000	KT04			59.700000	µg/g		
AL	M	IHW		BR	BROMIDE	0.000000	TT08		LT	50.000000	µg/l		
AL	M	IHW		CL	CHLORIDE	0.000000	TT08		LT	273.000000	µg/l		
AL	M	IHW		F	FLUORIDE	0.000000	TT08		LT	71.000000	µg/l		
AL	M	IHW		NO2	NITRITE	0.000000	TT08		LT	28.300000	µg/l		
AL	M	IHW		NO3	NITRATE	0.000000	TT08		LT	24.300000	µg/l		
AL	M	IHW		PO4	PHOSPHATE	0.000000	TT08		LT	33.000000	µg/l		
AL	M	IHW		SO4	SULFATE	0.000000	TT08		LT	137.000000	µg/l		
AL	M	IHX		BR	BROMIDE	0.000000	KT04		LT	8.830000	µg/g		
AL	M	IHX		CL	CHLORIDE	0.000000	KT04		LT	39.600000	µg/g		
AL	M	IHX		F	FLUORIDE	0.000000	KT04		LT	19.200000	µg/g		
AL	M	IHX		NO2	NITRITE	0.000000	KT04		LT	3.160000	µg/g		
AL	M	IHX		NO3	NITRATE	0.000000	KT04		LT	3.360000	µg/g		
AL	M	IHX		PO4	PHOSPHATE	0.000000	KT04			5.690000	µg/g	T	
AL	M	IHX		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHX		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHX		PO4	PHOSPHATE	0.000000	KT04		ND	5.000000	µg/g	T	
AL	M	IHX		SO4	SULFATE	0.000000	KT04			57.200000	µg/g		
UB	M	JXC		236TCP	2,3,6-TRICHLOROPHENOL	0.000000	UM25		LT	1.700000	µg/l		LIT
UB	M	JXC		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM25		LT	2.800000	µg/l		LIT
UB	M	JXC		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM25		LT	3.600000	µg/l		LIT
UB	M	JXC		24DCLP	2,4-DICHLOROPHENOL	0.000000	UM25		LT	8.400000	µg/l		LIT
UB	M	JXC		24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM25		LT	4.400000	µg/l		LIT
UB	M	JXC		24DNP	2,4-DINITROPHENOL	0.000000	UM25		LT	176.000000	µg/l		LIT
UB	M	JXC		2CLP	2-CHLOROPHENOL	0.000000	UM25		LT	2.800000	µg/l		LIT
UB	M	JXC		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM25		LT	3.600000	µg/l		LIT
UB	M	JXC		2NP	2-NITROPHENOL	0.000000	UM25		LT	8.200000	µg/l		LIT
UB	M	JXC		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM25		LT	8.500000	µg/l		LIT
UB	M	JXC		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM25		LT	2.800000	µg/l		LIT
UB	M	JXC		4NP	4-NITROPHENOL	0.000000	UM25		LT	96.000000	µg/l		LIT
UB	M	JXC		ALDRN	ALDRIN	0.000000	UM25		LT	13.000000	µg/l		LIT
UB	M	JXC		ATZ	ATRAZINE	0.000000	UM25		LT	5.900000	µg/l		LIT
UB	M	JXC		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM25		LT	54.000000	µg/l		LIT
UB	M	JXC		CLDAN	CHLORDANE	0.000000	UM25		LT	37.000000	µg/l		LIT
UB	M	JXC		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM25		LT	10.000000	µg/l		LIT
UB	M	JXC		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM25		LT	15.000000	µg/l		LIT
UB	M	JXC		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM25		LT	5.300000	µg/l		LIT
UB	M	JXC		DBCP	DIBROMOCHLOROPROPANE	0.000000	UM25		LT	12.000000	µg/l		LIT
UB	M	JXC		DCPD	DICYCLOPENTADIENE	0.000000	UM25		LT	5.500000	µg/l		LIT
UB	M	JXC		DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	UM25		LT	8.500000	µg/l		LIT
UB	M	JXC		DIMP	DIISOPROPYLMETHYL PHOSPHONATE	0.000000	UM25		LT	21.000000	µg/l		LIT
UB	M	JXC		DITH	DITHIANE	0.000000	UM25		LT	3.300000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	JXC		DLDRN	DIELDRIN	0.000000	UM25		LT	26.000000	µg/l		LIT
UB	M	JXC		DMMP	DIMETHYLMETHYL PHOSPHATE	0.000000	UM25		LT	130.000000	µg/l		LIT
UB	M	JXC		ENDRN	ENDRIN	0.000000	UM25		LT	18.000000	µg/l		LIT
UB	M	JXC		ISODR	ISODRIN	0.000000	UM25		LT	7.800000	µg/l		LIT
UB	M	JXC		MLTHN	MALATHION	0.000000	UM25		LT	21.000000	µg/l		LIT
UB	M	JXC		OXAT	1,4-OXATHIANE	0.000000	UM25		LT	27.000000	µg/l		LIT
UB	M	JXC		PCP	PENTACHLOROPHENOL	0.000000	UM25		LT	9.100000	µg/l		LIT
UB	M	JXC		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM25		LT	2.200000	µg/l		LIT
UB	M	JXC		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UM25		LT	14.000000	µg/l		LIT
UB	M	JXC		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UM25		LT	18.000000	µg/l		LIT
UB	M	JXC		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM25		LT	37.000000	µg/l		LIT
UB	M	JXC		SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	UM25		LT	19.000000	µg/l		LIT
UB	M	JYW		CYN	CYANIDE	0.000000	TF20		LT	5.000000	µg/l		LIT
UB	M	JZP		111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		11DCLE	1,1-DICHLOROETHANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM21		LT	5.000000	µg/l		LIT
UB	M	JZP		12DCLE	1,2-DICHLOROETHANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		12DCLP	1,2-DICHLOROPROPANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		13DCP	1,3-DICHLOROPROPANE	0.000000	UM21		LT	4.800000	µg/l		LIT
UB	M	JZP		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM21		LT	3.500000	µg/l		LIT
UB	M	JZP		ACET	ACETONE	0.000000	UM21		LT	8.000000	µg/l		LIT
UB	M	JZP		ACRYLO	ACRYLONITRILE	0.000000	UM21		LT	8.400000	µg/l		LIT
UB	M	JZP		BRDCLM	BROMODICHLOROMETHANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM21		LT	12.000000	µg/l		LIT
UB	M	JZP		C2H5CL	CHLOROETHANE	0.000000	UM21		LT	8.000000	µg/l		LIT
UB	M	JZP		C6H6	BENZENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		CCL3F	TRICHLOROFLUOROMETHANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		CCL4	CARBON TETRACHLORIDE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM21		LT	14.000000	µg/l		LIT
UB	M	JZP		CH3CL	CHLOROMETHANE	0.000000	UM21		LT	1.200000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	JZP		CHBR3	BROMOFORM	0.000000	UM21		LT	11.000000	µg/l		LIT
UB	M	JZP		CHCL3	CHLOROFORM	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		DCLB	DICHLOROBENZENE - NONSPECIFIC	0.000000	UM21		LT	2.000000	µg/l		LIT
UB	M	JZP		ETC6H5	ETHYLBENZENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		MEC6H5	TOLUENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM21		LT	10.000000	µg/l		LIT
UB	M	JZP		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM21		LT	1.400000	µg/l		LIT
UB	M	JZP		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM21		LT	1.500000	µg/l		LIT
UB	M	JZP		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM21		LT	1.000000	µg/l		LIT
UB	M	JZP		XYLEN	*XYLENES	0.000000	UM21		LT	2.000000	µg/l		LIT
UB	M	KBA		NIT	*NITRITE, NITRATE-NON SPECIFIC	0.000000	LL8		LT	10.000000	µg/l		LIT
UB	M	KBY		CL	CHLORIDE	0.000000	TT09		LT	278.000000	µg/l		LIT
UB	M	KBY		SO4	SULFATE	0.000000	TT09		LT	175.000000	µg/l		LIT
UB	M	KCG		P4	PHOSPHORUS	0.000000	TF29		LT	10.000000	µg/l		LIT
UB	M	KCI		TPHC	TOTAL PETROLEUM HYDROCARBONS	0.000000	00		LT	100.000000	µg/l		LIT
UB	M	KCN		AS	ARSENIC	0.000000	AX8		LT	2.350000	µg/l		LIT
AL	M	MFK		AS	ARSENIC	0.000000	JS15		LT	24.000000	µg/g		
AL	M	MFK		BA	BARIUM	0.000000	JS15		LT	2.610000	µg/g		
AL	M	MFK		BE	BERYLLIUM	0.000000	JS15		LT	0.078000	µg/g		
AL	M	MFK		CD	CADMIUM	0.000000	JS15		LT	0.424000	µg/g		
AL	M	MFK		CR	CHROMIUM	0.000000	JS15		LT	3.900000	µg/g		
AL	M	MFK		CU	COPPER	0.000000	JS15		LT	1.950000	µg/g		
AL	M	MFK		FE	IRON	0.000000	JS15		LT	1.890000	µg/g		
AL	M	MFK		NI	NICKEL	0.000000	JS15		LT	2.460000	µg/g		
AL	M	MFK		SB	ANTIMONY	0.000000	JS15		LT	3.420000	µg/g		
AL	M	MFK		SE	SELENIUM	0.000000	JS15		LT	50.700000	µg/g		
AL	M	MFK		TL	THALLIUM	0.000000	JS15		LT	16.600000	µg/g		
AL	M	MFK		ZN	ZINC	0.000000	JS15		LT	7.960000	µg/g		
AL	M	MFP		AS	ARSENIC	0.000000	JS15		LT	24.000000	µg/g		
AL	M	MFP		BA	BARIUM	0.000000	JS15		LT	2.610000	µg/g		
AL	M	MFP		BE	BERYLLIUM	0.000000	JS15		LT	0.078000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	MFP		CD	CADMIUM	0.000000	JS15		LT	0.424000	µg/g		
AL	M	MFP		CR	CHROMIUM	0.000000	JS15		LT	3.900000	µg/g		
AL	M	MFP		CU	COPPER	0.000000	JS15		LT	1.950000	µg/g		
AL	M	MFP		FE	IRON	0.000000	JS15		LT	1.890000	µg/g		
AL	M	MFP		NI	NICKEL	0.000000	JS15		LT	2.460000	µg/g		
AL	M	MFP		SB	ANTIMONY	0.000000	JS15		LT	3.420000	µg/g		
AL	M	MFP		SE	SELENIUM	0.000000	JS15		LT	50.700000	µg/g		
AL	M	MFP		TL	THALLIUM	0.000000	JS15		LT	16.600000	µg/g		
AL	M	MFP		ZN	ZINC	0.000000	JS15		LT	7.960000	µg/g		
AL	M	MFR		AS	ARSENIC	0.000000	JS15		LT	24.000000	µg/g		
AL	M	MFR		BA	BARIUM	0.000000	JS15		LT	2.610000	µg/g		
AL	M	MFR		BE	BERYLLIUM	0.000000	JS15		LT	0.078000	µg/g		
AL	M	MFR		CD	CADMIUM	0.000000	JS15		LT	0.424000	µg/g		
AL	M	MFR		CR	CHROMIUM	0.000000	JS15		LT	3.900000	µg/g		
AL	M	MFR		CU	COPPER	0.000000	JS15		LT	1.950000	µg/g		
AL	M	MFR		FE	IRON	0.000000	JS15			3.580000	µg/g		
AL	M	MFR		NI	NICKEL	0.000000	JS15		LT	2.460000	µg/g		
AL	M	MFR		SB	ANTIMONY	0.000000	JS15		LT	3.420000	µg/g		
AL	M	MFR		SE	SELENIUM	0.000000	JS15		LT	50.700000	µg/g		
AL	M	MFR		TL	THALLIUM	0.000000	JS15		LT	16.600000	µg/g		
AL	M	MFR		ZN	ZINC	0.000000	JS15		LT	7.960000	µg/g		
AL	M	MFS		AS	ARSENIC	0.000000	JS15		LT	24.000000	µg/g		
AL	M	MFS		BA	BARIUM	0.000000	JS15		LT	2.610000	µg/g		
AL	M	MFS		BE	BERYLLIUM	0.000000	JS15		LT	0.078000	µg/g		
AL	M	MFS		CD	CADMIUM	0.000000	JS15		LT	0.424000	µg/g		
AL	M	MFS		CR	CHROMIUM	0.000000	JS15		LT	3.900000	µg/g		
AL	M	MFS		CU	COPPER	0.000000	JS15		LT	1.950000	µg/g		
AL	M	MFS		FE	IRON	0.000000	JS15		LT	1.890000	µg/g		
AL	M	MFS		NI	NICKEL	0.000000	JS15		LT	2.460000	µg/g		
AL	M	MFS		SB	ANTIMONY	0.000000	JS15		LT	3.420000	µg/g		
AL	M	MFS		SE	SELENIUM	0.000000	JS15		LT	50.700000	µg/g		
AL	M	MFS		TL	THALLIUM	0.000000	JS15		LT	16.600000	µg/g		
AL	M	MFS		ZN	ZINC	0.000000	JS15		LT	7.960000	µg/g		
AL	M	MFT		AS	ARSENIC	0.000000	JS15		LT	24.000000	µg/g		
AL	M	MFT		BA	BARIUM	0.000000	JS15		LT	2.610000	µg/g		
AL	M	MFT		BE	BERYLLIUM	0.000000	JS15		LT	0.078000	µg/g		
AL	M	MFT		CD	CADMIUM	0.000000	JS15		LT	0.424000	µg/g		
AL	M	MFT		CR	CHROMIUM	0.000000	JS15		LT	3.900000	µg/g		
AL	M	MFT		CU	COPPER	0.000000	JS15		LT	1.950000	µg/g		
AL	M	MFT		FE	IRON	0.000000	JS15		LT	1.890000	µg/g		
AL	M	MFT		NI	NICKEL	0.000000	JS15		LT	2.460000	µg/g		
AL	M	MFT		SB	ANTIMONY	0.000000	JS15		LT	3.420000	µg/g		
AL	M	MFT		SE	SELENIUM	0.000000	JS15		LT	50.700000	µg/g		
AL	M	MFT		TL	THALLIUM	0.000000	JS15		LT	16.600000	µg/g		
AL	M	MFT		ZN	ZINC	0.000000	JS15		LT	7.960000	µg/g		
AL	M	MFU		AS	ARSENIC	0.000000	JS15		LT	24.000000	µg/g		
AL	M	MFU		BA	BARIUM	0.000000	JS15		LT	2.610000	µg/g		
AL	M	MFU		BE	BERYLLIUM	0.000000	JS15		LT	0.078000	µg/g		
AL	M	MFU		CD	CADMIUM	0.000000	JS15		LT	0.424000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	MFU		CR	CHROMIUM	0.000000	JS15		LT	3.900000	µg/g		
AL	M	MFU		CU	COPPER	0.000000	JS15		LT	1.950000	µg/g		
AL	M	MFU		FE	IRON	0.000000	JS15		LT	1.890000	µg/g		
AL	M	MFU		NI	NICKEL	0.000000	JS15		LT	2.460000	µg/g		
AL	M	MFU		SB	ANTIMONY	0.000000	JS15		LT	3.420000	µg/g		
AL	M	MFU		SE	SELENIUM	0.000000	JS15		LT	50.700000	µg/g		
AL	M	MFU		TL	THALLIUM	0.000000	JS15		LT	16.600000	µg/g		
AL	M	MFU		ZN	ZINC	0.000000	JS15		LT	7.960000	µg/g		
AL	M	MFV		AG	SILVER	0.000000	SS16		LT	32.000000	µg/l		
AL	M	MFV		AS	ARSENIC	0.000000	SS16		LT	43.800000	µg/l		
AL	M	MFV		BA	BARIUM	0.000000	SS16		LT	1.520000	µg/l		
AL	M	MFV		BE	BERYLLIUM	0.000000	SS16		LT	0.341000	µg/l		
AL	M	MFV		CD	CADMIUM	0.000000	SS16		LT	2.670000	µg/l		
AL	M	MFV		CR	CHROMIUM	0.000000	SS16		LT	4.470000	µg/l		
AL	M	MFV		CU	COPPER	0.000000	SS16		LT	4.290000	µg/l		
AL	M	MFV		FE	IRON	0.000000	SS16		LT	24.600000	µg/l		
AL	M	MFV		NI	NICKEL	0.000000	SS16		LT	8.760000	µg/l		
AL	M	MFV		PB	LEAD	0.000000	SS16		LT	40.600000	µg/l		
AL	M	MFV		SB	ANTIMONY	0.000000	SS16		LT	51.200000	µg/l		
AL	M	MFV		SE	SELENIUM	0.000000	SS16		LT	104.000000	µg/l		
AL	M	MFV		TL	THALLIUM	0.000000	SS16		LT	114.000000	µg/l		
AL	M	MFV		ZN	ZINC	0.000000	SS16		LT	19.400000	µg/l		
AL	M	MFW		AG	SILVER	0.000000	SS16		LT	32.000000	µg/l		
AL	M	MFW		AS	ARSENIC	0.000000	SS16		LT	43.800000	µg/l		
AL	M	MFW		BA	BARIUM	0.000000	SS16		LT	1.520000	µg/l		
AL	M	MFW		CD	CADMIUM	0.000000	SS16		LT	2.670000	µg/l		
AL	M	MFW		CR	CHROMIUM	0.000000	SS16		LT	4.470000	µg/l		
AL	M	MFW		PB	LEAD	0.000000	SS16		LT	40.600000	µg/l		
AL	M	MFW		SE	SELENIUM	0.000000	SS16		LT	104.000000	µg/l		
AL	M	SJT		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJT		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJT		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJT		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJT		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJT		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SJT		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJT		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SJT		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJT		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SJT		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJT		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJT		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJT		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJT		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJT		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJT		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJT		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SJT		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJT		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJT		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJT		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SJT		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJT		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJT		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJT		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJT		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SJT		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SJT		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SJT		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SJT		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SJT		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJT		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SJT		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SJT		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJT		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJT		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJT		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SJT		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJT		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJT		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJT		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SJT		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJT		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SJT		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJT		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SJT		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SJT		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJT		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SJT		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJT		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJT		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SJT		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJT		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJT		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJT		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SJT		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SJT		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJT		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJT		PYR	BENZO[DEF]PHENANTHRENE /	0.000000	LM15		LT	0.420000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					PYRENE								
AL	M	SJT		UNK536		0.000000	LM15			0.300000	µg/g	S	
AL	M	SJT		UNK540		0.000000	LM15			0.500000	µg/g	S	
AL	M	SJT		UNK544		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJT		UNK548		0.000000	LM15			0.300000	µg/g	S	
AL	M	SJT		UNK563		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJT		UNK568		0.000000	LM15			0.400000	µg/g	S	
AL	M	SJT		UNK583		0.000000	LM15			0.100000	µg/g	S	
AL	M	SJT		UNK595		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJT		UNK598		0.000000	LM15			0.400000	µg/g	S	
AL	M	SJT		UNK599		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJT		UNK603		0.000000	LM15			0.100000	µg/g	S	
AL	M	SJT		UNK605		0.000000	LM15			1.000000	µg/g	S	
AL	M	SJT		UNK608		0.000000	LM15			0.300000	µg/g	S	
AL	M	SJT		UNK625		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJT		UNK641		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJT		UNK657		0.000000	LM15			0.500000	µg/g	S	
AL	M	SJT		UNK659		0.000000	LM15			0.400000	µg/g	S	
AL	M	SJT		UNK660		0.000000	LM15			0.100000	µg/g	S	
AL	M	SJT		UNK682		0.000000	LM15			0.500000	µg/g	S	
AL	M	SJU		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJU		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJU		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJU		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJU		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJU		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SJU		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJU		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SJU		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJU		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SJU		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJU		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJU		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJU		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJU		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJU		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJU		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJU		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SJU		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJU		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJU		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJU		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SJU		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJU		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJU		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJU		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJU		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SJU		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		CHRY	CHRYSENE	0.000000	LM15			0.270000	µg/g	P	
AL	M	SJU		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SJU		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SJU		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SJU		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SJU		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SJU		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15			0.190000	µg/g	P	
AL	M	SJU		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJU		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJU		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJU		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SJU		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJU		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJU		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJU		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SJU		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJU		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SJU		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJU		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SJU		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SJU		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJU		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SJU		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJU		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJU		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SJU		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJU		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJU		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJU		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SJU		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SJU		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJU		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJU		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJU		UNK541		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJU		UNK643		0.000000	LM15			0.300000	µg/g	S	
AL	M	SJU		UNK646		0.000000	LM15			0.900000	µg/g	S	
AL	M	SJU		UNK662		0.000000	LM15			1.000000	µg/g	S	
AL	M	SJU		UNK685		0.000000	LM15			0.600000	µg/g	S	
AL	M	SJV		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJV		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJV		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJV		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJV		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJV		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SJV		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJV		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SJV		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJV		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SJV		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJV		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJV		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJV		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJV		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJV		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJV		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SJV		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJV		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJV		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJV		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SJV		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJV		BBHC	BETA-BENZENEHEXACHLORIDE /	0.000000	LM15		LT	0.360000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					BETA-HEXACHLOROCYCLOHEXANE								
AL	M	SJV		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJV		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJV		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SJV		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SJV		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SJV		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SJV		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SJV		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SJV		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SJV		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
				DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJV		DBZFUR	DIBENZOFURAN								
AL	M	SJV		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		DITH	DITHIANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		DLDRN	DIELDRIN	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJV		DMP	DIMETHYL PHTHALATE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJV		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		ENDRN	ENDRIN	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SJV		ENDRNK	ENDRIN KETONE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJV		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJV		FANT	FLUORANTHENE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJV		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SJV		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJV		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SJV		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJV		ISOPHR	ISOPHORONE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SJV		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SJV		MLTHN	MALATHION	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJV		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SJV		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJV		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
									ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJV		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SJV		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJV		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJV		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJV		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SJV		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SJV		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJV		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJV		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJV		UNK541		0.000000	LM15			0.200000	µg/g		
AL	M	SJV		UNK545		0.000000	LM15			0.200000	µg/g		
AL	M	SJV		UNK552		0.000000	LM15			0.200000	µg/g		
AL	M	SJV		UNK560		0.000000	LM15			0.200000	µg/g		
AL	M	SJV		UNK566		0.000000	LM15			0.200000	µg/g		
AL	M	SJV		UNK599		0.000000	LM15			0.200000	µg/g		
AL	M	SJV		UNK605		0.000000	LM15			0.200000	µg/g		
AL	M	SJV		UNK635		0.000000	LM15			0.300000	µg/g		
AL	M	SJV		UNK646		0.000000	LM15			0.700000	µg/g		
AL	M	SJV		UNK648		0.000000	LM15			0.400000	µg/g		
AL	M	SJV		UNK662		0.000000	LM15			1.000000	µg/g		
AL	M	SJV		UNK685		0.000000	LM15			0.600000	µg/g		
AL	M	SJW		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM16		LT	3.600000	µg/l		
AL	M	SJW		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM16		LT	2.800000	µg/l		
AL	M	SJW		12DCLB	1,2-DICHLOROBENZENE	0.000000	UM16		LT	10.000000	µg/l		
AL	M	SJW		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM16		LT	8.500000	µg/l		
AL	M	SJW		14DCLB	1,4-DICHLOROBENZENE	0.000000	UM16		LT	4.400000	µg/l		
AL	M	SJW		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		24DCLP	2,4-DICHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		24DNP	2,4-DINITROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		24DNT	2,4-DINITROTOLUENE	0.000000	UM16		LT	5.500000	µg/l		
AL	M	SJW		26DNT	2,6-DINITROTOLUENE	0.000000	UM16		LT	6.600000	µg/l		
AL	M	SJW		2CLP	2-CHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		2CNAP	2-CHLORONAPHTHALENE	0.000000	UM16		LT	9.600000	µg/l		
AL	M	SJW		2MNAP	2-METHYLNAPHTHALENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		2NANIL	2-NITROANILINE	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		2NP	2-NITROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM16		ND	6.000000	µg/l	R	
AL	M	SJW		3NANIL	3-NITROANILINE	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		46DN2C	2-METHYL-4,6-DINITROPHENO	0.000000	UM16		ND	50.000000	µg/l	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					L / 4,6-DINITRO-2-CRESOL								
AL	M	SJW		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		4CANIL	4-CHLOROANILINE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		4NANIL	4-NITROANILINE	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		4NP	4-NITROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM16		LT	6.800000	µg/l		
AL	M	SJW		ACLDAN	ALPHA-CHLORDANE	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SJW		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SJW		ALDRN	ALDRIN	0.000000	UM16		LT	12.000000	µg/l		
AL	M	SJW		ANAPNE	ACENAPHTHENE	0.000000	UM16		LT	14.000000	µg/l		
AL	M	SJW		ANAPYL	ACENAPHTHYLENE	0.000000	UM16		LT	19.000000	µg/l		
AL	M	SJW		ANTRC	ANTHRACENE	0.000000	UM16		LT	20.000000	µg/l		
AL	M	SJW		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM16		LT	8.100000	µg/l		
AL	M	SJW		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM16		LT	32.000000	µg/l		
AL	M	SJW		BAANTR	BENZO[A]ANTHRACENE	0.000000	UM16		LT	14.000000	µg/l		
AL	M	SJW		BAPYR	BENZO[A]PYRENE	0.000000	UM16		LT	10.000000	µg/l		
AL	M	SJW		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM16		LT	23.000000	µg/l		
AL	M	SJW		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM16		LT	4.900000	µg/l		
AL	M	SJW		BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM16		ND	6.000000	µg/l	R	
AL	M	SJW		BENZOA	BENZOIC ACID	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM16		LT	7.100000	µg/l		
AL	M	SJW		BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM16		LT	21.000000	µg/l		
AL	M	SJW		BZALC	BENZYL ALCOHOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		CHRY	CHRYSENE	0.000000	UM16		LT	15.000000	µg/l		
AL	M	SJW		CL6BZ	HEXACHLOROBENZENE	0.000000	UM16		LT	8.300000	µg/l		
AL	M	SJW		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		CL6ET	HEXACHLOROETHANE	0.000000	UM16		LT	5.100000	µg/l		
AL	M	SJW		CLDAN	CHLORDANE	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SJW		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM16		LT	5.900000	µg/l		
AL	M	SJW		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM16		LT	6.800000	µg/l		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJW		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM16		LT	38.000000	µg/l		
AL	M	SJW		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM16		LT	7.500000	µg/l		
AL	M	SJW		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UM16		LT	6.400000	µg/l		
AL	M	SJW		DBZFUR	DIBENZOFURAN	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		DEP	DIETHYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		DITH	DITHIANE	0.000000	UM16		LT	7.700000	µg/l		
AL	M	SJW		DLDRN	DIELDRIN	0.000000	UM16		LT	11.000000	µg/l		
AL	M	SJW		DMP	DIMETHYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM16		LT	15.000000	µg/l		
AL	M	SJW		ENDRN	ENDRIN	0.000000	UM16		LT	6.600000	µg/l		
AL	M	SJW		ENDRNK	ENDRIN KETONE	0.000000	UM16		ND	6.000000	µg/l	R	
AL	M	SJW		ESFSO4	ENDOSULFAN SULFATE	0.000000	UM16		ND	6.000000	µg/l	R	
AL	M	SJW		FANT	FLUORANTHENE	0.000000	UM16		LT	20.000000	µg/l		
AL	M	SJW		FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM16		LT	18.000000	µg/l		
AL	M	SJW		HPCL	HEPTACHLOR	0.000000	UM16		LT	6.200000	µg/l		
AL	M	SJW		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM16		LT	7.200000	µg/l		
AL	M	SJW		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM16		LT	7.200000	µg/l		
AL	M	SJW		ISOPHR	ISOPHORONE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM16		LT	5.800000	µg/l		
AL	M	SJW		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SJW		MLTHN	MALATHION	0.000000	UM16		LT	7.300000	µg/l		
AL	M	SJW		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM16		LT	17.000000	µg/l		
AL	M	SJW		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	UM16		LT	4.500000	µg/l		
AL	M	SJW		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		OXAT	1,4-OXATHIANE	0.000000	UM16		LT	9.100000	µg/l		
AL	M	SJW		PCP	PENTACHLOROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SJW		PHANTR	PHENANTHRENE	0.000000	UM16		LT	22.000000	µg/l		
AL	M	SJW		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SJW		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UM16		LT	9.700000	µg/l		
AL	M	SJW		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UM16		LT	9.300000	µg/l		
AL	M	SJW		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UM16		LT	7.300000	µg/l		
AL	M	SJW		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM16		LT	4.700000	µg/l		
AL	M	SJW		PYR	BENZO[DEF]PHENANTHRENE /	0.000000	UM16		LT	17.000000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					PYRENE								
AL	M	SJX		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJX		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJX		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJX		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJX		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJX		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SJX		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJX		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SJX		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJX		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SJX		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJX		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJX		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJX		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJX		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJX		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJX		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SJX		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJX		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJX		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJX		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SJX		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJX		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJX		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJX		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJX		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SJX		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SJX		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SJX		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SJX		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SJX		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SJX		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SJX		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SJX		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJX		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJX		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJX		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SJX		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJX		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJX		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SJX		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SJX		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJX		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SJX		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJX		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SJX		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SJX		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SJX		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SJX		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJX		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJX		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SJX		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJX		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJX		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJX		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SJX		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SJX		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJX		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJX		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJX		UNK540		0.000000	LM15			0.200000	µg/g		
AL	M	SJX		UNK544		0.000000	LM15			0.300000	µg/g		
AL	M	SJX		UNK552		0.000000	LM15			0.200000	µg/g		
AL	M	SJX		UNK559		0.000000	LM15			0.100000	µg/g		
AL	M	SJX		UNK646		0.000000	LM15			0.900000	µg/g		
AL	M	SJX		UNK660		0.000000	LM15			1.000000	µg/g		
AL	M	SJZ		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJZ		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJZ		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJZ		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJZ		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJZ		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SJZ		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJZ		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SJZ		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SJZ		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SJZ		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		46DN2C	2-METHYL-4,6-DINITROPHENO	0.000000	LM15		ND	1.700000	µg/g	R	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					L / 4,6-DINITRO-2-CRESOL								
AL	M	SJZ		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJZ		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SJZ		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	0.500000	µg/g	R	
AL	M	SJZ		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJZ		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJZ		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJZ		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SJZ		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SJZ		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SJZ		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJZ		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SJZ		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJZ		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJZ		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJZ		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJZ		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SJZ		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SJZ		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SJZ		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SJZ		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SJZ		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SJZ		CPMSO2	4-CHLOROPHENYLMETHYL	0.000000	LM15		LT	0.690000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					SULFONE								
AL	M	SJZ		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SJZ		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SJZ		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SJZ		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SJZ		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SJZ		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJZ		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJZ		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SJZ		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SJZ		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SJZ		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJZ		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SJZ		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJZ		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SJZ		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SJZ		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SJZ		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SJZ		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SJZ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SJZ		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SJZ		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SJZ		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJZ		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SJZ		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SJZ		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SJZ		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SJZ		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SJZ		PYR	BENZO[DEF]PHENANTHRENE /	0.000000	LM15		LT	0.420000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					PYRENE								
AL	M	SJZ		UNK539		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJZ		UNK544		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJZ		UNK559		0.000000	LM15			0.200000	µg/g	S	
AL	M	SJZ		UNK606		0.000000	LM15			0.100000	µg/g	S	
AL	M	SJZ		UNK636		0.000000	LM15			0.300000	µg/g	S	
AL	M	SJZ		UNK646		0.000000	LM15			0.600000	µg/g	S	
AL	M	SJZ		UNK660		0.000000	LM15			0.800000	µg/g	S	
AL	M	SJZ		UNK680		0.000000	LM15			0.400000	µg/g	S	
AL	M	SKB		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKB		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKB		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKB		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKB		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKB		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKB		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKB		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKB		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKB		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKB		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKB		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKB		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKB		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKB		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKB		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKB		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKB		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKB		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKB		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKB		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKB		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKB		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKB		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKB		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKB		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKB		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKB		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKB		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKB		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKB		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKB		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKB		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SKB		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKB		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKB		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKB		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKB		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKB		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKB		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKB		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKB		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKB		HCBD	HEXACHLOROBUTADIENE /	0.000000	LM15		LT	0.420000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					HEXACHLORO-1,3-BUTADIENE								
AL	M	SKB		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKB		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKB		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKB		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKB		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKB		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKB		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKB		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKB		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SKB		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKB		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKB		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKB		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKB		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKB		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKB		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKB		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKB		UNK561		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKB		UNK574		0.000000	LM15			0.500000	µg/g	D	
AL	M	SKB		UNK574		0.000000	LM15			0.100000	µg/g	S	
AL	M	SKB		UNK586		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKB		UNK591		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKB		UNK596		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKB		UNK597		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKB		UNK607		0.000000	LM15			0.800000	µg/g	S	
AL	M	SKB		UNK612		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKB		UNK641		0.000000	LM15			0.500000	µg/g	S	
AL	M	SKC		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKC		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKC		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKC		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKC		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKC		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKC		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKC		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKC		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKC		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKC		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKC		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKC		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKC		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKC		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKC		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKC		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKC		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKC		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKC		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKC		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKC		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKC		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKC		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKC		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKC		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKC		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKC		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKC		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKC		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKC		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKC		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKC		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKC		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SKC		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKC		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKC		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKC		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKC		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKC		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKC		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKC		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKC		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKC		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKC		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKC		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKC		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKC		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKC		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKC		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKC		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKC		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKC		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKC		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SKC		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKC		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKC		PHENOL	PHENOL / CARBOLIC ACID /	0.000000	LM15		ND	0.330000	µg/g	R	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					HYDROXYBENZENE / OXYBENZENE								
AL	M	SKC		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKC		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKC		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKC		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKC		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKC		UNK560		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKC		UNK573		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKC		UNK574		0.000000	LM15			0.600000	µg/g	S	
AL	M	SKC		UNK586		0.000000	LM15			0.400000	µg/g	S	
AL	M	SKC		UNK591		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKC		UNK597		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKC		UNK599		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKC		UNK602		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKC		UNK605		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKC		UNK613		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKC		UNK628		0.000000	LM15			0.400000	µg/g	S	
AL	M	SKD		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKD		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKD		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKD		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKD		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKD		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKD		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKD		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKD		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKD		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKD		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKD		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15			0.046000	µg/g	S	
AL	M	SKD		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKD		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKD		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKD		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKD		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKD		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKD		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKD		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKD		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKD		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKD		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKD		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKD		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKD		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15			0.090000	µg/g	S	
AL	M	SKD		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKD		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKD		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKD		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		C5A	PENTANOIC ACID / VALERIC ACID	0.000000	LM15			0.500000	µg/g	S	
AL	M	SKD		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKD		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKD		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKD		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKD		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKD		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKD		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKD		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKD		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKD		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKD		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKD		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKD		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKD		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKD		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKD		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKD		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKD		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKD		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKD		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKD		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKD		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKD		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKD		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKD		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKD		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SKD		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKD		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKD		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKD		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKD		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKD		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKD		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKD		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKD		UNK533		0.000000	LM15			5.000000	µg/g	S	
AL	M	SKD		UNK560		0.000000	LM15			0.200000	µg/g	S	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKD		UNK561		0.000000	LM15			0.100000	µg/g	S	
AL	M	SKD		UNK573		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKD		UNK574		0.000000	LM15			0.200000	µg/g	D	
AL	M	SKD		UNK574		0.000000	LM15			0.700000	µg/g	S	
AL	M	SKD		UNK585		0.000000	LM15			0.200000	µg/g	D	
AL	M	SKD		UNK585		0.000000	LM15			0.600000	µg/g	S	
AL	M	SKD		UNK586		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKD		UNK590		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKD		UNK594		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKD		UNK595		0.000000	LM15			0.100000	µg/g	S	
AL	M	SKD		UNK596		0.000000	LM15			0.500000	µg/g	S	
AL	M	SKD		UNK599		0.000000	LM15			0.200000	µg/g	D	
AL	M	SKD		UNK599		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKD		UNK602		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKD		UNK604		0.000000	LM15			0.400000	µg/g	S	
AL	M	SKD		UNK605		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKD		UNK611		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKD		UNK623		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKD		UNK629		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKD		UNK635		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKD		UNK643		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKE		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKE		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKE		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKE		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKE		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKE		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKE		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKE		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKE		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKE		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKE		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKE		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKE		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKE		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKE		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKE		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKE		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKE		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKE		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKE		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKE		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKE		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKE		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKE		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKE		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKE		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKE		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKE		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKE		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKE		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKE		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKE		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKE		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKE		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SKE		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKE		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKE		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKE		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKE		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKE		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKE		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKE		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKE		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKE		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKE		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKE		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKE		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKE		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKE		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKE		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKE		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKE		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKE		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SKE		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKE		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKE		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKE		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKE		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKE		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKE		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKE		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKE		UNK531		0.000000	LM15			0.400000	µg/g	S	
AL	M	SKE		UNK533		0.000000	LM15			4.000000	µg/g	S	
AL	M	SKF		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKF		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKF		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKF		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKF		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKF		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKF		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKF		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKF		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKF		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKF		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKF		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKF		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKF		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKF		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKF		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKF		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKF		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKF		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKF		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKF		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKF		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKF		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN	0.000000	LM15		LT	0.360000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					E								
AL	M	SKF		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKF		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKF		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKF		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKF		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKF		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKF		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKF		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKF		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKF		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SKF		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKF		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKF		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKF		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKF		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKF		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKF		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKF		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKF		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKF		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKF		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKF		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKF		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKF		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKF		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKF		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKF		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKF		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKF		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKF		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SKF		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKF		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKF		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKF		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKF		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKF		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKF		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKF		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKF		UNK531		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKF		UNK533		0.000000	LM15			3.000000	µg/g	S	
AL	M	SKJ		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKJ		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKJ		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKJ		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKJ		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKJ		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKJ		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKJ		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKJ		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKJ		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKJ		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKJ		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKJ		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKJ		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKJ		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKJ		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKJ		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKJ		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKJ		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKJ		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKJ		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKJ		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKJ		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKJ		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKJ		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKJ		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKJ		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKJ		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKJ		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKJ		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKJ		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKJ		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKJ		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKJ		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SKJ		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKJ		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKJ		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKJ		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKJ		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKJ		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKJ		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKJ		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKJ		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKJ		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKJ		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKJ		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKJ		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKJ		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKJ		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKJ		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKJ		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKJ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKJ		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SKJ		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKJ		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKJ		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKJ		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKJ		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKJ		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKJ		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKJ		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKJ		UNK539		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKJ		UNK573		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKK		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKK		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKK		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKK		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKK		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKK		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKK		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKK		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKK		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKK		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKK		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKK		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKK		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKK		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKK		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKK		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKK		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKK		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKK		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKK		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKK		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKK		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKK		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKK		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.360000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKK		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKK		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKK		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKK		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKK		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKK		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKK		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKK		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKK		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKK		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SKK		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKK		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKK		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKK		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKK		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKK		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKK		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKK		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKK		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKK		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKK		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKK		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKK		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKK		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKK		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKK		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKK		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKK		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKK		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKK		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKK		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKK		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKK		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKK		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKK		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKK		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKK		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKK		UNK539		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKK		UNK541		0.000000	LM15			0.100000	µg/g	S	
AL	M	SKK		UNK573		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKM		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	99		LT	0.290000	µg/g		
AL	M	SKM		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	99		LT	0.290000	µg/g		
AL	M	SKM		12DCLB	1,2-DICHLOROBENZENE	0.000000	99		LT	0.330000	µg/g		
AL	M	SKM		13DCLB	1,3-DICHLOROBENZENE	0.000000	99		LT	0.330000	µg/g		
AL	M	SKM		14DCLB	1,4-DICHLOROBENZENE	0.000000	99		LT	0.320000	µg/g		
AL	M	SKM		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	99		ND	0.300000	µg/g	R	
AL	M	SKM		24DCLP	2,4-DICHLOROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		24DMPN	2,4-DIMETHYLPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		24DNP	2,4-DINITROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		24DNT	2,4-DINITROTOLUENE	0.000000	99		LT	0.390000	µg/g		
AL	M	SKM		26DNT	2,6-DINITROTOLUENE	0.000000	99		LT	0.530000	µg/g		
AL	M	SKM		2CLP	2-CHLOROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		2CNAP	2-CHLORONAPHTHALENE	0.000000	99		LT	0.320000	µg/g		
AL	M	SKM		2MNAP	2-METHYLNAPHTHALENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		2NANIL	2-NITROANILINE	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		2NP	2-NITROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	99		ND	0.700000	µg/g	R	
AL	M	SKM		3NANIL	3-NITROANILINE	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		4CANIL	4-CHLOROANILINE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		4NANIL	4-NITROANILINE	0.000000	99		ND	1.700000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKM		4NP	4-NITROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.460000	µg/g		
AL	M	SKM		ACLDAN	ALPHA-CHLORDANE	0.000000	99		ND	1.000000	µg/g	R	
AL	M	SKM		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	99		ND	1.000000	µg/g	R	
AL	M	SKM		ALDRN	ALDRIN	0.000000	99		LT	0.290000	µg/g		
AL	M	SKM		ANAPNE	ACENAPHTHENE	0.000000	99		LT	0.410000	µg/g		
AL	M	SKM		ANAPYL	ACENAPHTHYLENE	0.000000	99		LT	0.460000	µg/g		
AL	M	SKM		ANTRC	ANTHRACENE	0.000000	99		LT	0.540000	µg/g		
AL	M	SKM		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	99		LT	0.330000	µg/g		
AL	M	SKM		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	99		LT	0.390000	µg/g		
AL	M	SKM		BAANTR	BENZO[A]ANTHRACENE	0.000000	99		LT	0.300000	µg/g		
AL	M	SKM		BAPYR	BENZO[A]PYRENE	0.000000	99		LT	0.380000	µg/g		
AL	M	SKM		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	99		LT	0.360000	µg/g		
AL	M	SKM		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.360000	µg/g		
AL	M	SKM		BBZP	BUTYLBENZYL PHTHALATE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	99		ND	0.200000	µg/g	R	
AL	M	SKM		BENZOA	BENZOIC ACID	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		BGHIPY	BENZO[GHI]PERYLENE	0.000000	99		LT	0.240000	µg/g		
AL	M	SKM		BKFANT	BENZO[K]FLUORANTHENE	0.000000	99		LT	0.800000	µg/g		
AL	M	SKM		BZALC	BENZYL ALCOHOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		CHRY	CHRYSENE	0.000000	99		LT	0.450000	µg/g		
AL	M	SKM		CL6BZ	HEXACHLOROBENZENE	0.000000	99		LT	0.260000	µg/g		
AL	M	SKM		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		CL6ET	HEXACHLOROETHANE	0.000000	99		LT	0.400000	µg/g		
AL	M	SKM		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	99		LT	0.370000	µg/g		
AL	M	SKM		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	99		LT	0.270000	µg/g		
AL	M	SKM		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	99		LT	0.690000	µg/g		
AL	M	SKM		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	99		LT	0.200000	µg/g		
AL	M	SKM		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.290000	µg/g		
AL	M	SKM		DBZFUR	DIBENZOFURAN	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		DEP	DIETHYL PHTHALATE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		DITH	DITHIANE	0.000000	99		LT	0.240000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKM		DLDRN	DIELDRIN	0.000000	99		LT	0.300000	µg/g		
AL	M	SKM		DMP	DIMETHYL PHTHALATE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		DNBP	DI-N-BUTYL PHTHALATE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		DNOP	DI-N-OCTYL PHTHALATE	0.000000	99		LT	0.590000	µg/g		
AL	M	SKM		ENDRN	ENDRIN	0.000000	99		LT	0.410000	µg/g		
AL	M	SKM		ENDRNK	ENDRIN KETONE	0.000000	99		ND	0.200000	µg/g	R	
AL	M	SKM		ESFSO4	ENDOSULFAN SULFATE	0.000000	99		ND	0.200000	µg/g	R	
AL	M	SKM		FANT	FLUORANTHENE	0.000000	99		LT	0.520000	µg/g		
AL	M	SKM		FLRENE	9H-FLUORENE / FLUORENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		GCLDAN	GAMMA-CHLORDANE	0.000000	99		ND	5.000000	µg/g	R	
AL	M	SKM		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	99		LT	0.420000	µg/g		
AL	M	SKM		HPCL	HEPTACHLOR	0.000000	99		LT	0.280000	µg/g		
AL	M	SKM		HPCLE	HEPTACHLOR EPOXIDE	0.000000	99		LT	0.360000	µg/g		
AL	M	SKM		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	99		LT	0.210000	µg/g		
AL	M	SKM		ISOPHR	ISOPHORONE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	99		LT	0.430000	µg/g		
AL	M	SKM		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	99		ND	1.000000	µg/g	R	
AL	M	SKM		MLTHN	MALATHION	0.000000	99		LT	0.480000	µg/g		
AL	M	SKM		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	99		LT	0.420000	µg/g		
AL	M	SKM		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	99		LT	0.360000	µg/g		
AL	M	SKM		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		OXAT	1,4-OXATHIANE	0.000000	99		LT	0.250000	µg/g		
AL	M	SKM		PCP	PENTACHLOROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKM		PHANTR	PHENANTHRENE	0.000000	99		LT	0.410000	µg/g		
AL	M	SKM		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKM		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	99		LT	0.180000	µg/g		
AL	M	SKM		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	99		LT	0.220000	µg/g		
AL	M	SKM		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	99		LT	0.410000	µg/g		
AL	M	SKM		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	99		LT	0.460000	µg/g		
AL	M	SKM		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	99		LT	0.420000	µg/g		
AL	M	SKM		UNK613		0.000000	99			0.200000	µg/g	S	
AL	M	SKM		UNK625		0.000000	99			0.200000	µg/g	S	
AL	M	SKM		UNK628		0.000000	99			0.300000	µg/g	S	
AL	M	SKM		UNK632		0.000000	99			0.200000	µg/g	S	
AL	M	SKM		UNK640		0.000000	99			0.200000	µg/g	S	
AL	M	SKN		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	99		LT	0.290000	µg/g		
AL	M	SKN		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	99		LT	0.290000	µg/g		
AL	M	SKN		12DCLB	1,2-DICHLOROBENZENE	0.000000	99		LT	0.330000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKN		13DCLB	1,3-DICHLOROBENZENE	0.000000	99		LT	0.330000	µg/g		
AL	M	SKN		14DCLB	1,4-DICHLOROBENZENE	0.000000	99		LT	0.320000	µg/g		
AL	M	SKN		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	99		ND	0.300000	µg/g	R	
AL	M	SKN		24DCLP	2,4-DICHLOROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		24DMPN	2,4-DIMETHYLPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		24DNP	2,4-DINITROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		24DNT	2,4-DINITROTOLUENE	0.000000	99		LT	0.390000	µg/g		
AL	M	SKN		26DNT	2,6-DINITROTOLUENE	0.000000	99		LT	0.530000	µg/g		
AL	M	SKN		2CLP	2-CHLOROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		2CNAP	2-CHLORONAPHTHALENE	0.000000	99		LT	0.320000	µg/g		
AL	M	SKN		2MNAP	2-METHYLNAPHTHALENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		2NANIL	2-NITROANILINE	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		2NP	2-NITROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	99		ND	0.700000	µg/g	R	
AL	M	SKN		3NANIL	3-NITROANILINE	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		4CANIL	4-CHLOROANILINE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		4NANIL	4-NITROANILINE	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		4NP	4-NITROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	99		LT	0.460000	µg/g		
AL	M	SKN		ACLDAN	ALPHA-CHLORDANE	0.000000	99		ND	1.000000	µg/g	R	
AL	M	SKN		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	99		ND	1.000000	µg/g	R	
AL	M	SKN		ALDRN	ALDRIN	0.000000	99		LT	0.290000	µg/g		
AL	M	SKN		ANAPNE	ACENAPHTHENE	0.000000	99		LT	0.410000	µg/g		
AL	M	SKN		ANAPYL	ACENAPHTHYLENE	0.000000	99		LT	0.460000	µg/g		
AL	M	SKN		ANTRC	ANTHRACENE	0.000000	99		LT	0.540000	µg/g		
AL	M	SKN		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	99		LT	0.330000	µg/g		
AL	M	SKN		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	99		LT	0.390000	µg/g		
AL	M	SKN		BAANTR	BENZO[A]ANTHRACENE	0.000000	99		LT	0.300000	µg/g		
AL	M	SKN		BAPYR	BENZO[A]PYRENE	0.000000	99		LT	0.380000	µg/g		
AL	M	SKN		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	99		LT	0.360000	µg/g		
AL	M	SKN		BBHC	BETA-BENZENEHEXACHLORIDE	0.000000	99		LT	0.360000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ BETA-HEXACHLOROCYCLOHEXAN E								
AL	M	SKN		BBZP	BUTYLBENZYL PHTHALATE	0.000000	99			0.260000	µg/g	R	
AL	M	SKN		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	99		ND	0.200000	µg/g	R	
AL	M	SKN		BENZOA	BENZOIC ACID	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		BGHIPY	BENZO[GHI]PERYLENE	0.000000	99		LT	0.240000	µg/g		
AL	M	SKN		BKFANT	BENZO[K]FLUORANTHENE	0.000000	99		LT	0.800000	µg/g		
AL	M	SKN		BZALC	BENZYL ALCOHOL	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		CHRY	CHRYSENE	0.000000	99		LT	0.450000	µg/g		
AL	M	SKN		CL6BZ	HEXACHLOROBENZENE	0.000000	99		LT	0.260000	µg/g		
AL	M	SKN		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		CL6ET	HEXACHLOROETHANE	0.000000	99		LT	0.400000	µg/g		
AL	M	SKN		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	99		LT	0.370000	µg/g		
AL	M	SKN		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	99		LT	0.270000	µg/g		
AL	M	SKN		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	99		LT	0.690000	µg/g		
AL	M	SKN		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	99		LT	0.200000	µg/g		
AL	M	SKN		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA NE	0.000000	99		LT	0.290000	µg/g		
AL	M	SKN		DBZFUR	DIBENZOFURAN	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		DEP	DIETHYL PHTHALATE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		DITH	DITHIANE	0.000000	99		LT	0.240000	µg/g		
AL	M	SKN		DLDRN	DIELDRIN	0.000000	99		LT	0.300000	µg/g		
AL	M	SKN		DMP	DIMETHYL PHTHALATE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		DNBP	DI-N-BUTYL PHTHALATE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		DNOP	DI-N-OCTYL PHTHALATE	0.000000	99		LT	0.590000	µg/g		
AL	M	SKN		ENDRN	ENDRIN	0.000000	99		LT	0.410000	µg/g		
AL	M	SKN		ENDRNK	ENDRIN KETONE	0.000000	99		ND	0.200000	µg/g	R	
AL	M	SKN		ESFSO4	ENDOSULFAN SULFATE	0.000000	99		ND	0.200000	µg/g	R	
AL	M	SKN		FANT	FLUORANTHENE	0.000000	99		LT	0.520000	µg/g		
AL	M	SKN		FLRENE	9H-FLUORENE / FLUORENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		GCLDAN	GAMMA-CHLORDANE	0.000000	99		ND	5.000000	µg/g	R	
AL	M	SKN		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	99		LT	0.420000	µg/g		
AL	M	SKN		HPCL	HEPTACHLOR	0.000000	99		LT	0.280000	µg/g		
AL	M	SKN		HPCLE	HEPTACHLOR EPOXIDE	0.000000	99		LT	0.360000	µg/g		
AL	M	SKN		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	99		LT	0.210000	µg/g		
AL	M	SKN		ISOPHR	ISOPHORONE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	99		LT	0.430000	µg/g		
AL	M	SKN		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	99		ND	1.000000	µg/g	R	
AL	M	SKN		MLTHN	MALATHION	0.000000	99		LT	0.480000	µg/g		
AL	M	SKN		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	99		LT	0.420000	µg/g		
AL	M	SKN		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	99		ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKN		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	99		LT	0.360000	µg/g		
AL	M	SKN		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		OXAT	1,4-OXATHIANE	0.000000	99		LT	0.250000	µg/g		
AL	M	SKN		PCP	PENTACHLOROPHENOL	0.000000	99		ND	1.700000	µg/g	R	
AL	M	SKN		PHANTR	PHENANTHRENE	0.000000	99		LT	0.410000	µg/g		
AL	M	SKN		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	99		ND	0.330000	µg/g	R	
AL	M	SKN		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	99		LT	0.180000	µg/g		
AL	M	SKN		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	99		LT	0.220000	µg/g		
AL	M	SKN		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	99		LT	0.410000	µg/g		
AL	M	SKN		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	99		LT	0.460000	µg/g		
AL	M	SKN		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	99		LT	0.420000	µg/g		
AL	M	SKN		UNK531		0.000000	99			2.000000	µg/g	S	
AL	M	SKN		UNK533		0.000000	99			0.200000	µg/g	S	
AL	M	SKN		UNK569		0.000000	99			0.100000	µg/g	S	
AL	M	SKN		UNK573		0.000000	99			0.400000	µg/g	S	
AL	M	SKO		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM16		LT	3.600000	µg/l		
AL	M	SKO		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM16		LT	2.800000	µg/l		
AL	M	SKO		12DCLB	1,2-DICHLOROBENZENE	0.000000	UM16		LT	10.000000	µg/l		
AL	M	SKO		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM16		LT	8.500000	µg/l		
AL	M	SKO		14DCLB	1,4-DICHLOROBENZENE	0.000000	UM16		LT	4.400000	µg/l		
AL	M	SKO		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		24DCLP	2,4-DICHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		24DNP	2,4-DINITROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		24DNT	2,4-DINITROTOLUENE	0.000000	UM16		LT	5.500000	µg/l		
AL	M	SKO		26DNT	2,6-DINITROTOLUENE	0.000000	UM16		LT	6.600000	µg/l		
AL	M	SKO		2CLP	2-CHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		2CNAP	2-CHLORONAPHTHALENE	0.000000	UM16		LT	9.600000	µg/l		
AL	M	SKO		2MNAP	2-METHYLNAPHTHALENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		2NANIL	2-NITROANILINE	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		2NP	2-NITROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM16		ND	20.000000	µg/l	R	
AL	M	SKO		3NANIL	3-NITROANILINE	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		4CANIL	4-CHLOROANILINE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		4CLPPE	4-CHLOROPHENYLPHENYL	0.000000	UM16		ND	10.000000	µg/l	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ETHER								
AL	M	SKO		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		4NANIL	4-NITROANILINE	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		4NP	4-NITROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM16		LT	6.800000	µg/l		
AL	M	SKO		ACLDAN	ALPHA-CHLORDANE	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SKO		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SKO		ALDRN	ALDRIN	0.000000	UM16		LT	12.000000	µg/l		
AL	M	SKO		ANAPNE	ACENAPHTHENE	0.000000	UM16		LT	14.000000	µg/l		
AL	M	SKO		ANAPYL	ACENAPHTHYLENE	0.000000	UM16		LT	19.000000	µg/l		
AL	M	SKO		ANTRC	ANTHRACENE	0.000000	UM16		LT	20.000000	µg/l		
AL	M	SKO		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM16		LT	8.100000	µg/l		
AL	M	SKO		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM16		LT	32.000000	µg/l		
AL	M	SKO		BAANTR	BENZO[A]ANTHRACENE	0.000000	UM16		LT	14.000000	µg/l		
AL	M	SKO		BAPYR	BENZO[A]PYRENE	0.000000	UM16		LT	10.000000	µg/l		
AL	M	SKO		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM16		LT	23.000000	µg/l		
AL	M	SKO		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM16		LT	4.900000	µg/l		
AL	M	SKO		BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM16		ND	6.000000	µg/l	R	
AL	M	SKO		BENZOA	BENZOIC ACID	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM16		LT	7.100000	µg/l		
AL	M	SKO		BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM16		LT	21.000000	µg/l		
AL	M	SKO		BZALC	BENZYL ALCOHOL	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		CHRY	CHRYSENE	0.000000	UM16		LT	15.000000	µg/l		
AL	M	SKO		CL6BZ	HEXACHLOROBENZENE	0.000000	UM16		LT	8.300000	µg/l		
AL	M	SKO		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		CL6ET	HEXACHLOROETHANE	0.000000	UM16		LT	5.100000	µg/l		
AL	M	SKO		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM16		LT	5.900000	µg/l		
AL	M	SKO		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM16		LT	6.800000	µg/l		
AL	M	SKO		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM16		LT	38.000000	µg/l		
AL	M	SKO		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM16		LT	7.500000	µg/l		
AL	M	SKO		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA	0.000000	UM16		LT	6.400000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					NE								
AL	M	SKO		DBZFUR	DIBENZOFURAN	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		DEP	DIETHYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		DITH	DITHIANE	0.000000	UM16		LT	7.700000	µg/l		
AL	M	SKO		DLDRN	DIELDRIN	0.000000	UM16		LT	11.000000	µg/l		
AL	M	SKO		DMP	DIMETHYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM16		LT	15.000000	µg/l		
AL	M	SKO		ENDRN	ENDRIN	0.000000	UM16		LT	6.600000	µg/l		
AL	M	SKO		ENDRNK	ENDRIN KETONE	0.000000	UM16		ND	6.000000	µg/l	R	
AL	M	SKO		ESFSO4	ENDOSULFAN SULFATE	0.000000	UM16		ND	6.000000	µg/l	R	
AL	M	SKO		FANT	FLUORANTHENE	0.000000	UM16		LT	20.000000	µg/l		
AL	M	SKO		FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		GCLDAN	GAMMA-CHLORDANE	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SKO		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM16		LT	18.000000	µg/l		
AL	M	SKO		HPCL	HEPTACHLOR	0.000000	UM16		LT	6.200000	µg/l		
AL	M	SKO		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM16		LT	7.200000	µg/l		
AL	M	SKO		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM16		LT	7.200000	µg/l		
AL	M	SKO		ISOPHR	ISOPHORONE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM16		LT	5.800000	µg/l		
AL	M	SKO		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM16		ND	30.000000	µg/l	R	
AL	M	SKO		MLTHN	MALATHION	0.000000	UM16		LT	7.300000	µg/l		
AL	M	SKO		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM16		LT	17.000000	µg/l		
AL	M	SKO		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	UM16		LT	4.500000	µg/l		
AL	M	SKO		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		OXAT	1,4-OXATHIANE	0.000000	UM16		LT	9.100000	µg/l		
AL	M	SKO		PCP	PENTACHLOROPHENOL	0.000000	UM16		ND	50.000000	µg/l	R	
AL	M	SKO		PHANTR	PHENANTHRENE	0.000000	UM16		LT	22.000000	µg/l		
AL	M	SKO		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM16		ND	10.000000	µg/l	R	
AL	M	SKO		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	UM16		LT	9.700000	µg/l		
AL	M	SKO		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UM16		LT	9.300000	µg/l		
AL	M	SKO		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UM16		LT	7.300000	µg/l		
AL	M	SKO		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM16		LT	4.700000	µg/l		
AL	M	SKO		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	UM16		LT	17.000000	µg/l		
AL	M	SKO		UNK637		0.000000	UM16			7.000000	µg/l	S	
AL	M	SKP		123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKP		124TCB	1,2,4-TRICHLOROBENZENE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKP		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKP		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKP		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKP		245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15		ND	0.300000	µg/g	R	
AL	M	SKP		24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		24DNP	2,4-DINITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		24DNT	2,4-DINITROTOLUENE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKP		26DNT	2,6-DINITROTOLUENE	0.000000	LM15		LT	0.530000	µg/g		
AL	M	SKP		2CLP	2-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15		LT	0.320000	µg/g		
AL	M	SKP		2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		2NANIL	2-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		2NP	2-NITROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15		ND	0.700000	µg/g	R	
AL	M	SKP		3NANIL	3-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		4CANIL	4-CHLOROANILINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		4NANIL	4-NITROANILINE	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		4NP	4-NITROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKP		ACLDAN	ALPHA-CHLORDANE	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKP		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKP		ALDRN	ALDRIN	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKP		ANAPNE	ACENAPHTHENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKP		ANAPYL	ACENAPHTHYLENE	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKP		ANTRC	ANTHRACENE	0.000000	LM15		LT	0.540000	µg/g		
AL	M	SKP		B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15		LT	0.330000	µg/g		
AL	M	SKP		B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15		LT	0.390000	µg/g		
AL	M	SKP		BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKP		BAPYR	BENZO[A]PYRENE	0.000000	LM15		LT	0.380000	µg/g		
AL	M	SKP		BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKP		BBHC	BETA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.360000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ BETA-HEXACHLOROCYCLOHEXANE								
AL	M	SKP		BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKP		BENZOA	BENZOIC ACID	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKP		BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15		LT	0.800000	µg/g		
AL	M	SKP		BZALC	BENZYL ALCOHOL	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		CHRY	CHRYSENE	0.000000	LM15		LT	0.450000	µg/g		
AL	M	SKP		CL6BZ	HEXACHLOROBENZENE	0.000000	LM15		LT	0.260000	µg/g		
AL	M	SKP		CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		CL6ET	HEXACHLOROETHANE	0.000000	LM15		LT	0.400000	µg/g		
AL	M	SKP		CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15		LT	0.370000	µg/g		
AL	M	SKP		CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15		LT	0.270000	µg/g		
AL	M	SKP		CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15		LT	0.690000	µg/g		
AL	M	SKP		DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15		LT	0.200000	µg/g		
AL	M	SKP		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15		LT	0.290000	µg/g		
AL	M	SKP		DBZFUR	DIBENZOFURAN	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		DEP	DIETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		DITH	DITHIANE	0.000000	LM15		LT	0.240000	µg/g		
AL	M	SKP		DLDRN	DIELDRIN	0.000000	LM15		LT	0.300000	µg/g		
AL	M	SKP		DMP	DIMETHYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15		LT	0.590000	µg/g		
AL	M	SKP		ENDRN	ENDRIN	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKP		ENDRNK	ENDRIN KETONE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKP		ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15		ND	0.200000	µg/g	R	
AL	M	SKP		FANT	FLUORANTHENE	0.000000	LM15		LT	0.520000	µg/g		
AL	M	SKP		FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		GCLDAN	GAMMA-CHLORDANE	0.000000	LM15		ND	5.000000	µg/g	R	
AL	M	SKP		HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKP		HPCL	HEPTACHLOR	0.000000	LM15		LT	0.280000	µg/g		
AL	M	SKP		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKP		ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15		LT	0.210000	µg/g		
AL	M	SKP		ISOPHR	ISOPHORONE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15		LT	0.430000	µg/g		
AL	M	SKP		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15		ND	1.000000	µg/g	R	
AL	M	SKP		MLTHN	MALATHION	0.000000	LM15		LT	0.480000	µg/g		
AL	M	SKP		NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	SKP		NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	LM15		LT	0.360000	µg/g		
AL	M	SKP		NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		OXAT	1,4-OXATHIANE	0.000000	LM15		LT	0.250000	µg/g		
AL	M	SKP		PCP	PENTACHLOROPHENOL	0.000000	LM15		ND	1.700000	µg/g	R	
AL	M	SKP		PHANTR	PHENANTHRENE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKP		PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	LM15		ND	0.330000	µg/g	R	
AL	M	SKP		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LM15		LT	0.180000	µg/g		
AL	M	SKP		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LM15		LT	0.220000	µg/g		
AL	M	SKP		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	LM15		LT	0.410000	µg/g		
AL	M	SKP		PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15		LT	0.460000	µg/g		
AL	M	SKP		PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15		LT	0.420000	µg/g		
AL	M	SKP		UNK560		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKP		UNK573		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKP		UNK574		0.000000	LM15			0.500000	µg/g	S	
AL	M	SKP		UNK586		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKP		UNK591		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKP		UNK597		0.000000	LM15			0.100000	µg/g	S	
AL	M	SKP		UNK605		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKP		UNK613		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKP		UNK628		0.000000	LM15			0.300000	µg/g	S	
AL	M	SKP		UNK632		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKP		UNK636		0.000000	LM15			0.200000	µg/g	S	
AL	M	SKP		UNK641		0.000000	LM15			0.200000	µg/g	S	
AL	M	VJS		111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16		LT	0.004200	µg/g		
AL	M	VJS		112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16		LT	0.020000	µg/g		
AL	M	VJS		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16		LT	0.019000	µg/g		
AL	M	VJS		11DCLE	1,1-DICHLOROETHANE	0.000000	LM16		LT	0.001700	µg/g		
AL	M	VJS		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VJS		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16		LT	0.001200	µg/g		
AL	M	VJS		12DCLE	1,2-DICHLOROETHANE	0.000000	LM16		LT	0.003100	µg/g		
AL	M	VJS		12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16		LT	0.002200	µg/g		
AL	M	VJS		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJS		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VJS		13DCP	1,3-DICHLOROPROPANE	0.000000	LM16		LT	0.001300	µg/g		
AL	M	VJS		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJS		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16			0.000540	µg/g	P	
AL	M	VJS		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16		LT	0.048000	µg/g		
AL	M	VJS		ACET	ACETONE	0.000000	LM16			0.012000	µg/g	S	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VJS		BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VJS		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJS		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJS		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16		LT	0.015000	µg/g		
AL	M	VJS		C2H5CL	CHLOROETHANE	0.000000	LM16		LT	0.027000	µg/g		
AL	M	VJS		C6H6	BENZENE	0.000000	LM16		LT	0.002900	µg/g		
AL	M	VJS		CCL4	CARBON TETRACHLORIDE	0.000000	LM16		LT	0.005600	µg/g		
AL	M	VJS		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16			0.007500	µg/g		
AL	M	VJS		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJS		CH3CL	CHLOROMETHANE	0.000000	LM16		LT	0.017000	µg/g		
AL	M	VJS		CHBR3	BROMOFORM	0.000000	LM16		LT	0.018000	µg/g		
AL	M	VJS		CHCL3	CHLOROFORM	0.000000	LM16		LT	0.002300	µg/g		
AL	M	VJS		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16		LT	0.002800	µg/g		
AL	M	VJS		CS2	CARBON DISULFIDE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJS		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16		LT	0.014000	µg/g		
AL	M	VJS		ETC6H5	ETHYLBENZENE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VJS		MEC6H5	TOLUENE	0.000000	LM16		LT	0.008400	µg/g		
AL	M	VJS		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJS		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJS		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJS		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJS		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJS		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001600	µg/g		
AL	M	VJS		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001900	µg/g		
AL	M	VJS		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16		LT	0.003800	µg/g		
AL	M	VJT		111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33		LT	4.100000	µg/l		
AL	M	VJT		112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33		LT	0.630000	µg/l		
AL	M	VJT		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33		LT	1.420000	µg/l		
AL	M	VJT		11DCLE	1,1-DICHLOROETHANE	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VJT		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VJT		12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33		LT	9.700000	µg/l		
AL	M	VJT		12DCLE	1,2-DICHLOROETHANE	0.000000	UM33		LT	7.600000	µg/l		
AL	M	VJT		12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33		LT	2.800000	µg/l		
AL	M	VJT		12DMB	1,2-DIMETHYLBENZENE /	0.000000	UM33		ND	5.000000	µg/l	R	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					O-XYLENE								
AL	M	VJT		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33		LT	9.200000	µg/l		
AL	M	VJT		13DCP	1,3-DICHLOROPROPANE	0.000000	UM33		LT	3.800000	µg/l		
AL	M	VJT		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJT		14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33		LT	8.100000	µg/l		
AL	M	VJT		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33		LT	82.000000	µg/l		
AL	M	VJT		ACET	ACETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJT		BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33		LT	7.900000	µg/l		
AL	M	VJT		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJT		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJT		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJT		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VJT		C2H5CL	CHLOROETHANE	0.000000	UM33		LT	2.120000	µg/l		
AL	M	VJT		C6H6	BENZENE	0.000000	UM33		LT	2.400000	µg/l		
AL	M	VJT		CCL4	CARBON TETRACHLORIDE	0.000000	UM33		LT	3.700000	µg/l		
AL	M	VJT		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33			7.500000	µg/l		
AL	M	VJT		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJT		CH3CL	CHLOROMETHANE	0.000000	UM33		LT	1.600000	µg/l		
AL	M	VJT		CHBR3	BROMOFORM	0.000000	UM33		LT	8.200000	µg/l		
AL	M	VJT		CHCL3	CHLOROFORM	0.000000	UM33		LT	0.830000	µg/l		
AL	M	VJT		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33		LT	1.400000	µg/l		
AL	M	VJT		CS2	CARBON DISULFIDE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJT		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33		LT	6.500000	µg/l		
AL	M	VJT		ETC6H5	ETHYLBENZENE	0.000000	UM33		LT	9.300000	µg/l		
AL	M	VJT		MEC6H5	TOLUENE	0.000000	UM33		LT	8.700000	µg/l		
AL	M	VJT		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJT		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJT		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJT		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJT		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJT		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33		LT	4.700000	µg/l		
AL	M	VJT		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VJT		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33		LT	0.500000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VJU		111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16		LT	0.004200	µg/g		
AL	M	VJU		112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16		LT	0.020000	µg/g		
AL	M	VJU		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16		LT	0.019000	µg/g		
AL	M	VJU		11DCLE	1,1-DICHLOROETHANE	0.000000	LM16		LT	0.001700	µg/g		
AL	M	VJU		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VJU		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16		LT	0.001200	µg/g		
AL	M	VJU		12DCLE	1,2-DICHLOROETHANE	0.000000	LM16		LT	0.003100	µg/g		
AL	M	VJU		12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16		LT	0.002200	µg/g		
AL	M	VJU		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJU		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VJU		13DCP	1,3-DICHLOROPROPANE	0.000000	LM16		LT	0.001300	µg/g		
AL	M	VJU		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJU		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16		LT	0.000900	µg/g		
AL	M	VJU		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16		LT	0.048000	µg/g		
AL	M	VJU		ACET	ACETONE	0.000000	LM16			0.013000	µg/g	S	
AL	M	VJU		BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VJU		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJU		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJU		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJU		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16		LT	0.015000	µg/g		
AL	M	VJU		C2H5CL	CHLOROETHANE	0.000000	LM16		LT	0.027000	µg/g		
AL	M	VJU		C6H6	BENZENE	0.000000	LM16		LT	0.002900	µg/g		
AL	M	VJU		CCL4	CARBON TETRACHLORIDE	0.000000	LM16		LT	0.005600	µg/g		
AL	M	VJU		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16			0.005900	µg/g		
AL	M	VJU		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJU		CH3CL	CHLOROMETHANE	0.000000	LM16		LT	0.017000	µg/g		
AL	M	VJU		CHBR3	BROMOFORM	0.000000	LM16		LT	0.018000	µg/g		
AL	M	VJU		CHCL3	CHLOROFORM	0.000000	LM16		LT	0.002300	µg/g		
AL	M	VJU		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16		LT	0.002800	µg/g		
AL	M	VJU		CS2	CARBON DISULFIDE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJU		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16		LT	0.014000	µg/g		
AL	M	VJU		ETC6H5	ETHYLBENZENE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VJU		MEC6H5	TOLUENE	0.000000	LM16		LT	0.008400	µg/g		
AL	M	VJU		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJU		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJU		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJU		STYR	STYRENE / VINYLBENZENE /	0.000000	LM16		ND	0.005000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					CINNAMOL / ETHENYLBENZENE								
AL	M	VJU		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJU		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001600	µg/g		
AL	M	VJU		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001900	µg/g		
AL	M	VJU		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16		LT	0.003800	µg/g		
AL	M	VJV		111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16		LT	0.004200	µg/g		
AL	M	VJV		112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16		LT	0.020000	µg/g		
AL	M	VJV		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16		LT	0.019000	µg/g		
AL	M	VJV		11DCLE	1,1-DICHLOROETHANE	0.000000	LM16		LT	0.001700	µg/g		
AL	M	VJV		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VJV		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16		LT	0.001200	µg/g		
AL	M	VJV		12DCLE	1,2-DICHLOROETHANE	0.000000	LM16		LT	0.003100	µg/g		
AL	M	VJV		12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16		LT	0.002200	µg/g		
AL	M	VJV		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16		ND	0.002000	µg/g	R	
AL	M	VJV		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VJV		13DCP	1,3-DICHLOROPROPANE	0.000000	LM16		LT	0.001300	µg/g		
AL	M	VJV		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16		ND	0.002000	µg/g	R	
AL	M	VJV		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16		LT	0.000900	µg/g		
AL	M	VJV		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16		LT	0.048000	µg/g		
AL	M	VJV		ACET	ACETONE	0.000000	LM16			0.014000	µg/g	S	
AL	M	VJV		BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VJV		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJV		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJV		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16		LT	0.015000	µg/g		
AL	M	VJV		C2H5CL	CHLOROETHANE	0.000000	LM16		LT	0.027000	µg/g		
AL	M	VJV		C6H6	BENZENE	0.000000	LM16		LT	0.002900	µg/g		
AL	M	VJV		CCL3F	TRICHLOROFLUOROMETHANE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJV		CCL4	CARBON TETRACHLORIDE	0.000000	LM16		LT	0.005600	µg/g		
AL	M	VJV		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16			0.006500	µg/g		
AL	M	VJV		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJV		CH3CL	CHLOROMETHANE	0.000000	LM16		LT	0.017000	µg/g		
AL	M	VJV		CHBR3	BROMOFORM	0.000000	LM16		LT	0.018000	µg/g		
AL	M	VJV		CHCL3	CHLOROFORM	0.000000	LM16		LT	0.002300	µg/g		
AL	M	VJV		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16		LT	0.002800	µg/g		
AL	M	VJV		CS2	CARBON DISULFIDE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJV		DBRCLM	DIBROMOCHLOROMETHANE /	0.000000	LM16		LT	0.014000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					CHLORODIBROMOMETHANE								
AL	M	VJV		ETC6H5	ETHYLBENZENE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VJV		MEC6H5	TOLUENE	0.000000	LM16		LT	0.008400	µg/g		
AL	M	VJV		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJV		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJV		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VJV		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJV		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VJV		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001600	µg/g		
AL	M	VJV		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001900	µg/g		
AL	M	VJV		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16		LT	0.003800	µg/g		
AL	M	VJY		111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33		LT	4.100000	µg/l		
AL	M	VJY		112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33		LT	0.630000	µg/l		
AL	M	VJY		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33		LT	1.420000	µg/l		
AL	M	VJY		11DCLE	1,1-DICHLOROETHANE	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VJY		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VJY		12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33		LT	9.700000	µg/l		
AL	M	VJY		12DCLE	1,2-DICHLOROETHANE	0.000000	UM33		LT	7.600000	µg/l		
AL	M	VJY		12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33		LT	2.800000	µg/l		
AL	M	VJY		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJY		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33		LT	9.200000	µg/l		
AL	M	VJY		13DCP	1,3-DICHLOROPROPANE	0.000000	UM33		LT	3.800000	µg/l		
AL	M	VJY		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJY		14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33		LT	8.100000	µg/l		
AL	M	VJY		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33		LT	82.000000	µg/l		
AL	M	VJY		ACET	ACETONE	0.000000	UM33			7.200000	µg/l	S	
AL	M	VJY		BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33		LT	7.900000	µg/l		
AL	M	VJY		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJY		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJY		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJY		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VJY		C2H5CL	CHLOROETHANE	0.000000	UM33		LT	2.120000	µg/l		
AL	M	VJY		C6H6	BENZENE	0.000000	UM33		LT	2.400000	µg/l		
AL	M	VJY		CCL4	CARBON TETRACHLORIDE	0.000000	UM33		LT	3.700000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VJY		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33			6.600000	µg/l		
AL	M	VJY		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJY		CH3CL	CHLOROMETHANE	0.000000	UM33		LT	1.600000	µg/l		
AL	M	VJY		CHBR3	BROMOFORM	0.000000	UM33		LT	8.200000	µg/l		
AL	M	VJY		CHCL3	CHLOROFORM	0.000000	UM33		LT	0.830000	µg/l		
AL	M	VJY		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33		LT	1.400000	µg/l		
AL	M	VJY		CS2	CARBON DISULFIDE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJY		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33		LT	6.500000	µg/l		
AL	M	VJY		ETC6H5	ETHYLBENZENE	0.000000	UM33		LT	9.300000	µg/l		
AL	M	VJY		MEC6H5	TOLUENE	0.000000	UM33		LT	8.700000	µg/l		
AL	M	VJY		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJY		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJY		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VJY		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJY		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VJY		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33		LT	4.700000	µg/l		
AL	M	VJY		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33			0.380000	µg/l	P	
AL	M	VJY		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VKE		111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33		LT	4.100000	µg/l		
AL	M	VKE		112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33		LT	0.630000	µg/l		
AL	M	VKE		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33		LT	1.420000	µg/l		
AL	M	VKE		11DCLE	1,1-DICHLOROETHANE	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VKE		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VKE		12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33		LT	9.700000	µg/l		
AL	M	VKE		12DCLE	1,2-DICHLOROETHANE	0.000000	UM33		LT	7.600000	µg/l		
AL	M	VKE		12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33		LT	2.800000	µg/l		
AL	M	VKE		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKE		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33		LT	9.200000	µg/l		
AL	M	VKE		13DCP	1,3-DICHLOROPROPANE	0.000000	UM33		LT	3.800000	µg/l		
AL	M	VKE		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKE		14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33		LT	8.100000	µg/l		
AL	M	VKE		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33		LT	82.000000	µg/l		
AL	M	VKE		ACET	ACETONE	0.000000	UM33			11.000000	µg/l	S	
AL	M	VKE		BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33		LT	7.900000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VKE		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKE		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKE		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKE		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VKE		C2H5CL	CHLOROETHANE	0.000000	UM33		LT	2.120000	µg/l		
AL	M	VKE		C6H6	BENZENE	0.000000	UM33		LT	2.400000	µg/l		
AL	M	VKE		CCL4	CARBON TETRACHLORIDE	0.000000	UM33		LT	3.700000	µg/l		
AL	M	VKE		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33			7.200000	µg/l		
AL	M	VKE		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKE		CH3CL	CHLOROMETHANE	0.000000	UM33		LT	1.600000	µg/l		
AL	M	VKE		CHBR3	BROMOFORM	0.000000	UM33		LT	8.200000	µg/l		
AL	M	VKE		CHCL3	CHLOROFORM	0.000000	UM33		LT	0.830000	µg/l		
AL	M	VKE		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33		LT	1.400000	µg/l		
AL	M	VKE		CS2	CARBON DISULFIDE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKE		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33		LT	6.500000	µg/l		
AL	M	VKE		ETC6H5	ETHYLBENZENE	0.000000	UM33		LT	9.300000	µg/l		
AL	M	VKE		MEC6H5	TOLUENE	0.000000	UM33		LT	8.700000	µg/l		
AL	M	VKE		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKE		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKE		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKE		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKE		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKE		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33		LT	4.700000	µg/l		
AL	M	VKE		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VKE		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VKF		111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16		LT	0.004200	µg/g		
AL	M	VKF		112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16		LT	0.020000	µg/g		
AL	M	VKF		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16		LT	0.019000	µg/g		
AL	M	VKF		11DCLE	1,1-DICHLOROETHANE	0.000000	LM16		LT	0.001700	µg/g		
AL	M	VKF		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKF		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16		LT	0.001200	µg/g		
AL	M	VKF		12DCLE	1,2-DICHLOROETHANE	0.000000	LM16		LT	0.003100	µg/g		
AL	M	VKF		12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16		LT	0.002200	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VKF		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKF		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKF		13DCP	1,3-DICHLOROPROPANE	0.000000	LM16		LT	0.001300	µg/g		
AL	M	VKF		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKF		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16			0.000450	µg/g	P	
AL	M	VKF		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16		LT	0.048000	µg/g		
AL	M	VKF		ACET	ACETONE	0.000000	LM16			0.010000	µg/g	S	
AL	M	VKF		BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKF		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKF		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKF		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKF		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16		LT	0.015000	µg/g		
AL	M	VKF		C2H5CL	CHLOROETHANE	0.000000	LM16		LT	0.027000	µg/g		
AL	M	VKF		C6H6	BENZENE	0.000000	LM16		LT	0.002900	µg/g		
AL	M	VKF		CCL4	CARBON TETRACHLORIDE	0.000000	LM16		LT	0.005600	µg/g		
AL	M	VKF		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16			0.007000	µg/g		
AL	M	VKF		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKF		CH3CL	CHLOROMETHANE	0.000000	LM16		LT	0.017000	µg/g		
AL	M	VKF		CHBR3	BROMOFORM	0.000000	LM16		LT	0.018000	µg/g		
AL	M	VKF		CHCL3	CHLOROFORM	0.000000	LM16		LT	0.002300	µg/g		
AL	M	VKF		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16		LT	0.002800	µg/g		
AL	M	VKF		CS2	CARBON DISULFIDE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKF		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16		LT	0.014000	µg/g		
AL	M	VKF		ETC6H5	ETHYLBENZENE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKF		MEC6H5	TOLUENE	0.000000	LM16		LT	0.008400	µg/g		
AL	M	VKF		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKF		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKF		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKF		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKF		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKF		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001600	µg/g		
AL	M	VKF		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001900	µg/g		
AL	M	VKF		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16		LT	0.003800	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VKK		111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16		LT	0.004200	µg/g		
AL	M	VKK		112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16		LT	0.020000	µg/g		
AL	M	VKK		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16		LT	0.019000	µg/g		
AL	M	VKK		11DCLE	1,1-DICHLOROETHANE	0.000000	LM16		LT	0.001700	µg/g		
AL	M	VKK		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKK		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16		LT	0.001200	µg/g		
AL	M	VKK		12DCLE	1,2-DICHLOROETHANE	0.000000	LM16		LT	0.003100	µg/g		
AL	M	VKK		12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16		LT	0.002200	µg/g		
AL	M	VKK		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKK		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKK		13DCP	1,3-DICHLOROPROPANE	0.000000	LM16		LT	0.001300	µg/g		
AL	M	VKK		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKK		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16			0.000500	µg/g	P	
AL	M	VKK		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16		LT	0.048000	µg/g		
AL	M	VKK		ACET	ACETONE	0.000000	LM16			0.008300	µg/g	S	
AL	M	VKK		BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKK		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKK		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKK		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKK		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16		LT	0.015000	µg/g		
AL	M	VKK		C2H5CL	CHLOROETHANE	0.000000	LM16		LT	0.027000	µg/g		
AL	M	VKK		C6H6	BENZENE	0.000000	LM16		LT	0.002900	µg/g		
AL	M	VKK		CCL4	CARBON TETRACHLORIDE	0.000000	LM16		LT	0.005600	µg/g		
AL	M	VKK		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16			0.007600	µg/g		
AL	M	VKK		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKK		CH3CL	CHLOROMETHANE	0.000000	LM16		LT	0.017000	µg/g		
AL	M	VKK		CHBR3	BROMOFORM	0.000000	LM16		LT	0.018000	µg/g		
AL	M	VKK		CHCL3	CHLOROFORM	0.000000	LM16		LT	0.002300	µg/g		
AL	M	VKK		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16		LT	0.002800	µg/g		
AL	M	VKK		CS2	CARBON DISULFIDE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKK		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16		LT	0.014000	µg/g		
AL	M	VKK		ETC6H5	ETHYLBENZENE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKK		MEC6H5	TOLUENE	0.000000	LM16		LT	0.008400	µg/g		
AL	M	VKK		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKK		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKK		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VKK		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKK		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKK		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001600	µg/g		
AL	M	VKK		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001900	µg/g		
AL	M	VKK		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16		LT	0.003800	µg/g		
AL	M	VKL		111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16		LT	0.004200	µg/g		
AL	M	VKL		112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16		LT	0.020000	µg/g		
AL	M	VKL		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16		LT	0.019000	µg/g		
AL	M	VKL		11DCLE	1,1-DICHLOROETHANE	0.000000	LM16		LT	0.001700	µg/g		
AL	M	VKL		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKL		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16		LT	0.001200	µg/g		
AL	M	VKL		12DCLE	1,2-DICHLOROETHANE	0.000000	LM16		LT	0.003100	µg/g		
AL	M	VKL		12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16		LT	0.002200	µg/g		
AL	M	VKL		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKL		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKL		13DCP	1,3-DICHLOROPROPANE	0.000000	LM16		LT	0.001300	µg/g		
AL	M	VKL		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKL		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16			0.000590	µg/g	P	
AL	M	VKL		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16		LT	0.048000	µg/g		
AL	M	VKL		ACET	ACETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKL		BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKL		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKL		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKL		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKL		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16		LT	0.015000	µg/g		
AL	M	VKL		C2H5CL	CHLOROETHANE	0.000000	LM16		LT	0.027000	µg/g		
AL	M	VKL		C6H6	BENZENE	0.000000	LM16		LT	0.002900	µg/g		
AL	M	VKL		CCL4	CARBON TETRACHLORIDE	0.000000	LM16		LT	0.005600	µg/g		
AL	M	VKL		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16			0.008400	µg/g		
AL	M	VKL		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKL		CH3CL	CHLOROMETHANE	0.000000	LM16		LT	0.017000	µg/g		
AL	M	VKL		CHBR3	BROMOFORM	0.000000	LM16		LT	0.018000	µg/g		
AL	M	VKL		CHCL3	CHLOROFORM	0.000000	LM16		LT	0.002300	µg/g		
AL	M	VKL		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16		LT	0.002800	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VKL		CS2	CARBON DISULFIDE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKL		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16		LT	0.014000	µg/g		
AL	M	VKL		ETC6H5	ETHYLBENZENE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKL		MEC6H5	TOLUENE	0.000000	LM16		LT	0.008400	µg/g		
AL	M	VKL		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKL		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKL		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKL		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKL		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKL		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001600	µg/g		
AL	M	VKL		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001900	µg/g		
AL	M	VKL		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16		LT	0.003800	µg/g		
AL	M	VKM		111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16		LT	0.004200	µg/g		
AL	M	VKM		112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16		LT	0.020000	µg/g		
AL	M	VKM		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16		LT	0.019000	µg/g		
AL	M	VKM		11DCLE	1,1-DICHLOROETHANE	0.000000	LM16		LT	0.001700	µg/g		
AL	M	VKM		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKM		12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16		LT	0.001200	µg/g		
AL	M	VKM		12DCLE	1,2-DICHLOROETHANE	0.000000	LM16		LT	0.003100	µg/g		
AL	M	VKM		12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16		LT	0.002200	µg/g		
AL	M	VKM		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKM		13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16		LT	0.002000	µg/g		
AL	M	VKM		13DCP	1,3-DICHLOROPROPANE	0.000000	LM16		LT	0.001300	µg/g		
AL	M	VKM		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKM		14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16			0.000460	µg/g	P	
AL	M	VKM		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16		LT	0.048000	µg/g		
AL	M	VKM		ACET	ACETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKM		BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKM		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKM		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKM		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKM		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16		LT	0.015000	µg/g		
AL	M	VKM		C2H5CL	CHLOROETHANE	0.000000	LM16		LT	0.027000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VKM		C6H6	BENZENE	0.000000	LM16		LT	0.002900	µg/g		
AL	M	VKM		CCL4	CARBON TETRACHLORIDE	0.000000	LM16		LT	0.005600	µg/g		
AL	M	VKM		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16			0.014000	µg/g		
AL	M	VKM		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKM		CH3CL	CHLOROMETHANE	0.000000	LM16		LT	0.017000	µg/g		
AL	M	VKM		CHBR3	BROMOFORM	0.000000	LM16		LT	0.018000	µg/g		
AL	M	VKM		CHCL3	CHLOROFORM	0.000000	LM16		LT	0.002300	µg/g		
AL	M	VKM		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16		LT	0.002800	µg/g		
AL	M	VKM		CS2	CARBON DISULFIDE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKM		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16		LT	0.014000	µg/g		
AL	M	VKM		ETC6H5	ETHYLBENZENE	0.000000	LM16		LT	0.003300	µg/g		
AL	M	VKM		MEC6H5	TOLUENE	0.000000	LM16		LT	0.008400	µg/g		
AL	M	VKM		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKM		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKM		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16		ND	0.010000	µg/g	R	
AL	M	VKM		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKM		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16		ND	0.005000	µg/g	R	
AL	M	VKM		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001600	µg/g		
AL	M	VKM		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16		LT	0.001900	µg/g		
AL	M	VKM		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16		LT	0.003800	µg/g		
AL	M	VKN		111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33		LT	4.100000	µg/l		
AL	M	VKN		112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33		LT	0.630000	µg/l		
AL	M	VKN		11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33		LT	1.420000	µg/l		
AL	M	VKN		11DCLE	1,1-DICHLOROETHANE	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VKN		12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33		LT	1.100000	µg/l		
AL	M	VKN		12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33		LT	9.700000	µg/l		
AL	M	VKN		12DCLE	1,2-DICHLOROETHANE	0.000000	UM33		LT	7.600000	µg/l		
AL	M	VKN		12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33		LT	2.800000	µg/l		
AL	M	VKN		12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKN		13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33		LT	9.200000	µg/l		
AL	M	VKN		13DCP	1,3-DICHLOROPROPANE	0.000000	UM33		LT	3.800000	µg/l		
AL	M	VKN		13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKN		14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33		LT	8.100000	µg/l		
AL	M	VKN		2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33		LT	82.000000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	VKN		ACET	ACETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKN		BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33		LT	7.900000	µg/l		
AL	M	VKN		C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKN		C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKN		C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKN		C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VKN		C2H5CL	CHLOROETHANE	0.000000	UM33		LT	2.120000	µg/l		
AL	M	VKN		C6H6	BENZENE	0.000000	UM33		LT	2.400000	µg/l		
AL	M	VKN		CCL4	CARBON TETRACHLORIDE	0.000000	UM33		LT	3.700000	µg/l		
AL	M	VKN		CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33			8.000000	µg/l		
AL	M	VKN		CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKN		CH3CL	CHLOROMETHANE	0.000000	UM33		LT	1.600000	µg/l		
AL	M	VKN		CHBR3	BROMOFORM	0.000000	UM33		LT	8.200000	µg/l		
AL	M	VKN		CHCL3	CHLOROFORM	0.000000	UM33		LT	0.830000	µg/l		
AL	M	VKN		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33		LT	1.400000	µg/l		
AL	M	VKN		CS2	CARBON DISULFIDE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKN		DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33		LT	6.500000	µg/l		
AL	M	VKN		ETC6H5	ETHYLBENZENE	0.000000	UM33		LT	9.300000	µg/l		
AL	M	VKN		MEC6H5	TOLUENE	0.000000	UM33		LT	8.700000	µg/l		
AL	M	VKN		MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKN		MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKN		MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33		ND	10.000000	µg/l	R	
AL	M	VKN		STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKN		T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33		ND	5.000000	µg/l	R	
AL	M	VKN		TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33		LT	4.700000	µg/l		
AL	M	VKN		TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33		LT	0.500000	µg/l		
AL	M	VKN		TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33		LT	0.500000	µg/l		
UB	M	YXY		AS	ARSENIC	0.000000	B9		LT	2.500000	µg/g		LIT
UB	M	YXZ		SE	SELENIUM	0.000000	JD20		LT	0.449000	µg/g		LIT
UB	M	YYA		PB	LEAD	0.000000	JD21			0.679000	µg/g		LIT
UB	M	YYB		HG	MERCURY	0.000000	Y9		LT	0.050000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	M	YYD		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	M	YYD		AL	ALUMINUM	0.000000	JS12			1150.000000	µg/g		LIT
UB	M	YYD		B	BORON	0.000000	JS12			7.340000	µg/g		LIT
UB	M	YYD		BA	BARIUM	0.000000	JS12			10.000000	µg/g		LIT
UB	M	YYD		BE	BERYLLIUM	0.000000	JS12		LT	0.427000	µg/g		LIT
UB	M	YYD		CA	CALCIUM	0.000000	JS12			858.000000	µg/g		LIT
UB	M	YYD		CD	CADMIUM	0.000000	JS12		LT	1.200000	µg/g		LIT
UB	M	YYD		CO	COBALT	0.000000	JS12		LT	2.500000	µg/g		LIT
UB	M	YYD		CR	CHROMIUM	0.000000	JS12			1.700000	µg/g		LIT
UB	M	YYD		CU	COPPER	0.000000	JS12		LT	2.840000	µg/g		LIT
UB	M	YYD		FE	IRON	0.000000	JS12			1430.000000	µg/g		LIT
UB	M	YYD		K	POTASSIUM	0.000000	JS12			306.000000	µg/g		LIT
UB	M	YYD		MG	MAGNESIUM	0.000000	JS12			299.000000	µg/g		LIT
UB	M	YYD		MN	MANGANESE	0.000000	JS12			18.900000	µg/g		LIT
UB	M	YYD		MO	MOLYBDENUM	0.000000	JS12		LT	14.300000	µg/g		LIT
UB	M	YYD		NA	SODIUM	0.000000	JS12			42.600000	µg/g		LIT
UB	M	YYD		NI	NICKEL	0.000000	JS12		LT	2.740000	µg/g		LIT
UB	M	YYD		SB	ANTIMONY	0.000000	JS12		LT	19.600000	µg/g		LIT
UB	M	YYD		SN	TIN	0.000000	JS12		LT	7.430000	µg/g		LIT
UB	M	YYD		TE	TELLURIUM	0.000000	JS12		LT	14.900000	µg/g		LIT
UB	M	YYD		TL	THALLIUM	0.000000	JS12		LT	34.300000	µg/g		LIT
UB	M	YYD		V	VANADIUM	0.000000	JS12			2.540000	µg/g		LIT
UB	M	YYD		ZN	ZINC	0.000000	JS12			2.930000	µg/g		LIT
AL	M	ZTY		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUA		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUB		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUC		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUD		CYN	CYANIDE	0.000000	TY12		LT	5.000000	µg/l		
AL	M	ZUF		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUG		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUH		OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC	0.000000	99			0.000034	µg/g		
AL	M	ZUH		OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		THCDF	*TOTAL HEXACHLORODIBENZOFURANS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		THPCDD	*TOTAL	0.000000	99			0.000002	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	ZUH		THPCDF	HEPTACHLORODIBENZO-P-DIOXINS *TOTAL HEPTACHLORODIBENZOFURANS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUH		TTCDF	*TOTAL TETRACHLORODIBENZOFURANS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUI		OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC	0.000000	99			0.000538	µg/l		
AL	M	ZUI		OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	0.000000	99		ND	0.000007	µg/l	R	
AL	M	ZUI		TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	0.000000	99		ND	0.000003	µg/l	R	
AL	M	ZUI		TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	0.000000	99		ND	0.000002	µg/l	R	
AL	M	ZUI		THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000004	µg/l	R	
AL	M	ZUI		THCDF	*TOTAL HEXACHLORODIBENZOFURANS	0.000000	99		ND	0.000003	µg/l	R	
AL	M	ZUI		THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000050	µg/l	R	
AL	M	ZUI		THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	0.000000	99		ND	0.000004	µg/l	R	
AL	M	ZUI		TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000005	µg/l	R	
AL	M	ZUI		TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	0.000000	99		ND	0.000003	µg/l	R	
AL	M	ZUI		TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000003	µg/l	R	
AL	M	ZUI		TTCDF	*TOTAL TETRACHLORODIBENZOFURANS	0.000000	99		ND	0.000002	µg/l	R	
AL	M	ZUJ		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUK		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUM		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUN		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	ZUO		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUP		CYN	CYANIDE	0.000000	TY12		LT	5.000000	µg/l		
AL	M	ZUQ		CYN	CYANIDE	0.000000	KY07		LT	5.000000	µg/g		
AL	M	ZUT		OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC	0.000000	99			0.000041	µg/g		
AL	M	ZUT		OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUT		TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUT		TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	0.000000	99			0.000000	µg/g		
AL	M	ZUT		THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUT		THCDF	*TOTAL HEXACHLORODIBENZOFURANS	0.000000	99			0.000001	µg/g		
AL	M	ZUT		THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS	0.000000	99			0.000004	µg/g		
AL	M	ZUT		THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	0.000000	99		ND	0.000001	µg/g	R	
AL	M	ZUT		TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUT		TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	0.000000	99			0.000000	µg/g		
AL	M	ZUT		TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000000	µg/g	R	
AL	M	ZUT		TTCDF	*TOTAL TETRACHLORODIBENZOFURANS	0.000000	99			0.000001	µg/g		
AL	M	ZUU		OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC	0.000000	99			0.000401	µg/l		
AL	M	ZUU		OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	0.000000	99		ND	0.000029	µg/l	R	
AL	M	ZUU		TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	0.000000	99		ND	0.000003	µg/l	R	
AL	M	ZUU		TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	0.000000	99		ND	0.000002	µg/l	R	
AL	M	ZUU		THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000010	µg/l	R	
AL	M	ZUU		THCDF	*TOTAL HEXACHLORODIBENZOFURANS	0.000000	99		ND	0.000007	µg/l	R	
AL	M	ZUU		THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000055	µg/l	R	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	M	ZUU		THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	0.000000	99		ND	0.000011	µg/l	R	
AL	M	ZUU		TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000014	µg/l	R	
AL	M	ZUU		TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	0.000000	99		ND	0.000007	µg/l	R	
AL	M	ZUU		TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	0.000000	99		ND	0.000003	µg/l	R	
AL	M	ZUU		TTCDF	*TOTAL TETRACHLORODIBENZOFURANS	0.000000	99		ND	0.000002	µg/l	R	

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AAQT9461		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	07-APR-1993		8.100000	µg/g		PR1
UB	N	AAQT9816		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		6.500000	µg/g		PR1
UB	N	AAQT9467		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	07-APR-1993		9.100000	µg/g		PR1
UB	N	AAQT9473		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	07-APR-1993		7.800000	µg/g		PR1
UB	N	AAQT9479		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		7.600000	µg/g		PR1
UB	N	AAQT9485		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		9.300000	µg/g		PR1
UB	N	AAQT9998		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		8.900000	µg/g	D	PR1
UB	N	AAQT9491		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		8.000000	µg/g		PR1
UB	N	AAQT9498		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		7.500000	µg/g		PR1
UB	N	AAQT9804		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		6.400000	µg/g		PR1
UB	N	AAQT9810		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	08-APR-1993		14.000000	µg/g		PR1
UB	N	AAQT9461		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	07-APR-1993		11.000000	µg/g		PR1
UB	N	AAQT9816		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		2.600000	µg/g		PR1
UB	N	AAQT9467		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	07-APR-1993		13.000000	µg/g		PR1
UB	N	AAQT9473		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	07-APR-1993		9.400000	µg/g		PR1
UB	N	AAQT9479		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		13.000000	µg/g		PR1
UB	N	AAQT9485		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		11.000000	µg/g		PR1
UB	N	AAQT9998		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		16.000000	µg/g	D	PR1
UB	N	AAQT9491		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		20.000000	µg/g		PR1
UB	N	AAQT9498		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		6.700000	µg/g		PR1
UB	N	AAQT9804		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		13.000000	µg/g		PR1
UB	N	AAQT9810		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	08-APR-1993		23.000000	µg/g	X	PR1
UB	N	AAQT9461		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	07-APR-1993		5.100000	µg/g		PR1
UB	N	AAQT9816		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993		2.800000	µg/g		PR1
UB	N	AAQT9467		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	07-APR-1993		5.600000	µg/g		PR1
UB	N	AAQT9473		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	07-APR-1993		4.900000	µg/g		PR1
UB	N	AAQT9479		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993		4.800000	µg/g		PR1
UB	N	AAQT9485		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993		6.200000	µg/g		PR1
UB	N	AAQT9998		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993		6.200000	µg/g	D	PR1
UB	N	AAQT9491		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993		6.000000	µg/g		PR1
UB	N	AAQT9498		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993		4.600000	µg/g		PR1
UB	N	AAQT9804		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993		4.900000	µg/g		PR1
UB	N	AAQT9810		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	08-APR-1993	GT	6.200000	µg/g		PR1
UB	N	AAQT9461		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	07-APR-1993		11.000000	µg/g		PR1
UB	N	AAQT9816		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993		8.200000	µg/g		PR1
UB	N	AAQT9467		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	07-APR-1993		12.000000	µg/g		PR1
UB	N	AAQT9473		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	07-APR-1993		11.000000	µg/g		PR1
UB	N	AAQT9479		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993		8.800000	µg/g		PR1
UB	N	AAQT9485		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993		9.900000	µg/g		PR1
UB	N	AAQT9998		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993		12.000000	µg/g	D	PR1
UB	N	AAQT9491		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993		9.000000	µg/g		PR1
UB	N	AAQT9498		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993		10.000000	µg/g		PR1
UB	N	AAQT9804		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993		9.400000	µg/g		PR1
UB	N	AAQT9810		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	08-APR-1993	GT	6.200000	µg/g		PR1
UB	N	AAQT9461		2FP	2-FLUOROPHENOL	5.000000	LM25	07-APR-1993		4.400000	µg/g		PR1
UB	N	AAQT9816		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		1.800000	µg/g		PR1
UB	N	AAQT9467		2FP	2-FLUOROPHENOL	5.000000	LM25	07-APR-1993		5.500000	µg/g		PR1
UB	N	AAQT9473		2FP	2-FLUOROPHENOL	5.000000	LM25	07-APR-1993		4.300000	µg/g		PR1
UB	N	AAQT9479		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		5.300000	µg/g		PR1
UB	N	AAQT9485		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		6.200000	µg/g		PR1
UB	N	AAQT9998		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		7.000000	µg/g	D	PR1
UB	N	AAQT9491		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		8.000000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AAQT9498		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		4.000000	µg/g		PR1
UB	N	AAQT9804		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		4.900000	µg/g		PR1
UB	N	AAQT9810		2FP	2-FLUOROPHENOL	5.000000	LM25	08-APR-1993		9.100000	µg/g		PR1
UB	N	AAQT9461		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	07-APR-1993		10.000000	µg/g		PR1
UB	N	AAQT9816		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		7.600000	µg/g		PR1
UB	N	AAQT9467		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	07-APR-1993		8.400000	µg/g		PR1
UB	N	AAQT9473		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	07-APR-1993		7.700000	µg/g		PR1
UB	N	AAQT9479		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		7.400000	µg/g		PR1
UB	N	AAQT9485		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		8.400000	µg/g		PR1
UB	N	AAQT9998		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		9.800000	µg/g	D	PR1
UB	N	AAQT9491		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		9.000000	µg/g		PR1
UB	N	AAQT9498		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		8.300000	µg/g		PR1
UB	N	AAQT9804		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		8.600000	µg/g		PR1
UB	N	AAQT9810		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		19.000000	µg/g		PR1
UB	N	AAQT9461		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	07-APR-1993		13.000000	µg/g		PR1
UB	N	AAQT9816		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		10.000000	µg/g		PR1
UB	N	AAQT9467		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	07-APR-1993		15.000000	µg/g		PR1
UB	N	AAQT9473		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	07-APR-1993		13.000000	µg/g		PR1
UB	N	AAQT9479		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		10.000000	µg/g		PR1
UB	N	AAQT9485		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		8.900000	µg/g		PR1
UB	N	AAQT9998		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		8.700000	µg/g	D	PR1
UB	N	AAQT9491		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		8.000000	µg/g		PR1
UB	N	AAQT9498		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		9.500000	µg/g		PR1
UB	N	AAQT9804		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993	LT	0.065000	µg/g		PR1
UB	N	AAQT9810		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	08-APR-1993		16.000000	µg/g		PR1
UB	N	AAQT9461		NBD5	NITROBENZENE-D5	5.000000	LM25	07-APR-1993		4.300000	µg/g		PR1
UB	N	AAQT9816		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993		4.000000	µg/g		PR1
UB	N	AAQT9467		NBD5	NITROBENZENE-D5	5.000000	LM25	07-APR-1993		5.100000	µg/g		PR1
UB	N	AAQT9473		NBD5	NITROBENZENE-D5	5.000000	LM25	07-APR-1993		4.500000	µg/g		PR1
UB	N	AAQT9479		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993		4.700000	µg/g		PR1
UB	N	AAQT9485		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993		5.100000	µg/g		PR1
UB	N	AAQT9998		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993		5.700000	µg/g	D	PR1
UB	N	AAQT9491		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993		4.000000	µg/g		PR1
UB	N	AAQT9498		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993		5.800000	µg/g		PR1
UB	N	AAQT9804		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993		4.800000	µg/g		PR1
UB	N	AAQT9810		NBD5	NITROBENZENE-D5	5.000000	LM25	08-APR-1993	GT	6.200000	µg/g		PR1
UB	N	AAQT9461		PHEND6	PHENOL-D6	5.000000	LM25	07-APR-1993		7.000000	µg/g		PR1
UB	N	AAQT9816		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		3.700000	µg/g		PR1
UB	N	AAQT9467		PHEND6	PHENOL-D6	5.000000	LM25	07-APR-1993		7.100000	µg/g		PR1
UB	N	AAQT9473		PHEND6	PHENOL-D6	5.000000	LM25	07-APR-1993		5.700000	µg/g		PR1
UB	N	AAQT9479		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		5.900000	µg/g		PR1
UB	N	AAQT9485		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		8.400000	µg/g		PR1
UB	N	AAQT9998		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		8.300000	µg/g	D	PR1
UB	N	AAQT9491		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		8.000000	µg/g		PR1
UB	N	AAQT9498		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		6.400000	µg/g		PR1
UB	N	AAQT9804		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		6.700000	µg/g		PR1
UB	N	AAQT9810		PHEND6	PHENOL-D6	5.000000	LM25	08-APR-1993		14.000000	µg/g		PR1
UB	N	AAQT9461		TRPD14	TERPHENYL-D14	5.000000	LM25	07-APR-1993		5.500000	µg/g		PR1
UB	N	AAQT9816		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993		4.800000	µg/g		PR1
UB	N	AAQT9467		TRPD14	TERPHENYL-D14	5.000000	LM25	07-APR-1993		6.400000	µg/g		PR1
UB	N	AAQT9473		TRPD14	TERPHENYL-D14	5.000000	LM25	07-APR-1993		5.500000	µg/g		PR1
UB	N	AAQT9479		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993		5.300000	µg/g		PR1
UB	N	AAQT9485		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993		5.500000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AAQT9998		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993		5.300000	µg/g	D	PR1
UB	N	AAQT9491		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993		5.000000	µg/g		PR1
UB	N	AAQT9498		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993		5.600000	µg/g		PR1
UB	N	AAQT9804		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993		5.100000	µg/g		PR1
UB	N	AAQT9810		TRPD14	TERPHENYL-D14	5.000000	LM25	08-APR-1993	GT	6.200000	µg/g		PR1
UB	N	AARI 9992		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	08-APR-1993		93.000000	µg/l		PR1
UB	N	AARI 9010		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	08-APR-1993		84.000000	µg/l		PR1
UB	N	AARI 9869		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	07-APR-1993		130.000000	µg/l		PR1
UB	N	AARI 9080		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	09-APR-1993		110.000000	µg/l		PR1
UB	N	AARI 9761		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	09-APR-1993		140.000000	µg/l		PR1
UB	N	AARI 9004		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	07-APR-1993		130.000000	µg/l		PR1
UB	N	AARI 9756		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	09-APR-1993		110.000000	µg/l		PR1
UB	N	AARI 9992		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	08-APR-1993		91.000000	µg/l		PR1
UB	N	AARI 9010		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	08-APR-1993		85.000000	µg/l		PR1
UB	N	AARI 9869		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	07-APR-1993		120.000000	µg/l		PR1
UB	N	AARI 9080		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	09-APR-1993		120.000000	µg/l		PR1
UB	N	AARI 9761		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	09-APR-1993		120.000000	µg/l		PR1
UB	N	AARI 9004		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	07-APR-1993		100.000000	µg/l		PR1
UB	N	AARI 9756		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	09-APR-1993		94.000000	µg/l		PR1
UB	N	AARI 9992		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	08-APR-1993		70.000000	µg/l		PR1
UB	N	AARI 9010		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	08-APR-1993		69.000000	µg/l		PR1
UB	N	AARI 9869		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	07-APR-1993		99.000000	µg/l		PR1
UB	N	AARI 9080		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	09-APR-1993		87.000000	µg/l		PR1
UB	N	AARI 9761		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	09-APR-1993		99.000000	µg/l		PR1
UB	N	AARI 9004		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	07-APR-1993		96.000000	µg/l		PR1
UB	N	AARI 9756		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	09-APR-1993		90.000000	µg/l		PR1
UB	N	AARI 9992		2FBP	2-FLUOROBIPHENYL	100.000000	UM25	08-APR-1993		94.000000	µg/l		PR1
UB	N	AARI 9010		2FBP	2-FLUOROBIPHENYL	100.000000	UM25	08-APR-1993		87.000000	µg/l		PR1
UB	N	AARI 9869		2FBP	2-FLUOROBIPHENYL	100.000000	UM25	07-APR-1993		140.000000	µg/l		PR1
UB	N	AARI 9080		2FBP	2-FLUOROBIPHENYL	100.000000	UM25	09-APR-1993		120.000000	µg/l		PR1
UB	N	AARI 9761		2FBP	2-FLUOROBIPHENYL	100.000000	UM25	09-APR-1993		140.000000	µg/l		PR1
UB	N	AARI 9004		2FBP	2-FLUOROBIPHENYL	100.000000	UM25	07-APR-1993		120.000000	µg/l		PR1
UB	N	AARI 9756		2FBP	2-FLUOROBIPHENYL	100.000000	UM25	09-APR-1993		100.000000	µg/l		PR1
UB	N	AARI 9992		2FP	2-FLUOROPHENOL	100.000000	UM25	08-APR-1993		21.000000	µg/l		PR1
UB	N	AARI 9010		2FP	2-FLUOROPHENOL	100.000000	UM25	08-APR-1993		21.000000	µg/l		PR1
UB	N	AARI 9869		2FP	2-FLUOROPHENOL	100.000000	UM25	07-APR-1993		28.000000	µg/l		PR1
UB	N	AARI 9080		2FP	2-FLUOROPHENOL	100.000000	UM25	09-APR-1993		26.000000	µg/l		PR1
UB	N	AARI 9761		2FP	2-FLUOROPHENOL	100.000000	UM25	09-APR-1993		30.000000	µg/l		PR1
UB	N	AARI 9004		2FP	2-FLUOROPHENOL	100.000000	UM25	07-APR-1993		32.000000	µg/l		PR1
UB	N	AARI 9756		2FP	2-FLUOROPHENOL	100.000000	UM25	09-APR-1993		34.000000	µg/l		PR1
UB	N	AARI 9992		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	08-APR-1993		71.000000	µg/l		PR1
UB	N	AARI 9010		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	08-APR-1993		62.000000	µg/l		PR1
UB	N	AARI 9869		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	07-APR-1993		92.000000	µg/l		PR1
UB	N	AARI 9080		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	09-APR-1993		88.000000	µg/l		PR1
UB	N	AARI 9761		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	09-APR-1993		87.000000	µg/l		PR1
UB	N	AARI 9004		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	07-APR-1993		80.000000	µg/l		PR1
UB	N	AARI 9756		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	09-APR-1993		70.000000	µg/l		PR1
UB	N	AARI 9992		DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25	08-APR-1993		100.000000	µg/l		PR1
UB	N	AARI 9010		DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25	08-APR-1993		33.000000	µg/l		PR1
UB	N	AARI 9869		DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25	07-APR-1993		39.000000	µg/l		PR1
UB	N	AARI 9080		DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25	09-APR-1993		110.000000	µg/l		PR1
UB	N	AARI 9761		DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25	09-APR-1993		65.000000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AARI	9004	DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM250	7-APR-1993		26.000000	µg/l		PR1
UB	N	AARI	9756	DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM250	9-APR-1993		25.000000	µg/l		PR1
UB	N	AARI	9992	NBD5	NITROBENZENE-D5	100.000000	UM250	8-APR-1993		54.000000	µg/l		PR1
UB	N	AARI	9010	NBD5	NITROBENZENE-D5	100.000000	UM250	8-APR-1993		54.000000	µg/l		PR1
UB	N	AARI	9869	NBD5	NITROBENZENE-D5	100.000000	UM250	7-APR-1993		79.000000	µg/l		PR1
UB	N	AARI	9080	NBD5	NITROBENZENE-D5	100.000000	UM250	9-APR-1993		68.000000	µg/l		PR1
UB	N	AARI	9761	NBD5	NITROBENZENE-D5	100.000000	UM250	9-APR-1993		83.000000	µg/l		PR1
UB	N	AARI	9004	NBD5	NITROBENZENE-D5	100.000000	UM250	7-APR-1993		73.000000	µg/l		PR1
UB	N	AARI	9756	NBD5	NITROBENZENE-D5	100.000000	UM250	9-APR-1993		62.000000	µg/l		PR1
UB	N	AARI	9992	PHEND6	PHENOL-D6	100.000000	UM250	8-APR-1993	LT	34.000000	µg/l		PR1
UB	N	AARI	9010	PHEND6	PHENOL-D6	100.000000	UM250	8-APR-1993	LT	34.000000	µg/l		PR1
UB	N	AARI	9869	PHEND6	PHENOL-D6	100.000000	UM250	7-APR-1993		80.000000	µg/l		PR1
UB	N	AARI	9080	PHEND6	PHENOL-D6	100.000000	UM250	9-APR-1993		87.000000	µg/l		PR1
UB	N	AARI	9761	PHEND6	PHENOL-D6	100.000000	UM250	9-APR-1993		87.000000	µg/l		PR1
UB	N	AARI	9004	PHEND6	PHENOL-D6	100.000000	UM250	7-APR-1993		80.000000	µg/l		PR1
UB	N	AARI	9756	PHEND6	PHENOL-D6	100.000000	UM250	9-APR-1993		82.000000	µg/l		PR1
UB	N	AARI	9992	TRPD14	TERPHENYL-D14	100.000000	UM250	8-APR-1993		200.000000	µg/l		PR1
UB	N	AARI	9010	TRPD14	TERPHENYL-D14	100.000000	UM250	8-APR-1993		73.000000	µg/l		PR1
UB	N	AARI	9869	TRPD14	TERPHENYL-D14	100.000000	UM250	7-APR-1993		140.000000	µg/l		PR1
UB	N	AARI	9080	TRPD14	TERPHENYL-D14	100.000000	UM250	9-APR-1993		220.000000	µg/l		PR1
UB	N	AARI	9761	TRPD14	TERPHENYL-D14	100.000000	UM250	9-APR-1993		170.000000	µg/l		PR1
UB	N	AARI	9004	TRPD14	TERPHENYL-D14	100.000000	UM250	7-APR-1993		180.000000	µg/l		PR1
UB	N	AARI	9756	TRPD14	TERPHENYL-D14	100.000000	UM250	9-APR-1993		170.000000	µg/l		PR1
UB	N	AATH	9954	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		7.700000	µg/g		PR1
UB	N	AATH	9960	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		5.800000	µg/g		PR1
UB	N	AATH	9966	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		7.000000	µg/g		PR1
UB	N	AATH	9972	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		8.400000	µg/g		PR1
UB	N	AATH	8904	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		7.500000	µg/g		PR1
UB	N	AATH	9978	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		7.500000	µg/g	D	PR1
UB	N	AATH	9984	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		3.900000	µg/g		PR1
UB	N	AATH	8910	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		8.300000	µg/g		PR1
UB	N	AATH	9703	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		7.000000	µg/g		PR1
UB	N	AATH	9709	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		6.300000	µg/g		PR1
UB	N	AATH	9715	13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM250	9-APR-1993		7.400000	µg/g		PR1
UB	N	AATH	9954	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		13.000000	µg/g		PR1
UB	N	AATH	9960	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		13.000000	µg/g		PR1
UB	N	AATH	9966	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		14.000000	µg/g		PR1
UB	N	AATH	9972	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		15.000000	µg/g		PR1
UB	N	AATH	8904	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		15.000000	µg/g		PR1
UB	N	AATH	9978	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		16.000000	µg/g	D	PR1
UB	N	AATH	9984	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		14.000000	µg/g		PR1
UB	N	AATH	8910	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		11.000000	µg/g		PR1
UB	N	AATH	9703	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		14.000000	µg/g		PR1
UB	N	AATH	9709	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		13.000000	µg/g		PR1
UB	N	AATH	9715	246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM250	9-APR-1993		16.000000	µg/g		PR1
UB	N	AATH	9954	2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM250	9-APR-1993		4.800000	µg/g		PR1
UB	N	AATH	9960	2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM250	9-APR-1993		4.000000	µg/g		PR1
UB	N	AATH	9966	2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM250	9-APR-1993		5.000000	µg/g		PR1
UB	N	AATH	9972	2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM250	9-APR-1993		5.300000	µg/g		PR1
UB	N	AATH	8904	2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM250	9-APR-1993		4.800000	µg/g		PR1
UB	N	AATH	9978	2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM250	9-APR-1993		4.800000	µg/g	D	PR1
UB	N	AATH	9984	2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM250	9-APR-1993		3.500000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AATH8910		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	09-APR-1993		4.400000	µg/g		PR1
UB	N	AATH9703		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	09-APR-1993		4.700000	µg/g		PR1
UB	N	AATH9709		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	09-APR-1993		4.200000	µg/g		PR1
UB	N	AATH9715		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	09-APR-1993		4.800000	µg/g		PR1
UB	N	AATH9954		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		8.800000	µg/g		PR1
UB	N	AATH9960		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		8.300000	µg/g		PR1
UB	N	AATH9966		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		8.200000	µg/g		PR1
UB	N	AATH9972		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		8.700000	µg/g		PR1
UB	N	AATH8904		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		8.800000	µg/g		PR1
UB	N	AATH9978		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		9.300000	µg/g	D	PR1
UB	N	AATH9984		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		6.800000	µg/g		PR1
UB	N	AATH8910		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		10.000000	µg/g		PR1
UB	N	AATH9703		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		8.400000	µg/g		PR1
UB	N	AATH9709		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		7.100000	µg/g		PR1
UB	N	AATH9715		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	09-APR-1993		8.700000	µg/g		PR1
UB	N	AATH9954		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		4.900000	µg/g		PR1
UB	N	AATH9960		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		4.800000	µg/g		PR1
UB	N	AATH9966		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		5.800000	µg/g		PR1
UB	N	AATH9972		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		6.000000	µg/g		PR1
UB	N	AATH8904		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		5.100000	µg/g		PR1
UB	N	AATH9978		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		5.600000	µg/g	D	PR1
UB	N	AATH9984		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		3.400000	µg/g		PR1
UB	N	AATH8910		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		3.900000	µg/g		PR1
UB	N	AATH9703		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		5.200000	µg/g		PR1
UB	N	AATH9709		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		4.500000	µg/g		PR1
UB	N	AATH9715		2FP	2-FLUOROPHENOL	5.000000	LM25	09-APR-1993		5.700000	µg/g		PR1
UB	N	AATH9954		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.400000	µg/g		PR1
UB	N	AATH9960		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		6.400000	µg/g		PR1
UB	N	AATH9966		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.000000	µg/g		PR1
UB	N	AATH9972		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		6.800000	µg/g		PR1
UB	N	AATH8904		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		8.000000	µg/g		PR1
UB	N	AATH9978		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.600000	µg/g	D	PR1
UB	N	AATH9984		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		6.900000	µg/g		PR1
UB	N	AATH8910		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.800000	µg/g		PR1
UB	N	AATH9703		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.400000	µg/g		PR1
UB	N	AATH9709		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		6.600000	µg/g		PR1
UB	N	AATH9715		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.600000	µg/g		PR1
UB	N	AATH9954		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		8.500000	µg/g		PR1
UB	N	AATH9960		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.900000	µg/g		PR1
UB	N	AATH9966		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993	LT	0.065000	µg/g		PR1
UB	N	AATH9972		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		8.300000	µg/g		PR1
UB	N	AATH8904		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		8.200000	µg/g		PR1
UB	N	AATH9978		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		9.400000	µg/g	D	PR1
UB	N	AATH9984		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.600000	µg/g		PR1
UB	N	AATH8910		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		8.800000	µg/g		PR1
UB	N	AATH9703		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		7.500000	µg/g		PR1
UB	N	AATH9709		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		8.300000	µg/g		PR1
UB	N	AATH9715		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	09-APR-1993		6.800000	µg/g		PR1
UB	N	AATH9954		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.100000	µg/g		PR1
UB	N	AATH9960		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		4.300000	µg/g		PR1
UB	N	AATH9966		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.500000	µg/g		PR1
UB	N	AATH9972		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.100000	µg/g		PR1
UB	N	AATH8904		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.100000	µg/g		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AATH9978		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.000000	µg/g	D	PR1
UB	N	AATH9984		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		2.900000	µg/g		PR1
UB	N	AATH8910		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.400000	µg/g		PR1
UB	N	AATH9703		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		4.800000	µg/g		PR1
UB	N	AATH9709		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.100000	µg/g		PR1
UB	N	AATH9715		NBD5	NITROBENZENE-D5	5.000000	LM25	09-APR-1993		5.500000	µg/g		PR1
UB	N	AATH9954		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		7.000000	µg/g		PR1
UB	N	AATH9960		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		6.200000	µg/g		PR1
UB	N	AATH9966		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		7.500000	µg/g		PR1
UB	N	AATH9972		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		7.700000	µg/g		PR1
UB	N	AATH8904		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		7.000000	µg/g		PR1
UB	N	AATH9978		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		7.200000	µg/g	D	PR1
UB	N	AATH9984		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		5.100000	µg/g		PR1
UB	N	AATH8910		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		6.500000	µg/g		PR1
UB	N	AATH9703		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		7.500000	µg/g		PR1
UB	N	AATH9709		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		6.100000	µg/g		PR1
UB	N	AATH9715		PHEND6	PHENOL-D6	5.000000	LM25	09-APR-1993		8.100000	µg/g		PR1
UB	N	AATH9954		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.600000	µg/g		PR1
UB	N	AATH9960		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.700000	µg/g		PR1
UB	N	AATH9966		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.200000	µg/g		PR1
UB	N	AATH9972		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.400000	µg/g		PR1
UB	N	AATH8904		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.700000	µg/g		PR1
UB	N	AATH9978		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		5.100000	µg/g	D	PR1
UB	N	AATH9984		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.400000	µg/g		PR1
UB	N	AATH8910		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		5.100000	µg/g		PR1
UB	N	AATH9703		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.500000	µg/g		PR1
UB	N	AATH9709		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		4.300000	µg/g		PR1
UB	N	AATH9715		TRPD14	TERPHENYL-D14	5.000000	LM25	09-APR-1993		3.800000	µg/g		PR1
UB	N	AATS9721		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g		PR1
UB	N	AATS9727		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		4.700000	µg/g		PR1
UB	N	AATS9733		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		9.500000	µg/g		PR1
UB	N	AATS9739		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g		PR1
UB	N	AATS9745		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9751		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g	D	PR1
UB	N	AATS9770		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		9.400000	µg/g		PR1
UB	N	AATS9776		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		9.500000	µg/g		PR1
UB	N	AATS9782		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g		PR1
UB	N	AATS9790		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		12.000000	µg/g		PR1
UB	N	AATS9796		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	10-APR-1993		8.800000	µg/g		PR1
UB	N	AATS9721		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		20.000000	µg/g		PR1
UB	N	AATS9727		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		23.000000	µg/g	X	PR1
UB	N	AATS9733		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		18.000000	µg/g		PR1
UB	N	AATS9739		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		16.000000	µg/g		PR1
UB	N	AATS9745		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		12.000000	µg/g		PR1
UB	N	AATS9751		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		14.000000	µg/g	D	PR1
UB	N	AATS9770		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		15.000000	µg/g		PR1
UB	N	AATS9776		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		15.000000	µg/g		PR1
UB	N	AATS9782		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		5.000000	µg/g		PR1
UB	N	AATS9790		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		14.000000	µg/g		PR1
UB	N	AATS9796		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	10-APR-1993		15.000000	µg/g		PR1
UB	N	AATS9721		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		6.700000	µg/g		PR1
UB	N	AATS9727		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		3.500000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AATS9733		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		5.900000	µg/g		PR1
UB	N	AATS9739		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		7.100000	µg/g		PR1
UB	N	AATS9745		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		5.700000	µg/g		PR1
UB	N	AATS9751		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		6.200000	µg/g	D	PR1
UB	N	AATS9770		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		5.600000	µg/g		PR1
UB	N	AATS9776		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		5.900000	µg/g		PR1
UB	N	AATS9782		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		4.100000	µg/g		PR1
UB	N	AATS9790		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		6.700000	µg/g		PR1
UB	N	AATS9796		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	10-APR-1993		6.400000	µg/g		PR1
UB	N	AATS9721		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		12.000000	µg/g		PR1
UB	N	AATS9727		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9733		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9739		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		12.000000	µg/g		PR1
UB	N	AATS9745		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9751		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		10.000000	µg/g	D	PR1
UB	N	AATS9770		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9776		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		12.000000	µg/g		PR1
UB	N	AATS9782		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9790		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9796		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	10-APR-1993		9.700000	µg/g		PR1
UB	N	AATS9721		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		7.500000	µg/g		PR1
UB	N	AATS9727		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		4.100000	µg/g		PR1
UB	N	AATS9733		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		6.700000	µg/g		PR1
UB	N	AATS9739		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		6.800000	µg/g		PR1
UB	N	AATS9745		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		5.700000	µg/g		PR1
UB	N	AATS9751		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		6.100000	µg/g	D	PR1
UB	N	AATS9770		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		6.000000	µg/g		PR1
UB	N	AATS9776		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		6.300000	µg/g		PR1
UB	N	AATS9782		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		1.900000	µg/g		PR1
UB	N	AATS9790		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		7.200000	µg/g		PR1
UB	N	AATS9796		2FP	2-FLUOROPHENOL	5.000000	LM25	10-APR-1993		7.100000	µg/g		PR1
UB	N	AATS9721		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.800000	µg/g		PR1
UB	N	AATS9727		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g		PR1
UB	N	AATS9733		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		9.400000	µg/g		PR1
UB	N	AATS9739		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.800000	µg/g		PR1
UB	N	AATS9745		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.900000	µg/g		PR1
UB	N	AATS9751		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.500000	µg/g	D	PR1
UB	N	AATS9770		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.600000	µg/g		PR1
UB	N	AATS9776		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		9.700000	µg/g		PR1
UB	N	AATS9782		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		9.600000	µg/g		PR1
UB	N	AATS9790		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.900000	µg/g		PR1
UB	N	AATS9796		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.400000	µg/g		PR1
UB	N	AATS9721		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.300000	µg/g		PR1
UB	N	AATS9727		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		7.500000	µg/g		PR1
UB	N	AATS9733		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		8.000000	µg/g		PR1
UB	N	AATS9739		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g		PR1
UB	N	AATS9745		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g		PR1
UB	N	AATS9751		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g	D	PR1
UB	N	AATS9770		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		10.000000	µg/g		PR1
UB	N	AATS9776		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		9.700000	µg/g		PR1
UB	N	AATS9782		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1
UB	N	AATS9790		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		9.900000	µg/g		PR1
UB	N	AATS9796		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	10-APR-1993		11.000000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	AATS9721		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		7.000000	µg/g		PR1
UB	N	AATS9727		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		7.800000	µg/g	X	PR1
UB	N	AATS9733		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		6.600000	µg/g		PR1
UB	N	AATS9739		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		6.900000	µg/g		PR1
UB	N	AATS9745		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		6.800000	µg/g		PR1
UB	N	AATS9751		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		6.800000	µg/g	D	PR1
UB	N	AATS9770		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		7.000000	µg/g		PR1
UB	N	AATS9776		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		6.900000	µg/g		PR1
UB	N	AATS9782		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		7.200000	µg/g	X	PR1
UB	N	AATS9790		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		7.500000	µg/g	X	PR1
UB	N	AATS9796		NBD5	NITROBENZENE-D5	5.000000	LM25	10-APR-1993		7.500000	µg/g	X	PR1
UB	N	AATS9721		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		9.400000	µg/g		PR1
UB	N	AATS9727		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		5.300000	µg/g		PR1
UB	N	AATS9733		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		9.100000	µg/g		PR1
UB	N	AATS9739		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		9.800000	µg/g		PR1
UB	N	AATS9745		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		8.600000	µg/g		PR1
UB	N	AATS9751		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		8.500000	µg/g	D	PR1
UB	N	AATS9770		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		8.800000	µg/g		PR1
UB	N	AATS9776		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		8.400000	µg/g		PR1
UB	N	AATS9782		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		4.900000	µg/g		PR1
UB	N	AATS9790		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		9.800000	µg/g		PR1
UB	N	AATS9796		PHEND6	PHENOL-D6	5.000000	LM25	10-APR-1993		9.200000	µg/g		PR1
UB	N	AATS9721		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.800000	µg/g		PR1
UB	N	AATS9727		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.700000	µg/g		PR1
UB	N	AATS9733		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.200000	µg/g		PR1
UB	N	AATS9739		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		6.300000	µg/g		PR1
UB	N	AATS9745		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.300000	µg/g		PR1
UB	N	AATS9751		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.800000	µg/g	D	PR1
UB	N	AATS9770		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.600000	µg/g		PR1
UB	N	AATS9776		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.100000	µg/g		PR1
UB	N	AATS9782		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.400000	µg/g		PR1
UB	N	AATS9790		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		5.600000	µg/g		PR1
UB	N	AATS9796		TRPD14	TERPHENYL-D14	5.000000	LM25	10-APR-1993		6.000000	µg/g		PR1
UB	N	ABAY8965		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	20-APR-1993		8.000000	µg/g		PR1
UB	N	ABAY8971		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	20-APR-1993		8.000000	µg/g		PR1
UB	N	ABAY8977		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	20-APR-1993		6.800000	µg/g		PR1
UB	N	ABAY8983		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	20-APR-1993		7.900000	µg/g		PR1
UB	N	ABAY8989		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		8.100000	µg/g		PR1
UB	N	ABAY8995		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		8.500000	µg/g		PR1
UB	N	ABAY9201		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		8.600000	µg/g		PR1
UB	N	ABAY9207		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		7.600000	µg/g		PR1
UB	N	ABAY9249		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		8.400000	µg/g		PR1
UB	N	ABAY9255		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		8.000000	µg/g		PR1
UB	N	ABAY9261		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		9.800000	µg/g		PR1
UB	N	ABAY9267		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	21-APR-1993		8.900000	µg/g		PR1
UB	N	ABAY8965		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	20-APR-1993		20.000000	µg/g		PR1
UB	N	ABAY8971		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	20-APR-1993		20.000000	µg/g		PR1
UB	N	ABAY8977		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	20-APR-1993		16.000000	µg/g		PR1
UB	N	ABAY8983		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	20-APR-1993		20.000000	µg/g		PR1
UB	N	ABAY8989		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		15.000000	µg/g		PR1
UB	N	ABAY8995		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		17.000000	µg/g		PR1
UB	N	ABAY9201		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		16.000000	µg/g		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	ABAY9207		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		20.000000	µg/g		PR1
UB	N	ABAY9249		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		18.000000	µg/g		PR1
UB	N	ABAY9255		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		14.000000	µg/g		PR1
UB	N	ABAY9261		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		21.000000	µg/g		PR1
UB	N	ABAY9267		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	21-APR-1993		15.000000	µg/g		PR1
UB	N	ABAY8965		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	20-APR-1993		4.800000	µg/g		PR1
UB	N	ABAY8971		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	20-APR-1993		5.900000	µg/g		PR1
UB	N	ABAY8977		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	20-APR-1993		5.300000	µg/g		PR1
UB	N	ABAY8983		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	20-APR-1993		5.700000	µg/g		PR1
UB	N	ABAY8989		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		5.000000	µg/g		PR1
UB	N	ABAY8995		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		6.000000	µg/g		PR1
UB	N	ABAY9201		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		5.300000	µg/g		PR1
UB	N	ABAY9207		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		5.000000	µg/g		PR1
UB	N	ABAY9249		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		5.600000	µg/g		PR1
UB	N	ABAY9255		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		5.300000	µg/g		PR1
UB	N	ABAY9261		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		6.200000	µg/g		PR1
UB	N	ABAY9267		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	21-APR-1993		5.800000	µg/g		PR1
UB	N	ABAY8965		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	20-APR-1993		8.700000	µg/g		PR1
UB	N	ABAY8971		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	20-APR-1993		9.800000	µg/g		PR1
UB	N	ABAY8977		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	20-APR-1993		11.000000	µg/g		PR1
UB	N	ABAY8983		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	20-APR-1993		11.000000	µg/g		PR1
UB	N	ABAY8989		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		9.400000	µg/g		PR1
UB	N	ABAY8995		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		11.000000	µg/g		PR1
UB	N	ABAY9201		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		8.900000	µg/g		PR1
UB	N	ABAY9207		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		9.900000	µg/g		PR1
UB	N	ABAY9249		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		9.800000	µg/g		PR1
UB	N	ABAY9255		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		8.400000	µg/g		PR1
UB	N	ABAY9261		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		11.000000	µg/g		PR1
UB	N	ABAY9267		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	21-APR-1993		8.600000	µg/g		PR1
UB	N	ABAY8965		2FP	2-FLUOROPHENOL	5.000000	LM25	20-APR-1993		6.200000	µg/g		PR1
UB	N	ABAY8971		2FP	2-FLUOROPHENOL	5.000000	LM25	20-APR-1993		6.200000	µg/g		PR1
UB	N	ABAY8977		2FP	2-FLUOROPHENOL	5.000000	LM25	20-APR-1993		6.300000	µg/g		PR1
UB	N	ABAY8983		2FP	2-FLUOROPHENOL	5.000000	LM25	20-APR-1993		6.600000	µg/g		PR1
UB	N	ABAY8989		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		6.100000	µg/g		PR1
UB	N	ABAY8995		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		7.500000	µg/g		PR1
UB	N	ABAY9201		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		6.300000	µg/g		PR1
UB	N	ABAY9207		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		6.500000	µg/g		PR1
UB	N	ABAY9249		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		7.800000	µg/g		PR1
UB	N	ABAY9255		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		6.900000	µg/g		PR1
UB	N	ABAY9261		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		8.500000	µg/g		PR1
UB	N	ABAY9267		2FP	2-FLUOROPHENOL	5.000000	LM25	21-APR-1993		8.500000	µg/g		PR1
UB	N	ABAY8965		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	20-APR-1993		8.800000	µg/g		PR1
UB	N	ABAY8971		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	20-APR-1993		8.600000	µg/g		PR1
UB	N	ABAY8977		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	20-APR-1993		8.600000	µg/g		PR1
UB	N	ABAY8983		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	20-APR-1993		8.700000	µg/g		PR1
UB	N	ABAY8989		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		8.800000	µg/g		PR1
UB	N	ABAY8995		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		10.000000	µg/g		PR1
UB	N	ABAY9201		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		8.200000	µg/g		PR1
UB	N	ABAY9207		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		9.500000	µg/g		PR1
UB	N	ABAY9249		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		9.800000	µg/g		PR1
UB	N	ABAY9255		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		7.500000	µg/g		PR1
UB	N	ABAY9261		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		11.000000	µg/g		PR1
UB	N	ABAY9267		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		8.800000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	ABAY8965		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	20-APR-1993		8.800000	µg/g		PR1
UB	N	ABAY8971		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	20-APR-1993	LT	0.065000	µg/g		PR1
UB	N	ABAY8977		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	20-APR-1993		9.500000	µg/g		PR1
UB	N	ABAY8983		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	20-APR-1993		7.800000	µg/g		PR1
UB	N	ABAY8989		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		9.000000	µg/g		PR1
UB	N	ABAY8995		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		9.600000	µg/g		PR1
UB	N	ABAY9201		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		9.400000	µg/g		PR1
UB	N	ABAY9207		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		6.700000	µg/g		PR1
UB	N	ABAY9249		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		9.700000	µg/g		PR1
UB	N	ABAY9255		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		9.900000	µg/g		PR1
UB	N	ABAY9261		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		11.000000	µg/g		PR1
UB	N	ABAY9267		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	21-APR-1993		12.000000	µg/g		PR1
UB	N	ABAY8965		NBD5	NITROBENZENE-D5	5.000000	LM25	20-APR-1993		5.200000	µg/g		PR1
UB	N	ABAY8971		NBD5	NITROBENZENE-D5	5.000000	LM25	20-APR-1993		5.100000	µg/g		PR1
UB	N	ABAY8977		NBD5	NITROBENZENE-D5	5.000000	LM25	20-APR-1993		4.800000	µg/g		PR1
UB	N	ABAY8983		NBD5	NITROBENZENE-D5	5.000000	LM25	20-APR-1993		5.600000	µg/g		PR1
UB	N	ABAY8989		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		5.000000	µg/g		PR1
UB	N	ABAY8995		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		6.200000	µg/g		PR1
UB	N	ABAY9201		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		5.200000	µg/g		PR1
UB	N	ABAY9207		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		4.500000	µg/g		PR1
UB	N	ABAY9249		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		5.800000	µg/g		PR1
UB	N	ABAY9255		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		5.500000	µg/g		PR1
UB	N	ABAY9261		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		7.200000	µg/g		PR1
UB	N	ABAY9267		NBD5	NITROBENZENE-D5	5.000000	LM25	21-APR-1993		5.900000	µg/g		PR1
UB	N	ABAY8965		PHEND6	PHENOL-D6	5.000000	LM25	20-APR-1993		6.100000	µg/g		PR1
UB	N	ABAY8971		PHEND6	PHENOL-D6	5.000000	LM25	20-APR-1993		6.800000	µg/g		PR1
UB	N	ABAY8977		PHEND6	PHENOL-D6	5.000000	LM25	20-APR-1993		7.100000	µg/g		PR1
UB	N	ABAY8983		PHEND6	PHENOL-D6	5.000000	LM25	20-APR-1993		7.000000	µg/g		PR1
UB	N	ABAY8989		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		6.300000	µg/g		PR1
UB	N	ABAY8995		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		7.600000	µg/g		PR1
UB	N	ABAY9201		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		6.000000	µg/g		PR1
UB	N	ABAY9207		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		7.700000	µg/g		PR1
UB	N	ABAY9249		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		6.900000	µg/g		PR1
UB	N	ABAY9255		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		6.600000	µg/g		PR1
UB	N	ABAY9261		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		7.700000	µg/g		PR1
UB	N	ABAY9267		PHEND6	PHENOL-D6	5.000000	LM25	21-APR-1993		7.300000	µg/g		PR1
UB	N	ABAY8965		TRPD14	TERPHENYL-D14	5.000000	LM25	20-APR-1993		6.100000	µg/g		PR1
UB	N	ABAY8971		TRPD14	TERPHENYL-D14	5.000000	LM25	20-APR-1993		4.200000	µg/g		PR1
UB	N	ABAY8977		TRPD14	TERPHENYL-D14	5.000000	LM25	20-APR-1993		4.800000	µg/g		PR1
UB	N	ABAY8983		TRPD14	TERPHENYL-D14	5.000000	LM25	20-APR-1993		4.000000	µg/g		PR1
UB	N	ABAY8989		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		5.000000	µg/g		PR1
UB	N	ABAY8995		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		5.100000	µg/g		PR1
UB	N	ABAY9201		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		5.600000	µg/g		PR1
UB	N	ABAY9207		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		3.500000	µg/g		PR1
UB	N	ABAY9249		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		6.200000	µg/g		PR1
UB	N	ABAY9255		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		5.800000	µg/g		PR1
UB	N	ABAY9261		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		6.800000	µg/g		PR1
UB	N	ABAY9267		TRPD14	TERPHENYL-D14	5.000000	LM25	21-APR-1993		5.300000	µg/g		PR1
UB	N	ABFD9275		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		8.000000	µg/g		PR1
UB	N	ABFD9281		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		8.300000	µg/g		PR1
UB	N	ABFD9287		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		8.000000	µg/g		PR1
UB	N	ABFD9295		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		7.800000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	ABFD9325		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		8.600000	µg/g		PR1
UB	N	ABFD9331		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		8.300000	µg/g		PR1
UB	N	ABFD9350		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		8.300000	µg/g	D	PR1
UB	N	ABFD9337		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD9344		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	22-APR-1993		7.700000	µg/g		PR1
UB	N	ABFD9356		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		7.300000	µg/g		PR1
UB	N	ABFD9362		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		8.000000	µg/g		PR1
UB	N	ABFD9368		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		8.700000	µg/g		PR1
UB	N	ABFD9374		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		6.700000	µg/g		PR1
UB	N	ABFD9380		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		7.000000	µg/g		PR1
UB	N	ABFD9386		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		8.100000	µg/g		PR1
UB	N	ABFD9392		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		8.400000	µg/g		PR1
UB	N	ABFD9398		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		8.200000	µg/g		PR1
UB	N	ABFD8960		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		7.900000	µg/g		PR1
UB	N	ABFD9225		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25	23-APR-1993		8.300000	µg/g		PR1
UB	N	ABFD9275		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		14.000000	µg/g		PR1
UB	N	ABFD9281		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		17.000000	µg/g		PR1
UB	N	ABFD9287		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		15.000000	µg/g		PR1
UB	N	ABFD9295		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		16.000000	µg/g		PR1
UB	N	ABFD9325		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		14.000000	µg/g		PR1
UB	N	ABFD9331		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		15.000000	µg/g		PR1
UB	N	ABFD9350		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		15.000000	µg/g	D	PR1
UB	N	ABFD9337		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993	GT	6.200000	µg/g		PR1
UB	N	ABFD9344		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	22-APR-1993		14.000000	µg/g		PR1
UB	N	ABFD9356		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		15.000000	µg/g		PR1
UB	N	ABFD9362		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		16.000000	µg/g		PR1
UB	N	ABFD9368		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		17.000000	µg/g		PR1
UB	N	ABFD9374		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		16.000000	µg/g		PR1
UB	N	ABFD9380		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		13.000000	µg/g		PR1
UB	N	ABFD9386		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		19.000000	µg/g		PR1
UB	N	ABFD9392		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		17.000000	µg/g		PR1
UB	N	ABFD9398		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		19.000000	µg/g		PR1
UB	N	ABFD8960		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		13.000000	µg/g		PR1
UB	N	ABFD9225		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25	23-APR-1993		14.000000	µg/g		PR1
UB	N	ABFD9275		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		5.500000	µg/g		PR1
UB	N	ABFD9281		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		5.500000	µg/g		PR1
UB	N	ABFD9287		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD9295		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		5.300000	µg/g		PR1
UB	N	ABFD9325		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		5.700000	µg/g		PR1
UB	N	ABFD9331		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		5.900000	µg/g		PR1
UB	N	ABFD9350		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		6.000000	µg/g	D	PR1
UB	N	ABFD9337		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		8.900000	µg/g	X	PR1
UB	N	ABFD9344		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	22-APR-1993		5.300000	µg/g		PR1
UB	N	ABFD9356		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		5.100000	µg/g		PR1
UB	N	ABFD9362		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		5.700000	µg/g		PR1
UB	N	ABFD9368		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		5.900000	µg/g		PR1
UB	N	ABFD9374		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		5.600000	µg/g		PR1
UB	N	ABFD9380		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		5.600000	µg/g		PR1
UB	N	ABFD9386		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		6.400000	µg/g		PR1
UB	N	ABFD9392		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD9398		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		6.100000	µg/g		PR1
UB	N	ABFD8960		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		5.800000	µg/g		PR1
UB	N	ABFD9225		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25	23-APR-1993		5.400000	µg/g		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	ABFD9275		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		8.400000	µg/g		PR1
UB	N	ABFD9281		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		10.000000	µg/g		PR1
UB	N	ABFD9287		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		8.800000	µg/g		PR1
UB	N	ABFD9295		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		10.000000	µg/g		PR1
UB	N	ABFD9325		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		9.100000	µg/g		PR1
UB	N	ABFD9331		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		9.800000	µg/g		PR1
UB	N	ABFD9350		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		10.000000	µg/g	D	PR1
UB	N	ABFD9337		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993	GT	6.200000	µg/g		PR1
UB	N	ABFD9344		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	22-APR-1993		8.500000	µg/g		PR1
UB	N	ABFD9356		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		9.200000	µg/g		PR1
UB	N	ABFD9362		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		8.900000	µg/g		PR1
UB	N	ABFD9368		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		9.700000	µg/g		PR1
UB	N	ABFD9374		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		9.100000	µg/g		PR1
UB	N	ABFD9380		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		8.500000	µg/g		PR1
UB	N	ABFD9386		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD9392		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		10.000000	µg/g		PR1
UB	N	ABFD9398		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD8960		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		7.800000	µg/g		PR1
UB	N	ABFD9225		2FBP	2-FLUOROBIPHENYL	5.000000	LM25	23-APR-1993		9.000000	µg/g		PR1
UB	N	ABFD9275		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		6.700000	µg/g		PR1
UB	N	ABFD9281		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		6.700000	µg/g		PR1
UB	N	ABFD9287		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		7.600000	µg/g		PR1
UB	N	ABFD9295		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		7.100000	µg/g		PR1
UB	N	ABFD9325		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		6.600000	µg/g		PR1
UB	N	ABFD9331		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		7.300000	µg/g		PR1
UB	N	ABFD9350		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		7.300000	µg/g	D	PR1
UB	N	ABFD9337		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD9344		2FP	2-FLUOROPHENOL	5.000000	LM25	22-APR-1993		6.500000	µg/g		PR1
UB	N	ABFD9356		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		6.300000	µg/g		PR1
UB	N	ABFD9362		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		7.100000	µg/g		PR1
UB	N	ABFD9368		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		7.500000	µg/g		PR1
UB	N	ABFD9374		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		6.800000	µg/g		PR1
UB	N	ABFD9380		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		7.300000	µg/g		PR1
UB	N	ABFD9386		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		8.600000	µg/g		PR1
UB	N	ABFD9392		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		7.800000	µg/g		PR1
UB	N	ABFD9398		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		6.800000	µg/g		PR1
UB	N	ABFD8960		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		6.700000	µg/g		PR1
UB	N	ABFD9225		2FP	2-FLUOROPHENOL	5.000000	LM25	23-APR-1993		6.300000	µg/g		PR1
UB	N	ABFD9275		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		8.000000	µg/g		PR1
UB	N	ABFD9281		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		8.900000	µg/g		PR1
UB	N	ABFD9287		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		8.300000	µg/g		PR1
UB	N	ABFD9295		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		9.400000	µg/g		PR1
UB	N	ABFD9325		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		8.300000	µg/g		PR1
UB	N	ABFD9331		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		9.100000	µg/g		PR1
UB	N	ABFD9350		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		7.600000	µg/g	D	PR1
UB	N	ABFD9337		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		15.000000	µg/g		PR1
UB	N	ABFD9344		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		7.900000	µg/g		PR1
UB	N	ABFD9356		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		7.500000	µg/g		PR1
UB	N	ABFD9362		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		9.100000	µg/g		PR1
UB	N	ABFD9368		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		7.700000	µg/g		PR1
UB	N	ABFD9374		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		9.000000	µg/g		PR1
UB	N	ABFD9380		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		8.100000	µg/g		PR1
UB	N	ABFD9386		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		9.600000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	ABFD9392		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		9.400000	µg/g		PR1
UB	N	ABFD9398		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		9.600000	µg/g		PR1
UB	N	ABFD8960		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		7.200000	µg/g		PR1
UB	N	ABFD9225		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		8.300000	µg/g		PR1
UB	N	ABFD9275		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		12.000000	µg/g		PR1
UB	N	ABFD9281		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		13.000000	µg/g		PR1
UB	N	ABFD9287		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		13.000000	µg/g		PR1
UB	N	ABFD9295		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		13.000000	µg/g		PR1
UB	N	ABFD9325		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		13.000000	µg/g		PR1
UB	N	ABFD9331		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		13.000000	µg/g		PR1
UB	N	ABFD9350		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		11.000000	µg/g	D	PR1
UB	N	ABFD9337		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		19.000000	µg/g		PR1
UB	N	ABFD9344		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	22-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD9356		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD9362		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		12.000000	µg/g		PR1
UB	N	ABFD9368		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD9374		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		10.000000	µg/g		PR1
UB	N	ABFD9380		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		9.300000	µg/g		PR1
UB	N	ABFD9386		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		9.800000	µg/g		PR1
UB	N	ABFD9392		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		10.000000	µg/g		PR1
UB	N	ABFD9398		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD8960		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		8.600000	µg/g		PR1
UB	N	ABFD9225		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25	23-APR-1993		10.000000	µg/g		PR1
UB	N	ABFD9275		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		5.100000	µg/g		PR1
UB	N	ABFD9281		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD9287		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		5.100000	µg/g		PR1
UB	N	ABFD9295		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		5.300000	µg/g		PR1
UB	N	ABFD9325		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		5.900000	µg/g		PR1
UB	N	ABFD9331		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		5.800000	µg/g		PR1
UB	N	ABFD9350		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		5.700000	µg/g	D	PR1
UB	N	ABFD9337		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993	GT	6.200000	µg/g		PR1
UB	N	ABFD9344		NBD5	NITROBENZENE-D5	5.000000	LM25	22-APR-1993		5.300000	µg/g		PR1
UB	N	ABFD9356		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		5.900000	µg/g		PR1
UB	N	ABFD9362		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		5.700000	µg/g		PR1
UB	N	ABFD9368		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD9374		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		5.600000	µg/g		PR1
UB	N	ABFD9380		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		5.500000	µg/g		PR1
UB	N	ABFD9386		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		5.300000	µg/g		PR1
UB	N	ABFD9392		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD9398		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD8960		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		5.100000	µg/g		PR1
UB	N	ABFD9225		NBD5	NITROBENZENE-D5	5.000000	LM25	23-APR-1993		5.700000	µg/g		PR1
UB	N	ABFD9275		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		7.800000	µg/g		PR1
UB	N	ABFD9281		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		7.500000	µg/g		PR1
UB	N	ABFD9287		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		7.700000	µg/g		PR1
UB	N	ABFD9295		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		7.300000	µg/g		PR1
UB	N	ABFD9325		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		7.200000	µg/g		PR1
UB	N	ABFD9331		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		7.400000	µg/g		PR1
UB	N	ABFD9350		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		7.600000	µg/g	D	PR1
UB	N	ABFD9337		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		11.000000	µg/g		PR1
UB	N	ABFD9344		PHEND6	PHENOL-D6	5.000000	LM25	22-APR-1993		6.500000	µg/g		PR1
UB	N	ABFD9356		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		6.700000	µg/g		PR1
UB	N	ABFD9362		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		6.900000	µg/g		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	N	ABFD9368		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		7.700000	µg/g		PR1
UB	N	ABFD9374		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		6.400000	µg/g		PR1
UB	N	ABFD9380		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		7.700000	µg/g		PR1
UB	N	ABFD9386		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		8.400000	µg/g		PR1
UB	N	ABFD9392		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		7.700000	µg/g		PR1
UB	N	ABFD9398		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		7.700000	µg/g		PR1
UB	N	ABFD8960		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		7.500000	µg/g		PR1
UB	N	ABFD9225		PHEND6	PHENOL-D6	5.000000	LM25	23-APR-1993		6.600000	µg/g		PR1
UB	N	ABFD9275		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		5.600000	µg/g		PR1
UB	N	ABFD9281		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		6.000000	µg/g		PR1
UB	N	ABFD9287		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		5.100000	µg/g		PR1
UB	N	ABFD9295		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		6.000000	µg/g		PR1
UB	N	ABFD9325		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		5.500000	µg/g		PR1
UB	N	ABFD9331		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		6.100000	µg/g	X	PR1
UB	N	ABFD9350		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		6.700000	µg/g	XD	PR1
UB	N	ABFD9337		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993	GT	6.200000	µg/g		PR1
UB	N	ABFD9344		TRPD14	TERPHENYL-D14	5.000000	LM25	22-APR-1993		5.800000	µg/g		PR1
UB	N	ABFD9356		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD9362		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		6.200000	µg/g		PR1
UB	N	ABFD9368		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		4.900000	µg/g		PR1
UB	N	ABFD9374		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		4.900000	µg/g		PR1
UB	N	ABFD9380		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		5.100000	µg/g		PR1
UB	N	ABFD9386		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		5.500000	µg/g		PR1
UB	N	ABFD9392		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		5.200000	µg/g		PR1
UB	N	ABFD9398		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		5.300000	µg/g		PR1
UB	N	ABFD8960		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		5.000000	µg/g		PR1
UB	N	ABFD9225		TRPD14	TERPHENYL-D14	5.000000	LM25	23-APR-1993		5.000000	µg/g		PR1
AL	N	CDX	PPS9201	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	99	05-JUN-1992	LT	0.005050	µg/g		GO
AL	N	CDX	PPS9201	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	99	05-JUN-1992	LT	0.005050	µg/g		GO
AL	N	CDX	PPS9201	ACLDAN	ALPHA-CHLORDANE	0.000000	99	05-JUN-1992	LT	0.001840	µg/g		GO
AL	N	CDX	PPS9201	ACLDAN	ALPHA-CHLORDANE	0.000000	99	05-JUN-1992	LT	0.001840	µg/g		GO
AL	N	CDX	PPS9201	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	99	05-JUN-1992	LT	0.008000	µg/g		GO
AL	N	CDX	PPS9201	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	99	05-JUN-1992	LT	0.008000	µg/g		GO
AL	N	CDX	PPS9201	ALDRN	ALDRIN	0.079800	99	05-JUN-1992		0.121000	µg/g		GO
AL	N	CDX	PPS9201	ALDRN	ALDRIN	0.079800	99	05-JUN-1992		0.106000	µg/g		GO
AL	N	CDX	PPS9201	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	99	05-JUN-1992	LT	0.008000	µg/g		GO
AL	N	CDX	PPS9201	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	99	05-JUN-1992	LT	0.008000	µg/g		GO
AL	N	CDX	PPS9201	BENSLF	BETA-ENDOSULFAN /	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	CDX	PPS9201	BENSLF	ENDOSULFAN II BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO
AL	N	CDX	PPS9203	CL10BP	DECACHLOROBIPHENYL	0.049600	99	05-JUN-1992		0.063600	µg/g	L	GO
AL	N	CDX	PPS9201	CL10BP	DECACHLOROBIPHENYL	0.049700	99	05-JUN-1992		0.058800	µg/g	L	GO
AL	N	CDX	PPS9202	CL10BP	DECACHLOROBIPHENYL	0.049800	99	05-JUN-1992		0.058000	µg/g	L	GO
AL	N	CDX	PPS9204	CL10BP	DECACHLOROBIPHENYL	0.049800	99	05-JUN-1992		0.061000	µg/g	L	GO
AL	N	CDX	PPT9203	CL10BP	DECACHLOROBIPHENYL	0.049800	99	05-JUN-1992		0.058300	µg/g	L	GO
AL	N	CDX	PPS9201	CL10BP	DECACHLOROBIPHENYL	0.049800	99	05-JUN-1992		0.072900	µg/g	L	GO
AL	N	CDX	PPT9201	CL10BP	DECACHLOROBIPHENYL	0.049900	99	05-JUN-1992		0.052400	µg/g	L	GO
AL	N	CDX	PPT9202	CL10BP	DECACHLOROBIPHENYL	0.049900	99	05-JUN-1992		0.055600	µg/g	L	GO
AL	N	CDX	PPT9204	CL10BP	DECACHLOROBIPHENYL	0.049900	99	05-JUN-1992		0.071200	µg/g	L	GO
AL	N	CDX	PPT9205	CL10BP	DECACHLOROBIPHENYL	0.050000	99	05-JUN-1992		0.070600	µg/g	L	GO
AL	N	CDX	PPS9201	CL10BP	DECACHLOROBIPHENYL	0.050000	99	05-JUN-1992		0.062900	µg/g	L	GO
AL	N	CDX	PPS9203	CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049600	99	05-JUN-1992		0.062200	µg/g		GO
AL	N	CDX	PPT9203	CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049800	99	05-JUN-1992		0.060100	µg/g		GO
AL	N	CDX	PPT9201	CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049900	99	05-JUN-1992		0.062900	µg/g		GO
AL	N	CDX	PPT9202	CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049900	99	05-JUN-1992		0.060900	µg/g		GO
AL	N	CDX	PPT9204	CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049900	99	05-JUN-1992		0.066500	µg/g		GO
AL	N	CDX	PPS9201	CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049900	99	05-JUN-1992		0.069200	µg/g		GO
AL	N	CDX	PPS9201	CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049900	99	05-JUN-1992		0.064200	µg/g		GO
AL	N	CDX	PPS9201	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA NE	0.000000	99	05-JUN-1992	LT	0.004900	µg/g		GO
AL	N	CDX	PPS9201	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA NE	0.000000	99	05-JUN-1992	LT	0.004900	µg/g		GO
AL	N	CDX	PPS9203	DBUCLE	DIBUTYLCHLORENDATE	0.049600	99	05-JUN-1992		0.087000	µg/g		GO
AL	N	CDX	PPT9203	DBUCLE	DIBUTYLCHLORENDATE	0.049800	99	05-JUN-1992		0.086800	µg/g		GO
AL	N	CDX	PPT9201	DBUCLE	DIBUTYLCHLORENDATE	0.049900	99	05-JUN-1992		0.093700	µg/g		GO
AL	N	CDX	PPT9202	DBUCLE	DIBUTYLCHLORENDATE	0.049900	99	05-JUN-1992		0.083800	µg/g		GO
AL	N	CDX	PPT9204	DBUCLE	DIBUTYLCHLORENDATE	0.049900	99	05-JUN-1992		0.092300	µg/g		GO
AL	N	CDX	PPS9201	DBUCLE	DIBUTYLCHLORENDATE	0.049900	99	05-JUN-1992		0.095700	µg/g		GO
AL	N	CDX	PPS9201	DBUCLE	DIBUTYLCHLORENDATE	0.049900	99	05-JUN-1992		0.087300	µg/g		GO
AL	N	CDX	PPS9201	DLDRN	DIELDRIN	0.039900	99	05-JUN-1992		0.066000	µg/g		GO
AL	N	CDX	PPS9201	DLDRN	DIELDRIN	0.039900	99	05-JUN-1992		0.061300	µg/g		GO
AL	N	CDX	PPS9201	ENDRN	ENDRIN	0.079800	99	05-JUN-1992		0.138000	µg/g		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	CDX	PPS9201	ENDRN	ENDRIN	0.079800	99	05-JUN-1992		0.128000	µg/g		GO
AL	N	CDX	PPS9201	ENDRNA	ENDRIN ALDEHYDE	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO
AL	N	CDX	PPS9201	ENDRNA	ENDRIN ALDEHYDE	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO
AL	N	CDX	PPS9201	ENDRNK	ENDRIN KETONE	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO
AL	N	CDX	PPS9201	ENDRNK	ENDRIN KETONE	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO
AL	N	CDX	PPS9201	ESFSO4	ENDOSULFAN SULFATE	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO
AL	N	CDX	PPS9201	ESFSO4	ENDOSULFAN SULFATE	0.000000	99	05-JUN-1992	LT	0.016000	µg/g		GO
AL	N	CDX	PPS9201	GCLDAN	GAMMA-CHLORDANE	0.039900	99	05-JUN-1992		0.052500	µg/g		GO
AL	N	CDX	PPS9201	GCLDAN	GAMMA-CHLORDANE	0.039900	99	05-JUN-1992		0.048100	µg/g		GO
AL	N	CDX	PPS9201	HPCL	HEPTACHLOR	0.007980	99	05-JUN-1992		0.013200	µg/g		GO
AL	N	CDX	PPS9201	HPCL	HEPTACHLOR	0.007980	99	05-JUN-1992		0.012200	µg/g		GO
AL	N	CDX	PPS9201	HPCLE	HEPTACHLOR EPOXIDE	0.000000	99	05-JUN-1992	LT	0.003550	µg/g		GO
AL	N	CDX	PPS9201	HPCLE	HEPTACHLOR EPOXIDE	0.000000	99	05-JUN-1992	LT	0.003550	µg/g		GO
AL	N	CDX	PPS9201	ISODR	ISODRIN	0.000000	99	05-JUN-1992	LT	0.007930	µg/g		GO
AL	N	CDX	PPS9201	ISODR	ISODRIN	0.000000	99	05-JUN-1992	LT	0.007930	µg/g		GO
AL	N	CDX	PPS9201	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.019900	99	05-JUN-1992		0.023100	µg/g		GO
AL	N	CDX	PPS9201	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.020000	99	05-JUN-1992		0.021800	µg/g		GO
AL	N	CDX	PPS9201	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	99	05-JUN-1992	LT	0.080000	µg/g		GO
AL	N	CDX	PPS9201	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	99	05-JUN-1992	LT	0.080000	µg/g		GO
AL	N	CDX	PPS9201	PCB016	PCB 1016	0.398000	99	05-JUN-1992		0.445000	µg/g	L	GO
AL	N	CDX	PPS9201	PCB016	PCB 1016	0.400000	99	05-JUN-1992		0.427000	µg/g	L	GO
AL	N	CDX	PPS9201	PCB260	PCB 1260	0.398000	99	05-JUN-1992		0.613000	µg/g	L	GO
AL	N	CDX	PPS9201	PCB260	PCB 1260	0.400000	99	05-JUN-1992		0.559000	µg/g	L	GO
AL	N	CDX	PPS9201	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.079800	99	05-JUN-1992		0.134000	µg/g		GO
AL	N	CDX	PPS9201	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.079800	99	05-JUN-1992		0.122000	µg/g		GO
AL	N	CDX	PPS9201	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	99	05-JUN-1992	LT	0.003990	µg/g		GO
AL	N	CDX	PPS9201	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	99	05-JUN-1992	LT	0.003990	µg/g		GO
AL	N	CDX	PPS9201	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	99	05-JUN-1992		0.718000	µg/g	U	GO
AL	N	CDX	PPS9201	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	99	05-JUN-1992		0.115000	µg/g	U	GO
AL	N	CDX	PPS9201	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	99	05-JUN-1992	LT	0.160000	µg/g		GO
AL	N	CDX	PPS9201	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	99	05-JUN-1992	LT	0.160000	µg/g		GO
AL	N	CDY	RINSBLNK	CL10BP	DECACHLOROBIPHENYL	0.513000	UH16	08-JUN-1992		0.809000	µg/l	T	GO
AL	N	CDY	RINSBLNK	DBUCLE	DIBUTYLCHLORENDATE	0.513000	UH16	08-JUN-1992		0.818000	µg/l	T	GO
AL	N	CED	BRD9201	CL10BP	DECACHLOROBIPHENYL	0.048800	99	10-JUL-1992		0.060500	µg/g		GO
AL	N	CED	BRD9202	CL10BP	DECACHLOROBIPHENYL	0.049600	99	10-JUL-1992		0.081100	µg/g		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	CED	BRD9202	CL10BP	DECACHLOROBIPHENYL	0.049800	99	10-JUL-1992		0.074700	µg/g		GO
AL	N	CED	BRD9202	PCB016	PCB 1016	0.397000	99	10-JUL-1992		0.534000	µg/g		GO
AL	N	CED	BRD9202	PCB260	PCB 1260	0.397000	99	10-JUL-1992		0.480000	µg/g		GO
AL	N	CEE	BRD9202	CL10BP	DECACHLOROBIPHENYL	0.049600	LH13	10-JUL-1992		0.083000	µg/g	T	GO
AL	N	CEE	BRD9202	CL10BP	DECACHLOROBIPHENYL	0.049800	LH13	10-JUL-1992		0.084000	µg/g	T	GO
AL	N	CEE	BRD9202	CL10BP	DECACHLOROBIPHENYL	0.049800	LH13	10-JUL-1992		0.082000	µg/g	T	GO
AL	N	CEE	BRD9202	PCB016	PCB 1016	0.396000	LH13	10-JUL-1992		0.740000	µg/g	P	GO
AL	N	CEE	BRD9202	PCB016	PCB 1016	0.398000	LH13	10-JUL-1992		0.720000	µg/g	P	GO
AL	N	CEE	BRD9202	PCB260	PCB 1260	0.396000	LH13	10-JUL-1992		0.640000	µg/g	P	GO
AL	N	CEE	BRD9202	PCB260	PCB 1260	0.398000	LH13	10-JUL-1992		0.590000	µg/g	P	GO
AL	N	CEF	BRW9201	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	15-JUL-1992	LT	0.005610	µg/l		GO
AL	N	CEF	BRW9201	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	15-JUL-1992	LT	0.005610	µg/l		GO
AL	N	CEF	BRW9201	ACLDAN	ALPHA-CHLORDANE	0.042100	UH16	15-JUL-1992		0.113000	µg/l		GO
AL	N	CEF	BRW9201	ACLDAN	ALPHA-CHLORDANE	0.042800	UH16	15-JUL-1992		0.110000	µg/l		GO
AL	N	CEF	BRW9201	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16	15-JUL-1992	ND	0.050000	µg/l	T	GO
AL	N	CEF	BRW9201	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16	15-JUL-1992	ND	0.050000	µg/l	T	GO
AL	N	CEF	BRW9201	ALDRN	ALDRIN	0.000000	UH16	15-JUL-1992	ND	0.050000	µg/l	T	GO
AL	N	CEF	BRW9201	ALDRN	ALDRIN	0.000000	UH16	15-JUL-1992	ND	0.050000	µg/l	T	GO
AL	N	CEF	BRW9201	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	15-JUL-1992	ND	0.050000	µg/l	T	GO
AL	N	CEF	BRW9201	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	15-JUL-1992	ND	0.050000	µg/l	T	GO
AL	N	CEF	BRW9201	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	CL10BP	DECACHLOROBIPHENYL	0.510000	UH16	15-JUL-1992		0.703000	µg/l	T	GO
AL	N	CEF	RNSEBLNK	CL10BP	DECACHLOROBIPHENYL	0.538000	UH16	16-JUL-1992		0.503000	µg/l	T	GO
AL	N	CEF	BRW9201	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	15-JUL-1992	LT	0.036900	µg/l		GO
AL	N	CEF	BRW9201	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	15-JUL-1992	LT	0.036900	µg/l		GO
AL	N	CEF	BRW9201	DBUCLE	DIBUTYLCHLORENDATE	0.510000	UH16	15-JUL-1992		0.892000	µg/l	T	GO
AL	N	CEF	BRW9201	DBUCLE	DIBUTYLCHLORENDATE	0.526000	UH16	15-JUL-1992		0.907000	µg/l	T	GO
AL	N	CEF	BRW9201	DBUCLE	DIBUTYLCHLORENDATE	0.535000	UH16	15-JUL-1992		0.830000	µg/l	T	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	CEF	RNSEBLNK	DBUCLE	DIBUTYLCHLORENDATE	0.538000	UH16	16-JUL-1992		0.757000	µg/l	T	GO
AL	N	CEF	BRW9201	DLDRN	DIELDRIN	0.421000	UH16	15-JUL-1992		0.698000	µg/l	X	GO
AL	N	CEF	BRW9201	DLDRN	DIELDRIN	0.428000	UH16	15-JUL-1992		0.667000	µg/l	X	GO
AL	N	CEF	BRW9201	ENDRN	ENDRIN	0.084200	UH16	15-JUL-1992		0.112000	µg/l		GO
AL	N	CEF	BRW9201	ENDRN	ENDRIN	0.085600	UH16	15-JUL-1992		0.104000	µg/l	X	GO
AL	N	CEF	BRW9201	ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	ENDRNK	ENDRIN KETONE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	ENDRNK	ENDRIN KETONE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	GCLDAN	GAMMA-CHLORDANE	0.000000	UH16	15-JUL-1992	LT	0.030900	µg/l		GO
AL	N	CEF	BRW9201	GCLDAN	GAMMA-CHLORDANE	0.000000	UH16	15-JUL-1992	LT	0.030900	µg/l		GO
AL	N	CEF	BRW9201	HPCL	HEPTACHLOR	0.042100	UH16	15-JUL-1992		0.065900	µg/l		GO
AL	N	CEF	BRW9201	HPCL	HEPTACHLOR	0.042800	UH16	15-JUL-1992		0.059800	µg/l	X	GO
AL	N	CEF	BRW9201	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16	15-JUL-1992	LT	0.061000	µg/l		GO
AL	N	CEF	BRW9201	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16	15-JUL-1992	LT	0.061000	µg/l		GO
AL	N	CEF	BRW9201	ISODR	ISODRIN	0.000000	UH16	15-JUL-1992	LT	0.134000	µg/l		GO
AL	N	CEF	BRW9201	ISODR	ISODRIN	0.000000	UH16	15-JUL-1992	LT	0.134000	µg/l		GO
AL	N	CEF	BRW9201	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.421000	UH16	15-JUL-1992		1.100000	µg/l		GO
AL	N	CEF	BRW9201	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.428000	UH16	15-JUL-1992		1.080000	µg/l		GO
AL	N	CEF	BRW9201	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH16	15-JUL-1992	ND	0.500000	µg/l	T	GO
AL	N	CEF	BRW9201	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH16	15-JUL-1992	ND	0.500000	µg/l	T	GO
AL	N	CEF	BRW9201	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.842000	UH16	15-JUL-1992		1.440000	µg/l	X	GO
AL	N	CEF	BRW9201	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.856000	UH16	15-JUL-1992		1.370000	µg/l		GO
AL	N	CEF	BRW9201	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UH16	15-JUL-1992	LT	0.088000	µg/l		GO
AL	N	CEF	BRW9201	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UH16	15-JUL-1992	LT	0.088000	µg/l		GO
AL	N	CEF	BRW9201	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	CEF	BRW9201	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.000000	UH16	15-JUL-1992	ND	0.100000	µg/l	T	GO
AL	N	DEL	OBS92G03	HG	MERCURY	0.350000	JB03	07-JUN-1992		0.373000	µg/g		GO
AL	N	DEL	OBS92G03	HG	MERCURY	0.350000	JB03	07-JUN-1992		0.368000	µg/g		GO
AL	N	DEM	SAS9201	HG	MERCURY	3.000000	SB03	05-JUN-1992		3.450000	µg/l	B	GO
AL	N	DEM	SAS9201	HG	MERCURY	3.000000	SB03	05-JUN-1992		3.300000	µg/l	B	GO
AL	N	DEM	BES9202	HG	MERCURY	3.000000	SB03	09-JUN-1992		3.540000	µg/l		GO
AL	N	DEM	BER9201	HG	MERCURY	3.000000	SB03	09-JUN-1992		3.330000	µg/l		GO
AL	N	DEM	BES9202	HG	MERCURY	3.000000	SB03	09-JUN-1992		3.300000	µg/l		GO
AL	N	DEM	BER9201	HG	MERCURY	3.000000	SB03	09-JUN-1992		3.220000	µg/l		GO
AL	N	DEN	BES9201	HG	MERCURY	3.000000	SB03	09-JUN-1992		3.710000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	DEN	BES9201	HG	MERCURY	3.000000	SB03	09-JUN-1992		3.760000	µg/l		GO
AL	N	DEO	OBS92G04	HG	MERCURY	0.350000	JB03	07-JUN-1992		0.404000	µg/g		GO
AL	N	DEO	OBS92G04	HG	MERCURY	0.350000	JB03	07-JUN-1992		0.390000	µg/g		GO
AL	N	DEP	OBS92201	HG	MERCURY	0.350000	JB03	18-JUN-1992		0.392000	µg/g		GO
AL	N	DEP	OBS92201	HG	MERCURY	0.350000	JB03	18-JUN-1992		0.387000	µg/g		GO
AL	N	DEQ	WSB9206	HG	MERCURY	0.350000	JB03	24-JUN-1992		0.377000	µg/g		GO
AL	N	DEQ	WSB9206	HG	MERCURY	0.350000	JB03	24-JUN-1992		0.391000	µg/g		GO
AL	N	DET	ARS92B01	HG	MERCURY	0.350000	JB03	09-JUL-1992		0.442000	µg/g		GO
AL	N	DET	ARS92B01	HG	MERCURY	0.350000	JB03	09-JUL-1992		0.442000	µg/g		GO
AL	N	DEU	BRW9201	HG	MERCURY	3.000000	SB03	15-JUL-1992		2.660000	µg/l		GO
AL	N	DEU	BRW9201	HG	MERCURY	3.000000	SB03	15-JUL-1992		2.730000	µg/l		GO
AL	N	DEV	BRS9203	HG	MERCURY	0.350000	JB03	10-JUL-1992		0.375000	µg/g		GO
AL	N	DEV	BRS9203	HG	MERCURY	0.350000	JB03	10-JUL-1992		0.380000	µg/g		GO
AL	N	EGE	BWS9202	135TNB	1,3,5-TRINITROBENZENE	1.900000	LW26	04-JUN-1992	LT	3.500000	µg/g		GO
AL	N	EGE	BWS9202	135TNB	1,3,5-TRINITROBENZENE	1.970000	LW26	04-JUN-1992	LT	3.500000	µg/g		GO
AL	N	EGE	BWS9202	13DNB	1,3-DINITROBENZENE	2.040000	LW26	04-JUN-1992	LT	3.000000	µg/g		GO
AL	N	EGE	BWS9202	13DNB	1,3-DINITROBENZENE	2.120000	LW26	04-JUN-1992	LT	3.000000	µg/g		GO
AL	N	EGE	BWS9202	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.650000	LW26	04-JUN-1992		27000.000000	µg/g		GO
AL	N	EGE	BWS9202	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.790000	LW26	04-JUN-1992		28000.000000	µg/g		GO
AL	N	EGE	BWS9202	24DNT	2,4-DINITROTOLUENE	4.370000	LW26	04-JUN-1992	LT	74.000000	µg/g		GO
AL	N	EGE	BWS9202	24DNT	2,4-DINITROTOLUENE	4.550000	LW26	04-JUN-1992	LT	74.000000	µg/g		GO
AL	N	EGE	BWS9202	26DNT	2,6-DINITROTOLUENE	2.590000	LW26	04-JUN-1992	LT	83.000000	µg/g		GO
AL	N	EGE	BWS9202	26DNT	2,6-DINITROTOLUENE	2.690000	LW26	04-JUN-1992	LT	83.000000	µg/g		GO
AL	N	EGE	BWS9202	2NT	2-NITROTOLUENE	12.400000	LW26	04-JUN-1992	LT	16.000000	µg/g		GO
AL	N	EGE	BWS9202	2NT	2-NITROTOLUENE	12.900000	LW26	04-JUN-1992	LT	16.000000	µg/g		GO
AL	N	EGE	BWS9202	HMX	CYCLOTETRAMETHYLENETETRAMINE	4.230000	LW26	04-JUN-1992		44.000000	µg/g		GO
AL	N	EGE	BWS9202	HMX	CYCLOTETRAMETHYLENETETRAMINE	4.400000	LW26	04-JUN-1992		52.000000	µg/g		GO
AL	N	EGE	BWS9202	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	7.880000	LW26	04-JUN-1992	LT	10.000000	µg/g		GO
AL	N	EGE	BWS9202	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.200000	LW26	04-JUN-1992	LT	10.000000	µg/g		GO
AL	N	EGE	BWS9202	RDX	CYCLONITE / HEXOGEN / RDX	3.910000	LW26	04-JUN-1992		1400.000000	µg/g		GO
AL	N	EGE	BWS9202	RDX	CYCLONITE / HEXOGEN / RDX	4.060000	LW26	04-JUN-1992		1400.000000	µg/g		GO
AL	N	EGE	BWS9202	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	3.860000	LW26	04-JUN-1992	LT	1.000000	µg/g		GO
AL	N	EGE	BWS9202	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.010000	LW26	04-JUN-1992	LT	10.000000	µg/g		GO
AL	N	EGF	OBS92G01	135TNB	1,3,5-TRINITROBENZENE	2.240000	LW26	07-JUN-1992		2.110000	µg/g		GO
AL	N	EGF	OBS92G01	135TNB	1,3,5-TRINITROBENZENE	2.270000	LW26	07-JUN-1992		2.250000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	EGF	OBS92G01	13DNB	1,3-DINITROBENZENE	2.430000	LW26	07-JUN-1992		2.330000	µg/g		GO
AL	N	EGF	OBS92G01	13DNB	1,3-DINITROBENZENE	2.460000	LW26	07-JUN-1992		2.440000	µg/g		GO
AL	N	EGF	OBS92G01	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.250000	LW26	07-JUN-1992		4.500000	µg/g		GO
AL	N	EGF	OBS92G01	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.310000	LW26	07-JUN-1992		4.780000	µg/g		GO
AL	N	EGF	OBS92G01	24DNT	2,4-DINITROTOLUENE	4.540000	LW26	07-JUN-1992		4.950000	µg/g		GO
AL	N	EGF	OBS92G01	24DNT	2,4-DINITROTOLUENE	4.610000	LW26	07-JUN-1992		5.170000	µg/g		GO
AL	N	EGF	OBS92G01	26DNT	2,6-DINITROTOLUENE	3.990000	LW26	07-JUN-1992		2.970000	µg/g		GO
AL	N	EGF	OBS92G01	26DNT	2,6-DINITROTOLUENE	4.050000	LW26	07-JUN-1992		3.240000	µg/g		GO
AL	N	EGF	OBS92G01	2NT	2-NITROTOLUENE	13.700000	LW26	07-JUN-1992		14.700000	µg/g		GO
AL	N	EGF	OBS92G01	2NT	2-NITROTOLUENE	13.900000	LW26	07-JUN-1992		15.800000	µg/g		GO
AL	N	EGF	OBS92G01	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.510000	LW26	07-JUN-1992		4.440000	µg/g		GO
AL	N	EGF	OBS92G01	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.580000	LW26	07-JUN-1992		4.700000	µg/g		GO
AL	N	EGF	OBS92G01	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	9.430000	LW26	07-JUN-1992		8.810000	µg/g		GO
AL	N	EGF	OBS92G01	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	9.580000	LW26	07-JUN-1992		9.330000	µg/g		GO
AL	N	EGF	OBS92G01	RDX	CYCLONITE / HEXOGEN / RDX	4.520000	LW26	07-JUN-1992		4.510000	µg/g		GO
AL	N	EGF	OBS92G01	RDX	CYCLONITE / HEXOGEN / RDX	4.590000	LW26	07-JUN-1992		4.760000	µg/g		GO
AL	N	EGF	OBS92G01	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.150000	LW26	07-JUN-1992		3.830000	µg/g		GO
AL	N	EGF	OBS92G01	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.210000	LW26	07-JUN-1992		3.870000	µg/g		GO
AL	N	EGG	BES9201	135TNB	1,3,5-TRINITROBENZENE	2.170000	LW26	09-JUN-1992		2.420000	µg/g		GO
AL	N	EGG	BES9201	135TNB	1,3,5-TRINITROBENZENE	2.170000	LW26	09-JUN-1992		2.390000	µg/g		GO
AL	N	EGG	BES9201	13DNB	1,3-DINITROBENZENE	2.320000	LW26	09-JUN-1992		2.580000	µg/g		GO
AL	N	EGG	BES9201	13DNB	1,3-DINITROBENZENE	2.320000	LW26	09-JUN-1992		2.540000	µg/g		GO
AL	N	EGG	BES9201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.180000	LW26	09-JUN-1992		5.020000	µg/g		GO
AL	N	EGG	BES9201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.180000	LW26	09-JUN-1992		5.040000	µg/g		GO
AL	N	EGG	BES9201	24DNT	2,4-DINITROTOLUENE	4.230000	LW26	09-JUN-1992		4.790000	µg/g		GO
AL	N	EGG	BES9201	24DNT	2,4-DINITROTOLUENE	4.230000	LW26	09-JUN-1992		4.750000	µg/g		GO
AL	N	EGG	BES9201	26DNT	2,6-DINITROTOLUENE	4.430000	LW26	09-JUN-1992		4.980000	µg/g		GO
AL	N	EGG	BES9201	26DNT	2,6-DINITROTOLUENE	4.430000	LW26	09-JUN-1992		5.020000	µg/g		GO
AL	N	EGG	BES9201	2NT	2-NITROTOLUENE	13.800000	LW26	09-JUN-1992		16.200000	µg/g		GO
AL	N	EGG	BES9201	2NT	2-NITROTOLUENE	13.800000	LW26	09-JUN-1992		16.000000	µg/g		GO
AL	N	EGG	BES9201	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	5.570000	LW26	09-JUN-1992		5.280000	µg/g		GO
AL	N	EGG	BES9201	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	5.570000	LW26	09-JUN-1992		5.310000	µg/g		GO
AL	N	EGG	BES9201	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	9.030000	LW26	09-JUN-1992		9.690000	µg/g		GO
AL	N	EGG	BES9201	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	9.030000	LW26	09-JUN-1992		9.580000	µg/g		GO
AL	N	EGG	BES9201	RDX	CYCLONITE / HEXOGEN / RDX	4.430000	LW26	09-JUN-1992		5.090000	µg/g		GO
AL	N	EGG	BES9201	RDX	CYCLONITE / HEXOGEN / RDX	4.430000	LW26	09-JUN-1992		5.080000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	EGG	BES9201	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.260000	LW26	09-JUN-1992		4.250000	µg/g		GO
AL	N	EGG	BES9201	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.260000	LW26	09-JUN-1992		4.380000	µg/g		GO
AL	N	EGH	OBS92101	135TNB	1,3,5-TRINITROBENZENE	2.150000	LW26	17-JUN-1992		2.360000	µg/g		GO
AL	N	EGH	OBS92101	135TNB	1,3,5-TRINITROBENZENE	2.150000	LW26	17-JUN-1992		2.320000	µg/g		GO
AL	N	EGH	OBS92101	13DNB	1,3-DINITROBENZENE	2.260000	LW26	17-JUN-1992		2.560000	µg/g		GO
AL	N	EGH	OBS92101	13DNB	1,3-DINITROBENZENE	2.260000	LW26	17-JUN-1992		2.480000	µg/g		GO
AL	N	EGH	OBS92101	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.070000	LW26	17-JUN-1992		5.090000	µg/g		GO
AL	N	EGH	OBS92101	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.070000	LW26	17-JUN-1992		4.870000	µg/g		GO
AL	N	EGH	OBS92101	24DNT	2,4-DINITROTOLUENE	4.140000	LW26	17-JUN-1992		4.730000	µg/g		GO
AL	N	EGH	OBS92101	24DNT	2,4-DINITROTOLUENE	4.140000	LW26	17-JUN-1992		4.640000	µg/g		GO
AL	N	EGH	OBS92101	26DNT	2,6-DINITROTOLUENE	4.510000	LW26	17-JUN-1992		5.020000	µg/g		GO
AL	N	EGH	OBS92101	26DNT	2,6-DINITROTOLUENE	4.510000	LW26	17-JUN-1992		4.850000	µg/g		GO
AL	N	EGH	OBS92101	2NT	2-NITROTOLUENE	13.200000	LW26	17-JUN-1992		16.000000	µg/g		GO
AL	N	EGH	OBS92101	2NT	2-NITROTOLUENE	13.200000	LW26	17-JUN-1992		15.700000	µg/g		GO
AL	N	EGH	OBS92101	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.650000	LW26	17-JUN-1992		5.320000	µg/g		GO
AL	N	EGH	OBS92101	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.650000	LW26	17-JUN-1992		5.070000	µg/g		GO
AL	N	EGH	OBS92101	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.860000	LW26	17-JUN-1992		9.890000	µg/g		GO
AL	N	EGH	OBS92101	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.860000	LW26	17-JUN-1992		9.330000	µg/g		GO
AL	N	EGH	OBS92101	RDX	CYCLONITE / HEXOGEN / RDX	4.390000	LW26	17-JUN-1992		4.970000	µg/g		GO
AL	N	EGH	OBS92101	RDX	CYCLONITE / HEXOGEN / RDX	4.390000	LW26	17-JUN-1992		4.890000	µg/g		GO
AL	N	EGH	OBS92101	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.120000	LW26	17-JUN-1992		3.740000	µg/g		GO
AL	N	EGH	OBS92101	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.120000	LW26	17-JUN-1992		3.710000	µg/g		GO
AL	N	EGI	OBP92304	135TNB	1,3,5-TRINITROBENZENE	1.920000	LW26	19-JUN-1992		2.380000	µg/g		GO
AL	N	EGI	OBP92304	135TNB	1,3,5-TRINITROBENZENE	1.960000	LW26	19-JUN-1992		2.450000	µg/g		GO
AL	N	EGI	OBP92304	13DNB	1,3-DINITROBENZENE	2.070000	LW26	19-JUN-1992		2.590000	µg/g		GO
AL	N	EGI	OBP92304	13DNB	1,3-DINITROBENZENE	2.110000	LW26	19-JUN-1992		2.670000	µg/g		GO
AL	N	EGI	OBP92304	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.710000	LW26	19-JUN-1992		5.200000	µg/g		GO
AL	N	EGI	OBP92304	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.790000	LW26	19-JUN-1992		5.360000	µg/g		GO
AL	N	EGI	OBP92304	24DNT	2,4-DINITROTOLUENE	4.100000	LW26	19-JUN-1992		5.590000	µg/g		GO
AL	N	EGI	OBP92304	24DNT	2,4-DINITROTOLUENE	4.190000	LW26	19-JUN-1992		5.790000	µg/g		GO
AL	N	EGI	OBP92304	26DNT	2,6-DINITROTOLUENE	3.380000	LW26	19-JUN-1992		3.740000	µg/g		GO
AL	N	EGI	OBP92304	26DNT	2,6-DINITROTOLUENE	3.450000	LW26	19-JUN-1992		3.910000	µg/g		GO
AL	N	EGI	OBP92304	2NT	2-NITROTOLUENE	11.700000	LW26	19-JUN-1992		15.100000	µg/g		GO
AL	N	EGI	OBP92304	2NT	2-NITROTOLUENE	11.900000	LW26	19-JUN-1992		15.700000	µg/g		GO
AL	N	EGI	OBP92304	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.290000	LW26	19-JUN-1992		5.440000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	EGI	OBP92304	HMX	ITRAMINE CYCLOTETRAMETHYLENETETRAN	4.380000	LW26	19-JUN-1992		5.610000	µg/g		GO
AL	N	EGI	OBP92304	NB	ITRAMINE ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.090000	LW26	19-JUN-1992		9.680000	µg/g		GO
AL	N	EGI	OBP92304	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.270000	LW26	19-JUN-1992		10.200000	µg/g		GO
AL	N	EGI	OBP92304	RDX	CYCLONITE / HEXOGEN / RDX	4.040000	LW26	19-JUN-1992		5.230000	µg/g		GO
AL	N	EGI	OBP92304	RDX	CYCLONITE / HEXOGEN / RDX	4.130000	LW26	19-JUN-1992		5.420000	µg/g		GO
AL	N	EGI	OBP92304	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	3.810000	LW26	19-JUN-1992		4.890000	µg/g		GO
AL	N	EGI	OBP92304	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	3.900000	LW26	19-JUN-1992		5.090000	µg/g		GO
AL	N	EGJ	CRT92201	135TNB	1,3,5-TRINITROBENZENE	2.080000	LW26	21-JUN-1992		2.450000	µg/g		GO
AL	N	EGJ	CRT92201	135TNB	1,3,5-TRINITROBENZENE	2.090000	LW26	21-JUN-1992		2.450000	µg/g		GO
AL	N	EGJ	CRT92201	13DNB	1,3-DINITROBENZENE	2.290000	LW26	21-JUN-1992		2.670000	µg/g		GO
AL	N	EGJ	CRT92201	13DNB	1,3-DINITROBENZENE	2.300000	LW26	21-JUN-1992		2.680000	µg/g		GO
AL	N	EGJ	CRT92201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.970000	LW26	21-JUN-1992		5.020000	µg/g		GO
AL	N	EGJ	CRT92201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.980000	LW26	21-JUN-1992		5.020000	µg/g		GO
AL	N	EGJ	CRT92201	24DNT	2,4-DINITROTOLUENE	4.330000	LW26	21-JUN-1992		5.240000	µg/g		GO
AL	N	EGJ	CRT92201	24DNT	2,4-DINITROTOLUENE	4.340000	LW26	21-JUN-1992		5.200000	µg/g		GO
AL	N	EGJ	CRT92201	26DNT	2,6-DINITROTOLUENE	3.710000	LW26	21-JUN-1992		3.980000	µg/g		GO
AL	N	EGJ	CRT92201	26DNT	2,6-DINITROTOLUENE	3.720000	LW26	21-JUN-1992		4.090000	µg/g		GO
AL	N	EGJ	CRT92201	2NT	2-NITROTOLUENE	13.100000	LW26	21-JUN-1992		15.900000	µg/g		GO
AL	N	EGJ	CRT92201	2NT	2-NITROTOLUENE	13.200000	LW26	21-JUN-1992		16.000000	µg/g		GO
AL	N	EGJ	CRT92201	HMX	CYCLOTETRAMETHYLENETETRAN	4.720000	LW26	21-JUN-1992		5.730000	µg/g		GO
AL	N	EGJ	CRT92201	HMX	ITRAMINE CYCLOTETRAMETHYLENETETRAN	4.730000	LW26	21-JUN-1992		5.650000	µg/g		GO
AL	N	EGJ	CRT92201	NB	ITRAMINE ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.910000	LW26	21-JUN-1992		9.810000	µg/g		GO
AL	N	EGJ	CRT92201	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.930000	LW26	21-JUN-1992		9.910000	µg/g		GO
AL	N	EGJ	CRT92201	RDX	CYCLONITE / HEXOGEN / RDX	4.320000	LW26	21-JUN-1992		5.150000	µg/g		GO
AL	N	EGJ	CRT92201	RDX	CYCLONITE / HEXOGEN / RDX	4.330000	LW26	21-JUN-1992		5.190000	µg/g		GO
AL	N	EGJ	CRT92201	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	4.150000	LW26	21-JUN-1992		4.630000	µg/g		GO
AL	N	EGJ	CRT92201	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	4.160000	LW26	21-JUN-1992		4.570000	µg/g		GO
AL	N	EGK	OSS92O7	135TNB	1,3,5-TRINITROBENZENE	2.040000	LW26	23-JUN-1992		2.100000	µg/g		GO
AL	N	EGK	OSS92O7	135TNB	1,3,5-TRINITROBENZENE	2.120000	LW26	23-JUN-1992		2.220000	µg/g		GO
AL	N	EGK	OSS92O7	13DNB	1,3-DINITROBENZENE	2.180000	LW26	23-JUN-1992		2.280000	µg/g		GO
AL	N	EGK	OSS92O7	13DNB	1,3-DINITROBENZENE	2.270000	LW26	23-JUN-1992		2.410000	µg/g		GO
AL	N	EGK	OSS92O7	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.750000	LW26	23-JUN-1992		4.270000	µg/g		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	EGK	OSS92O7	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.900000	LW26	23-JUN-1992		4.420000	µg/g		GO
AL	N	EGK	OSS92O7	24DNT	2,4-DINITROTOLUENE	4.510000	LW26	23-JUN-1992		4.760000	µg/g		GO
AL	N	EGK	OSS92O7	24DNT	2,4-DINITROTOLUENE	4.690000	LW26	23-JUN-1992		4.910000	µg/g		GO
AL	N	EGK	OSS92O7	26DNT	2,6-DINITROTOLUENE	2.840000	LW26	23-JUN-1992		2.920000	µg/g		GO
AL	N	EGK	OSS92O7	26DNT	2,6-DINITROTOLUENE	2.950000	LW26	23-JUN-1992		3.110000	µg/g		GO
AL	N	EGK	OSS92O7	2NT	2-NITROTOLUENE	12.600000	LW26	23-JUN-1992		13.700000	µg/g		GO
AL	N	EGK	OSS92O7	2NT	2-NITROTOLUENE	13.100000	LW26	23-JUN-1992		14.400000	µg/g		GO
AL	N	EGK	OSS92O7	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.770000	LW26	23-JUN-1992		4.990000	µg/g		GO
AL	N	EGK	OSS92O7	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.960000	LW26	23-JUN-1992		5.210000	µg/g		GO
AL	N	EGK	OSS92O7	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.420000	LW26	23-JUN-1992		8.410000	µg/g		GO
AL	N	EGK	OSS92O7	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.760000	LW26	23-JUN-1992		8.890000	µg/g		GO
AL	N	EGK	OSS92O7	RDX	CYCLONITE / HEXOGEN / RDX	4.220000	LW26	23-JUN-1992		4.670000	µg/g		GO
AL	N	EGK	OSS92O7	RDX	CYCLONITE / HEXOGEN / RDX	4.390000	LW26	23-JUN-1992		4.890000	µg/g		GO
AL	N	EGK	OSS92O7	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	3.970000	LW26	23-JUN-1992		4.180000	µg/g		GO
AL	N	EGK	OSS92O7	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.130000	LW26	23-JUN-1992		4.350000	µg/g		GO
AL	N	EGT	ARP92201	135TNB	1,3,5-TRINITROBENZENE	2.010000	LW26	08-JUL-1992		2.280000	µg/g		GO
AL	N	EGT	ARP92201	135TNB	1,3,5-TRINITROBENZENE	2.020000	LW26	08-JUL-1992		2.150000	µg/g		GO
AL	N	EGT	ARP92201	13DNB	1,3-DINITROBENZENE	2.100000	LW26	08-JUL-1992		2.330000	µg/g		GO
AL	N	EGT	ARP92201	13DNB	1,3-DINITROBENZENE	2.110000	LW26	08-JUL-1992		2.190000	µg/g		GO
AL	N	EGT	ARP92201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.950000	LW26	08-JUL-1992		4.490000	µg/g		GO
AL	N	EGT	ARP92201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	3.970000	LW26	08-JUL-1992		4.510000	µg/g		GO
AL	N	EGT	ARP92201	24DNT	2,4-DINITROTOLUENE	4.440000	LW26	08-JUL-1992		4.770000	µg/g		GO
AL	N	EGT	ARP92201	24DNT	2,4-DINITROTOLUENE	4.460000	LW26	08-JUL-1992		4.750000	µg/g		GO
AL	N	EGT	ARP92201	26DNT	2,6-DINITROTOLUENE	3.150000	LW26	08-JUL-1992		3.020000	µg/g		GO
AL	N	EGT	ARP92201	26DNT	2,6-DINITROTOLUENE	3.170000	LW26	08-JUL-1992		3.120000	µg/g		GO
AL	N	EGT	ARP92201	2NT	2-NITROTOLUENE	13.200000	LW26	08-JUL-1992		14.700000	µg/g		GO
AL	N	EGT	ARP92201	2NT	2-NITROTOLUENE	13.300000	LW26	08-JUL-1992		14.900000	µg/g		GO
AL	N	EGT	ARP92201	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.120000	LW26	08-JUL-1992		4.670000	µg/g		GO
AL	N	EGT	ARP92201	HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	4.140000	LW26	08-JUL-1992		4.670000	µg/g		GO
AL	N	EGT	ARP92201	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.920000	LW26	08-JUL-1992		9.220000	µg/g		GO
AL	N	EGT	ARP92201	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.960000	LW26	08-JUL-1992		8.880000	µg/g		GO
AL	N	EGT	ARP92201	RDX	CYCLONITE / HEXOGEN / RDX	4.260000	LW26	08-JUL-1992		4.940000	µg/g		GO
AL	N	EGT	ARP92201	RDX	CYCLONITE / HEXOGEN / RDX	4.290000	LW26	08-JUL-1992		4.850000	µg/g		GO
AL	N	EGT	ARP92201	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.110000	LW26	08-JUL-1992		4.370000	µg/g		GO
AL	N	EGT	ARP92201	TETRYL	TETRYL /	4.130000	LW26	08-JUL-1992		4.410000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE								
AL	N	EGU	BRW9201	135TNB	1,3,5-TRINITROBENZENE	9.870000	UW26	15-JUL-1992		10.100000	µg/l		GO
AL	N	EGU	BRW9201	135TNB	1,3,5-TRINITROBENZENE	9.870000	UW26	15-JUL-1992		9.960000	µg/l		GO
AL	N	EGU	BRW9201	13DNB	1,3-DINITROBENZENE	10.400000	UW26	15-JUL-1992		10.900000	µg/l		GO
AL	N	EGU	BRW9201	13DNB	1,3-DINITROBENZENE	10.400000	UW26	15-JUL-1992		10.800000	µg/l		GO
AL	N	EGU	BRW9201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	20.700000	UW26	15-JUL-1992		23.000000	µg/l		GO
AL	N	EGU	BRW9201	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	20.700000	UW26	15-JUL-1992		22.700000	µg/l		GO
AL	N	EGU	BRW9201	24DNT	2,4-DINITROTOLUENE	19.600000	UW26	15-JUL-1992		21.400000	µg/l		GO
AL	N	EGU	BRW9201	24DNT	2,4-DINITROTOLUENE	19.600000	UW26	15-JUL-1992		21.100000	µg/l		GO
AL	N	EGU	BRW9201	26DNT	2,6-DINITROTOLUENE	20.100000	UW26	15-JUL-1992		21.100000	µg/l		GO
AL	N	EGU	BRW9201	26DNT	2,6-DINITROTOLUENE	20.100000	UW26	15-JUL-1992		20.800000	µg/l		GO
AL	N	EGU	BRW9201	HMX	CYCLOTETRAMETHYLENETETRAITRAMINE	20.200000	UW26	15-JUL-1992		20.600000	µg/l		GO
AL	N	EGU	BRW9201	HMX	CYCLOTETRAMETHYLENETETRAITRAMINE	20.200000	UW26	15-JUL-1992		20.200000	µg/l		GO
AL	N	EGU	BRW9201	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	43.700000	UW26	15-JUL-1992		43.900000	µg/l		GO
AL	N	EGU	BRW9201	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	43.700000	UW26	15-JUL-1992		43.800000	µg/l		GO
AL	N	EGU	BRW9201	RDX	CYCLONITE / HEXOGEN / RDX	21.700000	UW26	15-JUL-1992		23.500000	µg/l		GO
AL	N	EGU	BRW9201	RDX	CYCLONITE / HEXOGEN / RDX	21.700000	UW26	15-JUL-1992		23.300000	µg/l		GO
AL	N	EGU	BRW9201	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.140000	UW26	15-JUL-1992		8.570000	µg/l		GO
AL	N	EGU	BRW9201	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.140000	UW26	15-JUL-1992		8.500000	µg/l		GO
AL	N	EGV	BRS9205	135TNB	1,3,5-TRINITROBENZENE	2.010000	LW26	10-JUL-1992		2.220000	µg/g		GO
AL	N	EGV	BRS9205	135TNB	1,3,5-TRINITROBENZENE	2.010000	LW26	10-JUL-1992		2.130000	µg/g		GO
AL	N	EGV	BRS9205	13DNB	1,3-DINITROBENZENE	2.100000	LW26	10-JUL-1992		2.300000	µg/g		GO
AL	N	EGV	BRS9205	13DNB	1,3-DINITROBENZENE	2.100000	LW26	10-JUL-1992		2.280000	µg/g		GO
AL	N	EGV	BRS9205	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.010000	LW26	10-JUL-1992		4.850000	µg/g		GO
AL	N	EGV	BRS9205	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	4.010000	LW26	10-JUL-1992		4.820000	µg/g		GO
AL	N	EGV	BRS9205	24DNT	2,4-DINITROTOLUENE	4.160000	LW26	10-JUL-1992		4.560000	µg/g		GO
AL	N	EGV	BRS9205	24DNT	2,4-DINITROTOLUENE	4.160000	LW26	10-JUL-1992		4.550000	µg/g		GO
AL	N	EGV	BRS9205	26DNT	2,6-DINITROTOLUENE	4.070000	LW26	10-JUL-1992		4.470000	µg/g		GO
AL	N	EGV	BRS9205	26DNT	2,6-DINITROTOLUENE	4.070000	LW26	10-JUL-1992		4.320000	µg/g		GO
AL	N	EGV	BRS9205	2NT	2-NITROTOLUENE	13.500000	LW26	10-JUL-1992		15.800000	µg/g		GO
AL	N	EGV	BRS9205	2NT	2-NITROTOLUENE	13.500000	LW26	10-JUL-1992		15.600000	µg/g		GO
AL	N	EGV	BRS9205	HMX	CYCLOTETRAMETHYLENETETRAITRAMINE	4.200000	LW26	10-JUL-1992		4.870000	µg/g		GO
AL	N	EGV	BRS9205	HMX	CYCLOTETRAMETHYLENETETRAITRAMINE	4.200000	LW26	10-JUL-1992		4.780000	µg/g		GO
AL	N	EGV	BRS9205	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	8.940000	LW26	10-JUL-1992		9.400000	µg/g		GO
AL	N	EGV	BRS9205	NB	ESSENCE OF MIRBANE / OIL	8.940000	LW26	10-JUL-1992		9.440000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					OF MIRBANE / NITROBENZENE								
AL	N	EGV	BRS9205	RDX	CYCLONITE / HEXOGEN / RDX	4.220000	LW26	10-JUL-1992		5.020000	µg/g		GO
AL	N	EGV	BRS9205	RDX	CYCLONITE / HEXOGEN / RDX	4.220000	LW26	10-JUL-1992		4.830000	µg/g		GO
AL	N	EGV	BRS9205	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.200000	LW26	10-JUL-1992		4.090000	µg/g		GO
AL	N	EGV	BRS9205	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	4.200000	LW26	10-JUL-1992		4.180000	µg/g		GO
AL	N	FNZ	BES9205	PB	LEAD	1.600000	JD13	10-JUN-1992		11.000000	µg/g		GO
AL	N	FNZ	BES9205	PB	LEAD	1.600000	JD13	10-JUN-1992		12.000000	µg/g		GO
AL	N	FOB	BES9205	AG	SILVER	0.320000	JD13	10-JUN-1992		0.283000	µg/g		GO
AL	N	FOB	BES9205	AG	SILVER	0.320000	JD13	10-JUN-1992		0.342000	µg/g		GO
AL	N	FOG	OBP92402	AG	SILVER	0.320000	JD13	20-JUN-1992		0.412000	µg/g		GO
AL	N	FOG	OBP92402	AG	SILVER	0.320000	JD13	20-JUN-1992		0.392000	µg/g		GO
AL	N	FOH	OBP92402	PB	LEAD	1.600000	JD13	20-JUN-1992		10.000000	µg/g		GO
AL	N	FOH	OBP92402	PB	LEAD	1.600000	JD13	20-JUN-1992		10.000000	µg/g		GO
AL	N	FPA	WSB9206	AG	SILVER	0.320000	JD13	24-JUN-1992		0.361000	µg/g		GO
AL	N	FPA	WSB9206	AG	SILVER	0.320000	JD13	24-JUN-1992		0.401000	µg/g		GO
AL	N	FPB	WSB9206	PB	LEAD	1.600000	JD13	24-JUN-1992		9.500000	µg/g		GO
AL	N	FPB	WSB9206	PB	LEAD	1.600000	JD13	24-JUN-1992		10.000000	µg/g		GO
AL	N	FPD	BRW9201	PB	LEAD	30.000000	SD24	15-JUL-1992		47.100000	µg/l	X	GO
AL	N	FPD	BRW9201	PB	LEAD	30.000000	SD24	15-JUL-1992		39.400000	µg/l		GO
AL	N	FPE	ARS92201	AG	SILVER	0.320000	JD13	08-JUL-1992		0.620000	µg/g		GO
AL	N	FPE	ARS92201	AG	SILVER	0.320000	JD13	08-JUL-1992		0.590000	µg/g		GO
AL	N	FPF	ARS92201	PB	LEAD	1.600000	JD13	08-JUL-1992		16.000000	µg/g		GO
AL	N	FPF	ARS92201	PB	LEAD	1.600000	JD13	08-JUL-1992		17.000000	µg/g		GO
AL	N	FPG	BRS9203	AG	SILVER	0.320000	JD13	10-JUL-1992		0.354000	µg/g		GO
AL	N	FPG	BRS9203	AG	SILVER	0.320000	JD13	10-JUL-1992		0.354000	µg/g		GO
AL	N	FPI	BKS9202	AG	SILVER	0.320000	JD13	15-JUL-1992		0.420000	µg/g		GO
AL	N	FPI	BKS9202	AG	SILVER	0.320000	JD13	15-JUL-1992		0.430000	µg/g		GO
AL	N	FPK	BRW9201	AG	SILVER	3.000000	SD24	15-JUL-1992		3.040000	µg/l		GO
AL	N	FPK	BRW9201	AG	SILVER	3.000000	SD24	15-JUL-1992		2.900000	µg/l		GO
AL	N	FPL	BRS9203	PB	LEAD	1.600000	JD13	10-JUL-1992		64.000000	µg/g		GO
AL	N	FPL	BRS9203	PB	LEAD	1.600000	JD13	10-JUL-1992		64.000000	µg/g		GO
AL	N	FPM	BKS9202	PB	LEAD	1.600000	JD13	15-JUL-1992		46.000000	µg/g		GO
AL	N	FPM	BKS9202	PB	LEAD	1.600000	JD13	15-JUL-1992		44.000000	µg/g		GO
AL	N	IHD	BES9202	BR	BROMIDE	80.900000	KT04	09-JUN-1992		101.000000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	IHD	BES9202	BR	BROMIDE	81.700000	KT04	09-JUN-1992		97.600000	µg/g		GO
AL	N	IHD	BES9202	CL	CHLORIDE	152.000000	KT04	09-JUN-1992		175.000000	µg/g		GO
AL	N	IHD	BES9202	CL	CHLORIDE	154.000000	KT04	09-JUN-1992		172.000000	µg/g		GO
AL	N	IHD	BES9202	F	FLUORIDE	152.000000	KT04	09-JUN-1992		176.000000	µg/g		GO
AL	N	IHD	BES9202	F	FLUORIDE	154.000000	KT04	09-JUN-1992		173.000000	µg/g		GO
AL	N	IHD	BES9202	NO2	NITRITE	80.800000	KT04	09-JUN-1992		84.400000	µg/g		GO
AL	N	IHD	BES9202	NO2	NITRITE	81.600000	KT04	09-JUN-1992		81.900000	µg/g		GO
AL	N	IHD	BES9202	NO3	NITRATE	15.500000	KT04	09-JUN-1992		20.000000	µg/g		GO
AL	N	IHD	BES9202	NO3	NITRATE	15.700000	KT04	09-JUN-1992		19.800000	µg/g		GO
AL	N	IHD	BES9202	SO4	SULFATE	397.000000	KT04	09-JUN-1992		480.000000	µg/g		GO
AL	N	IHD	BES9202	SO4	SULFATE	401.000000	KT04	09-JUN-1992		473.000000	µg/g		GO
AL	N	IHF	BEB9204	BR	BROMIDE	81.300000	KT04	10-JUN-1992		90.800000	µg/g		GO
AL	N	IHF	BEB9204	BR	BROMIDE	81.500000	KT04	10-JUN-1992		87.900000	µg/g		GO
AL	N	IHF	BEB9204	CL	CHLORIDE	153.000000	KT04	10-JUN-1992		154.000000	µg/g		GO
AL	N	IHF	BEB9204	CL	CHLORIDE	154.000000	KT04	10-JUN-1992		150.000000	µg/g		GO
AL	N	IHF	BEB9204	F	FLUORIDE	153.000000	KT04	10-JUN-1992		176.000000	µg/g		GO
AL	N	IHF	BEB9204	F	FLUORIDE	154.000000	KT04	10-JUN-1992		164.000000	µg/g		GO
AL	N	IHF	BEB9204	NO2	NITRITE	81.200000	KT04	10-JUN-1992		74.600000	µg/g		GO
AL	N	IHF	BEB9204	NO2	NITRITE	81.400000	KT04	10-JUN-1992		71.400000	µg/g		GO
AL	N	IHF	BEB9204	NO3	NITRATE	15.600000	KT04	10-JUN-1992		18.600000	µg/g		GO
AL	N	IHF	BEB9204	NO3	NITRATE	15.700000	KT04	10-JUN-1992		18.400000	µg/g		GO
AL	N	IHF	BEB9204	SO4	SULFATE	399.000000	KT04	10-JUN-1992		443.000000	µg/g		GO
AL	N	IHF	BEB9204	SO4	SULFATE	400.000000	KT04	10-JUN-1992		430.000000	µg/g		GO
AL	N	IHG	WSS9206	BR	BROMIDE	77.100000	KT04	11-JUN-1992		82.500000	µg/g		GO
AL	N	IHG	WSS9206	BR	BROMIDE	78.600000	KT04	11-JUN-1992		83.100000	µg/g		GO
AL	N	IHG	WSS9206	CL	CHLORIDE	145.000000	KT04	11-JUN-1992		154.000000	µg/g		GO
AL	N	IHG	WSS9206	CL	CHLORIDE	148.000000	KT04	11-JUN-1992		154.000000	µg/g		GO
AL	N	IHG	WSS9206	F	FLUORIDE	145.000000	KT04	11-JUN-1992		142.000000	µg/g		GO
AL	N	IHG	WSS9206	F	FLUORIDE	148.000000	KT04	11-JUN-1992		149.000000	µg/g		GO
AL	N	IHG	WSS9206	NO2	NITRITE	77.000000	KT04	11-JUN-1992		69.400000	µg/g		GO
AL	N	IHG	WSS9206	NO2	NITRITE	78.500000	KT04	11-JUN-1992		70.000000	µg/g		GO
AL	N	IHG	WSS9206	NO3	NITRATE	14.800000	KT04	11-JUN-1992		20.400000	µg/g		GO
AL	N	IHG	WSS9206	NO3	NITRATE	15.100000	KT04	11-JUN-1992		20.900000	µg/g		GO
AL	N	IHG	WSS9206	SO4	SULFATE	378.000000	KT04	11-JUN-1992		401.000000	µg/g		GO
AL	N	IHG	WSS9206	SO4	SULFATE	386.000000	KT04	11-JUN-1992		404.000000	µg/g		GO
AL	N	IHI	OBS92101	BR	BROMIDE	80.900000	KT04	17-JUN-1992		91.200000	µg/g		GO
AL	N	IHI	OBS92101	BR	BROMIDE	80.900000	KT04	17-JUN-1992		91.500000	µg/g		GO
AL	N	IHI	OBS92101	CL	CHLORIDE	153.000000	KT04	17-JUN-1992		181.000000	µg/g		GO
AL	N	IHI	OBS92101	CL	CHLORIDE	153.000000	KT04	17-JUN-1992		181.000000	µg/g		GO
AL	N	IHI	OBS92101	F	FLUORIDE	153.000000	KT04	17-JUN-1992		180.000000	µg/g		GO
AL	N	IHI	OBS92101	F	FLUORIDE	153.000000	KT04	17-JUN-1992		180.000000	µg/g		GO
AL	N	IHI	OBS92101	NO2	NITRITE	80.900000	KT04	17-JUN-1992		78.500000	µg/g		GO
AL	N	IHI	OBS92101	NO2	NITRITE	80.900000	KT04	17-JUN-1992		79.500000	µg/g		GO
AL	N	IHI	OBS92101	NO3	NITRATE	15.600000	KT04	17-JUN-1992		23.200000	µg/g	X	GO
AL	N	IHI	OBS92101	NO3	NITRATE	15.600000	KT04	17-JUN-1992		22.800000	µg/g	X	GO
AL	N	IHI	OBS92101	SO4	SULFATE	397.000000	KT04	17-JUN-1992		439.000000	µg/g		GO
AL	N	IHI	OBS92101	SO4	SULFATE	397.000000	KT04	17-JUN-1992		443.000000	µg/g		GO
AL	N	IHJ	OBP92204	BR	BROMIDE	75.200000	KT04	18-JUN-1992		93.900000	µg/g		GO
AL	N	IHJ	OBP92204	BR	BROMIDE	78.000000	KT04	18-JUN-1992		95.900000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	IHJ	OBP92204	CL	CHLORIDE	142.000000	KT04	18-JUN-1992		192.000000	µg/g		GO
AL	N	IHJ	OBP92204	CL	CHLORIDE	147.000000	KT04	18-JUN-1992		198.000000	µg/g		GO
AL	N	IHJ	OBP92204	F	FLUORIDE	142.000000	KT04	18-JUN-1992		188.000000	µg/g		GO
AL	N	IHJ	OBP92204	F	FLUORIDE	147.000000	KT04	18-JUN-1992		192.000000	µg/g		GO
AL	N	IHJ	OBP92204	NO2	NITRITE	75.100000	KT04	18-JUN-1992		80.800000	µg/g		GO
AL	N	IHJ	OBP92204	NO2	NITRITE	77.900000	KT04	18-JUN-1992		83.100000	µg/g		GO
AL	N	IHJ	OBP92204	NO3	NITRATE	14.400000	KT04	18-JUN-1992		27.600000	µg/g	X	GO
AL	N	IHJ	OBP92204	NO3	NITRATE	15.000000	KT04	18-JUN-1992		25.000000	µg/g	P	GO
AL	N	IHJ	OBP92204	SO4	SULFATE	369.000000	KT04	18-JUN-1992		602.000000	µg/g		GO
AL	N	IHJ	OBP92204	SO4	SULFATE	383.000000	KT04	18-JUN-1992		636.000000	µg/g	X	GO
AL	N	IHK	CRS92101	BR	BROMIDE	80.700000	KT04	22-JUN-1992		95.800000	µg/g		GO
AL	N	IHK	CRS92101	BR	BROMIDE	81.100000	KT04	22-JUN-1992		93.900000	µg/g		GO
AL	N	IHK	CRS92101	CL	CHLORIDE	152.000000	KT04	22-JUN-1992		180.000000	µg/g		GO
AL	N	IHK	CRS92101	CL	CHLORIDE	153.000000	KT04	22-JUN-1992		177.000000	µg/g		GO
AL	N	IHK	CRS92101	F	FLUORIDE	102.000000	KT04	22-JUN-1992		114.000000	µg/g		GO
AL	N	IHK	CRS92101	F	FLUORIDE	102.000000	KT04	22-JUN-1992		116.000000	µg/g		GO
AL	N	IHK	CRS92101	NO2	NITRITE	76.700000	KT04	22-JUN-1992		77.300000	µg/g		GO
AL	N	IHK	CRS92101	NO2	NITRITE	77.000000	KT04	22-JUN-1992		76.200000	µg/g		GO
AL	N	IHK	CRS92101	NO3	NITRATE	15.500000	KT04	22-JUN-1992		22.000000	µg/g		GO
AL	N	IHK	CRS92101	NO3	NITRATE	15.600000	KT04	22-JUN-1992		22.700000	µg/g	X	GO
AL	N	IHK	CRS92101	SO4	SULFATE	396.000000	KT04	22-JUN-1992		459.000000	µg/g		GO
AL	N	IHK	CRS92101	SO4	SULFATE	398.000000	KT04	22-JUN-1992		457.000000	µg/g		GO
AL	N	IHL	CRS92301	BR	BROMIDE	80.100000	KT04	23-JUN-1992		93.900000	µg/g		GO
AL	N	IHL	CRS92301	BR	BROMIDE	80.900000	KT04	23-JUN-1992		94.500000	µg/g		GO
AL	N	IHL	CRS92301	CL	CHLORIDE	151.000000	KT04	23-JUN-1992		178.000000	µg/g		GO
AL	N	IHL	CRS92301	CL	CHLORIDE	152.000000	KT04	23-JUN-1992		180.000000	µg/g		GO
AL	N	IHL	CRS92301	F	FLUORIDE	101.000000	KT04	23-JUN-1992		115.000000	µg/g		GO
AL	N	IHL	CRS92301	F	FLUORIDE	102.000000	KT04	23-JUN-1992		118.000000	µg/g		GO
AL	N	IHL	CRS92301	NO2	NITRITE	76.100000	KT04	23-JUN-1992		75.600000	µg/g		GO
AL	N	IHL	CRS92301	NO2	NITRITE	76.800000	KT04	23-JUN-1992		76.700000	µg/g		GO
AL	N	IHL	CRS92301	NO3	NITRATE	15.400000	KT04	23-JUN-1992		21.600000	µg/g		GO
AL	N	IHL	CRS92301	NO3	NITRATE	15.500000	KT04	23-JUN-1992		21.400000	µg/g		GO
AL	N	IHL	CRS92301	SO4	SULFATE	393.000000	KT04	23-JUN-1992		451.000000	µg/g		GO
AL	N	IHL	CRS92301	SO4	SULFATE	397.000000	KT04	23-JUN-1992		456.000000	µg/g		GO
AL	N	IHM	WSB9207	BR	BROMIDE	80.900000	KT04	24-JUN-1992		116.000000	µg/g		GO
AL	N	IHM	WSB9207	BR	BROMIDE	82.500000	KT04	24-JUN-1992		118.000000	µg/g		GO
AL	N	IHM	WSB9207	CL	CHLORIDE	156.000000	KT04	24-JUN-1992		8100.000000	µg/g		GO
AL	N	IHM	WSB9207	CL	CHLORIDE	159.000000	KT04	24-JUN-1992		9200.000000	µg/g		GO
AL	N	IHM	WSB9207	F	FLUORIDE	102.000000	KT04	24-JUN-1992		128.000000	µg/g		GO
AL	N	IHM	WSB9207	F	FLUORIDE	104.000000	KT04	24-JUN-1992		131.000000	µg/g		GO
AL	N	IHM	WSB9207	NO2	NITRITE	76.800000	KT04	24-JUN-1992		81.100000	µg/g		GO
AL	N	IHM	WSB9207	NO2	NITRITE	78.400000	KT04	24-JUN-1992		84.600000	µg/g		GO
AL	N	IHM	WSB9207	NO3	NITRATE	15.600000	KT04	24-JUN-1992		27.600000	µg/g	X	GO
AL	N	IHM	WSB9207	NO3	NITRATE	15.900000	KT04	24-JUN-1992		27.600000	µg/g	X	GO
AL	N	IHM	WSB9207	SO4	SULFATE	405.000000	KT04	24-JUN-1992		1400.000000	µg/g		GO
AL	N	IHM	WSB9207	SO4	SULFATE	413.000000	KT04	24-JUN-1992		1300.000000	µg/g		GO
AL	N	IHO	ARS92101	BR	BROMIDE	80.100000	KT04	07-JUL-1992		96.000000	µg/g		GO
AL	N	IHO	ARS92101	BR	BROMIDE	80.100000	KT04	07-JUL-1992		95.600000	µg/g		GO
AL	N	IHO	ARS92101	CL	CHLORIDE	151.000000	KT04	07-JUL-1992		175.000000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	IHO	ARS92101	CL	CHLORIDE	151.000000	KT04	07-JUL-1992		173.000000	µg/g		GO
AL	N	IHO	ARS92101	F	FLUORIDE	101.000000	KT04	07-JUL-1992		122.000000	µg/g		GO
AL	N	IHO	ARS92101	F	FLUORIDE	101.000000	KT04	07-JUL-1992		120.000000	µg/g		GO
AL	N	IHO	ARS92101	NO2	NITRITE	76.100000	KT04	07-JUL-1992		76.300000	µg/g		GO
AL	N	IHO	ARS92101	NO2	NITRITE	76.100000	KT04	07-JUL-1992		75.500000	µg/g		GO
AL	N	IHO	ARS92101	NO3	NITRATE	15.400000	KT04	07-JUL-1992		24.200000	µg/g	X	GO
AL	N	IHO	ARS92101	NO3	NITRATE	15.400000	KT04	07-JUL-1992		23.900000	µg/g	X	GO
AL	N	IHO	ARS92101	PO4	PHOSPHATE	0.000000	KT04	07-JUL-1992		5.920000	µg/g	T	GO
AL	N	IHO	ARS92101	PO4	PHOSPHATE	0.000000	KT04	07-JUL-1992		5.440000	µg/g	T	GO
AL	N	IHO	ARS92101	SO4	SULFATE	393.000000	KT04	07-JUL-1992		455.000000	µg/g		GO
AL	N	IHO	ARS92101	SO4	SULFATE	393.000000	KT04	07-JUL-1992		445.000000	µg/g		GO
AL	N	IHP	ARS92201	BR	BROMIDE	81.200000	KT04	08-JUL-1992		99.600000	µg/g		GO
AL	N	IHP	ARS92201	BR	BROMIDE	81.200000	KT04	08-JUL-1992		99.900000	µg/g		GO
AL	N	IHP	ARS92201	CL	CHLORIDE	153.000000	KT04	08-JUL-1992		179.000000	µg/g		GO
AL	N	IHP	ARS92201	CL	CHLORIDE	153.000000	KT04	08-JUL-1992		178.000000	µg/g		GO
AL	N	IHP	ARS92201	F	FLUORIDE	102.000000	KT04	08-JUL-1992		124.000000	µg/g		GO
AL	N	IHP	ARS92201	F	FLUORIDE	102.000000	KT04	08-JUL-1992		121.000000	µg/g		GO
AL	N	IHP	ARS92201	NO2	NITRITE	77.100000	KT04	08-JUL-1992		79.100000	µg/g		GO
AL	N	IHP	ARS92201	NO2	NITRITE	77.100000	KT04	08-JUL-1992		79.100000	µg/g		GO
AL	N	IHP	ARS92201	NO3	NITRATE	15.600000	KT04	08-JUL-1992		23.300000	µg/g	X	GO
AL	N	IHP	ARS92201	NO3	NITRATE	15.600000	KT04	08-JUL-1992		22.100000	µg/g		GO
AL	N	IHP	ARS92201	PO4	PHOSPHATE	0.000000	KT04	08-JUL-1992	ND	5.000000	µg/g	T	GO
AL	N	IHP	ARS92201	PO4	PHOSPHATE	0.000000	KT04	08-JUL-1992	ND	5.000000	µg/g	T	GO
AL	N	IHP	ARS92201	SO4	SULFATE	399.000000	KT04	08-JUL-1992		469.000000	µg/g		GO
AL	N	IHP	ARS92201	SO4	SULFATE	399.000000	KT04	08-JUL-1992		462.000000	µg/g		GO
AL	N	IHQ	ARS92401	BR	BROMIDE	78.500000	KT04	09-JUL-1992		101.000000	µg/g		GO
AL	N	IHQ	ARS92401	BR	BROMIDE	78.500000	KT04	09-JUL-1992		101.000000	µg/g		GO
AL	N	IHQ	ARS92401	CL	CHLORIDE	148.000000	KT04	09-JUL-1992		204.000000	µg/g		GO
AL	N	IHQ	ARS92401	CL	CHLORIDE	148.000000	KT04	09-JUL-1992		183.000000	µg/g		GO
AL	N	IHQ	ARS92401	F	FLUORIDE	98.800000	KT04	09-JUL-1992		126.000000	µg/g		GO
AL	N	IHQ	ARS92401	F	FLUORIDE	98.800000	KT04	09-JUL-1992		122.000000	µg/g		GO
AL	N	IHQ	ARS92401	NO2	NITRITE	74.600000	KT04	09-JUL-1992		82.000000	µg/g		GO
AL	N	IHQ	ARS92401	NO2	NITRITE	74.600000	KT04	09-JUL-1992		80.200000	µg/g		GO
AL	N	IHQ	ARS92401	NO3	NITRATE	15.100000	KT04	09-JUL-1992		27.200000	µg/g	X	GO
AL	N	IHQ	ARS92401	NO3	NITRATE	15.100000	KT04	09-JUL-1992		25.500000	µg/g	X	GO
AL	N	IHQ	ARS92401	PO4	PHOSPHATE	0.000000	KT04	09-JUL-1992	ND	5.000000	µg/g	T	GO
AL	N	IHQ	ARS92401	PO4	PHOSPHATE	0.000000	KT04	09-JUL-1992	ND	5.000000	µg/g	T	GO
AL	N	IHQ	ARS92401	SO4	SULFATE	385.000000	KT04	09-JUL-1992		489.000000	µg/g		GO
AL	N	IHQ	ARS92401	SO4	SULFATE	385.000000	KT04	09-JUL-1992		476.000000	µg/g		GO
AL	N	IHR	BER9205	BR	BROMIDE	79.300000	KT04	13-JUL-1992		91.100000	µg/g		GO
AL	N	IHR	BER9205	BR	BROMIDE	85.100000	KT04	13-JUL-1992		96.400000	µg/g		GO
AL	N	IHR	BER9205	CL	CHLORIDE	150.000000	KT04	13-JUL-1992		229.000000	µg/g	X	GO
AL	N	IHR	BER9205	CL	CHLORIDE	161.000000	KT04	13-JUL-1992		238.000000	µg/g	X	GO
AL	N	IHR	BER9205	F	FLUORIDE	99.700000	KT04	13-JUL-1992		128.000000	µg/g		GO
AL	N	IHR	BER9205	F	FLUORIDE	107.000000	KT04	13-JUL-1992		138.000000	µg/g		GO
AL	N	IHR	BER9205	NO2	NITRITE	75.300000	KT04	13-JUL-1992		73.000000	µg/g		GO
AL	N	IHR	BER9205	NO2	NITRITE	80.800000	KT04	13-JUL-1992		76.600000	µg/g		GO
AL	N	IHR	BER9205	NO3	NITRATE	15.300000	KT04	13-JUL-1992		27.000000	µg/g	P	GO
AL	N	IHR	BER9205	NO3	NITRATE	16.400000	KT04	13-JUL-1992		24.100000	µg/g	X	GO
AL	N	IHR	BER9205	PO4	PHOSPHATE	0.000000	KT04	13-JUL-1992	ND	5.000000	µg/g	T	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	IHR	BER9205	PO4	PHOSPHATE	0.000000	KT04	13-JUL-1992	ND	5.000000	µg/g	T	GO
AL	N	IHR	BER9205	SO4	SULFATE	389.000000	KT04	13-JUL-1992		432.000000	µg/g		GO
AL	N	IHR	BER9205	SO4	SULFATE	417.000000	KT04	13-JUL-1992		451.000000	µg/g		GO
AL	N	IHS	BRS9206	BR	BROMIDE	81.700000	KT04	14-JUL-1992		95.500000	µg/g		GO
AL	N	IHS	BRS9206	BR	BROMIDE	81.700000	KT04	14-JUL-1992		96.400000	µg/g		GO
AL	N	IHS	BRS9206	CL	CHLORIDE	154.000000	KT04	14-JUL-1992		205.000000	µg/g		GO
AL	N	IHS	BRS9206	CL	CHLORIDE	154.000000	KT04	14-JUL-1992		213.000000	µg/g		GO
AL	N	IHS	BRS9206	F	FLUORIDE	103.000000	KT04	14-JUL-1992		91.300000	µg/g		GO
AL	N	IHS	BRS9206	F	FLUORIDE	103.000000	KT04	14-JUL-1992		90.500000	µg/g		GO
AL	N	IHS	BRS9206	NO2	NITRITE	77.600000	KT04	14-JUL-1992		75.200000	µg/g		GO
AL	N	IHS	BRS9206	NO2	NITRITE	77.600000	KT04	14-JUL-1992		76.300000	µg/g		GO
AL	N	IHS	BRS9206	NO3	NITRATE	15.700000	KT04	14-JUL-1992		35.000000	µg/g	P	GO
AL	N	IHS	BRS9206	NO3	NITRATE	15.700000	KT04	14-JUL-1992		41.000000	µg/g		GO
AL	N	IHS	BRS9206	PO4	PHOSPHATE	0.000000	KT04	14-JUL-1992		5.710000	µg/g	T	GO
AL	N	IHS	BRS9206	PO4	PHOSPHATE	0.000000	KT04	14-JUL-1992		6.930000	µg/g	T	GO
AL	N	IHS	BRS9206	SO4	SULFATE	401.000000	KT04	14-JUL-1992		530.000000	µg/g		GO
AL	N	IHS	BRS9206	SO4	SULFATE	401.000000	KT04	14-JUL-1992		556.000000	µg/g		GO
AL	N	IHU	BRW9201	BR	BROMIDE	762.000000	TT08	15-JUL-1992		856.000000	µg/l		GO
AL	N	IHU	BRW9201	BR	BROMIDE	762.000000	TT08	15-JUL-1992		841.000000	µg/l		GO
AL	N	IHU	BRW9201	CL	CHLORIDE	1520.000000	TT08	15-JUL-1992		100000.000000	µg/l		GO
AL	N	IHU	BRW9201	CL	CHLORIDE	1520.000000	TT08	15-JUL-1992		88000.000000	µg/l		GO
AL	N	IHU	BRW9201	F	FLUORIDE	750.000000	TT08	15-JUL-1992		710.000000	µg/l		GO
AL	N	IHU	BRW9201	F	FLUORIDE	750.000000	TT08	15-JUL-1992		717.000000	µg/l		GO
AL	N	IHU	BRW9201	NO2	NITRITE	724.000000	TT08	15-JUL-1992		716.000000	µg/l		GO
AL	N	IHU	BRW9201	NO2	NITRITE	724.000000	TT08	15-JUL-1992		718.000000	µg/l		GO
AL	N	IHU	BRW9201	NO3	NITRATE	157.000000	TT08	15-JUL-1992		1800.000000	µg/l		GO
AL	N	IHU	BRW9201	NO3	NITRATE	157.000000	TT08	15-JUL-1992		1800.000000	µg/l		GO
AL	N	IHU	BRW9201	PO4	PHOSPHATE	753.000000	TT08	15-JUL-1992		623.000000	µg/l		GO
AL	N	IHU	BRW9201	PO4	PHOSPHATE	753.000000	TT08	15-JUL-1992		660.000000	µg/l		GO
AL	N	IHU	BRW9201	SO4	SULFATE	4090.000000	TT08	15-JUL-1992		51000.000000	µg/l		GO
AL	N	IHU	BRW9201	SO4	SULFATE	4090.000000	TT08	15-JUL-1992		51000.000000	µg/l		GO
AL	N	IHV	BKS9201	BR	BROMIDE	81.700000	KT04	15-JUL-1992		97.300000	µg/g		GO
AL	N	IHV	BKS9201	BR	BROMIDE	81.700000	KT04	15-JUL-1992		97.300000	µg/g		GO
AL	N	IHV	BKS9201	CL	CHLORIDE	154.000000	KT04	15-JUL-1992		188.000000	µg/g		GO
AL	N	IHV	BKS9201	CL	CHLORIDE	154.000000	KT04	15-JUL-1992		186.000000	µg/g		GO
AL	N	IHV	BKS9201	F	FLUORIDE	103.000000	KT04	15-JUL-1992		124.000000	µg/g		GO
AL	N	IHV	BKS9201	F	FLUORIDE	103.000000	KT04	15-JUL-1992		124.000000	µg/g		GO
AL	N	IHV	BKS9201	NO2	NITRITE	77.600000	KT04	15-JUL-1992		77.400000	µg/g		GO
AL	N	IHV	BKS9201	NO2	NITRITE	77.600000	KT04	15-JUL-1992		77.300000	µg/g		GO
AL	N	IHV	BKS9201	NO3	NITRATE	15.700000	KT04	15-JUL-1992		25.000000	µg/g	P	GO
AL	N	IHV	BKS9201	NO3	NITRATE	15.700000	KT04	15-JUL-1992		24.000000	µg/g	P	GO
AL	N	IHV	BKS9201	PO4	PHOSPHATE	0.000000	KT04	15-JUL-1992	ND	5.000000	µg/g	T	GO
AL	N	IHV	BKS9201	PO4	PHOSPHATE	0.000000	KT04	15-JUL-1992	ND	5.000000	µg/g	T	GO
AL	N	IHV	BKS9201	SO4	SULFATE	401.000000	KT04	15-JUL-1992		465.000000	µg/g		GO
AL	N	IHV	BKS9201	SO4	SULFATE	401.000000	KT04	15-JUL-1992		469.000000	µg/g		GO
AL	N	IHW	RNSEBLNK	BR	BROMIDE	762.000000	TT08	16-JUL-1992		807.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	BR	BROMIDE	762.000000	TT08	16-JUL-1992		806.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	CL	CHLORIDE	1520.000000	TT08	16-JUL-1992		1870.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	CL	CHLORIDE	1520.000000	TT08	16-JUL-1992		1860.000000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	IHW	RNSEBLNK	F	FLUORIDE	750.000000	TT08	16-JUL-1992		730.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	F	FLUORIDE	750.000000	TT08	16-JUL-1992		745.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	NO2	NITRITE	724.000000	TT08	16-JUL-1992		676.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	NO2	NITRITE	724.000000	TT08	16-JUL-1992		675.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	NO3	NITRATE	157.000000	TT08	16-JUL-1992		219.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	NO3	NITRATE	157.000000	TT08	16-JUL-1992		214.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	PO4	PHOSPHATE	753.000000	TT08	16-JUL-1992		754.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	PO4	PHOSPHATE	753.000000	TT08	16-JUL-1992		773.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	SO4	SULFATE	4090.000000	TT08	16-JUL-1992		4240.000000	µg/l		GO
AL	N	IHW	RNSEBLNK	SO4	SULFATE	4090.000000	TT08	16-JUL-1992		4250.000000	µg/l		GO
UB	N	JXC	WW-1	13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25	11-JUN-1990		95.100000	µg/l		LIT
UB	N	JXC	WW-1	246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25	11-JUN-1990		121.000000	µg/l		LIT
UB	N	JXC	WW-1	2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25	11-JUN-1990		84.700000	µg/l		LIT
UB	N	JXC	WW-1	2FBP	2-FLUOROBIPHENYL	100.000000	UM25	11-JUN-1990		120.000000	µg/l		LIT
UB	N	JXC	WW-1	2FP	2-FLUOROPHENOL	100.000000	UM25	11-JUN-1990		43.400000	µg/l		LIT
UB	N	JXC	WW-1	DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25	11-JUN-1990		92.300000	µg/l		LIT
UB	N	JXC	WW-1	DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25	11-JUN-1990		97.200000	µg/l		LIT
UB	N	JXC	WW-1	NBD5	NITROBENZENE-D5	100.000000	UM25	11-JUN-1990		71.300000	µg/l		LIT
UB	N	JXC	WW-1	PHEND6	PHENOL-D6	100.000000	UM25	11-JUN-1990	LT	34.000000	µg/l		LIT
UB	N	JXC	WW-1	TRPD14	TERPHENYL-D14	100.000000	UM25	11-JUN-1990		155.000000	µg/l		LIT
UB	N	JZP	WW-1	12DCD4	1,2-DICHLOROETHANE-D4	50.000000	UM21	11-JUN-1990		47.500000	µg/l		LIT
UB	N	JZP	WW-1	CD2CL2	METHYLENE CHLORIDE-D2	50.000000	UM21	11-JUN-1990		56.900000	µg/l		LIT
UB	N	JZP	WW-1	ETBD10	ETHYLBENZENE-D10	50.000000	UM21	11-JUN-1990		33.400000	µg/l		LIT
UB	N	JZP	WW-1	MEC6D8	TOLUENE-D8	50.000000	UM21	11-JUN-1990		39.000000	µg/l		LIT
AL	N	MFK	BES9208	AS	ARSENIC	25.000000	JS15	09-JUN-1992		210.000000	µg/g		GO
AL	N	MFK	BES9208	AS	ARSENIC	250.000000	JS15	09-JUN-1992		220.000000	µg/g		GO
AL	N	MFK	BES9208	BA	BARIUM	16.000000	JS15	09-JUN-1992		130.000000	µg/g		GO
AL	N	MFK	BES9208	BA	BARIUM	16.000000	JS15	09-JUN-1992		130.000000	µg/g		GO
AL	N	MFK	BES9208	BE	BERYLLIUM	2.000000	JS15	09-JUN-1992		1.200000	µg/g		GO
AL	N	MFK	BES9208	BE	BERYLLIUM	2.000000	JS15	09-JUN-1992		0.990000	µg/g		GO
AL	N	MFK	BES9208	CD	CADMIUM	10.000000	JS15	09-JUN-1992		6.500000	µg/g		GO
AL	N	MFK	BES9208	CD	CADMIUM	10.000000	JS15	09-JUN-1992		5.800000	µg/g		GO
AL	N	MFK	BES9208	CR	CHROMIUM	40.000000	JS15	09-JUN-1992		53.000000	µg/g		GO
AL	N	MFK	BES9208	CR	CHROMIUM	40.000000	JS15	09-JUN-1992		57.000000	µg/g		GO
AL	N	MFK	BES9208	CU	COPPER	16.000000	JS15	09-JUN-1992		24.000000	µg/g		GO
AL	N	MFK	BES9208	CU	COPPER	16.000000	JS15	09-JUN-1992		25.000000	µg/g		GO
AL	N	MFK	BES9208	FE	IRON	40.000000	JS15	09-JUN-1992		15000.000000	µg/g		GO
AL	N	MFK	BES9208	FE	IRON	40.000000	JS15	09-JUN-1992		15000.000000	µg/g		GO
AL	N	MFK	BES9208	NI	NICKEL	25.000000	JS15	09-JUN-1992		24.000000	µg/g		GO
AL	N	MFK	BES9208	NI	NICKEL	25.000000	JS15	09-JUN-1992		24.000000	µg/g		GO
AL	N	MFK	BES9208	SB	ANTIMONY	100.000000	JS15	09-JUN-1992	LT	10.000000	µg/g	G	GO
AL	N	MFK	BES9208	SB	ANTIMONY	100.000000	JS15	09-JUN-1992	LT	34.000000	µg/g	G	GO
AL	N	MFK	BES9208	SE	SELENIUM	600.000000	JS15	09-JUN-1992		430.000000	µg/g		GO
AL	N	MFK	BES9208	SE	SELENIUM	600.000000	JS15	09-JUN-1992		430.000000	µg/g		GO
AL	N	MFK	BES9208	TL	THALLIUM	320.000000	JS15	09-JUN-1992		210.000000	µg/g		GO
AL	N	MFK	BES9208	TL	THALLIUM	320.000000	JS15	09-JUN-1992		200.000000	µg/g		GO
AL	N	MFK	BES9208	ZN	ZINC	18.000000	JS15	09-JUN-1992		56.000000	µg/g		GO
AL	N	MFK	BES9208	ZN	ZINC	18.000000	JS15	09-JUN-1992		60.000000	µg/g		GO
AL	N	MFP	WSB9206	AS	ARSENIC	250.000000	JS15	24-JUN-1992		257.000000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	MFP	WSB9206	AS	ARSENIC	250.000000	JS15	24-JUN-1992		251.000000	µg/g		GO
AL	N	MFP	WSB9206	BA	BARIUM	16.000000	JS15	24-JUN-1992		48.000000	µg/g		GO
AL	N	MFP	WSB9206	BA	BARIUM	16.000000	JS15	24-JUN-1992		50.000000	µg/g		GO
AL	N	MFP	WSB9206	BE	BERYLLIUM	2.000000	JS15	24-JUN-1992	LT	0.078000	µg/g		GO
AL	N	MFP	WSB9206	BE	BERYLLIUM	2.000000	JS15	24-JUN-1992	LT	0.078000	µg/g		GO
AL	N	MFP	WSB9206	CD	CADMIUM	10.000000	JS15	24-JUN-1992		9.830000	µg/g		GO
AL	N	MFP	WSB9206	CD	CADMIUM	10.000000	JS15	24-JUN-1992		9.390000	µg/g		GO
AL	N	MFP	WSB9206	CR	CHROMIUM	40.000000	JS15	24-JUN-1992		47.400000	µg/g		GO
AL	N	MFP	WSB9206	CR	CHROMIUM	40.000000	JS15	24-JUN-1992		47.400000	µg/g		GO
AL	N	MFP	WSB9206	CU	COPPER	16.000000	JS15	24-JUN-1992		20.400000	µg/g		GO
AL	N	MFP	WSB9206	CU	COPPER	16.000000	JS15	24-JUN-1992		20.500000	µg/g		GO
AL	N	MFP	WSB9206	FE	IRON	40.000000	JS15	24-JUN-1992		5000.000000	µg/g		GO
AL	N	MFP	WSB9206	FE	IRON	40.000000	JS15	24-JUN-1992		5600.000000	µg/g		GO
AL	N	MFP	WSB9206	NI	NICKEL	25.000000	JS15	24-JUN-1992		27.600000	µg/g		GO
AL	N	MFP	WSB9206	NI	NICKEL	25.000000	JS15	24-JUN-1992		26.600000	µg/g		GO
AL	N	MFP	WSB9206	SB	ANTIMONY	100.000000	JS15	24-JUN-1992		36.000000	µg/g		GO
AL	N	MFP	WSB9206	SB	ANTIMONY	100.000000	JS15	24-JUN-1992		26.800000	µg/g		GO
AL	N	MFP	WSB9206	SE	SELENIUM	600.000000	JS15	24-JUN-1992		595.000000	µg/g		GO
AL	N	MFP	WSB9206	SE	SELENIUM	600.000000	JS15	24-JUN-1992		571.000000	µg/g		GO
AL	N	MFP	WSB9206	TL	THALLIUM	320.000000	JS15	24-JUN-1992		289.000000	µg/g		GO
AL	N	MFP	WSB9206	TL	THALLIUM	320.000000	JS15	24-JUN-1992		287.000000	µg/g		GO
AL	N	MFP	WSB9206	ZN	ZINC	18.000000	JS15	24-JUN-1992		35.000000	µg/g		GO
AL	N	MFP	WSB9206	ZN	ZINC	18.000000	JS15	24-JUN-1992		35.000000	µg/g		GO
AL	N	MFR	OBP92402	AS	ARSENIC	250.000000	JS15	20-JUN-1992		34000.000000	µg/g		GO
AL	N	MFR	OBP92402	AS	ARSENIC	250.000000	JS15	20-JUN-1992		24000.000000	µg/g		GO
AL	N	MFR	OBP92402	BA	BARIUM	16.000000	JS15	20-JUN-1992		120.000000	µg/g		GO
AL	N	MFR	OBP92402	BA	BARIUM	16.000000	JS15	20-JUN-1992		98.000000	µg/g		GO
AL	N	MFR	OBP92402	BE	BERYLLIUM	2.000000	JS15	20-JUN-1992		1.360000	µg/g		GO
AL	N	MFR	OBP92402	BE	BERYLLIUM	2.000000	JS15	20-JUN-1992		1.410000	µg/g		GO
AL	N	MFR	OBP92402	CD	CADMIUM	10.000000	JS15	20-JUN-1992		7.730000	µg/g		GO
AL	N	MFR	OBP92402	CD	CADMIUM	10.000000	JS15	20-JUN-1992		7.980000	µg/g		GO
AL	N	MFR	OBP92402	CR	CHROMIUM	40.000000	JS15	20-JUN-1992		53.800000	µg/g		GO
AL	N	MFR	OBP92402	CR	CHROMIUM	40.000000	JS15	20-JUN-1992		49.700000	µg/g		GO
AL	N	MFR	OBP92402	CU	COPPER	16.000000	JS15	20-JUN-1992		29.000000	µg/g		GO
AL	N	MFR	OBP92402	CU	COPPER	16.000000	JS15	20-JUN-1992		27.000000	µg/g		GO
AL	N	MFR	OBP92402	FE	IRON	40.000000	JS15	20-JUN-1992		11000.000000	µg/g		GO
AL	N	MFR	OBP92402	FE	IRON	40.000000	JS15	20-JUN-1992		10000.000000	µg/g		GO
AL	N	MFR	OBP92402	NI	NICKEL	25.000000	JS15	20-JUN-1992		24.400000	µg/g		GO
AL	N	MFR	OBP92402	NI	NICKEL	25.000000	JS15	20-JUN-1992		25.300000	µg/g		GO
AL	N	MFR	OBP92402	SB	ANTIMONY	100.000000	JS15	20-JUN-1992	LT	10.000000	µg/g	G	GO
AL	N	MFR	OBP92402	SB	ANTIMONY	100.000000	JS15	20-JUN-1992	LT	3.420000	µg/g		GO
AL	N	MFR	OBP92402	SE	SELENIUM	600.000000	JS15	20-JUN-1992		597.000000	µg/g		GO
AL	N	MFR	OBP92402	SE	SELENIUM	600.000000	JS15	20-JUN-1992		573.000000	µg/g		GO
AL	N	MFR	OBP92402	TL	THALLIUM	320.000000	JS15	20-JUN-1992		314.000000	µg/g		GO
AL	N	MFR	OBP92402	TL	THALLIUM	320.000000	JS15	20-JUN-1992		319.000000	µg/g		GO
AL	N	MFR	OBP92402	ZN	ZINC	18.000000	JS15	20-JUN-1992		79.000000	µg/g	X	GO
AL	N	MFR	OBP92402	ZN	ZINC	18.000000	JS15	20-JUN-1992		64.000000	µg/g		GO
AL	N	MFS	ARS92201	AS	ARSENIC	250.000000	JS15	08-JUL-1992		257.000000	µg/g		GO
AL	N	MFS	ARS92201	AS	ARSENIC	250.000000	JS15	08-JUL-1992		269.000000	µg/g		GO
AL	N	MFS	ARS92201	BA	BARIUM	16.000000	JS15	08-JUL-1992		120.000000	µg/g		GO
AL	N	MFS	ARS92201	BA	BARIUM	16.000000	JS15	08-JUL-1992		100.000000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	MFS	ARS92201	BE	BERYLLIUM	2.000000	JS15	08-JUL-1992		1.540000	µg/g		GO
AL	N	MFS	ARS92201	BE	BERYLLIUM	2.000000	JS15	08-JUL-1992		1.580000	µg/g		GO
AL	N	MFS	ARS92201	CD	CADMIUM	10.000000	JS15	08-JUL-1992		8.230000	µg/g		GO
AL	N	MFS	ARS92201	CD	CADMIUM	10.000000	JS15	08-JUL-1992		8.750000	µg/g		GO
AL	N	MFS	ARS92201	CR	CHROMIUM	40.000000	JS15	08-JUL-1992		52.100000	µg/g		GO
AL	N	MFS	ARS92201	CR	CHROMIUM	40.000000	JS15	08-JUL-1992		50.600000	µg/g		GO
AL	N	MFS	ARS92201	CU	COPPER	16.000000	JS15	08-JUL-1992		28.000000	µg/g		GO
AL	N	MFS	ARS92201	CU	COPPER	16.000000	JS15	08-JUL-1992		24.000000	µg/g		GO
AL	N	MFS	ARS92201	FE	IRON	40.000000	JS15	08-JUL-1992		12000.000000	µg/g		GO
AL	N	MFS	ARS92201	FE	IRON	40.000000	JS15	08-JUL-1992		10000.000000	µg/g		GO
AL	N	MFS	ARS92201	NI	NICKEL	25.000000	JS15	08-JUL-1992		27.400000	µg/g		GO
AL	N	MFS	ARS92201	NI	NICKEL	25.000000	JS15	08-JUL-1992		27.500000	µg/g		GO
AL	N	MFS	ARS92201	SB	ANTIMONY	100.000000	JS15	08-JUL-1992	LT	3.420000	µg/g		GO
AL	N	MFS	ARS92201	SB	ANTIMONY	100.000000	JS15	08-JUL-1992	LT	3.420000	µg/g		GO
AL	N	MFS	ARS92201	SE	SELENIUM	600.000000	JS15	08-JUL-1992		581.000000	µg/g		GO
AL	N	MFS	ARS92201	SE	SELENIUM	600.000000	JS15	08-JUL-1992		595.000000	µg/g		GO
AL	N	MFS	ARS92201	TL	THALLIUM	320.000000	JS15	08-JUL-1992		298.000000	µg/g		GO
AL	N	MFS	ARS92201	TL	THALLIUM	320.000000	JS15	08-JUL-1992		311.000000	µg/g		GO
AL	N	MFS	ARS92201	ZN	ZINC	18.000000	JS15	08-JUL-1992		62.000000	µg/g		GO
AL	N	MFS	ARS92201	ZN	ZINC	18.000000	JS15	08-JUL-1992		55.000000	µg/g		GO
AL	N	MFT	BRS9203	AS	ARSENIC	250.000000	JS15	10-JUL-1992		230.000000	µg/g		GO
AL	N	MFT	BRS9203	AS	ARSENIC	250.000000	JS15	10-JUL-1992		200.000000	µg/g		GO
AL	N	MFT	BRS9203	BA	BARIUM	16.000000	JS15	10-JUL-1992		55.000000	µg/g		GO
AL	N	MFT	BRS9203	BA	BARIUM	16.000000	JS15	10-JUL-1992		43.000000	µg/g		GO
AL	N	MFT	BRS9203	BE	BERYLLIUM	2.000000	JS15	10-JUL-1992		1.600000	µg/g		GO
AL	N	MFT	BRS9203	BE	BERYLLIUM	2.000000	JS15	10-JUL-1992		1.600000	µg/g		GO
AL	N	MFT	BRS9203	CD	CADMIUM	10.000000	JS15	10-JUL-1992		9.800000	µg/g		GO
AL	N	MFT	BRS9203	CD	CADMIUM	10.000000	JS15	10-JUL-1992		10.000000	µg/g		GO
AL	N	MFT	BRS9203	CR	CHROMIUM	40.000000	JS15	10-JUL-1992		54.000000	µg/g		GO
AL	N	MFT	BRS9203	CR	CHROMIUM	40.000000	JS15	10-JUL-1992		57.000000	µg/g		GO
AL	N	MFT	BRS9203	CU	COPPER	16.000000	JS15	10-JUL-1992		22.000000	µg/g		GO
AL	N	MFT	BRS9203	CU	COPPER	16.000000	JS15	10-JUL-1992		21.000000	µg/g		GO
AL	N	MFT	BRS9203	FE	IRON	40.000000	JS15	10-JUL-1992		4800.000000	µg/g		GO
AL	N	MFT	BRS9203	FE	IRON	40.000000	JS15	10-JUL-1992		4700.000000	µg/g		GO
AL	N	MFT	BRS9203	NI	NICKEL	25.000000	JS15	10-JUL-1992		28.000000	µg/g		GO
AL	N	MFT	BRS9203	NI	NICKEL	25.000000	JS15	10-JUL-1992		27.000000	µg/g		GO
AL	N	MFT	BRS9203	SB	ANTIMONY	100.000000	JS15	10-JUL-1992		19.000000	µg/g		GO
AL	N	MFT	BRS9203	SB	ANTIMONY	100.000000	JS15	10-JUL-1992		19.000000	µg/g		GO
AL	N	MFT	BRS9203	SE	SELENIUM	600.000000	JS15	10-JUL-1992		500.000000	µg/g		GO
AL	N	MFT	BRS9203	SE	SELENIUM	600.000000	JS15	10-JUL-1992		430.000000	µg/g		GO
AL	N	MFT	BRS9203	TL	THALLIUM	320.000000	JS15	10-JUL-1992		210.000000	µg/g		GO
AL	N	MFT	BRS9203	TL	THALLIUM	320.000000	JS15	10-JUL-1992		130.000000	µg/g		GO
AL	N	MFT	BRS9203	ZN	ZINC	18.000000	JS15	10-JUL-1992		64.000000	µg/g		GO
AL	N	MFT	BRS9203	ZN	ZINC	18.000000	JS15	10-JUL-1992		64.000000	µg/g		GO
AL	N	MFU	BKS9202	AS	ARSENIC	250.000000	JS15	15-JUL-1992		243.000000	µg/g		GO
AL	N	MFU	BKS9202	AS	ARSENIC	250.000000	JS15	15-JUL-1992		243.000000	µg/g		GO
AL	N	MFU	BKS9202	BA	BARIUM	16.000000	JS15	15-JUL-1992		210.000000	µg/g		GO
AL	N	MFU	BKS9202	BA	BARIUM	16.000000	JS15	15-JUL-1992		220.000000	µg/g	X	GO
AL	N	MFU	BKS9202	BE	BERYLLIUM	2.000000	JS15	15-JUL-1992		0.536000	µg/g		GO
AL	N	MFU	BKS9202	BE	BERYLLIUM	2.000000	JS15	15-JUL-1992		0.543000	µg/g		GO
AL	N	MFU	BKS9202	CD	CADMIUM	10.000000	JS15	15-JUL-1992		5.190000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	MFU	BKS9202	CD	CADMIUM	10.000000	JS15	15-JUL-1992		4.930000	µg/g		GO
AL	N	MFU	BKS9202	CR	CHROMIUM	40.000000	JS15	15-JUL-1992		68.000000	µg/g		GO
AL	N	MFU	BKS9202	CR	CHROMIUM	40.000000	JS15	15-JUL-1992		63.000000	µg/g		GO
AL	N	MFU	BKS9202	CU	COPPER	16.000000	JS15	15-JUL-1992		49.000000	µg/g		GO
AL	N	MFU	BKS9202	CU	COPPER	16.000000	JS15	15-JUL-1992		53.000000	µg/g		GO
AL	N	MFU	BKS9202	FE	IRON	40.000000	JS15	15-JUL-1992		18000.000000	µg/g		GO
AL	N	MFU	BKS9202	FE	IRON	40.000000	JS15	15-JUL-1992		19000.000000	µg/g		GO
AL	N	MFU	BKS9202	NI	NICKEL	25.000000	JS15	15-JUL-1992		18.400000	µg/g		GO
AL	N	MFU	BKS9202	NI	NICKEL	25.000000	JS15	15-JUL-1992		19.700000	µg/g		GO
AL	N	MFU	BKS9202	SB	ANTIMONY	100.000000	JS15	15-JUL-1992	LT	34.000000	µg/g	G	GO
AL	N	MFU	BKS9202	SB	ANTIMONY	100.000000	JS15	15-JUL-1992	LT	34.000000	µg/g	G	GO
AL	N	MFU	BKS9202	SE	SELENIUM	600.000000	JS15	15-JUL-1992		498.000000	µg/g		GO
AL	N	MFU	BKS9202	SE	SELENIUM	600.000000	JS15	15-JUL-1992		478.000000	µg/g		GO
AL	N	MFU	BKS9202	TL	THALLIUM	320.000000	JS15	15-JUL-1992		308.000000	µg/g		GO
AL	N	MFU	BKS9202	TL	THALLIUM	320.000000	JS15	15-JUL-1992		308.000000	µg/g		GO
AL	N	MFU	BKS9202	ZN	ZINC	18.000000	JS15	15-JUL-1992		110.000000	µg/g		GO
AL	N	MFU	BKS9202	ZN	ZINC	18.000000	JS15	15-JUL-1992		120.000000	µg/g		GO
AL	N	MFV	SAS9201	AG	SILVER	400.000000	SS16	05-JUN-1992		410.000000	µg/l		GO
AL	N	MFV	SAS9201	AG	SILVER	400.000000	SS16	05-JUN-1992		360.000000	µg/l		GO
AL	N	MFV	BES9202	AG	SILVER	400.000000	SS16	09-JUN-1992	LT	320.000000	µg/l	G	GO
AL	N	MFV	BER9201	AG	SILVER	400.000000	SS16	09-JUN-1992		381.000000	µg/l		GO
AL	N	MFV	BES9202	AG	SILVER	400.000000	SS16	09-JUN-1992	LT	320.000000	µg/l	G	GO
AL	N	MFV	BER9201	AG	SILVER	400.000000	SS16	09-JUN-1992		389.000000	µg/l		GO
AL	N	MFV	RINSBLNK	AG	SILVER	400.000000	SS16	16-JUL-1992		443.000000	µg/l		GO
AL	N	MFV	RINSBLNK	AG	SILVER	400.000000	SS16	16-JUL-1992		435.000000	µg/l		GO
AL	N	MFV	SAS9201	AS	ARSENIC	500.000000	SS16	05-JUN-1992	LT	440.000000	µg/l	G	GO
AL	N	MFV	SAS9201	AS	ARSENIC	500.000000	SS16	05-JUN-1992	LT	440.000000	µg/l	G	GO
AL	N	MFV	BES9202	AS	ARSENIC	500.000000	SS16	09-JUN-1992	LT	4400.000000	µg/l	G	GO
AL	N	MFV	BER9201	AS	ARSENIC	500.000000	SS16	09-JUN-1992		501.000000	µg/l		GO
AL	N	MFV	BES9202	AS	ARSENIC	500.000000	SS16	09-JUN-1992	LT	4400.000000	µg/l	G	GO
AL	N	MFV	BER9201	AS	ARSENIC	500.000000	SS16	09-JUN-1992		512.000000	µg/l		GO
AL	N	MFV	BRW9201	AS	ARSENIC	500.000000	SS16	15-JUL-1992		493.000000	µg/l		GO
AL	N	MFV	BRW9201	AS	ARSENIC	500.000000	SS16	15-JUL-1992		513.000000	µg/l		GO
AL	N	MFV	RINSBLNK	AS	ARSENIC	500.000000	SS16	16-JUL-1992		580.000000	µg/l		GO
AL	N	MFV	RINSBLNK	AS	ARSENIC	500.000000	SS16	16-JUL-1992		564.000000	µg/l		GO
AL	N	MFV	SAS9201	BA	BARIUM	15.000000	SS16	05-JUN-1992		1500.000000	µg/l		GO
AL	N	MFV	SAS9201	BA	BARIUM	15.000000	SS16	05-JUN-1992		1500.000000	µg/l		GO
AL	N	MFV	BES9202	BA	BARIUM	15.000000	SS16	09-JUN-1992		1300.000000	µg/l		GO
AL	N	MFV	BER9201	BA	BARIUM	15.000000	SS16	09-JUN-1992		330.000000	µg/l		GO
AL	N	MFV	BES9202	BA	BARIUM	15.000000	SS16	09-JUN-1992		1300.000000	µg/l		GO
AL	N	MFV	BER9201	BA	BARIUM	15.000000	SS16	09-JUN-1992		290.000000	µg/l		GO
AL	N	MFV	BRW9201	BA	BARIUM	15.000000	SS16	15-JUL-1992		110.000000	µg/l		GO
AL	N	MFV	BRW9201	BA	BARIUM	15.000000	SS16	15-JUL-1992		110.000000	µg/l		GO
AL	N	MFV	RINSBLNK	BA	BARIUM	15.000000	SS16	16-JUL-1992		28.900000	µg/l		GO
AL	N	MFV	RINSBLNK	BA	BARIUM	15.000000	SS16	16-JUL-1992		30.000000	µg/l		GO
AL	N	MFV	BRW9201	BE	BERYLLIUM	3.500000	SS16	15-JUL-1992		2.730000	µg/l		GO
AL	N	MFV	BRW9201	BE	BERYLLIUM	3.500000	SS16	15-JUL-1992		2.910000	µg/l		GO
AL	N	MFV	SAS9201	CD	CADMIUM	40.000000	SS16	05-JUN-1992		52.000000	µg/l		GO
AL	N	MFV	SAS9201	CD	CADMIUM	40.000000	SS16	05-JUN-1992		35.000000	µg/l		GO
AL	N	MFV	BES9202	CD	CADMIUM	40.000000	SS16	09-JUN-1992		45.000000	µg/l		GO
AL	N	MFV	BER9201	CD	CADMIUM	40.000000	SS16	09-JUN-1992		45.100000	µg/l		GO
AL	N	MFV	BES9202	CD	CADMIUM	40.000000	SS16	09-JUN-1992		44.000000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	MFV	BER9201	CD	CADMIUM	40.000000	SS16	09-JUN-1992		46.100000	µg/l		GO
AL	N	MFV	BRW9201	CD	CADMIUM	40.000000	SS16	15-JUL-1992		42.400000	µg/l		GO
AL	N	MFV	BRW9201	CD	CADMIUM	40.000000	SS16	15-JUL-1992		43.300000	µg/l		GO
AL	N	MFV	RINSBLNK	CD	CADMIUM	40.000000	SS16	16-JUL-1992		45.900000	µg/l		GO
AL	N	MFV	RINSBLNK	CD	CADMIUM	40.000000	SS16	16-JUL-1992		44.000000	µg/l		GO
AL	N	MFV	SAS9201	CR	CHROMIUM	45.000000	SS16	05-JUN-1992		50.000000	µg/l		GO
AL	N	MFV	SAS9201	CR	CHROMIUM	45.000000	SS16	05-JUN-1992	LT	45.000000	µg/l	G	GO
AL	N	MFV	BES9202	CR	CHROMIUM	45.000000	SS16	09-JUN-1992	LT	45.000000	µg/l	G	GO
AL	N	MFV	BER9201	CR	CHROMIUM	45.000000	SS16	09-JUN-1992		69.400000	µg/l		GO
AL	N	MFV	BES9202	CR	CHROMIUM	45.000000	SS16	09-JUN-1992	LT	45.000000	µg/l	G	GO
AL	N	MFV	BER9201	CR	CHROMIUM	45.000000	SS16	09-JUN-1992		70.700000	µg/l		GO
AL	N	MFV	BRW9201	CR	CHROMIUM	45.000000	SS16	15-JUL-1992		46.600000	µg/l		GO
AL	N	MFV	BRW9201	CR	CHROMIUM	45.000000	SS16	15-JUL-1992		48.700000	µg/l		GO
AL	N	MFV	RINSBLNK	CR	CHROMIUM	45.000000	SS16	16-JUL-1992		51.200000	µg/l		GO
AL	N	MFV	RINSBLNK	CR	CHROMIUM	45.000000	SS16	16-JUL-1992		48.700000	µg/l		GO
AL	N	MFV	BRW9201	CU	COPPER	45.000000	SS16	15-JUL-1992		63.800000	µg/l		GO
AL	N	MFV	BRW9201	CU	COPPER	45.000000	SS16	15-JUL-1992		66.600000	µg/l		GO
AL	N	MFV	BRW9201	FE	IRON	400.000000	SS16	15-JUL-1992		1300.000000	µg/l		GO
AL	N	MFV	BRW9201	FE	IRON	400.000000	SS16	15-JUL-1992		1300.000000	µg/l		GO
AL	N	MFV	BRW9201	NI	NICKEL	120.000000	SS16	15-JUL-1992		125.000000	µg/l		GO
AL	N	MFV	BRW9201	NI	NICKEL	120.000000	SS16	15-JUL-1992		128.000000	µg/l		GO
AL	N	MFV	SAS9201	PB	LEAD	400.000000	SS16	05-JUN-1992		830.000000	µg/l		GO
AL	N	MFV	SAS9201	PB	LEAD	400.000000	SS16	05-JUN-1992		480.000000	µg/l		GO
AL	N	MFV	BES9202	PB	LEAD	400.000000	SS16	09-JUN-1992		440.000000	µg/l		GO
AL	N	MFV	BER9201	PB	LEAD	400.000000	SS16	09-JUN-1992		415.000000	µg/l		GO
AL	N	MFV	BES9202	PB	LEAD	400.000000	SS16	09-JUN-1992	LT	410.000000	µg/l	G	GO
AL	N	MFV	BER9201	PB	LEAD	400.000000	SS16	09-JUN-1992		408.000000	µg/l		GO
AL	N	MFV	RINSBLNK	PB	LEAD	400.000000	SS16	16-JUL-1992		480.000000	µg/l		GO
AL	N	MFV	RINSBLNK	PB	LEAD	400.000000	SS16	16-JUL-1992		447.000000	µg/l		GO
AL	N	MFV	BRW9201	SB	ANTIMONY	500.000000	SS16	15-JUL-1992		530.000000	µg/l		GO
AL	N	MFV	BRW9201	SB	ANTIMONY	500.000000	SS16	15-JUL-1992		553.000000	µg/l		GO
AL	N	MFV	SAS9201	SE	SELENIUM	1200.000000	SS16	05-JUN-1992	LT	10000.000000	µg/l	G	GO
AL	N	MFV	SAS9201	SE	SELENIUM	1200.000000	SS16	05-JUN-1992	LT	10000.000000	µg/l	G	GO
AL	N	MFV	BES9202	SE	SELENIUM	1200.000000	SS16	09-JUN-1992	LT	10000.000000	µg/l	G	GO
AL	N	MFV	BER9201	SE	SELENIUM	1200.000000	SS16	09-JUN-1992		1220.000000	µg/l		GO
AL	N	MFV	BES9202	SE	SELENIUM	1200.000000	SS16	09-JUN-1992	LT	10000.000000	µg/l	G	GO
AL	N	MFV	BER9201	SE	SELENIUM	1200.000000	SS16	09-JUN-1992		1240.000000	µg/l		GO
AL	N	MFV	BRW9201	SE	SELENIUM	1200.000000	SS16	15-JUL-1992		1170.000000	µg/l		GO
AL	N	MFV	BRW9201	SE	SELENIUM	1200.000000	SS16	15-JUL-1992		1220.000000	µg/l		GO
AL	N	MFV	RINSBLNK	SE	SELENIUM	1200.000000	SS16	16-JUL-1992		1450.000000	µg/l		GO
AL	N	MFV	RINSBLNK	SE	SELENIUM	1200.000000	SS16	16-JUL-1992		1430.000000	µg/l		GO
AL	N	MFV	BRW9201	TL	THALLIUM	1600.000000	SS16	15-JUL-1992		1530.000000	µg/l		GO
AL	N	MFV	BRW9201	TL	THALLIUM	1600.000000	SS16	15-JUL-1992		1670.000000	µg/l		GO
AL	N	MFV	BRW9201	ZN	ZINC	160.000000	SS16	15-JUL-1992		210.000000	µg/l		GO
AL	N	MFV	BRW9201	ZN	ZINC	160.000000	SS16	15-JUL-1992		230.000000	µg/l		GO
AL	N	MFW	BER9205	AG	SILVER	400.000000	SS16	13-JUL-1992		386.000000	µg/l		GO
AL	N	MFW	BER9205	AG	SILVER	400.000000	SS16	13-JUL-1992		387.000000	µg/l		GO
AL	N	MFW	BER9205	AS	ARSENIC	500.000000	SS16	13-JUL-1992		459.000000	µg/l		GO
AL	N	MFW	BER9205	AS	ARSENIC	500.000000	SS16	13-JUL-1992		390.000000	µg/l		GO
AL	N	MFW	BER9205	BA	BARIUM	15.000000	SS16	13-JUL-1992		330.000000	µg/l		GO
AL	N	MFW	BER9205	BA	BARIUM	15.000000	SS16	13-JUL-1992		510.000000	µg/l		GO
AL	N	MFW	BER9205	CD	CADMIUM	40.000000	SS16	13-JUL-1992		38.500000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	MFW	BER9205	CD	CADMIUM	40.000000	SS16	13-JUL-1992		37.100000	µg/l		GO
AL	N	MFW	BER9205	CR	CHROMIUM	45.000000	SS16	13-JUL-1992		200.000000	µg/l		GO
AL	N	MFW	BER9205	CR	CHROMIUM	45.000000	SS16	13-JUL-1992		110.000000	µg/l		GO
AL	N	MFW	BER9205	PB	LEAD	400.000000	SS16	13-JUL-1992		399.000000	µg/l		GO
AL	N	MFW	BER9205	PB	LEAD	400.000000	SS16	13-JUL-1992		374.000000	µg/l		GO
AL	N	MFW	BER9205	SE	SELENIUM	1200.000000	SS16	13-JUL-1992		1030.000000	µg/l		GO
AL	N	MFW	BER9205	SE	SELENIUM	1200.000000	SS16	13-JUL-1992		882.000000	µg/l		GO
AL	N	SJT	WSS9201	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	04-JUN-1992		3.140000	µg/g		GO
AL	N	SJT	WSS9201	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	04-JUN-1992		3.450000	µg/g		GO
AL	N	SJT	WSS9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	04-JUN-1992		2.170000	µg/g		GO
AL	N	SJT	WSB9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	04-JUN-1992		1.910000	µg/g		GO
AL	N	SJT	WSB9202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	04-JUN-1992		2.580000	µg/g		GO
AL	N	SJT	WSS9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	04-JUN-1992		2.460000	µg/g		GO
AL	N	SJT	WSS9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	04-JUN-1992		2.900000	µg/g		GO
AL	N	SJT	WSS9201	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	04-JUN-1992		2.350000	µg/g		GO
AL	N	SJT	WSS9201	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	04-JUN-1992		2.690000	µg/g		GO
AL	N	SJT	WSS9201	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	04-JUN-1992		3.520000	µg/g		GO
AL	N	SJT	WSS9201	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	04-JUN-1992		3.520000	µg/g		GO
AL	N	SJT	WSS9201	2CLP	2-CHLOROPHENOL	4.900000	LM15	04-JUN-1992		4.210000	µg/g	S	GO
AL	N	SJT	WSS9201	2CLP	2-CHLOROPHENOL	4.900000	LM15	04-JUN-1992		4.430000	µg/g	S	GO
AL	N	SJT	WSS9201	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	04-JUN-1992		5.210000	µg/g	S	GO
AL	N	SJT	WSS9201	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	04-JUN-1992		5.100000	µg/g	S	GO
AL	N	SJT	WSS9201	4NP	4-NITROPHENOL	5.000000	LM15	04-JUN-1992		4.550000	µg/g	S	GO
AL	N	SJT	WSS9201	4NP	4-NITROPHENOL	5.000000	LM15	04-JUN-1992		4.880000	µg/g	S	GO
AL	N	SJT	WSS9201	ANAPNE	ACENAPHTHENE	2.600000	LM15	04-JUN-1992		3.160000	µg/g		GO
AL	N	SJT	WSS9201	ANAPNE	ACENAPHTHENE	2.600000	LM15	04-JUN-1992		3.320000	µg/g		GO
AL	N	SJT	WSS9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.100000	µg/g		GO
AL	N	SJT	WSB9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		2.570000	µg/g		GO
AL	N	SJT	WSB9202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.200000	µg/g		GO
AL	N	SJT	WSS9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.380000	µg/g		GO
AL	N	SJT	WSS9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.520000	µg/g		GO
AL	N	SJT	WSS9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.070000	µg/g		GO
AL	N	SJT	WSB9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		2.520000	µg/g		GO
AL	N	SJT	WSB9202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.320000	µg/g		GO
AL	N	SJT	WSS9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.510000	µg/g		GO
AL	N	SJT	WSS9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	04-JUN-1992		3.510000	µg/g		GO
AL	N	SJT	WSS9201	NBD5	NITROBENZENE-D5	2.500000	LM15	04-JUN-1992		2.790000	µg/g		GO
AL	N	SJT	WSB9201	NBD5	NITROBENZENE-D5	2.500000	LM15	04-JUN-1992		2.510000	µg/g		GO
AL	N	SJT	WSB9202	NBD5	NITROBENZENE-D5	2.500000	LM15	04-JUN-1992		3.370000	µg/g		GO
AL	N	SJT	WSS9201	NBD5	NITROBENZENE-D5	2.500000	LM15	04-JUN-1992		2.790000	µg/g		GO
AL	N	SJT	WSS9201	NBD5	NITROBENZENE-D5	2.500000	LM15	04-JUN-1992		3.260000	µg/g		GO
AL	N	SJT	WSS9201	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	04-JUN-1992		2.280000	µg/g		GO
AL	N	SJT	WSS9201	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	04-JUN-1992		2.570000	µg/g		GO
AL	N	SJT	WSS9201	PCP	PENTACHLOROPHENOL	5.000000	LM15	04-JUN-1992		2.440000	µg/g	S	GO
AL	N	SJT	WSS9201	PCP	PENTACHLOROPHENOL	5.000000	LM15	04-JUN-1992		4.550000	µg/g	S	GO
AL	N	SJT	WSS9201	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	04-JUN-1992		4.550000	µg/g	S	GO
AL	N	SJT	WSS9201	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE /	5.000000	LM15	04-JUN-1992		4.880000	µg/g	S	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJT	WSS9201	PYR	OXYBENZENE BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	04-JUN-1992		5.190000	µg/g		GO
AL	N	SJT	WSS9201	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	04-JUN-1992		5.010000	µg/g		GO
AL	N	SJU	WSS9203	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	06-JUN-1992		3.330000	µg/g		GO
AL	N	SJU	WSS9203	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	06-JUN-1992		3.330000	µg/g		GO
AL	N	SJU	WSS9202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	06-JUN-1992		2.440000	µg/g		GO
AL	N	SJU	WSS9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	06-JUN-1992		2.670000	µg/g		GO
AL	N	SJU	WSS9204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	06-JUN-1992		2.650000	µg/g		GO
AL	N	SJU	WSS9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	06-JUN-1992		2.520000	µg/g		GO
AL	N	SJU	WSS9206	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	06-JUN-1992		2.160000	µg/g		GO
AL	N	SJU	WSS9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	06-JUN-1992		2.810000	µg/g		GO
AL	N	SJU	WSS9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	06-JUN-1992		2.540000	µg/g		GO
AL	N	SJU	OBS92G01	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUN-1992		2.550000	µg/g		GO
AL	N	SJU	OBS92G02	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUN-1992		2.410000	µg/g		GO
AL	N	SJU	WSS9203	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	06-JUN-1992		2.630000	µg/g		GO
AL	N	SJU	WSS9203	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	06-JUN-1992		2.630000	µg/g		GO
AL	N	SJU	WSS9203	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	06-JUN-1992		3.120000	µg/g		GO
AL	N	SJU	WSS9203	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	06-JUN-1992		3.120000	µg/g		GO
AL	N	SJU	WSS9203	2CLP	2-CHLOROPHENOL	4.900000	LM15	06-JUN-1992		4.810000	µg/g	S	GO
AL	N	SJU	WSS9203	2CLP	2-CHLOROPHENOL	4.900000	LM15	06-JUN-1992		4.810000	µg/g	S	GO
AL	N	SJU	WSS9203	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	06-JUN-1992		5.420000	µg/g	S	GO
AL	N	SJU	WSS9203	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	06-JUN-1992		5.520000	µg/g	S	GO
AL	N	SJU	WSS9203	4NP	4-NITROPHENOL	5.000000	LM15	06-JUN-1992		5.010000	µg/g	S	GO
AL	N	SJU	WSS9203	4NP	4-NITROPHENOL	5.000000	LM15	06-JUN-1992		4.290000	µg/g	S	GO
AL	N	SJU	WSS9203	ANAPNE	ACENAPHTHENE	2.600000	LM15	06-JUN-1992		3.220000	µg/g		GO
AL	N	SJU	WSS9203	ANAPNE	ACENAPHTHENE	2.600000	LM15	06-JUN-1992		3.220000	µg/g		GO
AL	N	SJU	WSS9202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.900000	µg/g		GO
AL	N	SJU	WSS9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.990000	µg/g		GO
AL	N	SJU	WSS9204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		3.250000	µg/g		GO
AL	N	SJU	WSS9205	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.970000	µg/g		GO
AL	N	SJU	WSS9206	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.760000	µg/g		GO
AL	N	SJU	WSS9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		3.120000	µg/g		GO
AL	N	SJU	WSS9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.990000	µg/g		GO
AL	N	SJU	OBS92G01	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		2.740000	µg/g		GO
AL	N	SJU	OBS92G02	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		2.990000	µg/g		GO
AL	N	SJU	WSS9202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.880000	µg/g		GO
AL	N	SJU	WSS9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.830000	µg/g		GO
AL	N	SJU	WSS9204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		3.520000	µg/g		GO
AL	N	SJU	WSS9205	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.950000	µg/g		GO
AL	N	SJU	WSS9206	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		2.860000	µg/g		GO
AL	N	SJU	WSS9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		3.100000	µg/g		GO
AL	N	SJU	WSS9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	06-JUN-1992		3.240000	µg/g		GO
AL	N	SJU	OBS92G01	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		2.840000	µg/g		GO
AL	N	SJU	OBS92G02	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		2.970000	µg/g		GO
AL	N	SJU	WSS9202	NBD5	NITROBENZENE-D5	2.500000	LM15	06-JUN-1992		3.050000	µg/g		GO
AL	N	SJU	WSS9203	NBD5	NITROBENZENE-D5	2.500000	LM15	06-JUN-1992		3.000000	µg/g		GO
AL	N	SJU	WSS9204	NBD5	NITROBENZENE-D5	2.500000	LM15	06-JUN-1992		3.130000	µg/g		GO
AL	N	SJU	WSS9205	NBD5	NITROBENZENE-D5	2.500000	LM15	06-JUN-1992		2.840000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJU	WSS9206	NBD5	NITROBENZENE-D5	2.500000	LM15	06-JUN-1992		2.460000	µg/g		GO
AL	N	SJU	WSS9203	NBD5	NITROBENZENE-D5	2.500000	LM15	06-JUN-1992		3.000000	µg/g		GO
AL	N	SJU	WSS9203	NBD5	NITROBENZENE-D5	2.500000	LM15	06-JUN-1992		2.720000	µg/g		GO
AL	N	SJU	OBS92G01	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUN-1992		2.870000	µg/g		GO
AL	N	SJU	OBS92G02	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUN-1992		2.860000	µg/g		GO
AL	N	SJU	WSS9203	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	06-JUN-1992		3.420000	µg/g		GO
AL	N	SJU	WSS9203	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	06-JUN-1992		3.290000	µg/g		GO
AL	N	SJU	WSS9203	PCP	PENTACHLOROPHENOL	5.000000	LM15	06-JUN-1992		1.120000	µg/g	S	GO
AL	N	SJU	WSS9203	PCP	PENTACHLOROPHENOL	5.000000	LM15	06-JUN-1992		2.250000	µg/g	S	GO
AL	N	SJU	WSS9203	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	06-JUN-1992		4.500000	µg/g	S	GO
AL	N	SJU	WSS9203	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	06-JUN-1992		4.600000	µg/g	S	GO
AL	N	SJU	WSS9203	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	06-JUN-1992		4.290000	µg/g		GO
AL	N	SJU	WSS9203	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	06-JUN-1992		4.460000	µg/g		GO
AL	N	SJV	OBS92G05	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	07-JUN-1992		4.230000	µg/g		GO
AL	N	SJV	OBS92G05	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	07-JUN-1992		4.080000	µg/g		GO
AL	N	SJV	OBS92G03	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUN-1992		1.330000	µg/g		GO
AL	N	SJV	OBS92G04	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUN-1992		3.200000	µg/g		GO
AL	N	SJV	OBS92G05	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUN-1992		3.090000	µg/g		GO
AL	N	SJV	OBS92G05	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUN-1992		3.770000	µg/g		GO
AL	N	SJV	OBS92G05	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUN-1992		3.630000	µg/g		GO
AL	N	SJV	BES9202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		3.750000	µg/g		GO
AL	N	SJV	BES9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		3.150000	µg/g		GO
AL	N	SJV	BER9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992	LT	26.000000	µg/g		GO
AL	N	SJV	BES9204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		3.530000	µg/g		GO
AL	N	SJV	OBS92G05	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	07-JUN-1992		3.270000	µg/g		GO
AL	N	SJV	OBS92G05	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	07-JUN-1992		3.270000	µg/g		GO
AL	N	SJV	OBS92G05	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	07-JUN-1992		4.780000	µg/g		GO
AL	N	SJV	OBS92G05	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	07-JUN-1992		4.400000	µg/g		GO
AL	N	SJV	OBS92G05	2CLP	2-CHLOROPHENOL	4.900000	LM15	07-JUN-1992		5.970000	µg/g	S	GO
AL	N	SJV	OBS92G05	2CLP	2-CHLOROPHENOL	4.900000	LM15	07-JUN-1992		5.660000	µg/g	S	GO
AL	N	SJV	OBS92G05	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	07-JUN-1992		6.690000	µg/g	S	GO
AL	N	SJV	OBS92G05	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	07-JUN-1992		6.170000	µg/g	S	GO
AL	N	SJV	OBS92G05	4NP	4-NITROPHENOL	5.000000	LM15	07-JUN-1992		5.560000	µg/g	S	GO
AL	N	SJV	OBS92G05	4NP	4-NITROPHENOL	5.000000	LM15	07-JUN-1992		5.560000	µg/g	S	GO
AL	N	SJV	OBS92G05	ANAPNE	ACENAPHTHENE	2.600000	LM15	07-JUN-1992		4.010000	µg/g		GO
AL	N	SJV	OBS92G05	ANAPNE	ACENAPHTHENE	2.600000	LM15	07-JUN-1992		3.700000	µg/g		GO
AL	N	SJV	OBS92G03	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.480000	µg/g		GO
AL	N	SJV	OBS92G04	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.240000	µg/g		GO
AL	N	SJV	OBS92G05	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.530000	µg/g		GO
AL	N	SJV	OBS92G05	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.660000	µg/g		GO
AL	N	SJV	OBS92G05	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.400000	µg/g		GO
AL	N	SJV	BES9202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		3.940000	µg/g		GO
AL	N	SJV	BES9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		3.570000	µg/g		GO
AL	N	SJV	BER9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992	LT	48.000000	µg/g		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJV	BES9204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		3.560000	µg/g		GO
AL	N	SJV	OBS92G03	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.610000	µg/g		GO
AL	N	SJV	OBS92G04	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.500000	µg/g		GO
AL	N	SJV	OBS92G05	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.530000	µg/g		GO
AL	N	SJV	OBS92G05	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.800000	µg/g		GO
AL	N	SJV	OBS92G05	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUN-1992		3.530000	µg/g		GO
AL	N	SJV	BES9202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		3.940000	µg/g		GO
AL	N	SJV	BES9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		3.710000	µg/g		GO
AL	N	SJV	BER9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992	LT	52.000000	µg/g		GO
AL	N	SJV	BES9204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		3.840000	µg/g		GO
AL	N	SJV	OBS92G03	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUN-1992		2.410000	µg/g		GO
AL	N	SJV	OBS92G04	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUN-1992		3.420000	µg/g		GO
AL	N	SJV	OBS92G05	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUN-1992		3.310000	µg/g		GO
AL	N	SJV	OBS92G05	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUN-1992		3.890000	µg/g		GO
AL	N	SJV	OBS92G05	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUN-1992		3.600000	µg/g		GO
AL	N	SJV	BES9202	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		4.010000	µg/g		GO
AL	N	SJV	BES9203	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		3.370000	µg/g		GO
AL	N	SJV	BER9201	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992	LT	70.000000	µg/g		GO
AL	N	SJV	BES9204	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		3.780000	µg/g		GO
AL	N	SJV	OBS92G05	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	07-JUN-1992		4.500000	µg/g	X	GO
AL	N	SJV	OBS92G05	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	07-JUN-1992		4.100000	µg/g		GO
AL	N	SJV	OBS92G05	PCP	PENTACHLOROPHENOL	5.000000	LM15	07-JUN-1992		3.090000	µg/g	S	GO
AL	N	SJV	OBS92G05	PCP	PENTACHLOROPHENOL	5.000000	LM15	07-JUN-1992		3.290000	µg/g	S	GO
AL	N	SJV	OBS92G05	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	07-JUN-1992		5.560000	µg/g	S	GO
AL	N	SJV	OBS92G05	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	07-JUN-1992		5.250000	µg/g	S	GO
AL	N	SJV	OBS92G05	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	07-JUN-1992		5.150000	µg/g		GO
AL	N	SJV	OBS92G05	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	07-JUN-1992		4.820000	µg/g		GO
AL	N	SJW	RINSBLNK	13DBD4	1,3-DICHLOROBENZENE-D4	75.000000	UM16	08-JUN-1992		96.900000	µg/l		GO
AL	N	SJW	RINSBLNK	DEPD4	DIETHYL PHTHALATE-D4	75.000000	UM16	08-JUN-1992		82.200000	µg/l		GO
AL	N	SJW	RINSBLNK	DNOPD4	DI-N-OCTYL PHTHALATE-D4	75.000000	UM16	08-JUN-1992		92.400000	µg/l		GO
AL	N	SJW	RINSBLNK	NBD5	NITROBENZENE-D5	75.000000	UM16	08-JUN-1992		84.800000	µg/l		GO
AL	N	SJX	BES9208	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	09-JUN-1992		3.050000	µg/g		GO
AL	N	SJX	BES9208	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	09-JUN-1992		3.200000	µg/g		GO
AL	N	SJX	BES9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		2.600000	µg/g		GO
AL	N	SJX	BES9207	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		2.670000	µg/g		GO
AL	N	SJX	BES9208	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		2.410000	µg/g		GO
AL	N	SJX	BES9206	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		2.310000	µg/g		GO
AL	N	SJX	BES9208	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		2.280000	µg/g		GO
AL	N	SJX	BES9208	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUN-1992		2.680000	µg/g		GO
AL	N	SJX	BEB9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	10-JUN-1992		2.710000	µg/g		GO
AL	N	SJX	BEB9202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	10-JUN-1992		3.110000	µg/g		GO
AL	N	SJX	BEB9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	10-JUN-1992		2.700000	µg/g		GO
AL	N	SJX	BEB9204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	10-JUN-1992		2.970000	µg/g		GO
AL	N	SJX	BES9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	10-JUN-1992		2.130000	µg/g		GO
AL	N	SJX	BES9208	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	09-JUN-1992		2.180000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJX	BES9208	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	09-JUN-1992		2.490000	µg/g		GO
AL	N	SJX	BES9208	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	09-JUN-1992		2.510000	µg/g		GO
AL	N	SJX	BES9208	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	09-JUN-1992		2.260000	µg/g		GO
AL	N	SJX	BES9208	2CLP	2-CHLOROPHENOL	4.900000	LM15	09-JUN-1992		4.210000	µg/g	S	GO
AL	N	SJX	BES9208	2CLP	2-CHLOROPHENOL	4.900000	LM15	09-JUN-1992		4.210000	µg/g	S	GO
AL	N	SJX	BES9208	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	09-JUN-1992		4.000000	µg/g	S	GO
AL	N	SJX	BES9208	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	09-JUN-1992		3.790000	µg/g	S	GO
AL	N	SJX	BES9208	4NP	4-NITROPHENOL	5.000000	LM15	09-JUN-1992		2.560000	µg/g	S	GO
AL	N	SJX	BES9208	4NP	4-NITROPHENOL	5.000000	LM15	09-JUN-1992		2.460000	µg/g	S	GO
AL	N	SJX	BES9208	ANAPNE	ACENAPHTHENE	2.600000	LM15	09-JUN-1992		3.080000	µg/g		GO
AL	N	SJX	BES9208	ANAPNE	ACENAPHTHENE	2.600000	LM15	09-JUN-1992		2.920000	µg/g		GO
AL	N	SJX	BES9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.530000	µg/g		GO
AL	N	SJX	BES9207	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.600000	µg/g		GO
AL	N	SJX	BES9208	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.610000	µg/g		GO
AL	N	SJX	BES9206	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.640000	µg/g		GO
AL	N	SJX	BES9208	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.870000	µg/g		GO
AL	N	SJX	BES9208	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.740000	µg/g		GO
AL	N	SJX	BEB9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.640000	µg/g		GO
AL	N	SJX	BEB9202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		3.160000	µg/g		GO
AL	N	SJX	BEB9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.760000	µg/g		GO
AL	N	SJX	BEB9204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.760000	µg/g		GO
AL	N	SJX	BES9205	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.200000	µg/g		GO
AL	N	SJX	BES9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.620000	µg/g		GO
AL	N	SJX	BES9207	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.560000	µg/g		GO
AL	N	SJX	BES9208	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.710000	µg/g		GO
AL	N	SJX	BES9206	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.470000	µg/g		GO
AL	N	SJX	BES9208	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.840000	µg/g		GO
AL	N	SJX	BES9208	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUN-1992		2.980000	µg/g		GO
AL	N	SJX	BEB9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.740000	µg/g		GO
AL	N	SJX	BEB9202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		3.280000	µg/g		GO
AL	N	SJX	BEB9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.590000	µg/g		GO
AL	N	SJX	BEB9204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.730000	µg/g		GO
AL	N	SJX	BES9205	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	10-JUN-1992		2.150000	µg/g		GO
AL	N	SJX	BES9201	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		2.930000	µg/g		GO
AL	N	SJX	BES9207	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		2.860000	µg/g		GO
AL	N	SJX	BES9208	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		2.730000	µg/g		GO
AL	N	SJX	BES9206	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		2.610000	µg/g		GO
AL	N	SJX	BES9208	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		2.580000	µg/g		GO
AL	N	SJX	BES9208	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUN-1992		3.010000	µg/g		GO
AL	N	SJX	BEB9201	NBD5	NITROBENZENE-D5	2.500000	LM15	10-JUN-1992		3.050000	µg/g		GO
AL	N	SJX	BEB9202	NBD5	NITROBENZENE-D5	2.500000	LM15	10-JUN-1992		3.470000	µg/g		GO
AL	N	SJX	BEB9203	NBD5	NITROBENZENE-D5	2.500000	LM15	10-JUN-1992		3.180000	µg/g		GO
AL	N	SJX	BEB9204	NBD5	NITROBENZENE-D5	2.500000	LM15	10-JUN-1992		3.320000	µg/g		GO
AL	N	SJX	BES9205	NBD5	NITROBENZENE-D5	2.500000	LM15	10-JUN-1992		2.270000	µg/g		GO
AL	N	SJX	BES9208	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	09-JUN-1992		1.850000	µg/g		GO
AL	N	SJX	BES9208	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	09-JUN-1992		2.240000	µg/g		GO
AL	N	SJX	BES9208	PCP	PENTACHLOROPHENOL	5.000000	LM15	09-JUN-1992		0.462000	µg/g	S	GO
AL	N	SJX	BES9208	PCP	PENTACHLOROPHENOL	5.000000	LM15	09-JUN-1992		0.892000	µg/g	S	GO
AL	N	SJX	BES9208	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	09-JUN-1992		4.100000	µg/g	S	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJX	BES9208	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	09-JUN-1992		4.000000	µg/g	S	GO
AL	N	SJX	BES9208	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	09-JUN-1992		4.970000	µg/g		GO
AL	N	SJX	BES9208	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	09-JUN-1992		4.810000	µg/g		GO
AL	N	SJZ	OBP92102	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.290000	µg/g		GO
AL	N	SJZ	OBP92102	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.290000	µg/g		GO
AL	N	SJZ	OBP92102	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	17-JUN-1992		3.020000	µg/g		GO
AL	N	SJZ	OBP92102	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	17-JUN-1992		3.020000	µg/g		GO
AL	N	SJZ	OBP92102	12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.330000	µg/g		GO
AL	N	SJZ	OBP92102	12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.330000	µg/g		GO
AL	N	SJZ	OBS92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	17-JUN-1992		2.320000	µg/g		GO
AL	N	SJZ	OBP92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	17-JUN-1992		2.190000	µg/g		GO
AL	N	SJZ	OBP92102	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	17-JUN-1992		2.790000	µg/g		GO
AL	N	SJZ	OBP92103	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	17-JUN-1992		1.960000	µg/g		GO
AL	N	SJZ	OBP92104	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	17-JUN-1992		2.710000	µg/g		GO
AL	N	SJZ	OBP92102	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	17-JUN-1992		2.790000	µg/g		GO
AL	N	SJZ	OBP92102	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	17-JUN-1992		2.660000	µg/g		GO
AL	N	SJZ	OBS92201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	18-JUN-1992		2.160000	µg/g		GO
AL	N	SJZ	OBP92201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	18-JUN-1992		2.600000	µg/g		GO
AL	N	SJZ	OBP92202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	18-JUN-1992		2.380000	µg/g		GO
AL	N	SJZ	OBP92203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	18-JUN-1992		2.420000	µg/g		GO
AL	N	SJZ	OBP92204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	18-JUN-1992		2.550000	µg/g		GO
AL	N	SJZ	OBP92102	13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.330000	µg/g		GO
AL	N	SJZ	OBP92102	13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.330000	µg/g		GO
AL	N	SJZ	OBP92102	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	17-JUN-1992		2.460000	µg/g		GO
AL	N	SJZ	OBP92102	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	17-JUN-1992		2.460000	µg/g		GO
AL	N	SJZ	OBP92102	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15	17-JUN-1992	ND	0.300000	µg/g	R	GO
AL	N	SJZ	OBP92102	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15	17-JUN-1992	ND	0.300000	µg/g	R	GO
AL	N	SJZ	OBP92102	24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	24DNP	2,4-DINITROPHENOL	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	24DNP	2,4-DINITROPHENOL	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	17-JUN-1992		2.480000	µg/g		GO
AL	N	SJZ	OBP92102	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	17-JUN-1992		2.860000	µg/g		GO
AL	N	SJZ	OBP92102	26DNT	2,6-DINITROTOLUENE	0.000000	LM15	17-JUN-1992	LT	0.530000	µg/g		GO
AL	N	SJZ	OBP92102	26DNT	2,6-DINITROTOLUENE	0.000000	LM15	17-JUN-1992	LT	0.530000	µg/g		GO
AL	N	SJZ	OBP92102	2CLP	2-CHLOROPHENOL	4.900000	LM15	17-JUN-1992		3.860000	µg/g	S	GO
AL	N	SJZ	OBP92102	2CLP	2-CHLOROPHENOL	4.900000	LM15	17-JUN-1992		3.760000	µg/g	S	GO
AL	N	SJZ	OBP92102	2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15	17-JUN-1992	LT	0.320000	µg/g		GO
AL	N	SJZ	OBP92102	2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15	17-JUN-1992	LT	0.320000	µg/g		GO
AL	N	SJZ	OBP92102	2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	2MP	2-METHYLPHENOL / 2-CRESOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ O-CRESOL								
AL	N	SJZ	OBP92102	2NANIL	2-NITROANILINE	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	2NANIL	2-NITROANILINE	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	2NP	2-NITROPHENOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	2NP	2-NITROPHENOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15	17-JUN-1992	ND	0.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15	17-JUN-1992	ND	0.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	3NANIL	3-NITROANILINE	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	3NANIL	3-NITROANILINE	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	46DN2C	2-METHYL-4,6-DINITROPHENO L / 4,6-DINITRO-2-CRESOL	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4CANIL	4-CHLOROANILINE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4CANIL	4-CHLOROANILINE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	17-JUN-1992		3.760000	µg/g	S	GO
AL	N	SJZ	OBP92102	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	17-JUN-1992		4.270000	µg/g	S	GO
AL	N	SJZ	OBP92102	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	4NANIL	4-NITROANILINE	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	4NANIL	4-NITROANILINE	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	4NP	4-NITROPHENOL	5.000000	LM15	17-JUN-1992		1.830000	µg/g	S	GO
AL	N	SJZ	OBP92102	4NP	4-NITROPHENOL	5.000000	LM15	17-JUN-1992		2.030000	µg/g	S	GO
AL	N	SJZ	OBP92102	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	0.000000	LM15	17-JUN-1992	LT	0.460000	µg/g		GO
AL	N	SJZ	OBP92102	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	0.000000	LM15	17-JUN-1992	LT	0.460000	µg/g		GO
AL	N	SJZ	OBP92102	ACLDAN	ALPHA-CHLORDANE	0.000000	LM15	17-JUN-1992	ND	5.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	ACLDAN	ALPHA-CHLORDANE	0.000000	LM15	17-JUN-1992	ND	5.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15	17-JUN-1992	ND	0.500000	µg/g	R	GO
AL	N	SJZ	OBP92102	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15	17-JUN-1992	ND	0.500000	µg/g	R	GO
AL	N	SJZ	OBP92102	ALDRN	ALDRIN	0.000000	LM15	17-JUN-1992	LT	0.290000	µg/g		GO
AL	N	SJZ	OBP92102	ALDRN	ALDRIN	0.000000	LM15	17-JUN-1992	LT	0.290000	µg/g		GO
AL	N	SJZ	OBP92102	ANAPNE	ACENAPHTHENE	2.600000	LM15	17-JUN-1992		2.740000	µg/g		GO
AL	N	SJZ	OBP92102	ANAPNE	ACENAPHTHENE	2.600000	LM15	17-JUN-1992		2.890000	µg/g		GO
AL	N	SJZ	OBP92102	ANAPYL	ACENAPHTHYLENE	0.000000	LM15	17-JUN-1992	LT	0.460000	µg/g		GO
AL	N	SJZ	OBP92102	ANAPYL	ACENAPHTHYLENE	0.000000	LM15	17-JUN-1992	LT	0.460000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJZ	OBP92102	ANTRC	ANTHRACENE	0.000000	LM15	17-JUN-1992	LT	0.540000	µg/g		GO
AL	N	SJZ	OBP92102	ANTRC	ANTHRACENE	0.000000	LM15	17-JUN-1992	LT	0.540000	µg/g		GO
AL	N	SJZ	OBP92102	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15	17-JUN-1992	LT	0.330000	µg/g		GO
AL	N	SJZ	OBP92102	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15	17-JUN-1992	LT	0.330000	µg/g		GO
AL	N	SJZ	OBP92102	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15	17-JUN-1992	LT	0.390000	µg/g		GO
AL	N	SJZ	OBP92102	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15	17-JUN-1992	LT	0.390000	µg/g		GO
AL	N	SJZ	OBP92102	BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15	17-JUN-1992	LT	0.300000	µg/g		GO
AL	N	SJZ	OBP92102	BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15	17-JUN-1992	LT	0.300000	µg/g		GO
AL	N	SJZ	OBP92102	BAPYR	BENZO[A]PYRENE	0.000000	LM15	17-JUN-1992	LT	0.380000	µg/g		GO
AL	N	SJZ	OBP92102	BAPYR	BENZO[A]PYRENE	0.000000	LM15	17-JUN-1992	LT	0.380000	µg/g		GO
AL	N	SJZ	OBP92102	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15	17-JUN-1992	LT	0.360000	µg/g		GO
AL	N	SJZ	OBP92102	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15	17-JUN-1992	LT	0.360000	µg/g		GO
AL	N	SJZ	OBP92102	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	17-JUN-1992	LT	0.360000	µg/g		GO
AL	N	SJZ	OBP92102	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	17-JUN-1992	LT	0.360000	µg/g		GO
AL	N	SJZ	OBP92102	BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15	17-JUN-1992		0.295000	µg/g	S	GO
AL	N	SJZ	OBP92102	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15	17-JUN-1992	ND	1.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15	17-JUN-1992	ND	1.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	BENZOA	BENZOIC ACID	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	BENZOA	BENZOIC ACID	0.000000	LM15	17-JUN-1992	ND	1.700000	µg/g	R	GO
AL	N	SJZ	OBP92102	BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15	17-JUN-1992	LT	0.240000	µg/g		GO
AL	N	SJZ	OBP92102	BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15	17-JUN-1992	LT	0.240000	µg/g		GO
AL	N	SJZ	OBP92102	BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15	17-JUN-1992	LT	0.800000	µg/g		GO
AL	N	SJZ	OBP92102	BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15	17-JUN-1992	LT	0.800000	µg/g		GO
AL	N	SJZ	OBP92102	BZALC	BENZYL ALCOHOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	BZALC	BENZYL ALCOHOL	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	CHRY	CHRYSENE	0.000000	LM15	17-JUN-1992	LT	0.450000	µg/g		GO
AL	N	SJZ	OBP92102	CHRY	CHRYSENE	0.000000	LM15	17-JUN-1992	LT	0.450000	µg/g		GO
AL	N	SJZ	OBP92102	CL6BZ	HEXACHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.260000	µg/g		GO
AL	N	SJZ	OBP92102	CL6BZ	HEXACHLOROBENZENE	0.000000	LM15	17-JUN-1992	LT	0.260000	µg/g		GO
AL	N	SJZ	OBP92102	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	CL6ET	HEXACHLOROETHANE	0.000000	LM15	17-JUN-1992	LT	0.400000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJZ	OBP92102	CL6ET	HEXACHLOROETHANE	0.000000	LM15	17-JUN-1992	LT	0.400000	µg/g		GO
AL	N	SJZ	OBP92102	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15	17-JUN-1992	LT	0.370000	µg/g		GO
AL	N	SJZ	OBP92102	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15	17-JUN-1992	LT	0.370000	µg/g		GO
AL	N	SJZ	OBP92102	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15	17-JUN-1992	LT	0.270000	µg/g		GO
AL	N	SJZ	OBP92102	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15	17-JUN-1992	LT	0.270000	µg/g		GO
AL	N	SJZ	OBP92102	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15	17-JUN-1992	LT	0.690000	µg/g		GO
AL	N	SJZ	OBP92102	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15	17-JUN-1992	LT	0.690000	µg/g		GO
AL	N	SJZ	OBP92102	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15	17-JUN-1992	LT	0.200000	µg/g		GO
AL	N	SJZ	OBP92102	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15	17-JUN-1992	LT	0.200000	µg/g		GO
AL	N	SJZ	OBP92102	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	17-JUN-1992	LT	0.290000	µg/g		GO
AL	N	SJZ	OBP92102	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	17-JUN-1992	LT	0.290000	µg/g		GO
AL	N	SJZ	OBP92102	DBZFUR	DIBENZOFURAN	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	DBZFUR	DIBENZOFURAN	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	DEP	DIETHYL PHTHALATE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	DEP	DIETHYL PHTHALATE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBS92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.390000	µg/g		GO
AL	N	SJZ	OBP92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.130000	µg/g		GO
AL	N	SJZ	OBP92102	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.320000	µg/g		GO
AL	N	SJZ	OBP92103	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.320000	µg/g		GO
AL	N	SJZ	OBP92104	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.370000	µg/g		GO
AL	N	SJZ	OBP92102	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.450000	µg/g		GO
AL	N	SJZ	OBP92102	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.710000	µg/g		GO
AL	N	SJZ	OBS92201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.360000	µg/g		GO
AL	N	SJZ	OBP92201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.390000	µg/g		GO
AL	N	SJZ	OBP92202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.900000	µg/g		GO
AL	N	SJZ	OBP92203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.490000	µg/g		GO
AL	N	SJZ	OBP92204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.770000	µg/g		GO
AL	N	SJZ	OBP92102	DITH	DITHIANE	0.000000	LM15	17-JUN-1992	LT	0.240000	µg/g		GO
AL	N	SJZ	OBP92102	DITH	DITHIANE	0.000000	LM15	17-JUN-1992	LT	0.240000	µg/g		GO
AL	N	SJZ	OBP92102	DLDRN	DIELDRIN	0.000000	LM15	17-JUN-1992	LT	0.300000	µg/g		GO
AL	N	SJZ	OBP92102	DLDRN	DIELDRIN	0.000000	LM15	17-JUN-1992	LT	0.300000	µg/g		GO
AL	N	SJZ	OBP92102	DMP	DIMETHYL PHTHALATE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	DMP	DIMETHYL PHTHALATE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15	17-JUN-1992	LT	0.590000	µg/g		GO
AL	N	SJZ	OBP92102	DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15	17-JUN-1992	LT	0.590000	µg/g		GO
AL	N	SJZ	OBS92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.900000	µg/g		GO
AL	N	SJZ	OBP92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.490000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJZ	OBP92102	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		3.220000	µg/g		GO
AL	N	SJZ	OBP92103	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.970000	µg/g		GO
AL	N	SJZ	OBP92104	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		3.150000	µg/g		GO
AL	N	SJZ	OBP92102	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		2.950000	µg/g		GO
AL	N	SJZ	OBP92102	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	17-JUN-1992		3.350000	µg/g		GO
AL	N	SJZ	OBS92201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.720000	µg/g		GO
AL	N	SJZ	OBP92201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.760000	µg/g		GO
AL	N	SJZ	OBP92202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		3.460000	µg/g		GO
AL	N	SJZ	OBP92203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		2.720000	µg/g		GO
AL	N	SJZ	OBP92204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	18-JUN-1992		3.030000	µg/g		GO
AL	N	SJZ	OBP92102	ENDRN	ENDRIN	0.000000	LM15	17-JUN-1992	LT	0.410000	µg/g		GO
AL	N	SJZ	OBP92102	ENDRN	ENDRIN	0.000000	LM15	17-JUN-1992	LT	0.410000	µg/g		GO
AL	N	SJZ	OBP92102	ENDRNK	ENDRIN KETONE	0.000000	LM15	17-JUN-1992	ND	1.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	ENDRNK	ENDRIN KETONE	0.000000	LM15	17-JUN-1992	ND	1.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15	17-JUN-1992	ND	1.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15	17-JUN-1992	ND	1.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	FANT	FLUORANTHENE	0.000000	LM15	17-JUN-1992	LT	0.520000	µg/g		GO
AL	N	SJZ	OBP92102	FANT	FLUORANTHENE	0.000000	LM15	17-JUN-1992	LT	0.520000	µg/g		GO
AL	N	SJZ	OBP92102	FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	GCLDAN	GAMMA-CHLORDANE	0.000000	LM15	17-JUN-1992	ND	5.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	GCLDAN	GAMMA-CHLORDANE	0.000000	LM15	17-JUN-1992	ND	5.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15	17-JUN-1992	LT	0.420000	µg/g		GO
AL	N	SJZ	OBP92102	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15	17-JUN-1992	LT	0.420000	µg/g		GO
AL	N	SJZ	OBP92102	HPCL	HEPTACHLOR	0.000000	LM15	17-JUN-1992	LT	0.280000	µg/g		GO
AL	N	SJZ	OBP92102	HPCL	HEPTACHLOR	0.000000	LM15	17-JUN-1992	LT	0.280000	µg/g		GO
AL	N	SJZ	OBP92102	HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15	17-JUN-1992	LT	0.360000	µg/g		GO
AL	N	SJZ	OBP92102	HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15	17-JUN-1992	LT	0.360000	µg/g		GO
AL	N	SJZ	OBP92102	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15	17-JUN-1992	LT	0.210000	µg/g		GO
AL	N	SJZ	OBP92102	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15	17-JUN-1992	LT	0.210000	µg/g		GO
AL	N	SJZ	OBP92102	ISOPHR	ISOPHORONE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	ISOPHR	ISOPHORONE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15	17-JUN-1992	LT	0.430000	µg/g		GO
AL	N	SJZ	OBP92102	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15	17-JUN-1992	LT	0.430000	µg/g		GO
AL	N	SJZ	OBP92102	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15	17-JUN-1992	ND	5.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15	17-JUN-1992	ND	5.000000	µg/g	R	GO
AL	N	SJZ	OBP92102	MLTHN	MALATHION	0.000000	LM15	17-JUN-1992	LT	0.480000	µg/g		GO
AL	N	SJZ	OBP92102	MLTHN	MALATHION	0.000000	LM15	17-JUN-1992	LT	0.480000	µg/g		GO
AL	N	SJZ	OBP92102	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15	17-JUN-1992	LT	0.420000	µg/g		GO
AL	N	SJZ	OBP92102	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15	17-JUN-1992	LT	0.420000	µg/g		GO
AL	N	SJZ	OBP92102	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBS92101	NBD5	NITROBENZENE-D5	2.500000	LM15	17-JUN-1992		3.220000	µg/g		GO
AL	N	SJZ	OBP92101	NBD5	NITROBENZENE-D5	2.500000	LM15	17-JUN-1992		3.230000	µg/g		GO
AL	N	SJZ	OBP92102	NBD5	NITROBENZENE-D5	2.500000	LM15	17-JUN-1992		3.700000	µg/g		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SJZ	OBP92103	NBD5	NITROBENZENE-D5	2.500000	LM15	17-JUN-1992		3.150000	µg/g		GO
AL	N	SJZ	OBP92104	NBD5	NITROBENZENE-D5	2.500000	LM15	17-JUN-1992		3.770000	µg/g		GO
AL	N	SJZ	OBP92102	NBD5	NITROBENZENE-D5	2.500000	LM15	17-JUN-1992		3.700000	µg/g		GO
AL	N	SJZ	OBP92102	NBD5	NITROBENZENE-D5	2.500000	LM15	17-JUN-1992		3.700000	µg/g		GO
AL	N	SJZ	OBS92201	NBD5	NITROBENZENE-D5	2.500000	LM15	18-JUN-1992		3.600000	µg/g		GO
AL	N	SJZ	OBP92201	NBD5	NITROBENZENE-D5	2.500000	LM15	18-JUN-1992		3.950000	µg/g		GO
AL	N	SJZ	OBP92202	NBD5	NITROBENZENE-D5	2.500000	LM15	18-JUN-1992		3.990000	µg/g		GO
AL	N	SJZ	OBP92203	NBD5	NITROBENZENE-D5	2.500000	LM15	18-JUN-1992		3.600000	µg/g		GO
AL	N	SJZ	OBP92204	NBD5	NITROBENZENE-D5	2.500000	LM15	18-JUN-1992		4.180000	µg/g		GO
AL	N	SJZ	OBP92102	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	17-JUN-1992		2.090000	µg/g		GO
AL	N	SJZ	OBP92102	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	17-JUN-1992		2.220000	µg/g		GO
AL	N	SJZ	OBP92102	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15	17-JUN-1992	ND	0.330000	µg/g	R	GO
AL	N	SJZ	OBP92102	OXAT	1,4-OXATHIANE	0.000000	LM15	17-JUN-1992	LT	0.250000	µg/g		GO
AL	N	SJZ	OBP92102	OXAT	1,4-OXATHIANE	0.000000	LM15	17-JUN-1992	LT	0.250000	µg/g		GO
AL	N	SJZ	OBP92102	PCP	PENTACHLOROPHENOL	5.000000	LM15	17-JUN-1992		0.549000	µg/g	S	GO
AL	N	SJZ	OBP92102	PCP	PENTACHLOROPHENOL	5.000000	LM15	17-JUN-1992		0.935000	µg/g	S	GO
AL	N	SJZ	OBP92102	PHANTR	PHENANTHRENE	0.000000	LM15	17-JUN-1992	LT	0.410000	µg/g		GO
AL	N	SJZ	OBP92102	PHANTR	PHENANTHRENE	0.000000	LM15	17-JUN-1992	LT	0.410000	µg/g		GO
AL	N	SJZ	OBP92102	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	17-JUN-1992		3.250000	µg/g	S	GO
AL	N	SJZ	OBP92102	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	17-JUN-1992		3.350000	µg/g	S	GO
AL	N	SJZ	OBP92102	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15	17-JUN-1992	LT	0.180000	µg/g		GO
AL	N	SJZ	OBP92102	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15	17-JUN-1992	LT	0.180000	µg/g		GO
AL	N	SJZ	OBP92102	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15	17-JUN-1992	LT	0.220000	µg/g		GO
AL	N	SJZ	OBP92102	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15	17-JUN-1992	LT	0.220000	µg/g		GO
AL	N	SJZ	OBP92102	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15	17-JUN-1992	LT	0.410000	µg/g		GO
AL	N	SJZ	OBP92102	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15	17-JUN-1992	LT	0.410000	µg/g		GO
AL	N	SJZ	OBP92102	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15	17-JUN-1992	LT	0.460000	µg/g		GO
AL	N	SJZ	OBP92102	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15	17-JUN-1992	LT	0.460000	µg/g		GO
AL	N	SJZ	OBP92102	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	17-JUN-1992		5.420000	µg/g		GO
AL	N	SJZ	OBP92102	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	17-JUN-1992		5.910000	µg/g	X	GO
AL	N	SKB	OBP92303	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	19-JUN-1992		3.870000	µg/g		GO
AL	N	SKB	OBP92303	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	19-JUN-1992		4.540000	µg/g		GO
AL	N	SKB	OBS92301	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	19-JUN-1992		2.600000	µg/g		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKB	OBP92301	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	19-JUN-1992		2.970000	µg/g		GO
AL	N	SKB	OBP92302	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	19-JUN-1992		3.220000	µg/g		GO
AL	N	SKB	OBP92303	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	19-JUN-1992		3.420000	µg/g		GO
AL	N	SKB	OBP92304	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	19-JUN-1992		2.860000	µg/g		GO
AL	N	SKB	OBP92303	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	19-JUN-1992		3.570000	µg/g		GO
AL	N	SKB	OBP92303	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	19-JUN-1992		4.040000	µg/g		GO
AL	N	SKB	CRS92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		2.970000	µg/g		GO
AL	N	SKB	CRT92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		3.200000	µg/g		GO
AL	N	SKB	CRT92102	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		3.470000	µg/g		GO
AL	N	SKB	CRT92103	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		3.150000	µg/g		GO
AL	N	SKB	OBP92303	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	19-JUN-1992		2.880000	µg/g		GO
AL	N	SKB	OBP92303	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	19-JUN-1992		3.420000	µg/g		GO
AL	N	SKB	OBP92303	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	19-JUN-1992		3.630000	µg/g		GO
AL	N	SKB	OBP92303	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	19-JUN-1992		3.480000	µg/g		GO
AL	N	SKB	OBP92303	2CLP	2-CHLOROPHENOL	4.900000	LM15	19-JUN-1992		5.340000	µg/g	S	GO
AL	N	SKB	OBP92303	2CLP	2-CHLOROPHENOL	4.900000	LM15	19-JUN-1992		5.820000	µg/g	S	GO
AL	N	SKB	OBP92303	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	19-JUN-1992		5.230000	µg/g	S	GO
AL	N	SKB	OBP92303	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	19-JUN-1992		4.990000	µg/g	S	GO
AL	N	SKB	OBP92303	4NP	4-NITROPHENOL	5.000000	LM15	19-JUN-1992		3.090000	µg/g	S	GO
AL	N	SKB	OBP92303	4NP	4-NITROPHENOL	5.000000	LM15	19-JUN-1992		2.730000	µg/g	S	GO
AL	N	SKB	OBP92303	ANAPNE	ACENAPHTHENE	2.600000	LM15	19-JUN-1992		3.920000	µg/g		GO
AL	N	SKB	OBP92303	ANAPNE	ACENAPHTHENE	2.600000	LM15	19-JUN-1992		4.100000	µg/g		GO
AL	N	SKB	OBS92301	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		2.660000	µg/g		GO
AL	N	SKB	OBP92301	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.300000	µg/g		GO
AL	N	SKB	OBP92302	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.400000	µg/g		GO
AL	N	SKB	OBP92303	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.920000	µg/g		GO
AL	N	SKB	OBP92304	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.480000	µg/g		GO
AL	N	SKB	OBP92303	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		4.070000	µg/g		GO
AL	N	SKB	OBP92303	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		4.070000	µg/g		GO
AL	N	SKB	CRS92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.290000	µg/g		GO
AL	N	SKB	CRT92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.380000	µg/g		GO
AL	N	SKB	CRT92102	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.780000	µg/g		GO
AL	N	SKB	CRT92103	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.600000	µg/g		GO
AL	N	SKB	OBS92301	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.040000	µg/g		GO
AL	N	SKB	OBP92301	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.570000	µg/g		GO
AL	N	SKB	OBP92302	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.670000	µg/g		GO
AL	N	SKB	OBP92303	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		4.230000	µg/g		GO
AL	N	SKB	OBP92304	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		3.470000	µg/g		GO
AL	N	SKB	OBP92303	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		4.230000	µg/g		GO
AL	N	SKB	OBP92303	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	19-JUN-1992		4.070000	µg/g		GO
AL	N	SKB	CRS92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.960000	µg/g		GO
AL	N	SKB	CRT92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.650000	µg/g		GO
AL	N	SKB	CRT92102	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		4.350000	µg/g		GO
AL	N	SKB	CRT92103	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		4.010000	µg/g		GO
AL	N	SKB	OBS92301	NBD5	NITROBENZENE-D5	2.500000	LM15	19-JUN-1992		3.080000	µg/g		GO
AL	N	SKB	OBP92301	NBD5	NITROBENZENE-D5	2.500000	LM15	19-JUN-1992		3.630000	µg/g		GO
AL	N	SKB	OBP92302	NBD5	NITROBENZENE-D5	2.500000	LM15	19-JUN-1992		3.890000	µg/g		GO
AL	N	SKB	OBP92303	NBD5	NITROBENZENE-D5	2.500000	LM15	19-JUN-1992		4.320000	µg/g		GO
AL	N	SKB	OBP92304	NBD5	NITROBENZENE-D5	2.500000	LM15	19-JUN-1992		3.980000	µg/g		GO
AL	N	SKB	OBP92303	NBD5	NITROBENZENE-D5	2.500000	LM15	19-JUN-1992		3.990000	µg/g		GO
AL	N	SKB	OBP92303	NBD5	NITROBENZENE-D5	2.500000	LM15	19-JUN-1992		4.320000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKB	CRS92101	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		3.470000	µg/g		GO
AL	N	SKB	CRT92101	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		3.570000	µg/g		GO
AL	N	SKB	CRT92102	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		4.010000	µg/g		GO
AL	N	SKB	CRT92103	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		3.520000	µg/g		GO
AL	N	SKB	OBP92303	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	19-JUN-1992		3.210000	µg/g		GO
AL	N	SKB	OBP92303	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	19-JUN-1992		2.900000	µg/g		GO
AL	N	SKB	OBP92303	PCP	PENTACHLOROPHENOL	5.000000	LM15	19-JUN-1992		2.490000	µg/g	S	GO
AL	N	SKB	OBP92303	PCP	PENTACHLOROPHENOL	5.000000	LM15	19-JUN-1992		1.780000	µg/g	S	GO
AL	N	SKB	OBP92303	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	19-JUN-1992		4.870000	µg/g	S	GO
AL	N	SKB	OBP92303	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	19-JUN-1992		5.110000	µg/g	S	GO
AL	N	SKB	OBP92303	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	19-JUN-1992		6.330000	µg/g		GO
AL	N	SKC	CRT92203	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	21-JUN-1992		3.360000	µg/g		GO
AL	N	SKC	CRT92203	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	21-JUN-1992		3.670000	µg/g		GO
AL	N	SKC	CRT92104	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		2.400000	µg/g		GO
AL	N	SKC	CRS92201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		2.700000	µg/g		GO
AL	N	SKC	CRT92201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		2.470000	µg/g		GO
AL	N	SKC	CRT92202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		1.820000	µg/g		GO
AL	N	SKC	CRT92203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		2.960000	µg/g		GO
AL	N	SKC	CRT92204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		0.919000	µg/g		GO
AL	N	SKC	CRT92203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		2.540000	µg/g		GO
AL	N	SKC	CRT92203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	21-JUN-1992		3.100000	µg/g		GO
AL	N	SKC	CRS92301	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		2.460000	µg/g		GO
AL	N	SKC	CRT92301	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.930000	µg/g		GO
AL	N	SKC	CRT92302	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		3.460000	µg/g		GO
AL	N	SKC	CRT92203	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	21-JUN-1992		2.450000	µg/g		GO
AL	N	SKC	CRT92203	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	21-JUN-1992		2.940000	µg/g		GO
AL	N	SKC	CRT92203	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	21-JUN-1992		3.170000	µg/g		GO
AL	N	SKC	CRT92203	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	21-JUN-1992		3.030000	µg/g		GO
AL	N	SKC	CRT92203	2CLP	2-CHLOROPHENOL	4.900000	LM15	21-JUN-1992		4.420000	µg/g	S	GO
AL	N	SKC	CRT92203	2CLP	2-CHLOROPHENOL	4.900000	LM15	21-JUN-1992		4.850000	µg/g	S	GO
AL	N	SKC	CRT92203	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	21-JUN-1992		5.070000	µg/g	S	GO
AL	N	SKC	CRT92203	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	21-JUN-1992		4.850000	µg/g	S	GO
AL	N	SKC	CRT92203	4NP	4-NITROPHENOL	5.000000	LM15	21-JUN-1992		3.880000	µg/g	S	GO
AL	N	SKC	CRT92203	4NP	4-NITROPHENOL	5.000000	LM15	21-JUN-1992		3.560000	µg/g	S	GO
AL	N	SKC	CRT92203	ANAPNE	ACENAPHTHENE	2.600000	LM15	21-JUN-1992		3.230000	µg/g		GO
AL	N	SKC	CRT92203	ANAPNE	ACENAPHTHENE	2.600000	LM15	21-JUN-1992		3.230000	µg/g		GO
AL	N	SKC	CRT92104	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		2.990000	µg/g		GO
AL	N	SKC	CRS92201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.680000	µg/g		GO
AL	N	SKC	CRT92201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.380000	µg/g		GO
AL	N	SKC	CRT92202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		2.450000	µg/g		GO
AL	N	SKC	CRT92203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.290000	µg/g		GO
AL	N	SKC	CRT92204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		1.130000	µg/g		GO
AL	N	SKC	CRT92203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.290000	µg/g		GO
AL	N	SKC	CRT92203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.290000	µg/g		GO
AL	N	SKC	CRS92301	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		3.050000	µg/g		GO

Note: QC Type= F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKC	CRT92301	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		3.460000	µg/g		GO
AL	N	SKC	CRT92302	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		4.210000	µg/g		GO
AL	N	SKC	CRT92104	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.910000	µg/g		GO
AL	N	SKC	CRS92201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		4.370000	µg/g		GO
AL	N	SKC	CRT92201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		4.100000	µg/g		GO
AL	N	SKC	CRT92202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		2.970000	µg/g		GO
AL	N	SKC	CRT92203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		4.130000	µg/g		GO
AL	N	SKC	CRT92204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		1.480000	µg/g		GO
AL	N	SKC	CRT92203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.980000	µg/g		GO
AL	N	SKC	CRT92203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	21-JUN-1992		3.700000	µg/g		GO
AL	N	SKC	CRS92301	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		3.580000	µg/g		GO
AL	N	SKC	CRT92301	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		4.340000	µg/g		GO
AL	N	SKC	CRT92302	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		4.720000	µg/g		GO
AL	N	SKC	CRT92104	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		3.710000	µg/g		GO
AL	N	SKC	CRS92201	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		4.480000	µg/g		GO
AL	N	SKC	CRT92201	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		4.190000	µg/g		GO
AL	N	SKC	CRT92202	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		3.000000	µg/g		GO
AL	N	SKC	CRT92203	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		4.220000	µg/g		GO
AL	N	SKC	CRT92204	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		1.400000	µg/g		GO
AL	N	SKC	CRT92203	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		3.770000	µg/g		GO
AL	N	SKC	CRT92203	NBD5	NITROBENZENE-D5	2.500000	LM15	21-JUN-1992		4.070000	µg/g		GO
AL	N	SKC	CRS92301	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		3.800000	µg/g		GO
AL	N	SKC	CRT92301	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		4.130000	µg/g		GO
AL	N	SKC	CRT92302	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		5.740000	µg/g		GO
AL	N	SKC	CRT92203	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	21-JUN-1992		3.190000	µg/g		GO
AL	N	SKC	CRT92203	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	21-JUN-1992		3.330000	µg/g		GO
AL	N	SKC	CRT92203	PCP	PENTACHLOROPHENOL	5.000000	LM15	21-JUN-1992		3.450000	µg/g	S	GO
AL	N	SKC	CRT92203	PCP	PENTACHLOROPHENOL	5.000000	LM15	21-JUN-1992		3.130000	µg/g	S	GO
AL	N	SKC	CRT92203	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	21-JUN-1992		4.210000	µg/g	S	GO
AL	N	SKC	CRT92203	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	21-JUN-1992		4.530000	µg/g	S	GO
AL	N	SKC	CRT92203	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	21-JUN-1992		6.450000	µg/g	H	GO
AL	N	SKC	CRT92203	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	21-JUN-1992		5.930000	µg/g	H	GO
AL	N	SKD	OBS92401	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	20-JUN-1992		2.800000	µg/g		GO
AL	N	SKD	OBS92401	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	20-JUN-1992		2.900000	µg/g		GO
AL	N	SKD	OBP92404	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	20-JUN-1992		2.700000	µg/g		GO
AL	N	SKD	OBS92401	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	20-JUN-1992		2.700000	µg/g		GO
AL	N	SKD	OBP92403	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	20-JUN-1992		3.300000	µg/g		GO
AL	N	SKD	OBP92401	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	20-JUN-1992		3.000000	µg/g		GO
AL	N	SKD	OBP92402	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	20-JUN-1992		2.900000	µg/g		GO
AL	N	SKD	OBS92401	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	20-JUN-1992		2.300000	µg/g		GO
AL	N	SKD	OBS92401	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	20-JUN-1992		2.500000	µg/g		GO
AL	N	SKD	CRT92303	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		3.300000	µg/g		GO
AL	N	SKD	CRT92304	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		2.500000	µg/g		GO
AL	N	SKD	OSS9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		2.800000	µg/g		GO
AL	N	SKD	OSS9206	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		2.200000	µg/g		GO
AL	N	SKD	OBS92401	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	20-JUN-1992		2.000000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKD	OBS92401	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	20-JUN-1992		2.300000	µg/g		GO
AL	N	SKD	OBS92401	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	20-JUN-1992		5.300000	µg/g		GO
AL	N	SKD	OBS92401	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	20-JUN-1992		3.800000	µg/g		GO
AL	N	SKD	OBS92401	2CLP	2-CHLOROPHENOL	4.900000	LM15	20-JUN-1992		4.500000	µg/g	S	GO
AL	N	SKD	OBS92401	2CLP	2-CHLOROPHENOL	4.900000	LM15	20-JUN-1992		4.800000	µg/g	S	GO
AL	N	SKD	OBS92401	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	20-JUN-1992		5.500000	µg/g	S	GO
AL	N	SKD	OBS92401	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	20-JUN-1992		5.000000	µg/g	S	GO
AL	N	SKD	OBS92401	4NP	4-NITROPHENOL	5.000000	LM15	20-JUN-1992		4.300000	µg/g	S	GO
AL	N	SKD	OBS92401	4NP	4-NITROPHENOL	5.000000	LM15	20-JUN-1992		4.300000	µg/g	S	GO
AL	N	SKD	OBS92401	ANAPNE	ACENAPHTHENE	2.600000	LM15	20-JUN-1992		3.100000	µg/g		GO
AL	N	SKD	OBS92401	ANAPNE	ACENAPHTHENE	2.600000	LM15	20-JUN-1992		2.900000	µg/g		GO
AL	N	SKD	OBP92404	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.000000	µg/g		GO
AL	N	SKD	OBS92401	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.000000	µg/g		GO
AL	N	SKD	OBP92403	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.400000	µg/g		GO
AL	N	SKD	OBP92401	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		2.900000	µg/g		GO
AL	N	SKD	OBP92402	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.200000	µg/g		GO
AL	N	SKD	OBS92401	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.100000	µg/g		GO
AL	N	SKD	OBS92401	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		2.900000	µg/g		GO
AL	N	SKD	CRT92303	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		3.300000	µg/g		GO
AL	N	SKD	CRT92304	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		3.200000	µg/g		GO
AL	N	SKD	OSS92O5	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		3.100000	µg/g		GO
AL	N	SKD	OSS92O6	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.800000	µg/g		GO
AL	N	SKD	OBP92404	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		4.900000	µg/g	X	GO
AL	N	SKD	OBS92401	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		4.200000	µg/g		GO
AL	N	SKD	OBP92403	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		5.600000	µg/g	X	GO
AL	N	SKD	OBP92401	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		4.500000	µg/g		GO
AL	N	SKD	OBP92402	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.900000	µg/g		GO
AL	N	SKD	OBS92401	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.800000	µg/g		GO
AL	N	SKD	OBS92401	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	20-JUN-1992		3.700000	µg/g		GO
AL	N	SKD	CRT92303	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		4.000000	µg/g		GO
AL	N	SKD	CRT92304	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		4.200000	µg/g		GO
AL	N	SKD	OSS92O5	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		4.200000	µg/g		GO
AL	N	SKD	OSS92O6	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		4.200000	µg/g		GO
AL	N	SKD	OBP92404	NBD5	NITROBENZENE-D5	2.500000	LM15	20-JUN-1992		5.000000	µg/g	X	GO
AL	N	SKD	OBS92401	NBD5	NITROBENZENE-D5	2.500000	LM15	20-JUN-1992		4.700000	µg/g		GO
AL	N	SKD	OBP92403	NBD5	NITROBENZENE-D5	2.500000	LM15	20-JUN-1992		5.800000	µg/g	X	GO
AL	N	SKD	OBP92401	NBD5	NITROBENZENE-D5	2.500000	LM15	20-JUN-1992		4.800000	µg/g		GO
AL	N	SKD	OBP92402	NBD5	NITROBENZENE-D5	2.500000	LM15	20-JUN-1992		4.000000	µg/g		GO
AL	N	SKD	OBS92401	NBD5	NITROBENZENE-D5	2.500000	LM15	20-JUN-1992		3.600000	µg/g		GO
AL	N	SKD	OBS92401	NBD5	NITROBENZENE-D5	2.500000	LM15	20-JUN-1992		3.700000	µg/g		GO
AL	N	SKD	CRT92303	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		4.600000	µg/g		GO
AL	N	SKD	CRT92304	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		3.800000	µg/g		GO
AL	N	SKD	OSS92O5	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		4.300000	µg/g		GO
AL	N	SKD	OSS92O6	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		3.100000	µg/g		GO
AL	N	SKD	OBS92401	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	20-JUN-1992		2.800000	µg/g		GO
AL	N	SKD	OBS92401	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	20-JUN-1992		2.400000	µg/g		GO
AL	N	SKD	OBS92401	PCP	PENTACHLOROPHENOL	5.000000	LM15	20-JUN-1992		3.200000	µg/g	S	GO
AL	N	SKD	OBS92401	PCP	PENTACHLOROPHENOL	5.000000	LM15	20-JUN-1992		3.300000	µg/g	S	GO
AL	N	SKD	OBS92401	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	20-JUN-1992		4.400000	µg/g	S	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKD	OBS92401	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	20-JUN-1992		4.800000	µg/g	S	GO
AL	N	SKD	OBS92401	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	20-JUN-1992		4.300000	µg/g		GO
AL	N	SKD	OBS92401	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	20-JUN-1992		3.800000	µg/g		GO
AL	N	SKE	OSS9212	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	23-JUN-1992		2.600000	µg/g		GO
AL	N	SKE	OSS9212	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	23-JUN-1992		2.400000	µg/g		GO
AL	N	SKE	OSS9207	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		2.000000	µg/g		GO
AL	N	SKE	OSS9208	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.500000	µg/g		GO
AL	N	SKE	OSS9209	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.600000	µg/g		GO
AL	N	SKE	OSS9210	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.700000	µg/g		GO
AL	N	SKE	OSS9211	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.700000	µg/g		GO
AL	N	SKE	OSS9212	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.700000	µg/g		GO
AL	N	SKE	OSS9213	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		2.000000	µg/g		GO
AL	N	SKE	OSS9212	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.800000	µg/g		GO
AL	N	SKE	OSS9212	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	23-JUN-1992		1.700000	µg/g		GO
AL	N	SKE	WSB9207	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		1.500000	µg/g		GO
AL	N	SKE	WSB9208	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		1.500000	µg/g		GO
AL	N	SKE	WSB9209	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		2.000000	µg/g		GO
AL	N	SKE	OSS9212	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	23-JUN-1992		2.300000	µg/g		GO
AL	N	SKE	OSS9212	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	23-JUN-1992		2.100000	µg/g		GO
AL	N	SKE	OSS9212	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	23-JUN-1992		2.300000	µg/g		GO
AL	N	SKE	OSS9212	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	23-JUN-1992		2.300000	µg/g		GO
AL	N	SKE	OSS9212	2CLP	2-CHLOROPHENOL	4.900000	LM15	23-JUN-1992		4.500000	µg/g	S	GO
AL	N	SKE	OSS9212	2CLP	2-CHLOROPHENOL	4.900000	LM15	23-JUN-1992		4.400000	µg/g	S	GO
AL	N	SKE	OSS9212	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	23-JUN-1992		4.500000	µg/g	S	GO
AL	N	SKE	OSS9212	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	23-JUN-1992		4.500000	µg/g	S	GO
AL	N	SKE	OSS9212	4NP	4-NITROPHENOL	5.000000	LM15	23-JUN-1992		2.800000	µg/g	S	GO
AL	N	SKE	OSS9212	4NP	4-NITROPHENOL	5.000000	LM15	23-JUN-1992		3.000000	µg/g	S	GO
AL	N	SKE	OSS9212	ANAPNE	ACENAPHTHENE	2.600000	LM15	23-JUN-1992		2.900000	µg/g		GO
AL	N	SKE	OSS9212	ANAPNE	ACENAPHTHENE	2.600000	LM15	23-JUN-1992		2.700000	µg/g		GO
AL	N	SKE	OSS9207	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.500000	µg/g		GO
AL	N	SKE	OSS9208	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.500000	µg/g		GO
AL	N	SKE	OSS9209	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.100000	µg/g		GO
AL	N	SKE	OSS9210	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.300000	µg/g		GO
AL	N	SKE	OSS9211	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.300000	µg/g		GO
AL	N	SKE	OSS9212	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.400000	µg/g		GO
AL	N	SKE	OSS9213	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.500000	µg/g		GO
AL	N	SKE	OSS9212	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.400000	µg/g		GO
AL	N	SKE	OSS9212	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.400000	µg/g		GO
AL	N	SKE	WSB9207	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.700000	µg/g		GO
AL	N	SKE	WSB9208	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.400000	µg/g		GO
AL	N	SKE	WSB9209	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		3.000000	µg/g		GO
AL	N	SKE	OSS9207	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.900000	µg/g		GO
AL	N	SKE	OSS9208	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		3.000000	µg/g		GO
AL	N	SKE	OSS9209	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.300000	µg/g		GO
AL	N	SKE	OSS9210	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.700000	µg/g		GO
AL	N	SKE	OSS9211	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.500000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKE	OSS9212	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.800000	µg/g		GO
AL	N	SKE	OSS9213	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.700000	µg/g		GO
AL	N	SKE	OSS9212	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.700000	µg/g		GO
AL	N	SKE	OSS9212	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	23-JUN-1992		2.800000	µg/g		GO
AL	N	SKE	WSB9207	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		3.200000	µg/g		GO
AL	N	SKE	WSB9208	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.800000	µg/g		GO
AL	N	SKE	WSB9209	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		3.800000	µg/g		GO
AL	N	SKE	OSS9207	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		3.100000	µg/g		GO
AL	N	SKE	OSS9208	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		2.900000	µg/g		GO
AL	N	SKE	OSS9209	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		2.400000	µg/g		GO
AL	N	SKE	OSS9210	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		3.000000	µg/g		GO
AL	N	SKE	OSS9211	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		2.800000	µg/g		GO
AL	N	SKE	OSS9212	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		2.800000	µg/g		GO
AL	N	SKE	OSS9213	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		3.300000	µg/g		GO
AL	N	SKE	OSS9212	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		3.000000	µg/g		GO
AL	N	SKE	OSS9212	NBD5	NITROBENZENE-D5	2.500000	LM15	23-JUN-1992		2.700000	µg/g		GO
AL	N	SKE	WSB9207	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		3.200000	µg/g		GO
AL	N	SKE	WSB9208	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		3.100000	µg/g		GO
AL	N	SKE	WSB9209	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		4.200000	µg/g		GO
AL	N	SKE	OSS9212	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	23-JUN-1992		2.000000	µg/g		GO
AL	N	SKE	OSS9212	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	23-JUN-1992		1.900000	µg/g		GO
AL	N	SKE	OSS9212	PCP	PENTACHLOROPHENOL	5.000000	LM15	23-JUN-1992		1.300000	µg/g	S	GO
AL	N	SKE	OSS9212	PCP	PENTACHLOROPHENOL	5.000000	LM15	23-JUN-1992		0.810000	µg/g	S	GO
AL	N	SKE	OSS9212	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	23-JUN-1992		4.200000	µg/g	S	GO
AL	N	SKE	OSS9212	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	23-JUN-1992		4.100000	µg/g	S	GO
AL	N	SKE	OSS9212	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	23-JUN-1992		3.800000	µg/g		GO
AL	N	SKE	OSS9212	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	23-JUN-1992		3.600000	µg/g		GO
AL	N	SKF	WSB9203	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	24-JUN-1992		2.370000	µg/g		GO
AL	N	SKF	WSB9203	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	24-JUN-1992		2.530000	µg/g		GO
AL	N	SKF	WSB9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		1.750000	µg/g		GO
AL	N	SKF	WSB9204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		1.580000	µg/g		GO
AL	N	SKF	WSB9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		0.832000	µg/g		GO
AL	N	SKF	WSB9206	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		1.230000	µg/g		GO
AL	N	SKF	WSB9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		1.460000	µg/g		GO
AL	N	SKF	WSB9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	24-JUN-1992		1.610000	µg/g		GO
AL	N	SKF	WSB9203	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	24-JUN-1992		1.860000	µg/g		GO
AL	N	SKF	WSB9203	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	24-JUN-1992		2.030000	µg/g		GO
AL	N	SKF	WSB9203	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	24-JUN-1992		2.050000	µg/g		GO
AL	N	SKF	WSB9203	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	24-JUN-1992		2.190000	µg/g		GO
AL	N	SKF	WSB9203	2CLP	2-CHLOROPHENOL	4.900000	LM15	24-JUN-1992		3.800000	µg/g	S	GO
AL	N	SKF	WSB9203	2CLP	2-CHLOROPHENOL	4.900000	LM15	24-JUN-1992		4.020000	µg/g	S	GO
AL	N	SKF	WSB9203	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	24-JUN-1992		4.250000	µg/g	S	GO
AL	N	SKF	WSB9203	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	24-JUN-1992		4.580000	µg/g	S	GO
AL	N	SKF	WSB9203	4NP	4-NITROPHENOL	5.000000	LM15	24-JUN-1992		2.460000	µg/g	S	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKF	WSB9203	4NP	4-NITROPHENOL	5.000000	LM15	24-JUN-1992		3.020000	µg/g	S	GO
AL	N	SKF	WSB9203	ANAPNE	ACENAPHTHENE	2.600000	LM15	24-JUN-1992		2.680000	µg/g		GO
AL	N	SKF	WSB9203	ANAPNE	ACENAPHTHENE	2.600000	LM15	24-JUN-1992		2.850000	µg/g		GO
AL	N	SKF	WSB9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.980000	µg/g		GO
AL	N	SKF	WSB9204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.800000	µg/g		GO
AL	N	SKF	WSB9205	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		1.440000	µg/g		GO
AL	N	SKF	WSB9206	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.090000	µg/g		GO
AL	N	SKF	WSB9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.410000	µg/g		GO
AL	N	SKF	WSB9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.560000	µg/g		GO
AL	N	SKF	WSB9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		3.240000	µg/g		GO
AL	N	SKF	WSB9204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		3.340000	µg/g		GO
AL	N	SKF	WSB9205	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		1.490000	µg/g		GO
AL	N	SKF	WSB9206	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		2.570000	µg/g		GO
AL	N	SKF	WSB9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		3.100000	µg/g		GO
AL	N	SKF	WSB9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	24-JUN-1992		3.240000	µg/g		GO
AL	N	SKF	WSB9203	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		2.810000	µg/g		GO
AL	N	SKF	WSB9204	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		3.230000	µg/g		GO
AL	N	SKF	WSB9205	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		1.420000	µg/g		GO
AL	N	SKF	WSB9206	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		2.440000	µg/g		GO
AL	N	SKF	WSB9203	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		2.500000	µg/g		GO
AL	N	SKF	WSB9203	NBD5	NITROBENZENE-D5	2.500000	LM15	24-JUN-1992		2.660000	µg/g		GO
AL	N	SKF	WSB9203	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	24-JUN-1992		1.730000	µg/g		GO
AL	N	SKF	WSB9203	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	24-JUN-1992		1.870000	µg/g		GO
AL	N	SKF	WSB9203	PCP	PENTACHLOROPHENOL	5.000000	LM15	24-JUN-1992		0.693000	µg/g	S	GO
AL	N	SKF	WSB9203	PCP	PENTACHLOROPHENOL	5.000000	LM15	24-JUN-1992		0.883000	µg/g	S	GO
AL	N	SKF	WSB9203	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	24-JUN-1992		3.690000	µg/g	S	GO
AL	N	SKF	WSB9203	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	24-JUN-1992		3.910000	µg/g	S	GO
AL	N	SKF	WSB9203	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	24-JUN-1992		3.970000	µg/g		GO
AL	N	SKF	WSB9203	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	24-JUN-1992		3.970000	µg/g		GO
AL	N	SKJ	ARP92101	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	07-JUL-1992		1.590000	µg/g		GO
AL	N	SKJ	ARP92101	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	07-JUL-1992		1.590000	µg/g		GO
AL	N	SKJ	ARS92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUL-1992		1.220000	µg/g		GO
AL	N	SKJ	ARP92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUL-1992		1.600000	µg/g		GO
AL	N	SKJ	ARP92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUL-1992		2.000000	µg/g		GO
AL	N	SKJ	ARP92101	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	07-JUL-1992		1.870000	µg/g		GO
AL	N	SKJ	ARS92201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	08-JUL-1992		1.190000	µg/g		GO
AL	N	SKJ	ARP92201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	08-JUL-1992		1.870000	µg/g		GO
AL	N	SKJ	ARS92301	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	08-JUL-1992		1.120000	µg/g		GO
AL	N	SKJ	ARP92301	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	08-JUL-1992		1.470000	µg/g		GO
AL	N	SKJ	ARS92401	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		1.240000	µg/g		GO
AL	N	SKJ	ARP92401	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		0.909000	µg/g		GO
AL	N	SKJ	ARP92101	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	07-JUL-1992		1.330000	µg/g		GO
AL	N	SKJ	ARP92101	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	07-JUL-1992		1.350000	µg/g		GO
AL	N	SKJ	ARP92101	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	07-JUL-1992		1.150000	µg/g		GO
AL	N	SKJ	ARP92101	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	07-JUL-1992		1.170000	µg/g		GO
AL	N	SKJ	ARP92101	2CLP	2-CHLOROPHENOL	4.900000	LM15	07-JUL-1992		2.150000	µg/g	S	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKJ	ARP92101	2CLP	2-CHLOROPHENOL	4.900000	LM15	07-JUL-1992		2.250000	µg/g	S	GO
AL	N	SKJ	ARP92101	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	07-JUL-1992		2.040000	µg/g	S	GO
AL	N	SKJ	ARP92101	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	07-JUL-1992		2.040000	µg/g	S	GO
AL	N	SKJ	ARP92101	4NP	4-NITROPHENOL	5.000000	LM15	07-JUL-1992		0.256000	µg/g	S	GO
AL	N	SKJ	ARP92101	4NP	4-NITROPHENOL	5.000000	LM15	07-JUL-1992		0.286000	µg/g	S	GO
AL	N	SKJ	ARP92101	ANAPNE	ACENAPHTHENE	2.600000	LM15	07-JUL-1992		1.380000	µg/g		GO
AL	N	SKJ	ARP92101	ANAPNE	ACENAPHTHENE	2.600000	LM15	07-JUL-1992		1.380000	µg/g		GO
AL	N	SKJ	ARS92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.530000	µg/g		GO
AL	N	SKJ	ARP92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.600000	µg/g		GO
AL	N	SKJ	ARP92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.340000	µg/g		GO
AL	N	SKJ	ARP92101	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.470000	µg/g		GO
AL	N	SKJ	ARS92201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.430000	µg/g		GO
AL	N	SKJ	ARP92201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.210000	µg/g		GO
AL	N	SKJ	ARS92301	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.580000	µg/g		GO
AL	N	SKJ	ARP92301	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.470000	µg/g		GO
AL	N	SKJ	ARS92401	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.410000	µg/g		GO
AL	N	SKJ	ARP92401	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.350000	µg/g		GO
AL	N	SKJ	ARS92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.210000	µg/g		GO
AL	N	SKJ	ARP92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.560000	µg/g		GO
AL	N	SKJ	ARP92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.290000	µg/g		GO
AL	N	SKJ	ARP92101	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	07-JUL-1992		2.430000	µg/g		GO
AL	N	SKJ	ARS92201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.100000	µg/g		GO
AL	N	SKJ	ARP92201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.160000	µg/g		GO
AL	N	SKJ	ARS92301	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.250000	µg/g		GO
AL	N	SKJ	ARP92301	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	08-JUL-1992		2.430000	µg/g		GO
AL	N	SKJ	ARS92401	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.060000	µg/g		GO
AL	N	SKJ	ARP92401	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.150000	µg/g		GO
AL	N	SKJ	ARS92101	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUL-1992		1.910000	µg/g		GO
AL	N	SKJ	ARP92101	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUL-1992		2.290000	µg/g		GO
AL	N	SKJ	ARP92101	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUL-1992		2.430000	µg/g		GO
AL	N	SKJ	ARP92101	NBD5	NITROBENZENE-D5	2.500000	LM15	07-JUL-1992		2.430000	µg/g		GO
AL	N	SKJ	ARS92201	NBD5	NITROBENZENE-D5	2.500000	LM15	08-JUL-1992		1.930000	µg/g		GO
AL	N	SKJ	ARP92201	NBD5	NITROBENZENE-D5	2.500000	LM15	08-JUL-1992		2.430000	µg/g		GO
AL	N	SKJ	ARS92301	NBD5	NITROBENZENE-D5	2.500000	LM15	08-JUL-1992		1.790000	µg/g		GO
AL	N	SKJ	ARP92301	NBD5	NITROBENZENE-D5	2.500000	LM15	08-JUL-1992		2.290000	µg/g		GO
AL	N	SKJ	ARS92401	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		2.030000	µg/g		GO
AL	N	SKJ	ARP92401	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		1.980000	µg/g		GO
AL	N	SKJ	ARP92101	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	07-JUL-1992		1.320000	µg/g		GO
AL	N	SKJ	ARP92101	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	07-JUL-1992		1.450000	µg/g		GO
AL	N	SKJ	ARP92101	PCP	PENTACHLOROPHENOL	5.000000	LM15	07-JUL-1992		0.900000	µg/g	S	GO
AL	N	SKJ	ARP92101	PCP	PENTACHLOROPHENOL	5.000000	LM15	07-JUL-1992		1.020000	µg/g	S	GO
AL	N	SKJ	ARP92101	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	07-JUL-1992		2.150000	µg/g	S	GO
AL	N	SKJ	ARP92101	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	07-JUL-1992		2.250000	µg/g	S	GO
AL	N	SKJ	ARP92101	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	07-JUL-1992		2.480000	µg/g		GO
AL	N	SKJ	ARP92101	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	LM15	07-JUL-1992		2.480000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKK	ARS92B01	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.290000	µg/g		GO
AL	N	SKK	ARS92B01	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.290000	µg/g		GO
AL	N	SKK	ARS92B01	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	09-JUL-1992		1.430000	µg/g		GO
AL	N	SKK	ARS92B01	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	LM15	09-JUL-1992		1.540000	µg/g		GO
AL	N	SKK	ARS92B01	12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.330000	µg/g		GO
AL	N	SKK	ARS92B01	12DCLB	1,2-DICHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.330000	µg/g		GO
AL	N	SKK	ARP92402	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		0.558000	µg/g		GO
AL	N	SKK	ARS92B02	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		1.000000	µg/g		GO
AL	N	SKK	ARS92B03	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		0.766000	µg/g		GO
AL	N	SKK	ARS92B04	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		0.902000	µg/g		GO
AL	N	SKK	ARS92R21	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		0.633000	µg/g		GO
AL	N	SKK	ARS92R31	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		1.180000	µg/g		GO
AL	N	SKK	ARS92R61	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		0.871000	µg/g		GO
AL	N	SKK	ARS92B01	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		1.080000	µg/g		GO
AL	N	SKK	ARS92B01	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		1.420000	µg/g		GO
AL	N	SKK	ARS92B01	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15	09-JUL-1992		1.420000	µg/g		GO
AL	N	SKK	ARS92B01	13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.330000	µg/g		GO
AL	N	SKK	ARS92B01	13DCLB	1,3-DICHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.330000	µg/g		GO
AL	N	SKK	ARS92B01	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	09-JUL-1992		1.000000	µg/g		GO
AL	N	SKK	ARS92B01	14DCLB	1,4-DICHLOROBENZENE	2.500000	LM15	09-JUL-1992		1.090000	µg/g		GO
AL	N	SKK	ARS92B01	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15	09-JUL-1992	ND	0.300000	µg/g	R	GO
AL	N	SKK	ARS92B01	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	LM15	09-JUL-1992	ND	0.300000	µg/g	R	GO
AL	N	SKK	ARS92B01	24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	24DCLP	2,4-DICHLOROPHENOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	24DMPN	2,4-DIMETHYLPHENOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	24DNP	2,4-DINITROPHENOL	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	24DNP	2,4-DINITROPHENOL	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	09-JUL-1992		1.460000	µg/g		GO
AL	N	SKK	ARS92B01	24DNT	2,4-DINITROTOLUENE	2.500000	LM15	09-JUL-1992		1.290000	µg/g		GO
AL	N	SKK	ARS92B01	26DNT	2,6-DINITROTOLUENE	0.000000	LM15	09-JUL-1992	LT	0.530000	µg/g		GO
AL	N	SKK	ARS92B01	26DNT	2,6-DINITROTOLUENE	0.000000	LM15	09-JUL-1992	LT	0.530000	µg/g		GO
AL	N	SKK	ARS92B01	2CLP	2-CHLOROPHENOL	4.900000	LM15	09-JUL-1992		2.390000	µg/g	S	GO
AL	N	SKK	ARS92B01	2CLP	2-CHLOROPHENOL	4.900000	LM15	09-JUL-1992		2.390000	µg/g	S	GO
AL	N	SKK	ARS92B01	2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15	09-JUL-1992	LT	0.320000	µg/g		GO
AL	N	SKK	ARS92B01	2CNAP	2-CHLORONAPHTHALENE	0.000000	LM15	09-JUL-1992	LT	0.320000	µg/g		GO
AL	N	SKK	ARS92B01	2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	2MNAP	2-METHYLNAPHTHALENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	2NANIL	2-NITROANILINE	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	2NANIL	2-NITROANILINE	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	2NP	2-NITROPHENOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	2NP	2-NITROPHENOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15	09-JUL-1992	ND	0.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	LM15	09-JUL-1992	ND	0.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	3NANIL	3-NITROANILINE	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	3NANIL	3-NITROANILINE	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKK	ARS92B01	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4CANIL	4-CHLOROANILINE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4CANIL	4-CHLOROANILINE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	09-JUL-1992		2.830000	µg/g	S	GO
AL	N	SKK	ARS92B01	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	LM15	09-JUL-1992		2.500000	µg/g	S	GO
AL	N	SKK	ARS92B01	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	4NANIL	4-NITROANILINE	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	4NANIL	4-NITROANILINE	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	4NP	4-NITROPHENOL	5.000000	LM15	09-JUL-1992		1.040000	µg/g	S	GO
AL	N	SKK	ARS92B01	4NP	4-NITROPHENOL	5.000000	LM15	09-JUL-1992		0.576000	µg/g	S	GO
AL	N	SKK	ARS92B01	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	09-JUL-1992	LT	0.460000	µg/g		GO
AL	N	SKK	ARS92B01	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	09-JUL-1992	LT	0.460000	µg/g		GO
AL	N	SKK	ARS92B01	ACLDAN	ALPHA-CHLORDANE	0.000000	LM15	09-JUL-1992	ND	1.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	ACLDAN	ALPHA-CHLORDANE	0.000000	LM15	09-JUL-1992	ND	1.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15	09-JUL-1992	ND	1.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	LM15	09-JUL-1992	ND	1.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	ALDRN	ALDRIN	0.000000	LM15	09-JUL-1992	LT	0.290000	µg/g		GO
AL	N	SKK	ARS92B01	ALDRN	ALDRIN	0.000000	LM15	09-JUL-1992	LT	0.290000	µg/g		GO
AL	N	SKK	ARS92B01	ANAPNE	ACENAPHTHENE	2.600000	LM15	09-JUL-1992		1.530000	µg/g		GO
AL	N	SKK	ARS92B01	ANAPNE	ACENAPHTHENE	2.600000	LM15	09-JUL-1992		1.580000	µg/g		GO
AL	N	SKK	ARS92B01	ANAPYL	ACENAPHTHYLENE	0.000000	LM15	09-JUL-1992	LT	0.460000	µg/g		GO
AL	N	SKK	ARS92B01	ANAPYL	ACENAPHTHYLENE	0.000000	LM15	09-JUL-1992	LT	0.460000	µg/g		GO
AL	N	SKK	ARS92B01	ANTRC	ANTHRACENE	0.000000	LM15	09-JUL-1992	LT	0.540000	µg/g		GO
AL	N	SKK	ARS92B01	ANTRC	ANTHRACENE	0.000000	LM15	09-JUL-1992	LT	0.540000	µg/g		GO
AL	N	SKK	ARS92B01	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	B2CIPE	BIS(2-CHLOROISOPROPYL)	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ETHER								
AL	N	SKK	ARS92B01	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15	09-JUL-1992	LT	0.330000	µg/g		GO
AL	N	SKK	ARS92B01	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	LM15	09-JUL-1992	LT	0.330000	µg/g		GO
AL	N	SKK	ARS92B01	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15	09-JUL-1992	LT	0.390000	µg/g		GO
AL	N	SKK	ARS92B01	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	LM15	09-JUL-1992	LT	0.390000	µg/g		GO
AL	N	SKK	ARS92B01	BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15	09-JUL-1992	LT	0.300000	µg/g		GO
AL	N	SKK	ARS92B01	BAANTR	BENZO[A]ANTHRACENE	0.000000	LM15	09-JUL-1992	LT	0.300000	µg/g		GO
AL	N	SKK	ARS92B01	BAPYR	BENZO[A]PYRENE	0.000000	LM15	09-JUL-1992	LT	0.380000	µg/g		GO
AL	N	SKK	ARS92B01	BAPYR	BENZO[A]PYRENE	0.000000	LM15	09-JUL-1992	LT	0.380000	µg/g		GO
AL	N	SKK	ARS92B01	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15	09-JUL-1992	LT	0.360000	µg/g		GO
AL	N	SKK	ARS92B01	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	LM15	09-JUL-1992	LT	0.360000	µg/g		GO
AL	N	SKK	ARS92B01	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	09-JUL-1992	LT	0.360000	µg/g		GO
AL	N	SKK	ARS92B01	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	09-JUL-1992	LT	0.360000	µg/g		GO
AL	N	SKK	ARS92B01	BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	BBZP	BUTYLBENZYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15	09-JUL-1992	ND	0.200000	µg/g	R	GO
AL	N	SKK	ARS92B01	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LM15	09-JUL-1992	ND	0.200000	µg/g	R	GO
AL	N	SKK	ARS92B01	BENZOA	BENZOIC ACID	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	BENZOA	BENZOIC ACID	0.000000	LM15	09-JUL-1992	ND	1.700000	µg/g	R	GO
AL	N	SKK	ARS92B01	BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15	09-JUL-1992	LT	0.240000	µg/g		GO
AL	N	SKK	ARS92B01	BGHIPY	BENZO[GHI]PERYLENE	0.000000	LM15	09-JUL-1992	LT	0.240000	µg/g		GO
AL	N	SKK	ARS92B01	BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15	09-JUL-1992	LT	0.800000	µg/g		GO
AL	N	SKK	ARS92B01	BKFANT	BENZO[K]FLUORANTHENE	0.000000	LM15	09-JUL-1992	LT	0.800000	µg/g		GO
AL	N	SKK	ARS92B01	BZALC	BENZYL ALCOHOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	BZALC	BENZYL ALCOHOL	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	CHRY	CHRYSENE	0.000000	LM15	09-JUL-1992	LT	0.450000	µg/g		GO
AL	N	SKK	ARS92B01	CHRY	CHRYSENE	0.000000	LM15	09-JUL-1992	LT	0.450000	µg/g		GO
AL	N	SKK	ARS92B01	CL6BZ	HEXACHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.260000	µg/g		GO
AL	N	SKK	ARS92B01	CL6BZ	HEXACHLOROBENZENE	0.000000	LM15	09-JUL-1992	LT	0.260000	µg/g		GO
AL	N	SKK	ARS92B01	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	CL6ET	HEXACHLOROETHANE	0.000000	LM15	09-JUL-1992	LT	0.400000	µg/g		GO
AL	N	SKK	ARS92B01	CL6ET	HEXACHLOROETHANE	0.000000	LM15	09-JUL-1992	LT	0.400000	µg/g		GO
AL	N	SKK	ARS92B01	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15	09-JUL-1992	LT	0.370000	µg/g		GO
AL	N	SKK	ARS92B01	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	LM15	09-JUL-1992	LT	0.370000	µg/g		GO
AL	N	SKK	ARS92B01	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15	09-JUL-1992	LT	0.270000	µg/g		GO
AL	N	SKK	ARS92B01	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	LM15	09-JUL-1992	LT	0.270000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKK	ARS92B01	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15	09-JUL-1992	LT	0.690000	µg/g		GO
AL	N	SKK	ARS92B01	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	LM15	09-JUL-1992	LT	0.690000	µg/g		GO
AL	N	SKK	ARS92B01	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15	09-JUL-1992	LT	0.200000	µg/g		GO
AL	N	SKK	ARS92B01	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	LM15	09-JUL-1992	LT	0.200000	µg/g		GO
AL	N	SKK	ARS92B01	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	09-JUL-1992	LT	0.290000	µg/g		GO
AL	N	SKK	ARS92B01	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LM15	09-JUL-1992	LT	0.290000	µg/g		GO
AL	N	SKK	ARS92B01	DBZFUR	DIBENZOFURAN	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	DBZFUR	DIBENZOFURAN	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	DEP	DIETHYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	DEP	DIETHYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARP92402	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.910000	µg/g		GO
AL	N	SKK	ARS92B02	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.870000	µg/g		GO
AL	N	SKK	ARS92B03	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.530000	µg/g		GO
AL	N	SKK	ARS92B04	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.390000	µg/g		GO
AL	N	SKK	ARS92R21	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.540000	µg/g		GO
AL	N	SKK	ARS92R31	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.910000	µg/g		GO
AL	N	SKK	ARS92R61	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.610000	µg/g		GO
AL	N	SKK	ARS92B01	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.760000	µg/g		GO
AL	N	SKK	ARS92B01	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.900000	µg/g		GO
AL	N	SKK	ARS92B01	DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.760000	µg/g		GO
AL	N	SKK	ARS92B01	DITH	DITHIANE	0.000000	LM15	09-JUL-1992	LT	0.240000	µg/g		GO
AL	N	SKK	ARS92B01	DITH	DITHIANE	0.000000	LM15	09-JUL-1992	LT	0.240000	µg/g		GO
AL	N	SKK	ARS92B01	DLDRN	DIELDRIN	0.000000	LM15	09-JUL-1992	LT	0.300000	µg/g		GO
AL	N	SKK	ARS92B01	DLDRN	DIELDRIN	0.000000	LM15	09-JUL-1992	LT	0.300000	µg/g		GO
AL	N	SKK	ARS92B01	DMP	DIMETHYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	DMP	DIMETHYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	DNBP	DI-N-BUTYL PHTHALATE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15	09-JUL-1992	LT	0.590000	µg/g		GO
AL	N	SKK	ARS92B01	DNOP	DI-N-OCTYL PHTHALATE	0.000000	LM15	09-JUL-1992	LT	0.590000	µg/g		GO
AL	N	SKK	ARP92402	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.750000	µg/g		GO
AL	N	SKK	ARS92B02	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.830000	µg/g		GO
AL	N	SKK	ARS92B03	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.350000	µg/g		GO
AL	N	SKK	ARS92B04	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.070000	µg/g		GO
AL	N	SKK	ARS92R21	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.220000	µg/g		GO
AL	N	SKK	ARS92R31	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.570000	µg/g		GO
AL	N	SKK	ARS92R61	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.440000	µg/g		GO
AL	N	SKK	ARS92B01	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.440000	µg/g		GO
AL	N	SKK	ARS92B01	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.580000	µg/g		GO
AL	N	SKK	ARS92B01	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15	09-JUL-1992		2.580000	µg/g		GO
AL	N	SKK	ARS92B01	ENDRN	ENDRIN	0.000000	LM15	09-JUL-1992	LT	0.410000	µg/g		GO
AL	N	SKK	ARS92B01	ENDRN	ENDRIN	0.000000	LM15	09-JUL-1992	LT	0.410000	µg/g		GO
AL	N	SKK	ARS92B01	ENDRNK	ENDRIN KETONE	0.000000	LM15	09-JUL-1992	ND	0.200000	µg/g	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKK	ARS92B01	ENDRNK	ENDRIN KETONE	0.000000	LM15	09-JUL-1992	ND	0.200000	µg/g	R	GO
AL	N	SKK	ARS92B01	ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15	09-JUL-1992	ND	0.200000	µg/g	R	GO
AL	N	SKK	ARS92B01	ESFSO4	ENDOSULFAN SULFATE	0.000000	LM15	09-JUL-1992	ND	0.200000	µg/g	R	GO
AL	N	SKK	ARS92B01	FANT	FLUORANTHENE	0.000000	LM15	09-JUL-1992	LT	0.520000	µg/g		GO
AL	N	SKK	ARS92B01	FANT	FLUORANTHENE	0.000000	LM15	09-JUL-1992	LT	0.520000	µg/g		GO
AL	N	SKK	ARS92B01	FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	FLRENE	9H-FLUORENE / FLUORENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	GCLDAN	GAMMA-CHLORDANE	0.000000	LM15	09-JUL-1992	ND	5.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	GCLDAN	GAMMA-CHLORDANE	0.000000	LM15	09-JUL-1992	ND	5.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15	09-JUL-1992	LT	0.420000	µg/g		GO
AL	N	SKK	ARS92B01	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	LM15	09-JUL-1992	LT	0.420000	µg/g		GO
AL	N	SKK	ARS92B01	HPCL	HEPTACHLOR	0.000000	LM15	09-JUL-1992	LT	0.280000	µg/g		GO
AL	N	SKK	ARS92B01	HPCL	HEPTACHLOR	0.000000	LM15	09-JUL-1992	LT	0.280000	µg/g		GO
AL	N	SKK	ARS92B01	HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15	09-JUL-1992	LT	0.360000	µg/g		GO
AL	N	SKK	ARS92B01	HPCLE	HEPTACHLOR EPOXIDE	0.000000	LM15	09-JUL-1992	LT	0.360000	µg/g		GO
AL	N	SKK	ARS92B01	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15	09-JUL-1992	LT	0.210000	µg/g		GO
AL	N	SKK	ARS92B01	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	LM15	09-JUL-1992	LT	0.210000	µg/g		GO
AL	N	SKK	ARS92B01	ISOPHR	ISOPHORONE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	ISOPHR	ISOPHORONE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15	09-JUL-1992	LT	0.430000	µg/g		GO
AL	N	SKK	ARS92B01	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	LM15	09-JUL-1992	LT	0.430000	µg/g		GO
AL	N	SKK	ARS92B01	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15	09-JUL-1992	ND	1.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	LM15	09-JUL-1992	ND	1.000000	µg/g	R	GO
AL	N	SKK	ARS92B01	MLTHN	MALATHION	0.000000	LM15	09-JUL-1992	LT	0.480000	µg/g		GO
AL	N	SKK	ARS92B01	MLTHN	MALATHION	0.000000	LM15	09-JUL-1992	LT	0.480000	µg/g		GO
AL	N	SKK	ARS92B01	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15	09-JUL-1992	LT	0.420000	µg/g		GO
AL	N	SKK	ARS92B01	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	LM15	09-JUL-1992	LT	0.420000	µg/g		GO
AL	N	SKK	ARS92B01	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARP92402	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		2.330000	µg/g		GO
AL	N	SKK	ARS92B02	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		2.370000	µg/g		GO
AL	N	SKK	ARS92B03	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		2.050000	µg/g		GO
AL	N	SKK	ARS92B04	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		1.750000	µg/g		GO
AL	N	SKK	ARS92R21	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		1.470000	µg/g		GO
AL	N	SKK	ARS92R31	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		1.760000	µg/g		GO
AL	N	SKK	ARS92R61	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		1.860000	µg/g		GO
AL	N	SKK	ARS92B01	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		2.130000	µg/g		GO
AL	N	SKK	ARS92B01	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		2.280000	µg/g		GO
AL	N	SKK	ARS92B01	NBD5	NITROBENZENE-D5	2.500000	LM15	09-JUL-1992		2.430000	µg/g		GO
AL	N	SKK	ARS92B01	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	09-JUL-1992		1.680000	µg/g		GO
AL	N	SKK	ARS92B01	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	LM15	09-JUL-1992		1.400000	µg/g		GO
AL	N	SKK	ARS92B01	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	LM15	09-JUL-1992	ND	0.330000	µg/g	R	GO
AL	N	SKK	ARS92B01	OXAT	1,4-OXATHIANE	0.000000	LM15	09-JUL-1992	LT	0.250000	µg/g		GO
AL	N	SKK	ARS92B01	OXAT	1,4-OXATHIANE	0.000000	LM15	09-JUL-1992	LT	0.250000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Sample Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKK	ARS92B01	PCP	PENTACHLOROPHENOL	5.000000	LM15	09-JUL-1992		0.652000	µg/g	S	GO
AL	N	SKK	ARS92B01	PCP	PENTACHLOROPHENOL	5.000000	LM15	09-JUL-1992		0.239000	µg/g	S	GO
AL	N	SKK	ARS92B01	PHANTR	PHENANTHRENE	0.000000	LM15	09-JUL-1992	LT	0.410000	µg/g		GO
AL	N	SKK	ARS92B01	PHANTR	PHENANTHRENE	0.000000	LM15	09-JUL-1992	LT	0.410000	µg/g		GO
AL	N	SKK	ARS92B01	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	09-JUL-1992		2.500000	µg/g	S	GO
AL	N	SKK	ARS92B01	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	LM15	09-JUL-1992		2.390000	µg/g	S	GO
AL	N	SKK	ARS92B01	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15	09-JUL-1992	LT	0.180000	µg/g		GO
AL	N	SKK	ARS92B01	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	LM15	09-JUL-1992	LT	0.180000	µg/g		GO
AL	N	SKK	ARS92B01	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15	09-JUL-1992	LT	0.220000	µg/g		GO
AL	N	SKK	ARS92B01	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	LM15	09-JUL-1992	LT	0.220000	µg/g		GO
AL	N	SKK	ARS92B01	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15	09-JUL-1992	LT	0.410000	µg/g		GO
AL	N	SKK	ARS92B01	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	LM15	09-JUL-1992	LT	0.410000	µg/g		GO
AL	N	SKK	ARS92B01	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15	09-JUL-1992	LT	0.460000	µg/g		GO
AL	N	SKK	ARS92B01	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	LM15	09-JUL-1992	LT	0.460000	µg/g		GO
AL	N	SKK	ARS92B01	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15	09-JUL-1992		2.630000	µg/g		GO
AL	N	SKK	ARS92B01	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	LM15	09-JUL-1992		2.810000	µg/g		GO
AL	N	SKM	BRS9201	124TCB	1,2,4-TRICHLOROBENZENE	2.500000	99	10-JUL-1992		0.491000	µg/g		GO
AL	N	SKM	BRS9201	124TCB	1,2,4-TRICHLOROBENZENE	2.500000	99	10-JUL-1992		0.983000	µg/g		GO
AL	N	SKM	BRS9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		0.491000	µg/g		GO
AL	N	SKM	BRD9202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		0.854000	µg/g		GO
AL	N	SKM	BRS9202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992	LT	5.200000	µg/g		GO
AL	N	SKM	BRS9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		1.030000	µg/g		GO
AL	N	SKM	BRS9204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992	LT	5.200000	µg/g		GO
AL	N	SKM	BRS9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992	LT	5.200000	µg/g		GO
AL	N	SKM	BRS9206	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		1.050000	µg/g		GO
AL	N	SKM	BRS9207	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992	LT	5.200000	µg/g		GO
AL	N	SKM	BRS9208	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992	LT	5.200000	µg/g		GO
AL	N	SKM	BRS9209	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		0.746000	µg/g		GO
AL	N	SKM	BRD9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		0.940000	µg/g		GO
AL	N	SKM	BRS9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		0.246000	µg/g		GO
AL	N	SKM	BRS9201	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	10-JUL-1992		0.491000	µg/g		GO
AL	N	SKM	BRS9201	14DCLB	1,4-DICHLOROBENZENE	2.500000	99	10-JUL-1992		0.491000	µg/g		GO
AL	N	SKM	BRS9201	14DCLB	1,4-DICHLOROBENZENE	2.500000	99	10-JUL-1992		0.737000	µg/g		GO
AL	N	SKM	BRS9201	24DNT	2,4-DINITROTOLUENE	2.500000	99	10-JUL-1992		0.983000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKM	BRS9201	24DNT	2,4-DINITROTOLUENE	2.500000	99	10-JUL-1992		1.720000	µg/g		GO
AL	N	SKM	BRS9201	2CLP	2-CHLOROPHENOL	4.900000	99	10-JUL-1992		2.210000	µg/g	S	GO
AL	N	SKM	BRS9201	2CLP	2-CHLOROPHENOL	4.900000	99	10-JUL-1992		2.460000	µg/g	S	GO
AL	N	SKM	BRS9201	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	99	10-JUL-1992		2.460000	µg/g	S	GO
AL	N	SKM	BRS9201	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	99	10-JUL-1992		4.910000	µg/g	S	GO
AL	N	SKM	BRS9201	4NP	4-NITROPHENOL	5.000000	99	10-JUL-1992		0.983000	µg/g	S	GO
AL	N	SKM	BRS9201	4NP	4-NITROPHENOL	5.000000	99	10-JUL-1992		1.720000	µg/g	S	GO
AL	N	SKM	BRS9201	ANAPNE	ACENAPHTHENE	2.600000	99	10-JUL-1992		0.983000	µg/g		GO
AL	N	SKM	BRS9201	ANAPNE	ACENAPHTHENE	2.600000	99	10-JUL-1992		1.470000	µg/g		GO
AL	N	SKM	BRS9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.720000	µg/g		GO
AL	N	SKM	BRD9202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.710000	µg/g		GO
AL	N	SKM	BRS9202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	9.600000	µg/g		GO
AL	N	SKM	BRS9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.760000	µg/g		GO
AL	N	SKM	BRS9204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	9.600000	µg/g		GO
AL	N	SKM	BRS9205	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	9.600000	µg/g		GO
AL	N	SKM	BRS9206	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.890000	µg/g		GO
AL	N	SKM	BRS9207	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	9.600000	µg/g		GO
AL	N	SKM	BRS9208	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	9.600000	µg/g		GO
AL	N	SKM	BRS9209	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.990000	µg/g		GO
AL	N	SKM	BRD9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.880000	µg/g		GO
AL	N	SKM	BRS9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		0.983000	µg/g		GO
AL	N	SKM	BRS9201	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.720000	µg/g		GO
AL	N	SKM	BRS9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.470000	µg/g		GO
AL	N	SKM	BRD9202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.490000	µg/g		GO
AL	N	SKM	BRS9202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	10.400000	µg/g		GO
AL	N	SKM	BRS9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.450000	µg/g		GO
AL	N	SKM	BRS9204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	10.400000	µg/g		GO
AL	N	SKM	BRS9205	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	10.400000	µg/g		GO
AL	N	SKM	BRS9206	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.680000	µg/g		GO
AL	N	SKM	BRS9207	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	10.400000	µg/g		GO
AL	N	SKM	BRS9208	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992	LT	10.400000	µg/g		GO
AL	N	SKM	BRS9209	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.740000	µg/g		GO
AL	N	SKM	BRD9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.180000	µg/g		GO
AL	N	SKM	BRS9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		0.737000	µg/g		GO
AL	N	SKM	BRS9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	10-JUL-1992		1.470000	µg/g		GO
AL	N	SKM	BRS9201	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		1.230000	µg/g		GO
AL	N	SKM	BRD9202	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		1.710000	µg/g		GO
AL	N	SKM	BRS9202	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992	LT	14.000000	µg/g		GO
AL	N	SKM	BRS9203	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		1.340000	µg/g		GO
AL	N	SKM	BRS9204	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992	LT	14.000000	µg/g		GO
AL	N	SKM	BRS9205	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992	LT	14.000000	µg/g		GO
AL	N	SKM	BRS9206	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		1.680000	µg/g		GO
AL	N	SKM	BRS9207	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992	LT	14.000000	µg/g		GO
AL	N	SKM	BRS9208	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992	LT	14.000000	µg/g		GO
AL	N	SKM	BRS9209	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		1.740000	µg/g		GO
AL	N	SKM	BRD9201	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		1.650000	µg/g		GO
AL	N	SKM	BRS9201	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		0.737000	µg/g		GO
AL	N	SKM	BRS9201	NBD5	NITROBENZENE-D5	2.500000	99	10-JUL-1992		1.230000	µg/g		GO
AL	N	SKM	BRS9201	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	99	10-JUL-1992		0.983000	µg/g		GO
AL	N	SKM	BRS9201	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	99	10-JUL-1992		1.720000	µg/g		GO
AL	N	SKM	BRS9201	PCP	PENTACHLOROPHENOL	5.000000	99	10-JUL-1992	ND	3.400000	µg/g	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKM	BRS9201	PCP	PENTACHLOROPHENOL	5.000000	99	10-JUL-1992		0.491000	µg/g	S	GO
AL	N	SKM	BRS9201	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	4.900000	99	10-JUL-1992		2.210000	µg/g	S	GO
AL	N	SKM	BRS9201	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	4.900000	99	10-JUL-1992		2.460000	µg/g	S	GO
AL	N	SKM	BRS9201	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	99	10-JUL-1992		1.470000	µg/g		GO
AL	N	SKM	BRS9201	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	99	10-JUL-1992		2.460000	µg/g		GO
AL	N	SKN	BER9205	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	99	13-JUL-1992	LT	58.000000	µg/g		GO
AL	N	SKN	BER9205	124TCB	1,2,4-TRICHLOROBENZENE	2.600000	99	13-JUL-1992	LT	58.000000	µg/g		GO
AL	N	SKN	BER9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	13-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9202	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	13-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9203	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	13-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	13-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9205	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	13-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9204	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	14-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9206	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	14-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9207	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	14-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9208	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	14-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BES9209	13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99	14-JUL-1992	LT	52.000000	µg/g		GO
AL	N	SKN	BER9205	14DCLB	1,4-DICHLOROBENZENE	2.500000	99	13-JUL-1992	LT	64.000000	µg/g		GO
AL	N	SKN	BER9205	14DCLB	1,4-DICHLOROBENZENE	2.500000	99	13-JUL-1992	LT	64.000000	µg/g		GO
AL	N	SKN	BER9205	24DNT	2,4-DINITROTOLUENE	2.500000	99	13-JUL-1992	LT	78.000000	µg/g		GO
AL	N	SKN	BER9205	24DNT	2,4-DINITROTOLUENE	2.500000	99	13-JUL-1992	LT	78.000000	µg/g		GO
AL	N	SKN	BER9205	2CLP	2-CHLOROPHENOL	4.900000	99	13-JUL-1992	ND	66.000000	µg/g	R	GO
AL	N	SKN	BER9205	2CLP	2-CHLOROPHENOL	4.900000	99	13-JUL-1992	ND	66.000000	µg/g	R	GO
AL	N	SKN	BER9205	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	99	13-JUL-1992	ND	66.000000	µg/g	R	GO
AL	N	SKN	BER9205	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	5.100000	99	13-JUL-1992	ND	66.000000	µg/g	R	GO
AL	N	SKN	BER9205	4NP	4-NITROPHENOL	5.000000	99	13-JUL-1992	ND	340.000000	µg/g	R	GO
AL	N	SKN	BER9205	4NP	4-NITROPHENOL	5.000000	99	13-JUL-1992	ND	340.000000	µg/g	R	GO
AL	N	SKN	BER9205	ANAPNE	ACENAPHTHENE	2.600000	99	13-JUL-1992	LT	82.000000	µg/g		GO
AL	N	SKN	BER9205	ANAPNE	ACENAPHTHENE	2.600000	99	13-JUL-1992	LT	82.000000	µg/g		GO
AL	N	SKN	BER9205	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9202	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9203	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9205	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9205	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9204	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9206	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9207	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9208	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BES9209	DEPD4	DIETHYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	96.000000	µg/g		GO
AL	N	SKN	BER9205	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9202	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9203	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9205	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9205	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	13-JUL-1992	LT	104.000000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKN	BER9204	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9206	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9207	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9208	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BES9209	DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99	14-JUL-1992	LT	104.000000	µg/g		GO
AL	N	SKN	BER9205	NBD5	NITROBENZENE-D5	2.500000	99	13-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9202	NBD5	NITROBENZENE-D5	2.500000	99	13-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9203	NBD5	NITROBENZENE-D5	2.500000	99	13-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9205	NBD5	NITROBENZENE-D5	2.500000	99	13-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9205	NBD5	NITROBENZENE-D5	2.500000	99	13-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9204	NBD5	NITROBENZENE-D5	2.500000	99	14-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9206	NBD5	NITROBENZENE-D5	2.500000	99	14-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9207	NBD5	NITROBENZENE-D5	2.500000	99	14-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9208	NBD5	NITROBENZENE-D5	2.500000	99	14-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BES9209	NBD5	NITROBENZENE-D5	2.500000	99	14-JUL-1992	LT	140.000000	µg/g		GO
AL	N	SKN	BER9205	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	99	13-JUL-1992	LT	72.000000	µg/g		GO
AL	N	SKN	BER9205	NDNPA	NITROSO DI-N-PROPYLAMINE	2.500000	99	13-JUL-1992	LT	72.000000	µg/g		GO
AL	N	SKN	BER9205	PCP	PENTACHLOROPHENOL	5.000000	99	13-JUL-1992	ND	340.000000	µg/g	R	GO
AL	N	SKN	BER9205	PCP	PENTACHLOROPHENOL	5.000000	99	13-JUL-1992	ND	340.000000	µg/g	R	GO
AL	N	SKN	BER9205	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	99	13-JUL-1992	ND	66.000000	µg/g	R	GO
AL	N	SKN	BER9205	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	5.000000	99	13-JUL-1992	ND	66.000000	µg/g	R	GO
AL	N	SKN	BER9205	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	99	13-JUL-1992	LT	84.000000	µg/g		GO
AL	N	SKN	BER9205	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	2.500000	99	13-JUL-1992	LT	84.000000	µg/g		GO
AL	N	SKO	BRW9201	124TCB	1,2,4-TRICHLOROBENZENE	76.000000	UM1615-JUL-1992			90.000000	µg/l		GO
AL	N	SKO	BRW9201	124TCB	1,2,4-TRICHLOROBENZENE	76.000000	UM1615-JUL-1992			89.000000	µg/l		GO
AL	N	SKO	BRW9201	13DBD4	1,3-DICHLOROBENZENE-D4	75.000000	UM1615-JUL-1992			95.000000	µg/l		GO
AL	N	SKO	BRW9201	13DBD4	1,3-DICHLOROBENZENE-D4	75.000000	UM1615-JUL-1992			100.000000	µg/l		GO
AL	N	SKO	BRW9201	13DBD4	1,3-DICHLOROBENZENE-D4	75.000000	UM1615-JUL-1992			100.000000	µg/l		GO
AL	N	SKO	RNSEBLNK	13DBD4	1,3-DICHLOROBENZENE-D4	75.000000	UM1616-JUL-1992			80.000000	µg/l		GO
AL	N	SKO	BRW9201	14DCLB	1,4-DICHLOROBENZENE	76.000000	UM1615-JUL-1992			100.000000	µg/l		GO
AL	N	SKO	BRW9201	14DCLB	1,4-DICHLOROBENZENE	76.000000	UM1615-JUL-1992			95.000000	µg/l		GO
AL	N	SKO	BRW9201	24DNT	2,4-DINITROTOLUENE	75.000000	UM1615-JUL-1992			70.000000	µg/l		GO
AL	N	SKO	BRW9201	24DNT	2,4-DINITROTOLUENE	75.000000	UM1615-JUL-1992			59.000000	µg/l		GO
AL	N	SKO	BRW9201	2CLP	2-CHLOROPHENOL	150.000000	UM1615-JUL-1992			100.000000	µg/l	S	GO
AL	N	SKO	BRW9201	2CLP	2-CHLOROPHENOL	150.000000	UM1615-JUL-1992			130.000000	µg/l	S	GO
AL	N	SKO	BRW9201	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	150.000000	UM1615-JUL-1992			100.000000	µg/l	S	GO
AL	N	SKO	BRW9201	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	150.000000	UM1615-JUL-1992			100.000000	µg/l	S	GO
AL	N	SKO	BRW9201	4NP	4-NITROPHENOL	150.000000	UM1615-JUL-1992			30.000000	µg/l	S	GO
AL	N	SKO	BRW9201	4NP	4-NITROPHENOL	150.000000	UM1615-JUL-1992			30.000000	µg/l	S	GO
AL	N	SKO	BRW9201	ANAPNE	ACENAPHTHENE	78.000000	UM1615-JUL-1992			90.000000	µg/l		GO
AL	N	SKO	BRW9201	ANAPNE	ACENAPHTHENE	78.000000	UM1615-JUL-1992			81.000000	µg/l		GO
AL	N	SKO	BRW9201	DEPD4	DIETHYL PHTHALATE-D4	75.000000	UM1615-JUL-1992			59.000000	µg/l		GO
AL	N	SKO	BRW9201	DEPD4	DIETHYL PHTHALATE-D4	75.000000	UM1615-JUL-1992			50.000000	µg/l		GO
AL	N	SKO	BRW9201	DEPD4	DIETHYL PHTHALATE-D4	75.000000	UM1615-JUL-1992			47.000000	µg/l		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	SKO	RNSEBLNK	DEPD4	DIETHYL PHTHALATE-D4	75.000000	UM16	16-JUL-1992		41.000000	µg/l		GO
AL	N	SKO	BRW9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	75.000000	UM16	15-JUL-1992		45.000000	µg/l		GO
AL	N	SKO	BRW9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	75.000000	UM16	15-JUL-1992		60.000000	µg/l		GO
AL	N	SKO	BRW9201	DNOPD4	DI-N-OCTYL PHTHALATE-D4	75.000000	UM16	15-JUL-1992		49.000000	µg/l		GO
AL	N	SKO	RNSEBLNK	DNOPD4	DI-N-OCTYL PHTHALATE-D4	75.000000	UM16	16-JUL-1992		56.000000	µg/l		GO
AL	N	SKO	BRW9201	NBD5	NITROBENZENE-D5	75.000000	UM16	15-JUL-1992		100.000000	µg/l		GO
AL	N	SKO	BRW9201	NBD5	NITROBENZENE-D5	75.000000	UM16	15-JUL-1992		100.000000	µg/l		GO
AL	N	SKO	BRW9201	NBD5	NITROBENZENE-D5	75.000000	UM16	15-JUL-1992		100.000000	µg/l		GO
AL	N	SKO	RNSEBLNK	NBD5	NITROBENZENE-D5	75.000000	UM16	16-JUL-1992		88.000000	µg/l		GO
AL	N	SKO	BRW9201	NDNPA	NITROSO DI-N-PROPYLAMINE	75.000000	UM16	15-JUL-1992		80.000000	µg/l		GO
AL	N	SKO	BRW9201	NDNPA	NITROSO DI-N-PROPYLAMINE	75.000000	UM16	15-JUL-1992		81.000000	µg/l		GO
AL	N	SKO	BRW9201	PCP	PENTACHLOROPHENOL	150.000000	UM16	15-JUL-1992		80.000000	µg/l	S	GO
AL	N	SKO	BRW9201	PCP	PENTACHLOROPHENOL	150.000000	UM16	15-JUL-1992		120.000000	µg/l	S	GO
AL	N	SKO	BRW9201	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	150.000000	UM16	15-JUL-1992		60.000000	µg/l	S	GO
AL	N	SKO	BRW9201	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	150.000000	UM16	15-JUL-1992		55.000000	µg/l	S	GO
AL	N	SKO	BRW9201	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	75.000000	UM16	15-JUL-1992		200.000000	µg/l		GO
AL	N	SKO	BRW9201	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	75.000000	UM16	15-JUL-1992		160.000000	µg/l		GO
AL	N	VJS	WSS9201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	04-JUN-1992		0.110000	µg/g		GO
AL	N	VJS	WSB9201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	04-JUN-1992		0.128000	µg/g		GO
AL	N	VJS	WSB9202	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	04-JUN-1992		0.119000	µg/g		GO
AL	N	VJS	WSS9201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	04-JUN-1992		0.127000	µg/g		GO
AL	N	VJS	WSB9201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	04-JUN-1992		0.137000	µg/g		GO
AL	N	VJS	WSB9202	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	04-JUN-1992		0.118000	µg/g		GO
AL	N	VJS	WSS9201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	04-JUN-1992		0.118000	µg/g		GO
AL	N	VJS	WSB9201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	04-JUN-1992		0.127000	µg/g		GO
AL	N	VJS	WSB9202	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	04-JUN-1992		0.108000	µg/g		GO
AL	N	VJS	WSS9201	MEC6D8	TOLUENE-D8	0.030000	LM16	04-JUN-1992		0.025400	µg/g		GO
AL	N	VJS	WSB9201	MEC6D8	TOLUENE-D8	0.030000	LM16	04-JUN-1992		0.028200	µg/g		GO
AL	N	VJS	WSB9202	MEC6D8	TOLUENE-D8	0.030000	LM16	04-JUN-1992		0.023900	µg/g		GO
AL	N	VJT	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	08-JUN-1992		127.000000	µg/l		GO
AL	N	VJT	RINSBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	08-JUN-1992		127.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	08-JUN-1992		118.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	09-JUN-1992		127.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	10-JUN-1992		118.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	08-JUN-1992		127.000000	µg/l		GO
AL	N	VJT	RINSBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	08-JUN-1992		127.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	08-JUN-1992		118.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	09-JUN-1992		127.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	10-JUN-1992		118.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	08-JUN-1992		134.000000	µg/l		GO
AL	N	VJT	RINSBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	08-JUN-1992		134.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	08-JUN-1992		134.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	09-JUN-1992		134.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	10-JUN-1992		134.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	08-JUN-1992		114.000000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VJT	RINSBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	08-JUN-1992		114.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	08-JUN-1992		114.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	09-JUN-1992		114.000000	µg/l		GO
AL	N	VJT	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	10-JUN-1992		114.000000	µg/l		GO
AL	N	VJU	WSS9202	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	06-JUN-1992		0.105000	µg/g		GO
AL	N	VJU	WSS9203	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	06-JUN-1992		0.093800	µg/g		GO
AL	N	VJU	WSS9204	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	06-JUN-1992		0.093900	µg/g		GO
AL	N	VJU	WSS9205	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	06-JUN-1992		0.093200	µg/g		GO
AL	N	VJU	WSS9206	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	06-JUN-1992		0.114000	µg/g		GO
AL	N	VJU	BES9202	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.116000	µg/g		GO
AL	N	VJU	BES9203	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.092100	µg/g		GO
AL	N	VJU	BER9201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.119000	µg/g		GO
AL	N	VJU	BES9204	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.105000	µg/g		GO
AL	N	VJU	BES9201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.113000	µg/g		GO
AL	N	VJU	BES9207	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.102000	µg/g		GO
AL	N	VJU	BES9208	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.112000	µg/g		GO
AL	N	VJU	BES9206	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	09-JUN-1992		0.104000	µg/g		GO
AL	N	VJU	WSS9202	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	06-JUN-1992		0.112000	µg/g		GO
AL	N	VJU	WSS9203	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	06-JUN-1992		0.100000	µg/g		GO
AL	N	VJU	WSS9204	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	06-JUN-1992		0.101000	µg/g		GO
AL	N	VJU	WSS9205	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	06-JUN-1992		0.099600	µg/g		GO
AL	N	VJU	WSS9206	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	06-JUN-1992		0.132000	µg/g		GO
AL	N	VJU	BES9202	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.124000	µg/g		GO
AL	N	VJU	BES9203	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.098400	µg/g		GO
AL	N	VJU	BER9201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.137000	µg/g		GO
AL	N	VJU	BES9204	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.112000	µg/g		GO
AL	N	VJU	BES9201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.111000	µg/g		GO
AL	N	VJU	BES9207	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.119000	µg/g		GO
AL	N	VJU	BES9208	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.119000	µg/g		GO
AL	N	VJU	BES9206	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	09-JUN-1992		0.111000	µg/g		GO
AL	N	VJU	WSS9202	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	06-JUN-1992		0.132000	µg/g		GO
AL	N	VJU	WSS9203	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	06-JUN-1992		0.110000	µg/g		GO
AL	N	VJU	WSS9204	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	06-JUN-1992		0.105000	µg/g		GO
AL	N	VJU	WSS9205	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	06-JUN-1992		0.110000	µg/g		GO
AL	N	VJU	WSS9206	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	06-JUN-1992		0.132000	µg/g		GO
AL	N	VJU	BES9202	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.135000	µg/g		GO
AL	N	VJU	BES9203	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.108000	µg/g		GO
AL	N	VJU	BER9201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.108000	µg/g		GO
AL	N	VJU	BES9204	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.122000	µg/g		GO
AL	N	VJU	BES9201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.121000	µg/g		GO
AL	N	VJU	BES9207	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.119000	µg/g		GO
AL	N	VJU	BES9208	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.119000	µg/g		GO
AL	N	VJU	BES9206	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	09-JUN-1992		0.111000	µg/g		GO
AL	N	VJU	WSS9202	MEC6D8	TOLUENE-D8	0.030000	LM16	06-JUN-1992		0.024100	µg/g		GO
AL	N	VJU	WSS9203	MEC6D8	TOLUENE-D8	0.030000	LM16	06-JUN-1992		0.020900	µg/g		GO
AL	N	VJU	WSS9204	MEC6D8	TOLUENE-D8	0.030000	LM16	06-JUN-1992		0.019500	µg/g		GO
AL	N	VJU	WSS9205	MEC6D8	TOLUENE-D8	0.030000	LM16	06-JUN-1992		0.021500	µg/g		GO
AL	N	VJU	WSS9206	MEC6D8	TOLUENE-D8	0.030000	LM16	06-JUN-1992		0.024000	µg/g		GO
AL	N	VJU	BES9202	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.023400	µg/g		GO
AL	N	VJU	BES9203	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.019100	µg/g		GO
AL	N	VJU	BER9201	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.026800	µg/g		GO
AL	N	VJU	BES9204	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.021900	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VJU	BES9201	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.022400	µg/g		GO
AL	N	VJU	BES9207	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.021400	µg/g		GO
AL	N	VJU	BES9208	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.022900	µg/g		GO
AL	N	VJU	BES9206	MEC6D8	TOLUENE-D8	0.030000	LM16	09-JUN-1992		0.021100	µg/g		GO
AL	N	VJV	BEB9201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUN-1992		0.110000	µg/g		GO
AL	N	VJV	BEB9202	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUN-1992		0.101000	µg/g		GO
AL	N	VJV	BEB9203	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUN-1992		0.104000	µg/g		GO
AL	N	VJV	BEB9204	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUN-1992		0.114000	µg/g		GO
AL	N	VJV	BES9205	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUN-1992		0.121000	µg/g		GO
AL	N	VJV	BER9205	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUN-1992		0.119000	µg/g		GO
AL	N	VJV	BEB9201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUN-1992		0.118000	µg/g		GO
AL	N	VJV	BEB9202	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUN-1992		0.118000	µg/g		GO
AL	N	VJV	BEB9203	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUN-1992		0.108000	µg/g		GO
AL	N	VJV	BEB9204	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUN-1992		0.118000	µg/g		GO
AL	N	VJV	BES9205	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUN-1992		0.127000	µg/g		GO
AL	N	VJV	BER9205	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUN-1992		0.167000	µg/g		GO
AL	N	VJV	BEB9201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUN-1992		0.118000	µg/g		GO
AL	N	VJV	BEB9202	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUN-1992		0.108000	µg/g		GO
AL	N	VJV	BEB9203	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUN-1992		0.108000	µg/g		GO
AL	N	VJV	BEB9204	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUN-1992		0.118000	µg/g		GO
AL	N	VJV	BES9205	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUN-1992		0.127000	µg/g		GO
AL	N	VJV	BER9205	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUN-1992		0.137000	µg/g		GO
AL	N	VJV	BEB9201	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUN-1992		0.021800	µg/g		GO
AL	N	VJV	BEB9202	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUN-1992		0.019700	µg/g		GO
AL	N	VJV	BEB9203	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUN-1992		0.019700	µg/g		GO
AL	N	VJV	BEB9204	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUN-1992		0.021100	µg/g		GO
AL	N	VJV	BES9205	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUN-1992		0.023900	µg/g		GO
AL	N	VJV	BER9205	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUN-1992		0.035200	µg/g		GO
AL	N	VJY	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	18-JUN-1992		90.000000	µg/l		GO
AL	N	VJY	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	18-JUN-1992		118.000000	µg/l		GO
AL	N	VJY	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	18-JUN-1992		144.000000	µg/l		GO
AL	N	VJY	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	18-JUN-1992		114.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	19-JUN-1992		100.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	22-JUN-1992		90.900000	µg/l		GO
AL	N	VKE	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	24-JUN-1992		109.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	19-JUN-1992		118.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	22-JUN-1992		108.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	24-JUN-1992		127.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	19-JUN-1992		123.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	22-JUN-1992		123.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	24-JUN-1992		123.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	19-JUN-1992		105.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	22-JUN-1992		105.000000	µg/l		GO
AL	N	VKE	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	24-JUN-1992		105.000000	µg/l		GO
AL	N	VKF	OBP92101	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	18-JUN-1992		0.095300	µg/g		GO
AL	N	VKF	OBP92201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	18-JUN-1992		0.115000	µg/g		GO
AL	N	VKF	OBP92301	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	19-JUN-1992		0.109000	µg/g		GO
AL	N	VKF	OBP92401	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	20-JUN-1992		0.080100	µg/g		GO
AL	N	VKF	WSB9207	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	24-JUN-1992		0.093600	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VKF	WSB9208	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	24-JUN-1992		0.113000	µg/g		GO
AL	N	VKF	WSB9209	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	24-JUN-1992		0.110000	µg/g		GO
AL	N	VKF	WSB9203	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	24-JUN-1992		0.113000	µg/g		GO
AL	N	VKF	WSB9204	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	24-JUN-1992		0.111000	µg/g		GO
AL	N	VKF	WSB9205	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	24-JUN-1992		0.104000	µg/g		GO
AL	N	VKF	WSB9206	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	24-JUN-1992		0.104000	µg/g		GO
AL	N	VKF	OBP92101	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	18-JUN-1992		0.112000	µg/g		GO
AL	N	VKF	OBP92201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	18-JUN-1992		0.123000	µg/g		GO
AL	N	VKF	OBP92301	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	19-JUN-1992		0.117000	µg/g		GO
AL	N	VKF	OBP92401	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	20-JUN-1992		0.086600	µg/g		GO
AL	N	VKF	WSB9207	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	24-JUN-1992		0.098900	µg/g		GO
AL	N	VKF	WSB9208	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	24-JUN-1992		0.110000	µg/g		GO
AL	N	VKF	WSB9209	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	24-JUN-1992		0.115000	µg/g		GO
AL	N	VKF	WSB9203	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	24-JUN-1992		0.120000	µg/g		GO
AL	N	VKF	WSB9204	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	24-JUN-1992		0.119000	µg/g		GO
AL	N	VKF	WSB9205	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	24-JUN-1992		0.111000	µg/g		GO
AL	N	VKF	WSB9206	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	24-JUN-1992		0.121000	µg/g		GO
AL	N	VKF	OBP92101	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	18-JUN-1992		0.122000	µg/g		GO
AL	N	VKF	OBP92201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	18-JUN-1992		0.113000	µg/g		GO
AL	N	VKF	OBP92301	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	19-JUN-1992		0.117000	µg/g		GO
AL	N	VKF	OBP92401	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	20-JUN-1992		0.081500	µg/g		GO
AL	N	VKF	WSB9207	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	24-JUN-1992		0.097700	µg/g		GO
AL	N	VKF	WSB9208	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	24-JUN-1992		0.110000	µg/g		GO
AL	N	VKF	WSB9209	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	24-JUN-1992		0.118000	µg/g		GO
AL	N	VKF	WSB9203	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	24-JUN-1992		0.120000	µg/g		GO
AL	N	VKF	WSB9204	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	24-JUN-1992		0.119000	µg/g		GO
AL	N	VKF	WSB9205	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	24-JUN-1992		0.121000	µg/g		GO
AL	N	VKF	WSB9206	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	24-JUN-1992		0.121000	µg/g		GO
AL	N	VKF	OBP92101	MEC6D8	TOLUENE-D8	0.030000	LM16	18-JUN-1992		0.024100	µg/g		GO
AL	N	VKF	OBP92201	MEC6D8	TOLUENE-D8	0.030000	LM16	18-JUN-1992		0.021400	µg/g		GO
AL	N	VKF	OBP92301	MEC6D8	TOLUENE-D8	0.030000	LM16	19-JUN-1992		0.021300	µg/g		GO
AL	N	VKF	OBP92401	MEC6D8	TOLUENE-D8	0.030000	LM16	20-JUN-1992		0.015400	µg/g		GO
AL	N	VKF	WSB9207	MEC6D8	TOLUENE-D8	0.030000	LM16	24-JUN-1992		0.017800	µg/g		GO
AL	N	VKF	WSB9208	MEC6D8	TOLUENE-D8	0.030000	LM16	24-JUN-1992		0.020500	µg/g		GO
AL	N	VKF	WSB9209	MEC6D8	TOLUENE-D8	0.030000	LM16	24-JUN-1992		0.021100	µg/g		GO
AL	N	VKF	WSB9203	MEC6D8	TOLUENE-D8	0.030000	LM16	24-JUN-1992		0.022000	µg/g		GO
AL	N	VKF	WSB9204	MEC6D8	TOLUENE-D8	0.030000	LM16	24-JUN-1992		0.021700	µg/g		GO
AL	N	VKF	WSB9205	MEC6D8	TOLUENE-D8	0.030000	LM16	24-JUN-1992		0.021000	µg/g		GO
AL	N	VKF	WSB9206	MEC6D8	TOLUENE-D8	0.030000	LM16	24-JUN-1992		0.020900	µg/g		GO
AL	N	VKK	BRS9201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRD9202	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.110000	µg/g		GO
AL	N	VKK	BRS9202	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.110000	µg/g		GO
AL	N	VKK	BRS9203	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9204	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRS9205	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.110000	µg/g		GO
AL	N	VKK	BRS9206	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9207	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9208	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.140000	µg/g		GO
AL	N	VKK	BRS9209	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRD9201	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRS9201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRD9202	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VKK	BRS9202	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9203	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9204	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRS9205	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.110000	µg/g		GO
AL	N	VKK	BRS9206	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.110000	µg/g		GO
AL	N	VKK	BRS9207	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9208	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRS9209	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRD9201	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRS9201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRD9202	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.078000	µg/g		GO
AL	N	VKK	BRS9202	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.087000	µg/g		GO
AL	N	VKK	BRS9203	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9204	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.130000	µg/g		GO
AL	N	VKK	BRS9205	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.100000	µg/g		GO
AL	N	VKK	BRS9206	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.083000	µg/g		GO
AL	N	VKK	BRS9207	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.110000	µg/g		GO
AL	N	VKK	BRS9208	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.120000	µg/g		GO
AL	N	VKK	BRS9209	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.080000	µg/g		GO
AL	N	VKK	BRD9201	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.110000	µg/g		GO
AL	N	VKK	BRS9201	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.024000	µg/g		GO
AL	N	VKK	BRD9202	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.018000	µg/g		GO
AL	N	VKK	BRS9202	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.019000	µg/g		GO
AL	N	VKK	BRS9203	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.022000	µg/g		GO
AL	N	VKK	BRS9204	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.026000	µg/g		GO
AL	N	VKK	BRS9205	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.020000	µg/g		GO
AL	N	VKK	BRS9206	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.018000	µg/g		GO
AL	N	VKK	BRS9207	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.022000	µg/g		GO
AL	N	VKK	BRS9208	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.023000	µg/g		GO
AL	N	VKK	BRS9209	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.019000	µg/g		GO
AL	N	VKK	BRD9201	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.021000	µg/g		GO
AL	N	VKL	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.119000	µg/g		GO
AL	N	VKL	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	10-JUL-1992		0.119000	µg/g		GO
AL	N	VKL	BER9202	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	13-JUL-1992		0.128000	µg/g		GO
AL	N	VKL	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	13-JUL-1992		0.128000	µg/g		GO
AL	N	VKL	BER9203	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	13-JUL-1992		0.138000	µg/g		GO
AL	N	VKL	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.118000	µg/g		GO
AL	N	VKL	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	10-JUL-1992		0.127000	µg/g		GO
AL	N	VKL	BER9202	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	13-JUL-1992		0.086300	µg/g		GO
AL	N	VKL	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	13-JUL-1992		0.127000	µg/g		GO
AL	N	VKL	BER9203	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	13-JUL-1992		0.086300	µg/g		GO
AL	N	VKL	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.118000	µg/g		GO
AL	N	VKL	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	10-JUL-1992		0.118000	µg/g		GO
AL	N	VKL	BER9202	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	13-JUL-1992		0.118000	µg/g		GO
AL	N	VKL	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	13-JUL-1992		0.118000	µg/g		GO
AL	N	VKL	BER9203	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	13-JUL-1992		0.118000	µg/g		GO
AL	N	VKL	TRIPBLNK	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.021100	µg/g		GO
AL	N	VKL	TRIPBLNK	MEC6D8	TOLUENE-D8	0.030000	LM16	10-JUL-1992		0.021800	µg/g		GO
AL	N	VKL	BER9202	MEC6D8	TOLUENE-D8	0.030000	LM16	13-JUL-1992		0.021800	µg/g		GO
AL	N	VKL	TRIPBLNK	MEC6D8	TOLUENE-D8	0.030000	LM16	13-JUL-1992		0.021800	µg/g		GO
AL	N	VKL	BER9203	MEC6D8	TOLUENE-D8	0.030000	LM16	13-JUL-1992		0.021800	µg/g		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VKM	BER9204	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	14-JUL-1992		0.110000	µg/g		GO
AL	N	VKM	BER9206	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	14-JUL-1992		0.110000	µg/g		GO
AL	N	VKM	BER9207	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	14-JUL-1992		0.140000	µg/g		GO
AL	N	VKM	BER9208	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	14-JUL-1992		0.130000	µg/g		GO
AL	N	VKM	BES9209	12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16	14-JUL-1992		0.130000	µg/g		GO
AL	N	VKM	BER9204	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	14-JUL-1992		0.140000	µg/g		GO
AL	N	VKM	BER9206	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	14-JUL-1992		0.120000	µg/g		GO
AL	N	VKM	BER9207	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	14-JUL-1992		0.140000	µg/g		GO
AL	N	VKM	BER9208	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	14-JUL-1992		0.130000	µg/g		GO
AL	N	VKM	BES9209	CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16	14-JUL-1992		0.120000	µg/g		GO
AL	N	VKM	BER9204	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	14-JUL-1992		0.080000	µg/g		GO
AL	N	VKM	BER9206	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	14-JUL-1992		0.110000	µg/g		GO
AL	N	VKM	BER9207	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	14-JUL-1992		0.130000	µg/g		GO
AL	N	VKM	BER9208	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	14-JUL-1992		0.120000	µg/g		GO
AL	N	VKM	BES9209	ETBD10	ETHYLBENZENE-D10	0.120000	LM16	14-JUL-1992		0.120000	µg/g		GO
AL	N	VKM	BER9204	MEC6D8	TOLUENE-D8	0.030000	LM16	14-JUL-1992		0.028000	µg/g		GO
AL	N	VKM	BER9206	MEC6D8	TOLUENE-D8	0.030000	LM16	14-JUL-1992		0.024000	µg/g		GO
AL	N	VKM	BER9207	MEC6D8	TOLUENE-D8	0.030000	LM16	14-JUL-1992		0.025000	µg/g		GO
AL	N	VKM	BER9208	MEC6D8	TOLUENE-D8	0.030000	LM16	14-JUL-1992		0.022000	µg/g		GO
AL	N	VKM	BES9209	MEC6D8	TOLUENE-D8	0.030000	LM16	14-JUL-1992		0.021000	µg/g		GO
AL	N	VKN	BRW9201	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	4.100000	µg/l		GO
AL	N	VKN	BRW9201	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	4.100000	µg/l		GO
AL	N	VKN	BRW9201	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	0.630000	µg/l		GO
AL	N	VKN	BRW9201	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	0.630000	µg/l		GO
AL	N	VKN	BRW9201	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	50.000000	UM33	15-JUL-1992		48.300000	µg/l		GO
AL	N	VKN	BRW9201	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	50.000000	UM33	15-JUL-1992		44.000000	µg/l		GO
AL	N	VKN	BRW9201	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	1.100000	µg/l		GO
AL	N	VKN	BRW9201	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	1.100000	µg/l		GO
AL	N	VKN	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	14-JUL-1992		118.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	14-JUL-1992		127.000000	µg/l		GO
AL	N	VKN	BRW9201	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	15-JUL-1992		127.000000	µg/l		GO
AL	N	VKN	BRW9201	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	15-JUL-1992		136.000000	µg/l		GO
AL	N	VKN	BRW9201	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	15-JUL-1992		127.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	15-JUL-1992		127.000000	µg/l		GO
AL	N	VKN	RNSEBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	16-JUL-1992		127.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33	16-JUL-1992		127.000000	µg/l		GO
AL	N	VKN	BRW9201	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	15-JUL-1992	LT	1.100000	µg/l		GO
AL	N	VKN	BRW9201	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	15-JUL-1992	LT	1.100000	µg/l		GO
AL	N	VKN	BRW9201	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	9.700000	µg/l		GO
AL	N	VKN	BRW9201	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	9.700000	µg/l		GO
AL	N	VKN	BRW9201	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	7.600000	µg/l		GO
AL	N	VKN	BRW9201	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	15-JUL-1992		3.450000	µg/l	P	GO
AL	N	VKN	BRW9201	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	15-JUL-1992	LT	2.800000	µg/l		GO
AL	N	VKN	BRW9201	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	15-JUL-1992	LT	2.800000	µg/l		GO
AL	N	VKN	BRW9201	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VKN	BRW9201	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	9.200000	µg/l		GO
AL	N	VKN	BRW9201	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	9.200000	µg/l		GO
AL	N	VKN	BRW9201	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	15-JUL-1992	LT	3.800000	µg/l		GO
AL	N	VKN	BRW9201	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	15-JUL-1992	LT	3.800000	µg/l		GO
AL	N	VKN	BRW9201	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	8.100000	µg/l		GO
AL	N	VKN	BRW9201	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	8.100000	µg/l		GO
AL	N	VKN	BRW9201	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	15-JUL-1992	LT	82.000000	µg/l		GO
AL	N	VKN	BRW9201	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	15-JUL-1992	LT	82.000000	µg/l		GO
AL	N	VKN	BRW9201	ACET	ACETONE	0.000000	UM33	15-JUL-1992		14.000000	µg/l	S	GO
AL	N	VKN	BRW9201	ACET	ACETONE	0.000000	UM33	15-JUL-1992		14.000000	µg/l	S	GO
AL	N	VKN	BRW9201	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	15-JUL-1992	LT	7.900000	µg/l		GO
AL	N	VKN	BRW9201	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	15-JUL-1992	LT	7.900000	µg/l		GO
AL	N	VKN	BRW9201	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33	15-JUL-1992	LT	0.500000	µg/l		GO
AL	N	VKN	BRW9201	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33	15-JUL-1992	LT	0.500000	µg/l		GO
AL	N	VKN	BRW9201	C2H5CL	CHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	2.120000	µg/l		GO
AL	N	VKN	BRW9201	C2H5CL	CHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	2.120000	µg/l		GO
AL	N	VKN	BRW9201	C6H6	BENZENE	50.000000	UM33	15-JUL-1992		59.800000	µg/l		GO
AL	N	VKN	BRW9201	C6H6	BENZENE	50.000000	UM33	15-JUL-1992		55.900000	µg/l		GO
AL	N	VKN	BRW9201	CCL4	CARBON TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	3.700000	µg/l		GO
AL	N	VKN	BRW9201	CCL4	CARBON TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	3.700000	µg/l		GO
AL	N	VKN	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	14-JUL-1992		137.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	14-JUL-1992		137.000000	µg/l		GO
AL	N	VKN	BRW9201	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	15-JUL-1992		127.000000	µg/l		GO
AL	N	VKN	BRW9201	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	15-JUL-1992		137.000000	µg/l		GO
AL	N	VKN	BRW9201	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	15-JUL-1992		137.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	15-JUL-1992		137.000000	µg/l		GO
AL	N	VKN	RNSEBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	16-JUL-1992		137.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33	16-JUL-1992		137.000000	µg/l		GO
AL	N	VKN	BRW9201	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33	15-JUL-1992		15.700000	µg/l	B	GO
AL	N	VKN	BRW9201	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33	15-JUL-1992		15.700000	µg/l	B	GO
AL	N	VKN	BRW9201	CH3BR	BROMOMETHANE / METHYL	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VKN	BRW9201	CH3BR	BROMIDE BROMOMETHANE / METHYL BROMIDE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	CH3CL	CHLOROMETHANE	0.000000	UM33	15-JUL-1992		8.110000	µg/l		GO
AL	N	VKN	BRW9201	CH3CL	CHLOROMETHANE	0.000000	UM33	15-JUL-1992		6.760000	µg/l		GO
AL	N	VKN	BRW9201	CHBR3	BROMOFORM	0.000000	UM33	15-JUL-1992	LT	8.200000	µg/l		GO
AL	N	VKN	BRW9201	CHBR3	BROMOFORM	0.000000	UM33	15-JUL-1992	LT	8.200000	µg/l		GO
AL	N	VKN	BRW9201	CHCL3	CHLOROFORM	0.000000	UM33	15-JUL-1992		0.644000	µg/l	P	GO
AL	N	VKN	BRW9201	CHCL3	CHLOROFORM	0.000000	UM33	15-JUL-1992		0.473000	µg/l	P	GO
AL	N	VKN	BRW9201	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	50.000000	UM33	15-JUL-1992		55.100000	µg/l		GO
AL	N	VKN	BRW9201	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	50.000000	UM33	15-JUL-1992		44.900000	µg/l		GO
AL	N	VKN	BRW9201	CS2	CARBON DISULFIDE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	CS2	CARBON DISULFIDE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	15-JUL-1992	LT	6.500000	µg/l		GO
AL	N	VKN	BRW9201	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	15-JUL-1992	LT	6.500000	µg/l		GO
AL	N	VKN	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	14-JUL-1992		113.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	14-JUL-1992		123.000000	µg/l		GO
AL	N	VKN	BRW9201	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	15-JUL-1992		123.000000	µg/l		GO
AL	N	VKN	BRW9201	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	15-JUL-1992		123.000000	µg/l		GO
AL	N	VKN	BRW9201	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	15-JUL-1992		113.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	15-JUL-1992		123.000000	µg/l		GO
AL	N	VKN	RNSEBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	16-JUL-1992		113.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	ETBD10	ETHYLBENZENE-D10	120.000000	UM33	16-JUL-1992		113.000000	µg/l		GO
AL	N	VKN	BRW9201	ETC6H5	ETHYLBENZENE	0.000000	UM33	15-JUL-1992	LT	9.300000	µg/l		GO
AL	N	VKN	BRW9201	ETC6H5	ETHYLBENZENE	0.000000	UM33	15-JUL-1992	LT	9.300000	µg/l		GO
AL	N	VKN	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	14-JUL-1992		105.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	14-JUL-1992		105.000000	µg/l		GO
AL	N	VKN	BRW9201	MEC6D8	TOLUENE-D8	120.000000	UM33	15-JUL-1992		105.000000	µg/l		GO
AL	N	VKN	BRW9201	MEC6D8	TOLUENE-D8	120.000000	UM33	15-JUL-1992		105.000000	µg/l		GO
AL	N	VKN	BRW9201	MEC6D8	TOLUENE-D8	120.000000	UM33	15-JUL-1992		96.500000	µg/l		GO
AL	N	VKN	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	15-JUL-1992		105.000000	µg/l		GO
AL	N	VKN	RNSEBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	16-JUL-1992		105.000000	µg/l		GO
AL	N	VKN	TRIPBLNK	MEC6D8	TOLUENE-D8	120.000000	UM33	16-JUL-1992		96.500000	µg/l		GO
AL	N	VKN	BRW9201	MEC6H5	TOLUENE	50.000000	UM33	15-JUL-1992		50.000000	µg/l		GO
AL	N	VKN	BRW9201	MEC6H5	TOLUENE	50.000000	UM33	15-JUL-1992		43.500000	µg/l		GO
AL	N	VKN	BRW9201	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	N	VKN	BRW9201	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	VKN	BRW9201	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	N	VKN	BRW9201	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	4.700000	µg/l		GO
AL	N	VKN	BRW9201	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	4.700000	µg/l		GO
AL	N	VKN	BRW9201	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	0.500000	µg/l		GO
AL	N	VKN	BRW9201	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	0.500000	µg/l		GO
AL	N	VKN	BRW9201	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	50.000000	UM33	15-JUL-1992		59.400000	µg/l		GO
AL	N	VKN	BRW9201	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	50.000000	UM33	15-JUL-1992		54.100000	µg/l		GO
AL	N	ZUB	BES9203	CYN	CYANIDE	80.000000	KY07	09-JUN-1992		81.700000	µg/g		GO
AL	N	ZUB	BES9203	CYN	CYANIDE	80.000000	KY07	09-JUN-1992		90.700000	µg/g		GO
AL	N	ZUC	BES9205	CYN	CYANIDE	80.000000	KY07	10-JUN-1992		89.700000	µg/g		GO
AL	N	ZUH	PPT9202	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000186	99	05-JUN-1992		0.000138	µg/g		GO
AL	N	ZUH	PPT9203	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000187	99	05-JUN-1992		0.000145	µg/g		GO
AL	N	ZUH	PPT9204	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000190	99	05-JUN-1992		0.000178	µg/g		GO
AL	N	ZUH	PPT9205	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000190	99	05-JUN-1992		0.000148	µg/g		GO
AL	N	ZUH	PPT9201	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000191	99	05-JUN-1992		0.000154	µg/g		GO
AL	N	ZUH	PPS9201	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000198	99	05-JUN-1992		0.000133	µg/g		GO
AL	N	ZUH	PPS9202	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000198	99	05-JUN-1992		0.000149	µg/g		GO
AL	N	ZUH	PPS9203	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000198	99	05-JUN-1992		0.000144	µg/g		GO
AL	N	ZUH	PPS9204	ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000198	99	05-JUN-1992		0.000142	µg/g		GO
AL	N	ZUH	PPT9202	ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.000186	99	05-JUN-1992		0.000122	µg/g		GO
AL	N	ZUH	PPT9203	ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.000187	99	05-JUN-1992		0.000137	µg/g		GO
AL	N	ZUH	PPT9204	ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.000190	99	05-JUN-1992		0.000165	µg/g		GO
AL	N	ZUH	PPT9205	ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.000190	99	05-JUN-1992		0.000141	µg/g		GO
AL	N	ZUH	PPT9201	ITCDF	C13-2,3,7,8-TETRACHLORODI	0.000191	99	05-JUN-1992		0.000150	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	N	ZUH	PPS9201	ITCDF	BENZOFURAN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.000198	99	05-JUN-1992		0.000117	µg/g		GO
AL	N	ZUH	PPS9202	ITCDF	BENZOFURAN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.000198	99	05-JUN-1992		0.000153	µg/g		GO
AL	N	ZUH	PPS9203	ITCDF	BENZOFURAN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.000198	99	05-JUN-1992		0.000162	µg/g		GO
AL	N	ZUH	PPS9204	ITCDF	BENZOFURAN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.000198	99	05-JUN-1992		0.000151	µg/g		GO
AL	N	ZUI	RINSBLNK	ITCDD	BENZOFURAN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.002000	99	08-JUN-1992		0.001500	µg/l		GO
AL	N	ZUI	RINSBLNK	ITCDF	BENZODIOXIN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.002000	99	08-JUN-1992		0.001680	µg/l		GO
AL	N	ZUJ	OSS92O7	CYN	BENZOFURAN, ISOMERIC CYANIDE	80.000000	KY07	23-JUN-1992		79.100000	µg/g		GO
AL	N	ZUK	WSB9204	CYN	CYANIDE	80.000000	KY07	24-JUN-1992		82.100000	µg/g		GO
AL	N	ZUM	ARS92B02	CYN	CYANIDE	80.000000	KY07	09-JUL-1992		108.000000	µg/g		GO
AL	N	ZUN	BRS9203	CYN	CYANIDE	80.000000	KY07	10-JUL-1992		85.000000	µg/g		GO
AL	N	ZUO	BER9208	CYN	CYANIDE	80.000000	KY07	14-JUL-1992		83.900000	µg/g		GO
AL	N	ZUO	BER9208	CYN	CYANIDE	80.000000	KY07	14-JUL-1992		78.800000	µg/g		GO
AL	N	ZUP	BRW9201	CYN	CYANIDE	160.000000	TY12	15-JUL-1992		162.000000	µg/l		GO
AL	N	ZUQ	BKS9203	CYN	CYANIDE	80.000000	KY07	15-JUL-1992		79.500000	µg/g		GO
AL	N	ZUQ	BKS9203	CYN	CYANIDE	80.000000	KY07	15-JUL-1992		82.500000	µg/g		GO
AL	N	ZUU	RNSEBLNK	ITCDD	BENZODIOXIN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.002000	99	16-JUL-1992		0.001740	µg/l		GO
AL	N	ZUU	RNSEBLNK	ITCDF	BENZOFURAN, ISOMERIC C13-2,3,7,8-TETRACHLORODI	0.002000	99	16-JUL-1992		0.001890	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARI	9992	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM25	08-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9004	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM25	07-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9756	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM25	09-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9992	124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM25	08-APR-1993	LT	2.400000	µg/l		PR1
UB	R	AARI	9004	124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM25	07-APR-1993	LT	2.400000	µg/l		PR1
UB	R	AARI	9756	124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM25	09-APR-1993	LT	2.400000	µg/l		PR1
UB	R	AARI	9992	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM25	08-APR-1993	LT	1.200000	µg/l		PR1
UB	R	AARI	9004	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM25	07-APR-1993	LT	1.200000	µg/l		PR1
UB	R	AARI	9756	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM25	09-APR-1993	LT	1.200000	µg/l		PR1
UB	R	AARI	9992	12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	UM25	08-APR-1993	LT	13.000000	µg/l		PR1
UB	R	AARI	9004	12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	UM25	07-APR-1993	LT	13.000000	µg/l		PR1
UB	R	AARI	9756	12DPH	1,2-DIPHENYLHYDRAZINE	0.000000	UM25	09-APR-1993	LT	13.000000	µg/l		PR1
UB	R	AARI	9992	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM25	08-APR-1993	LT	3.400000	µg/l		PR1
UB	R	AARI	9004	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM25	07-APR-1993	LT	3.400000	µg/l		PR1
UB	R	AARI	9756	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM25	09-APR-1993	LT	3.400000	µg/l		PR1
UB	R	AARI	9992	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM25	08-APR-1993	LT	1.500000	µg/l		PR1
UB	R	AARI	9004	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM25	07-APR-1993	LT	1.500000	µg/l		PR1
UB	R	AARI	9756	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM25	09-APR-1993	LT	1.500000	µg/l		PR1
UB	R	AARI	9992	236TCP	2,3,6-TRICHLOROPHENOL	0.000000	UM25	08-APR-1993	LT	1.700000	µg/l		PR1
UB	R	AARI	9004	236TCP	2,3,6-TRICHLOROPHENOL	0.000000	UM25	07-APR-1993	LT	1.700000	µg/l		PR1
UB	R	AARI	9756	236TCP	2,3,6-TRICHLOROPHENOL	0.000000	UM25	09-APR-1993	LT	1.700000	µg/l		PR1
UB	R	AARI	9992	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM25	08-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9004	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM25	07-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9756	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM25	09-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9992	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM25	08-APR-1993	LT	3.600000	µg/l		PR1
UB	R	AARI	9004	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM25	07-APR-1993	LT	3.600000	µg/l		PR1
UB	R	AARI	9756	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM25	09-APR-1993	LT	3.600000	µg/l		PR1
UB	R	AARI	9992	24DCLP	2,4-DICHLOROPHENOL	0.000000	UM25	08-APR-1993	LT	8.400000	µg/l		PR1
UB	R	AARI	9004	24DCLP	2,4-DICHLOROPHENOL	0.000000	UM25	07-APR-1993	LT	8.400000	µg/l		PR1
UB	R	AARI	9756	24DCLP	2,4-DICHLOROPHENOL	0.000000	UM25	09-APR-1993	LT	8.400000	µg/l		PR1
UB	R	AARI	9992	24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM25	08-APR-1993	LT	4.400000	µg/l		PR1
UB	R	AARI	9004	24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM25	07-APR-1993	LT	4.400000	µg/l		PR1
UB	R	AARI	9756	24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM25	09-APR-1993	LT	4.400000	µg/l		PR1
UB	R	AARI	9992	24DNP	2,4-DINITROPHENOL	0.000000	UM25	08-APR-1993	LT	180.000000	µg/l		PR1
UB	R	AARI	9004	24DNP	2,4-DINITROPHENOL	0.000000	UM25	07-APR-1993	LT	180.000000	µg/l		PR1
UB	R	AARI	9756	24DNP	2,4-DINITROPHENOL	0.000000	UM25	09-APR-1993	LT	180.000000	µg/l		PR1
UB	R	AARI	9992	24DNT	2,4-DINITROTOLUENE	0.000000	UM25	08-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9004	24DNT	2,4-DINITROTOLUENE	0.000000	UM25	07-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9756	24DNT	2,4-DINITROTOLUENE	0.000000	UM25	09-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9992	26DNA	2,6-DINITROANILINE	0.000000	UM25	08-APR-1993	LT	8.800000	µg/l		PR1
UB	R	AARI	9004	26DNA	2,6-DINITROANILINE	0.000000	UM25	07-APR-1993	LT	8.800000	µg/l		PR1
UB	R	AARI	9756	26DNA	2,6-DINITROANILINE	0.000000	UM25	09-APR-1993	LT	8.800000	µg/l		PR1
UB	R	AARI	9992	26DNT	2,6-DINITROTOLUENE	0.000000	UM25	08-APR-1993	LT	6.700000	µg/l		PR1
UB	R	AARI	9004	26DNT	2,6-DINITROTOLUENE	0.000000	UM25	07-APR-1993	LT	6.700000	µg/l		PR1
UB	R	AARI	9756	26DNT	2,6-DINITROTOLUENE	0.000000	UM25	09-APR-1993	LT	6.700000	µg/l		PR1
UB	R	AARI	9992	2CLP	2-CHLOROPHENOL	0.000000	UM25	08-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9004	2CLP	2-CHLOROPHENOL	0.000000	UM25	07-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9756	2CLP	2-CHLOROPHENOL	0.000000	UM25	09-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9992	2CNAP	2-CHLORONAPHTHALENE	0.000000	UM25	08-APR-1993	LT	2.600000	µg/l		PR1
UB	R	AARI	9004	2CNAP	2-CHLORONAPHTHALENE	0.000000	UM25	07-APR-1993	LT	2.600000	µg/l		PR1
UB	R	AARI	9756	2CNAP	2-CHLORONAPHTHALENE	0.000000	UM25	09-APR-1993	LT	2.600000	µg/l		PR1
UB	R	AARI	9992	2MNAP	2-METHYLNAPHTHALENE	0.000000	UM25	08-APR-1993	LT	1.300000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARI	9004	2MNAP	2-METHYLNAPHTHALENE	0.000000	UM2507	-APR-1993	LT	1.300000	µg/l		PR1
UB	R	AARI	9756	2MNAP	2-METHYLNAPHTHALENE	0.000000	UM2509	-APR-1993	LT	1.300000	µg/l		PR1
UB	R	AARI	9992	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM2508	-APR-1993	LT	3.600000	µg/l		PR1
UB	R	AARI	9004	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM2507	-APR-1993	LT	3.600000	µg/l		PR1
UB	R	AARI	9756	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM2509	-APR-1993	LT	3.600000	µg/l		PR1
UB	R	AARI	9992	2NANIL	2-NITROANILINE	0.000000	UM2508	-APR-1993	ND	31.000000	µg/l	R	PR1
UB	R	AARI	9004	2NANIL	2-NITROANILINE	0.000000	UM2507	-APR-1993	ND	31.000000	µg/l	R	PR1
UB	R	AARI	9756	2NANIL	2-NITROANILINE	0.000000	UM2509	-APR-1993	ND	31.000000	µg/l	R	PR1
UB	R	AARI	9992	2NP	2-NITROPHENOL	0.000000	UM2508	-APR-1993	LT	8.200000	µg/l		PR1
UB	R	AARI	9004	2NP	2-NITROPHENOL	0.000000	UM2507	-APR-1993	LT	8.200000	µg/l		PR1
UB	R	AARI	9756	2NP	2-NITROPHENOL	0.000000	UM2509	-APR-1993	LT	8.200000	µg/l		PR1
UB	R	AARI	9992	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM2508	-APR-1993	LT	5.000000	µg/l		PR1
UB	R	AARI	9004	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM2507	-APR-1993	LT	5.000000	µg/l		PR1
UB	R	AARI	9756	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM2509	-APR-1993	LT	5.000000	µg/l		PR1
UB	R	AARI	9992	35DNA	3,5-DINITROANILINE	0.000000	UM2508	-APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9004	35DNA	3,5-DINITROANILINE	0.000000	UM2507	-APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9756	35DNA	3,5-DINITROANILINE	0.000000	UM2509	-APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9992	3NANIL	3-NITROANILINE	0.000000	UM2508	-APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9004	3NANIL	3-NITROANILINE	0.000000	UM2507	-APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9756	3NANIL	3-NITROANILINE	0.000000	UM2509	-APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9992	3NT	3-NITROTOLUENE	0.000000	UM2508	-APR-1993	LT	2.900000	µg/l		PR1
UB	R	AARI	9004	3NT	3-NITROTOLUENE	0.000000	UM2507	-APR-1993	LT	2.900000	µg/l		PR1
UB	R	AARI	9756	3NT	3-NITROTOLUENE	0.000000	UM2509	-APR-1993	LT	2.900000	µg/l		PR1
UB	R	AARI	9992	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	UM2508	-APR-1993	ND	50.000000	µg/l	R	PR1
UB	R	AARI	9004	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	UM2507	-APR-1993	ND	50.000000	µg/l	R	PR1
UB	R	AARI	9756	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	UM2509	-APR-1993	ND	50.000000	µg/l	R	PR1
UB	R	AARI	9992	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM2508	-APR-1993	LT	22.000000	µg/l		PR1
UB	R	AARI	9004	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM2507	-APR-1993	LT	22.000000	µg/l		PR1
UB	R	AARI	9756	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM2509	-APR-1993	LT	22.000000	µg/l		PR1
UB	R	AARI	9992	4CANIL	4-CHLOROANILINE	0.000000	UM2508	-APR-1993	ND	1.000000	µg/l	R	PR1
UB	R	AARI	9004	4CANIL	4-CHLOROANILINE	0.000000	UM2507	-APR-1993	ND	1.000000	µg/l	R	PR1
UB	R	AARI	9756	4CANIL	4-CHLOROANILINE	0.000000	UM2509	-APR-1993	ND	1.000000	µg/l	R	PR1
UB	R	AARI	9992	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM2508	-APR-1993	LT	8.500000	µg/l		PR1
UB	R	AARI	9004	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM2507	-APR-1993	LT	8.500000	µg/l		PR1
UB	R	AARI	9756	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM2509	-APR-1993	LT	8.500000	µg/l		PR1
UB	R	AARI	9992	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	UM2508	-APR-1993	LT	23.000000	µg/l		PR1
UB	R	AARI	9004	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	UM2507	-APR-1993	LT	23.000000	µg/l		PR1
UB	R	AARI	9756	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	UM2509	-APR-1993	LT	23.000000	µg/l		PR1
UB	R	AARI	9992	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM2508	-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9004	4MP	4-CRESOL / 4-METHYLPHENOL	0.000000	UM2507	-APR-1993	LT	2.800000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ P-CRESOL								
UB	R	AARI	9756	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM25	09-APR-1993	LT	2.800000	µg/l		PR1
UB	R	AARI	9992	4NANIL	4-NITROANILINE	0.000000	UM25	08-APR-1993	ND	31.000000	µg/l	R	PR1
UB	R	AARI	9004	4NANIL	4-NITROANILINE	0.000000	UM25	07-APR-1993	ND	31.000000	µg/l	R	PR1
UB	R	AARI	9756	4NANIL	4-NITROANILINE	0.000000	UM25	09-APR-1993	ND	31.000000	µg/l	R	PR1
UB	R	AARI	9992	4NP	4-NITROPHENOL	0.000000	UM25	08-APR-1993	LT	96.000000	µg/l		PR1
UB	R	AARI	9004	4NP	4-NITROPHENOL	0.000000	UM25	07-APR-1993	LT	96.000000	µg/l		PR1
UB	R	AARI	9756	4NP	4-NITROPHENOL	0.000000	UM25	09-APR-1993	LT	96.000000	µg/l		PR1
UB	R	AARI	9992	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM25	08-APR-1993	LT	5.300000	µg/l		PR1
UB	R	AARI	9004	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM25	07-APR-1993	LT	5.300000	µg/l		PR1
UB	R	AARI	9756	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM25	09-APR-1993	LT	5.300000	µg/l		PR1
UB	R	AARI	9992	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM25	08-APR-1993	LT	23.000000	µg/l		PR1
UB	R	AARI	9004	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM25	07-APR-1993	LT	23.000000	µg/l		PR1
UB	R	AARI	9756	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM25	09-APR-1993	LT	23.000000	µg/l		PR1
UB	R	AARI	9992	ALDRN	ALDRIN	0.000000	UM25	08-APR-1993	LT	13.000000	µg/l		PR1
UB	R	AARI	9004	ALDRN	ALDRIN	0.000000	UM25	07-APR-1993	LT	13.000000	µg/l		PR1
UB	R	AARI	9756	ALDRN	ALDRIN	0.000000	UM25	09-APR-1993	LT	13.000000	µg/l		PR1
UB	R	AARI	9992	ANAPNE	ACENAPHTHENE	0.000000	UM25	08-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9004	ANAPNE	ACENAPHTHENE	0.000000	UM25	07-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9756	ANAPNE	ACENAPHTHENE	0.000000	UM25	09-APR-1993	LT	5.800000	µg/l		PR1
UB	R	AARI	9992	ANAPYL	ACENAPHTHYLENE	0.000000	UM25	08-APR-1993	LT	5.100000	µg/l		PR1
UB	R	AARI	9004	ANAPYL	ACENAPHTHYLENE	0.000000	UM25	07-APR-1993	LT	5.100000	µg/l		PR1
UB	R	AARI	9756	ANAPYL	ACENAPHTHYLENE	0.000000	UM25	09-APR-1993	LT	5.100000	µg/l		PR1
UB	R	AARI	9992	ANTRC	ANTHRACENE	0.000000	UM25	08-APR-1993	LT	5.200000	µg/l		PR1
UB	R	AARI	9004	ANTRC	ANTHRACENE	0.000000	UM25	07-APR-1993	LT	5.200000	µg/l		PR1
UB	R	AARI	9756	ANTRC	ANTHRACENE	0.000000	UM25	09-APR-1993	LT	5.200000	µg/l		PR1
UB	R	AARI	9992	ATZ	ATRAZINE	0.000000	UM25	08-APR-1993	LT	5.900000	µg/l		PR1
UB	R	AARI	9004	ATZ	ATRAZINE	0.000000	UM25	07-APR-1993	LT	5.900000	µg/l		PR1
UB	R	AARI	9756	ATZ	ATRAZINE	0.000000	UM25	09-APR-1993	LT	5.900000	µg/l		PR1
UB	R	AARI	9992	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM25	08-APR-1993	LT	6.800000	µg/l		PR1
UB	R	AARI	9004	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM25	07-APR-1993	LT	6.800000	µg/l		PR1
UB	R	AARI	9756	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM25	09-APR-1993	LT	6.800000	µg/l		PR1
UB	R	AARI	9992	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	UM25	08-APR-1993	LT	5.000000	µg/l		PR1
UB	R	AARI	9004	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	UM25	07-APR-1993	LT	5.000000	µg/l		PR1
UB	R	AARI	9756	B2CIPE	BIS(2-CHLOROISOPROPYL)	0.000000	UM25	09-APR-1993	LT	5.000000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ETHER								
UB	R	AARI	9992	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM2508	APR-1993	LT	0.680000	µg/l		PR1
UB	R	AARI	9004	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM2507	APR-1993	LT	0.680000	µg/l		PR1
UB	R	AARI	9756	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM2509	APR-1993	LT	0.680000	µg/l		PR1
UB	R	AARI	9992	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM2508	APR-1993	LT	7.700000	µg/l		PR1
UB	R	AARI	9004	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM2507	APR-1993	LT	7.700000	µg/l		PR1
UB	R	AARI	9756	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM2509	APR-1993	LT	7.700000	µg/l		PR1
UB	R	AARI	9992	BAANTR	BENZO[A]ANTHRACENE	0.000000	UM2508	APR-1993	LT	9.800000	µg/l		PR1
UB	R	AARI	9004	BAANTR	BENZO[A]ANTHRACENE	0.000000	UM2507	APR-1993	LT	9.800000	µg/l		PR1
UB	R	AARI	9756	BAANTR	BENZO[A]ANTHRACENE	0.000000	UM2509	APR-1993	LT	9.800000	µg/l		PR1
UB	R	AARI	9992	BAPYR	BENZO[A]PYRENE	0.000000	UM2508	APR-1993	LT	14.000000	µg/l		PR1
UB	R	AARI	9004	BAPYR	BENZO[A]PYRENE	0.000000	UM2507	APR-1993	LT	14.000000	µg/l		PR1
UB	R	AARI	9756	BAPYR	BENZO[A]PYRENE	0.000000	UM2509	APR-1993	LT	14.000000	µg/l		PR1
UB	R	AARI	9992	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM2508	APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9004	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM2507	APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9756	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM2509	APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9992	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM2508	APR-1993	LT	17.000000	µg/l		PR1
UB	R	AARI	9004	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM2507	APR-1993	LT	17.000000	µg/l		PR1
UB	R	AARI	9756	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM2509	APR-1993	LT	17.000000	µg/l		PR1
UB	R	AARI	9992	BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM2508	APR-1993	LT	28.000000	µg/l		PR1
UB	R	AARI	9004	BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM2507	APR-1993	LT	28.000000	µg/l		PR1
UB	R	AARI	9756	BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM2509	APR-1993	LT	28.000000	µg/l		PR1
UB	R	AARI	9992	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM2508	APR-1993	LT	42.000000	µg/l		PR1
UB	R	AARI	9004	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM2507	APR-1993	LT	42.000000	µg/l		PR1
UB	R	AARI	9756	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM2509	APR-1993	LT	42.000000	µg/l		PR1
UB	R	AARI	9992	BENZOA	BENZOIC ACID	0.000000	UM2508	APR-1993	ND	3.100000	µg/l	R	PR1
UB	R	AARI	9004	BENZOA	BENZOIC ACID	0.000000	UM2507	APR-1993	ND	3.100000	µg/l	R	PR1
UB	R	AARI	9756	BENZOA	BENZOIC ACID	0.000000	UM2509	APR-1993	ND	3.100000	µg/l	R	PR1
UB	R	AARI	9992	BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM2508	APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9004	BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM2507	APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9756	BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM2509	APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9992	BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM2508	APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9004	BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM2507	APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9756	BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM2509	APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9992	BRMCIL	BROMACIL	0.000000	UM2508	APR-1993	LT	2.900000	µg/l		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARI	9004	BRMCIL	BROMACIL	0.000000	UM25	07-APR-1993	LT	2.900000	µg/l		PR1
UB	R	AARI	9756	BRMCIL	BROMACIL	0.000000	UM25	09-APR-1993	LT	2.900000	µg/l		PR1
UB	R	AARI	9992	BZALC	BENZYL ALCOHOL	0.000000	UM25	08-APR-1993	LT	4.000000	µg/l		PR1
UB	R	AARI	9004	BZALC	BENZYL ALCOHOL	0.000000	UM25	07-APR-1993	LT	4.000000	µg/l		PR1
UB	R	AARI	9756	BZALC	BENZYL ALCOHOL	0.000000	UM25	09-APR-1993	LT	4.000000	µg/l		PR1
UB	R	AARI	9992	CHRY	CHRYSENE	0.000000	UM25	08-APR-1993	LT	7.400000	µg/l		PR1
UB	R	AARI	9004	CHRY	CHRYSENE	0.000000	UM25	07-APR-1993	LT	7.400000	µg/l		PR1
UB	R	AARI	9756	CHRY	CHRYSENE	0.000000	UM25	09-APR-1993	LT	7.400000	µg/l		PR1
UB	R	AARI	9992	CL6BZ	HEXACHLOROBENZENE	0.000000	UM25	08-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9004	CL6BZ	HEXACHLOROBENZENE	0.000000	UM25	07-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9756	CL6BZ	HEXACHLOROBENZENE	0.000000	UM25	09-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9992	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM25	08-APR-1993	LT	54.000000	µg/l		PR1
UB	R	AARI	9004	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM25	07-APR-1993	LT	54.000000	µg/l		PR1
UB	R	AARI	9756	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM25	09-APR-1993	LT	54.000000	µg/l		PR1
UB	R	AARI	9992	CL6ET	HEXACHLOROETHANE	0.000000	UM25	08-APR-1993	LT	8.300000	µg/l		PR1
UB	R	AARI	9004	CL6ET	HEXACHLOROETHANE	0.000000	UM25	07-APR-1993	LT	8.300000	µg/l		PR1
UB	R	AARI	9756	CL6ET	HEXACHLOROETHANE	0.000000	UM25	09-APR-1993	LT	8.300000	µg/l		PR1
UB	R	AARI	9992	CLDAN	CHLORDANE	0.000000	UM25	08-APR-1993	LT	37.000000	µg/l		PR1
UB	R	AARI	9004	CLDAN	CHLORDANE	0.000000	UM25	07-APR-1993	LT	37.000000	µg/l		PR1
UB	R	AARI	9756	CLDAN	CHLORDANE	0.000000	UM25	09-APR-1993	LT	37.000000	µg/l		PR1
UB	R	AARI	9992	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM25	08-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9004	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM25	07-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9756	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM25	09-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARI	9992	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM25	08-APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9004	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM25	07-APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9756	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM25	09-APR-1993	LT	15.000000	µg/l		PR1
UB	R	AARI	9992	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM25	08-APR-1993	LT	5.300000	µg/l		PR1
UB	R	AARI	9004	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM25	07-APR-1993	LT	5.300000	µg/l		PR1
UB	R	AARI	9756	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM25	09-APR-1993	LT	5.300000	µg/l		PR1
UB	R	AARI	9992	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM25	08-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9004	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM25	07-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9756	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM25	09-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9992	DBCP	DIBROMOCHLOROPROPANE	0.000000	UM25	08-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9004	DBCP	DIBROMOCHLOROPROPANE	0.000000	UM25	07-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9756	DBCP	DIBROMOCHLOROPROPANE	0.000000	UM25	09-APR-1993	LT	12.000000	µg/l		PR1
UB	R	AARI	9992	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UM25	08-APR-1993	ND	3.000000	µg/l	R	PR1
UB	R	AARI	9004	DBHC	DELTA-BENZENEHEXACHLORIDE /	0.000000	UM25	07-APR-1993	ND	3.000000	µg/l	R	PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARI	9756	DBHC	DELTA-HEXACHLOROCYCLOHEXANE / DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UM2509-APR-1993		ND	3.000000	µg/l	R	PR1
UB	R	AARI	9992	DBZFUR	DIBENZOFURAN	0.000000	UM2508-APR-1993		LT	5.100000	µg/l		PR1
UB	R	AARI	9004	DBZFUR	DIBENZOFURAN	0.000000	UM2507-APR-1993		LT	5.100000	µg/l		PR1
UB	R	AARI	9756	DBZFUR	DIBENZOFURAN	0.000000	UM2509-APR-1993		LT	5.100000	µg/l		PR1
UB	R	AARI	9992	DCPD	DICYCLOPENTADIENE	0.000000	UM2508-APR-1993		LT	5.500000	µg/l		PR1
UB	R	AARI	9004	DCPD	DICYCLOPENTADIENE	0.000000	UM2507-APR-1993		LT	5.500000	µg/l		PR1
UB	R	AARI	9756	DCPD	DICYCLOPENTADIENE	0.000000	UM2509-APR-1993		LT	5.500000	µg/l		PR1
UB	R	AARI	9992	DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	UM2508-APR-1993		LT	8.500000	µg/l		PR1
UB	R	AARI	9004	DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	UM2507-APR-1993		LT	8.500000	µg/l		PR1
UB	R	AARI	9756	DDVP	DDVP / DICHLORVOS / DICHLOROPHOS / VAPONA	0.000000	UM2509-APR-1993		LT	8.500000	µg/l		PR1
UB	R	AARI	9992	DEP	DIETHYL PHTHALATE	0.000000	UM2508-APR-1993		LT	5.900000	µg/l		PR1
UB	R	AARI	9004	DEP	DIETHYL PHTHALATE	0.000000	UM2507-APR-1993		LT	5.900000	µg/l		PR1
UB	R	AARI	9756	DEP	DIETHYL PHTHALATE	0.000000	UM2509-APR-1993		LT	5.900000	µg/l		PR1
UB	R	AARI	9992	DIMP	DIISOPROPYLMETHYL PHOSPHONATE	0.000000	UM2508-APR-1993		LT	21.000000	µg/l		PR1
UB	R	AARI	9004	DIMP	DIISOPROPYLMETHYL PHOSPHONATE	0.000000	UM2507-APR-1993		LT	21.000000	µg/l		PR1
UB	R	AARI	9756	DIMP	DIISOPROPYLMETHYL PHOSPHONATE	0.000000	UM2509-APR-1993		LT	21.000000	µg/l		PR1
UB	R	AARI	9992	DITH	DITHIANE	0.000000	UM2508-APR-1993		LT	3.300000	µg/l		PR1
UB	R	AARI	9004	DITH	DITHIANE	0.000000	UM2507-APR-1993		LT	3.300000	µg/l		PR1
UB	R	AARI	9756	DITH	DITHIANE	0.000000	UM2509-APR-1993		LT	3.300000	µg/l		PR1
UB	R	AARI	9992	DLDRN	DIELDRIN	0.000000	UM2508-APR-1993		LT	26.000000	µg/l		PR1
UB	R	AARI	9004	DLDRN	DIELDRIN	0.000000	UM2507-APR-1993		LT	26.000000	µg/l		PR1
UB	R	AARI	9756	DLDRN	DIELDRIN	0.000000	UM2509-APR-1993		LT	26.000000	µg/l		PR1
UB	R	AARI	9992	DMMP	DIMETHYLMETHYL PHOSPHATE	0.000000	UM2508-APR-1993		LT	130.000000	µg/l		PR1
UB	R	AARI	9004	DMMP	DIMETHYLMETHYL PHOSPHATE	0.000000	UM2507-APR-1993		LT	130.000000	µg/l		PR1
UB	R	AARI	9756	DMMP	DIMETHYLMETHYL PHOSPHATE	0.000000	UM2509-APR-1993		LT	130.000000	µg/l		PR1
UB	R	AARI	9992	DMP	DIMETHYL PHTHALATE	0.000000	UM2508-APR-1993		LT	2.200000	µg/l		PR1
UB	R	AARI	9004	DMP	DIMETHYL PHTHALATE	0.000000	UM2507-APR-1993		LT	2.200000	µg/l		PR1
UB	R	AARI	9756	DMP	DIMETHYL PHTHALATE	0.000000	UM2509-APR-1993		LT	2.200000	µg/l		PR1
UB	R	AARI	9992	DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM2508-APR-1993		LT	33.000000	µg/l		PR1
UB	R	AARI	9004	DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM2507-APR-1993		LT	33.000000	µg/l		PR1
UB	R	AARI	9756	DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM2509-APR-1993		LT	33.000000	µg/l		PR1
UB	R	AARI	9992	DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM2508-APR-1993		LT	1.500000	µg/l		PR1
UB	R	AARI	9004	DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM2507-APR-1993		LT	1.500000	µg/l		PR1
UB	R	AARI	9756	DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM2509-APR-1993		LT	1.500000	µg/l		PR1
UB	R	AARI	9992	ENDRN	ENDRIN	0.000000	UM2508-APR-1993		LT	18.000000	µg/l		PR1
UB	R	AARI	9004	ENDRN	ENDRIN	0.000000	UM2507-APR-1993		LT	18.000000	µg/l		PR1
UB	R	AARI	9756	ENDRN	ENDRIN	0.000000	UM2509-APR-1993		LT	18.000000	µg/l		PR1
UB	R	AARI	9992	ENDRNA	ENDRIN ALDEHYDE	0.000000	UM2508-APR-1993		LT	5.000000	µg/l		PR1
UB	R	AARI	9004	ENDRNA	ENDRIN ALDEHYDE	0.000000	UM2507-APR-1993		LT	5.000000	µg/l		PR1
UB	R	AARI	9756	ENDRNA	ENDRIN ALDEHYDE	0.000000	UM2509-APR-1993		LT	5.000000	µg/l		PR1
UB	R	AARI	9992	ENDRNK	ENDRIN KETONE	0.000000	UM2508-APR-1993		ND	6.000000	µg/l	R	PR1
UB	R	AARI	9004	ENDRNK	ENDRIN KETONE	0.000000	UM2507-APR-1993		ND	6.000000	µg/l	R	PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARI	9756	ENDRNK	ENDRIN KETONE	0.000000	UM2509	APR-1993	ND	6.000000	µg/l	R	PR1
UB	R	AARI	9992	ESFSO4	ENDOSULFAN SULFATE	0.000000	UM2508	APR-1993	LT	50.000000	µg/l		PR1
UB	R	AARI	9004	ESFSO4	ENDOSULFAN SULFATE	0.000000	UM2507	APR-1993	LT	50.000000	µg/l		PR1
UB	R	AARI	9756	ESFSO4	ENDOSULFAN SULFATE	0.000000	UM2509	APR-1993	LT	50.000000	µg/l		PR1
UB	R	AARI	9992	FANT	FLUORANTHENE	0.000000	UM2508	APR-1993	LT	24.000000	µg/l		PR1
UB	R	AARI	9004	FANT	FLUORANTHENE	0.000000	UM2507	APR-1993	LT	24.000000	µg/l		PR1
UB	R	AARI	9756	FANT	FLUORANTHENE	0.000000	UM2509	APR-1993	LT	24.000000	µg/l		PR1
UB	R	AARI	9992	FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM2508	APR-1993	LT	9.200000	µg/l		PR1
UB	R	AARI	9004	FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM2507	APR-1993	LT	9.200000	µg/l		PR1
UB	R	AARI	9756	FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM2509	APR-1993	LT	9.200000	µg/l		PR1
UB	R	AARI	9992	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM2508	APR-1993	LT	8.700000	µg/l		PR1
UB	R	AARI	9004	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM2507	APR-1993	LT	8.700000	µg/l		PR1
UB	R	AARI	9756	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM2509	APR-1993	LT	8.700000	µg/l		PR1
UB	R	AARI	9992	HPCL	HEPTACHLOR	0.000000	UM2508	APR-1993	LT	38.000000	µg/l		PR1
UB	R	AARI	9004	HPCL	HEPTACHLOR	0.000000	UM2507	APR-1993	LT	38.000000	µg/l		PR1
UB	R	AARI	9756	HPCL	HEPTACHLOR	0.000000	UM2509	APR-1993	LT	38.000000	µg/l		PR1
UB	R	AARI	9992	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM2508	APR-1993	LT	28.000000	µg/l		PR1
UB	R	AARI	9004	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM2507	APR-1993	LT	28.000000	µg/l		PR1
UB	R	AARI	9756	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM2509	APR-1993	LT	28.000000	µg/l		PR1
UB	R	AARI	9992	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM2508	APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9004	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM2507	APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9756	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM2509	APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9992	ISODR	ISODRIN	0.000000	UM2508	APR-1993	LT	7.800000	µg/l		PR1
UB	R	AARI	9004	ISODR	ISODRIN	0.000000	UM2507	APR-1993	LT	7.800000	µg/l		PR1
UB	R	AARI	9756	ISODR	ISODRIN	0.000000	UM2509	APR-1993	LT	7.800000	µg/l		PR1
UB	R	AARI	9992	ISOPHR	ISOPHORONE	0.000000	UM2508	APR-1993	LT	2.400000	µg/l		PR1
UB	R	AARI	9004	ISOPHR	ISOPHORONE	0.000000	UM2507	APR-1993	LT	2.400000	µg/l		PR1
UB	R	AARI	9756	ISOPHR	ISOPHORONE	0.000000	UM2509	APR-1993	LT	2.400000	µg/l		PR1
UB	R	AARI	9992	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM2508	APR-1993	LT	7.200000	µg/l		PR1
UB	R	AARI	9004	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM2507	APR-1993	LT	7.200000	µg/l		PR1
UB	R	AARI	9756	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM2509	APR-1993	LT	7.200000	µg/l		PR1
UB	R	AARI	9992	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM2508	APR-1993	LT	11.000000	µg/l		PR1
UB	R	AARI	9004	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM2507	APR-1993	LT	11.000000	µg/l		PR1
UB	R	AARI	9756	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM2509	APR-1993	LT	11.000000	µg/l		PR1
UB	R	AARI	9992	MIREX	MIREX	0.000000	UM2508	APR-1993	LT	24.000000	µg/l		PR1
UB	R	AARI	9004	MIREX	MIREX	0.000000	UM2507	APR-1993	LT	24.000000	µg/l		PR1
UB	R	AARI	9756	MIREX	MIREX	0.000000	UM2509	APR-1993	LT	24.000000	µg/l		PR1
UB	R	AARI	9992	MLTHN	MALATHION	0.000000	UM2508	APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9004	MLTHN	MALATHION	0.000000	UM2507	APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9756	MLTHN	MALATHION	0.000000	UM2509	APR-1993	LT	21.000000	µg/l		PR1
UB	R	AARI	9992	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM2508	APR-1993	LT	0.500000	µg/l		PR1
UB	R	AARI	9004	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM2507	APR-1993	LT	0.500000	µg/l		PR1
UB	R	AARI	9756	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM2509	APR-1993	LT	0.500000	µg/l		PR1
UB	R	AARI	9992	NB	ESSENCE OF MIRBANE / OIL	0.000000	UM2508	APR-1993	LT	3.700000	µg/l		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARI	9004	NB	OF MIRBANE / NITROBENZENE ESSENCE OF MIRBANE / OIL	0.000000	UM2507	APR-1993	LT	3.700000	µg/l		PR1
UB	R	AARI	9756	NB	OF MIRBANE / NITROBENZENE ESSENCE OF MIRBANE / OIL	0.000000	UM2509	APR-1993	LT	3.700000	µg/l		PR1
UB	R	AARI	9992	NNDMEA	OF MIRBANE / NITROBENZENE DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	UM2508	APR-1993	LT	9.700000	µg/l		PR1
UB	R	AARI	9004	NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	UM2507	APR-1993	LT	9.700000	µg/l		PR1
UB	R	AARI	9756	NNDMEA	DMNA / DMN / N-NITROSODIMETHYLAMINE	0.000000	UM2509	APR-1993	LT	9.700000	µg/l		PR1
UB	R	AARI	9992	NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	UM2508	APR-1993	LT	6.800000	µg/l		PR1
UB	R	AARI	9004	NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	UM2507	APR-1993	LT	6.800000	µg/l		PR1
UB	R	AARI	9756	NNDNPA	N-NITROSODI-N-PROPYLAMINE	0.000000	UM2509	APR-1993	LT	6.800000	µg/l		PR1
UB	R	AARI	9992	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM2508	APR-1993	LT	3.700000	µg/l		PR1
UB	R	AARI	9004	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM2507	APR-1993	LT	3.700000	µg/l		PR1
UB	R	AARI	9756	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM2509	APR-1993	LT	3.700000	µg/l		PR1
UB	R	AARI	9992	OXAT	1,4-OXATHIANE	0.000000	UM2508	APR-1993	LT	27.000000	µg/l		PR1
UB	R	AARI	9004	OXAT	1,4-OXATHIANE	0.000000	UM2507	APR-1993	LT	27.000000	µg/l		PR1
UB	R	AARI	9756	OXAT	1,4-OXATHIANE	0.000000	UM2509	APR-1993	LT	27.000000	µg/l		PR1
UB	R	AARI	9992	PCB016	PCB 1016	0.000000	UM2508	APR-1993	ND	9.100000	µg/l	R	PR1
UB	R	AARI	9004	PCB016	PCB 1016	0.000000	UM2507	APR-1993	ND	9.100000	µg/l	R	PR1
UB	R	AARI	9756	PCB016	PCB 1016	0.000000	UM2509	APR-1993	ND	9.100000	µg/l	R	PR1
UB	R	AARI	9992	PCB221	PCB 1221	0.000000	UM2508	APR-1993	ND	7.200000	µg/l	R	PR1
UB	R	AARI	9004	PCB221	PCB 1221	0.000000	UM2507	APR-1993	ND	7.200000	µg/l	R	PR1
UB	R	AARI	9756	PCB221	PCB 1221	0.000000	UM2509	APR-1993	ND	7.200000	µg/l	R	PR1
UB	R	AARI	9992	PCB232	PCB 1232	0.000000	UM2508	APR-1993	ND	9.900000	µg/l	R	PR1
UB	R	AARI	9004	PCB232	PCB 1232	0.000000	UM2507	APR-1993	ND	9.900000	µg/l	R	PR1
UB	R	AARI	9756	PCB232	PCB 1232	0.000000	UM2509	APR-1993	ND	9.900000	µg/l	R	PR1
UB	R	AARI	9992	PCB242	PCB 1242	0.000000	UM2508	APR-1993	ND	5.200000	µg/l	R	PR1
UB	R	AARI	9004	PCB242	PCB 1242	0.000000	UM2507	APR-1993	ND	5.200000	µg/l	R	PR1
UB	R	AARI	9756	PCB242	PCB 1242	0.000000	UM2509	APR-1993	ND	5.200000	µg/l	R	PR1
UB	R	AARI	9992	PCB248	PCB 1248	0.000000	UM2508	APR-1993	ND	38.000000	µg/l	R	PR1
UB	R	AARI	9004	PCB248	PCB 1248	0.000000	UM2507	APR-1993	ND	38.000000	µg/l	R	PR1
UB	R	AARI	9756	PCB248	PCB 1248	0.000000	UM2509	APR-1993	ND	38.000000	µg/l	R	PR1
UB	R	AARI	9992	PCB254	PCB 1254	0.000000	UM2508	APR-1993	ND	33.000000	µg/l	R	PR1
UB	R	AARI	9004	PCB254	PCB 1254	0.000000	UM2507	APR-1993	ND	33.000000	µg/l	R	PR1
UB	R	AARI	9756	PCB254	PCB 1254	0.000000	UM2509	APR-1993	ND	33.000000	µg/l	R	PR1
UB	R	AARI	9992	PCB260	PCB 1260	0.000000	UM2508	APR-1993	ND	13.000000	µg/l	R	PR1
UB	R	AARI	9004	PCB260	PCB 1260	0.000000	UM2507	APR-1993	ND	13.000000	µg/l	R	PR1
UB	R	AARI	9756	PCB260	PCB 1260	0.000000	UM2509	APR-1993	ND	13.000000	µg/l	R	PR1
UB	R	AARI	9992	PCP	PENTACHLOROPHENOL	0.000000	UM2508	APR-1993	LT	9.100000	µg/l		PR1
UB	R	AARI	9004	PCP	PENTACHLOROPHENOL	0.000000	UM2507	APR-1993	LT	9.100000	µg/l		PR1
UB	R	AARI	9756	PCP	PENTACHLOROPHENOL	0.000000	UM2509	APR-1993	LT	9.100000	µg/l		PR1
UB	R	AARI	9992	PHANTR	PHENANTHRENE	0.000000	UM2508	APR-1993	LT	9.900000	µg/l		PR1
UB	R	AARI	9004	PHANTR	PHENANTHRENE	0.000000	UM2507	APR-1993	LT	9.900000	µg/l		PR1
UB	R	AARI	9756	PHANTR	PHENANTHRENE	0.000000	UM2509	APR-1993	LT	9.900000	µg/l		PR1
UB	R	AARI	9992	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM2508	APR-1993	LT	2.200000	µg/l		PR1
UB	R	AARI	9004	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM2507	APR-1993	LT	2.200000	µg/l		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARI	9756	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM25	09-APR-1993	LT	2.200000	µg/l		PR1
UB	R	AARI	9992	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UM25	08-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AARI	9004	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UM25	07-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AARI	9756	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UM25	09-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AARI	9992	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UM25	08-APR-1993	LT	14.000000	µg/l		PR1
UB	R	AARI	9004	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UM25	07-APR-1993	LT	14.000000	µg/l		PR1
UB	R	AARI	9756	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UM25	09-APR-1993	LT	14.000000	µg/l		PR1
UB	R	AARI	9992	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UM25	08-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AARI	9004	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UM25	07-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AARI	9756	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UM25	09-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AARI	9992	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM25	08-APR-1993	LT	37.000000	µg/l		PR1
UB	R	AARI	9004	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM25	07-APR-1993	LT	37.000000	µg/l		PR1
UB	R	AARI	9756	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM25	09-APR-1993	LT	37.000000	µg/l		PR1
UB	R	AARI	9992	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	UM25	08-APR-1993	LT	17.000000	µg/l		PR1
UB	R	AARI	9004	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	UM25	07-APR-1993	LT	17.000000	µg/l		PR1
UB	R	AARI	9756	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	UM25	09-APR-1993	LT	17.000000	µg/l		PR1
UB	R	AARI	9992	SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	UM25	08-APR-1993	LT	19.000000	µg/l		PR1
UB	R	AARI	9004	SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	UM25	07-APR-1993	LT	19.000000	µg/l		PR1
UB	R	AARI	9756	SUPONA	SUPONA / DERMATON / BIRLANE / CVP / CHLORFENVINPHOS	0.000000	UM25	09-APR-1993	LT	19.000000	µg/l		PR1
UB	R	AARI	9992	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UM25	08-APR-1993	ND	17.000000	µg/l	R	PR1
UB	R	AARI	9004	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE /	0.000000	UM25	07-APR-1993	ND	17.000000	µg/l	R	PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARJ	9756	TXPHEN	CAMPHECHLOR TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UM25	09-APR-1993	ND	17.000000	µg/l	R	PR1
UB	R	AARJ	9993	AG	SILVER	0.000000	SS12	08-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARJ	9005	AG	SILVER	0.000000	SS12	07-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARJ	9758	AG	SILVER	0.000000	SS12	09-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AARJ	9993	AL	ALUMINUM	0.000000	SS12	08-APR-1993	LT	220.000000	µg/l		PR1
UB	R	AARJ	9005	AL	ALUMINUM	0.000000	SS12	07-APR-1993	LT	112.000000	µg/l		PR1
UB	R	AARJ	9758	AL	ALUMINUM	0.000000	SS12	09-APR-1993	LT	112.000000	µg/l		PR1
UB	R	AARJ	9993	BA	BARIUM	0.000000	SS12	08-APR-1993		57.500000	µg/l		PR1
UB	R	AARJ	9005	BA	BARIUM	0.000000	SS12	07-APR-1993	LT	2.820000	µg/l		PR1
UB	R	AARJ	9758	BA	BARIUM	0.000000	SS12	09-APR-1993	LT	2.820000	µg/l		PR1
UB	R	AARJ	9993	BE	BERYLLIUM	0.000000	SS12	08-APR-1993	LT	1.120000	µg/l		PR1
UB	R	AARJ	9005	BE	BERYLLIUM	0.000000	SS12	07-APR-1993	LT	1.120000	µg/l		PR1
UB	R	AARJ	9758	BE	BERYLLIUM	0.000000	SS12	09-APR-1993	LT	1.120000	µg/l		PR1
UB	R	AARJ	9993	CA	CALCIUM	0.000000	SS12	08-APR-1993		104000.000000	µg/l		PR1
UB	R	AARJ	9005	CA	CALCIUM	0.000000	SS12	07-APR-1993	LT	105.000000	µg/l		PR1
UB	R	AARJ	9758	CA	CALCIUM	0.000000	SS12	09-APR-1993	LT	105.000000	µg/l		PR1
UB	R	AARJ	9993	CD	CADMIUM	0.000000	SS12	08-APR-1993	LT	6.780000	µg/l		PR1
UB	R	AARJ	9005	CD	CADMIUM	0.000000	SS12	07-APR-1993	LT	6.780000	µg/l		PR1
UB	R	AARJ	9758	CD	CADMIUM	0.000000	SS12	09-APR-1993	LT	6.780000	µg/l		PR1
UB	R	AARJ	9993	CO	COBALT	0.000000	SS12	08-APR-1993	LT	25.000000	µg/l		PR1
UB	R	AARJ	9005	CO	COBALT	0.000000	SS12	07-APR-1993	LT	25.000000	µg/l		PR1
UB	R	AARJ	9758	CO	COBALT	0.000000	SS12	09-APR-1993	LT	25.000000	µg/l		PR1
UB	R	AARJ	9993	CR	CHROMIUM	0.000000	SS12	08-APR-1993	LT	16.800000	µg/l		PR1
UB	R	AARJ	9005	CR	CHROMIUM	0.000000	SS12	07-APR-1993	LT	16.800000	µg/l		PR1
UB	R	AARJ	9758	CR	CHROMIUM	0.000000	SS12	09-APR-1993	LT	16.800000	µg/l		PR1
UB	R	AARJ	9993	CU	COPPER	0.000000	SS12	08-APR-1993	LT	18.800000	µg/l		PR1
UB	R	AARJ	9005	CU	COPPER	0.000000	SS12	07-APR-1993		130.000000	µg/l		PR1
UB	R	AARJ	9758	CU	COPPER	0.000000	SS12	09-APR-1993		119.000000	µg/l		PR1
UB	R	AARJ	9993	FE	IRON	0.000000	SS12	08-APR-1993		111.000000	µg/l		PR1
UB	R	AARJ	9005	FE	IRON	0.000000	SS12	07-APR-1993	LT	77.500000	µg/l		PR1
UB	R	AARJ	9758	FE	IRON	0.000000	SS12	09-APR-1993		84.700000	µg/l		PR1
UB	R	AARJ	9993	K	POTASSIUM	0.000000	SS12	08-APR-1993		4690.000000	µg/l		PR1
UB	R	AARJ	9005	K	POTASSIUM	0.000000	SS12	07-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	AARJ	9758	K	POTASSIUM	0.000000	SS12	09-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	AARJ	9993	MG	MAGNESIUM	0.000000	SS12	08-APR-1993		41200.000000	µg/l		PR1
UB	R	AARJ	9005	MG	MAGNESIUM	0.000000	SS12	07-APR-1993	LT	135.000000	µg/l		PR1
UB	R	AARJ	9758	MG	MAGNESIUM	0.000000	SS12	09-APR-1993	LT	135.000000	µg/l		PR1
UB	R	AARJ	9993	MN	MANGANESE	0.000000	SS12	08-APR-1993	LT	19.000000	µg/l		PR1
UB	R	AARJ	9005	MN	MANGANESE	0.000000	SS12	07-APR-1993	LT	9.670000	µg/l		PR1
UB	R	AARJ	9758	MN	MANGANESE	0.000000	SS12	09-APR-1993	LT	9.670000	µg/l		PR1
UB	R	AARJ	9993	NA	SODIUM	0.000000	SS12	08-APR-1993		110000.000000	µg/l		PR1
UB	R	AARJ	9005	NA	SODIUM	0.000000	SS12	07-APR-1993	LT	279.000000	µg/l		PR1
UB	R	AARJ	9758	NA	SODIUM	0.000000	SS12	09-APR-1993	LT	279.000000	µg/l		PR1
UB	R	AARJ	9993	NI	NICKEL	0.000000	SS12	08-APR-1993	LT	32.100000	µg/l		PR1
UB	R	AARJ	9005	NI	NICKEL	0.000000	SS12	07-APR-1993	LT	32.100000	µg/l		PR1
UB	R	AARJ	9758	NI	NICKEL	0.000000	SS12	09-APR-1993	LT	32.100000	µg/l		PR1
UB	R	AARJ	9993	TL	THALLIUM	0.000000	SS12	08-APR-1993	LT	125.000000	µg/l		PR1
UB	R	AARJ	9005	TL	THALLIUM	0.000000	SS12	07-APR-1993	LT	125.000000	µg/l		PR1
UB	R	AARJ	9758	TL	THALLIUM	0.000000	SS12	09-APR-1993	LT	125.000000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARJ	9993	V	VANADIUM	0.000000	SS12	08-APR-1993	LT	27.600000	µg/l		PR1
UB	R	AARJ	9005	V	VANADIUM	0.000000	SS12	07-APR-1993	LT	27.600000	µg/l		PR1
UB	R	AARJ	9758	V	VANADIUM	0.000000	SS12	09-APR-1993	LT	27.600000	µg/l		PR1
UB	R	AARJ	9993	ZN	ZINC	0.000000	SS12	08-APR-1993		21.900000	µg/l		PR1
UB	R	AARJ	9005	ZN	ZINC	0.000000	SS12	07-APR-1993		22.900000	µg/l		PR1
UB	R	AARJ	9758	ZN	ZINC	0.000000	SS12	09-APR-1993		35.700000	µg/l		PR1
UB	R	AARK	9993	HG	MERCURY	0.000000	CC8	08-APR-1993	LT	0.100000	µg/l		PR1
UB	R	AARK	9005	HG	MERCURY	0.000000	CC8	07-APR-1993	LT	0.100000	µg/l		PR1
UB	R	AARK	9758	HG	MERCURY	0.000000	CC8	09-APR-1993	LT	0.100000	µg/l		PR1
UB	R	AARL	9993	AS	ARSENIC	0.000000	AX8	08-APR-1993		2.430000	µg/l		PR1
UB	R	AARL	9005	AS	ARSENIC	0.000000	AX8	07-APR-1993	LT	2.350000	µg/l		PR1
UB	R	AARL	9758	AS	ARSENIC	0.000000	AX8	09-APR-1993	LT	2.350000	µg/l		PR1
UB	R	AARM	9993	PB	LEAD	0.000000	SD18	08-APR-1993	LT	4.470000	µg/l		PR1
UB	R	AARM	9005	PB	LEAD	0.000000	SD18	07-APR-1993		7.340000	µg/l		PR1
UB	R	AARM	9758	PB	LEAD	0.000000	SD18	09-APR-1993	LT	4.470000	µg/l		PR1
UB	R	AARN	9993	SE	SELENIUM	0.000000	SD25	08-APR-1993		2.940000	µg/l		PR1
UB	R	AARN	9005	SE	SELENIUM	0.000000	SD25	07-APR-1993	LT	2.530000	µg/l		PR1
UB	R	AARN	9758	SE	SELENIUM	0.000000	SD25	09-APR-1993	LT	2.530000	µg/l		PR1
UB	R	AARO	9993	SB	ANTIMONY	0.000000	7041	08-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AARO	9011	SB	ANTIMONY	0.000000	7041	08-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AARO	9898	SB	ANTIMONY	0.000000	7041	09-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AARO	9884	SB	ANTIMONY	0.000000	7041	09-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AARO	9005	SB	ANTIMONY	0.000000	7041	07-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AARO	9758	SB	ANTIMONY	0.000000	7041	09-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AARP	9994	135TNB	1,3,5-TRINITROBENZENE	0.000000	UW2508	APR-1993	LT	0.210000	µg/l		PR1
UB	R	AARP	9006	135TNB	1,3,5-TRINITROBENZENE	0.000000	UW2507	APR-1993	LT	0.210000	µg/l		PR1
UB	R	AARP	9760	135TNB	1,3,5-TRINITROBENZENE	0.000000	UW2509	APR-1993	LT	0.404000	µg/l	K	PR1
UB	R	AARP	9994	13DNB	1,3-DINITROBENZENE	0.000000	UW2508	APR-1993	LT	0.458000	µg/l		PR1
UB	R	AARP	9006	13DNB	1,3-DINITROBENZENE	0.000000	UW2507	APR-1993	LT	0.458000	µg/l		PR1
UB	R	AARP	9760	13DNB	1,3-DINITROBENZENE	0.000000	UW2509	APR-1993	LT	0.458000	µg/l		PR1
UB	R	AARP	9994	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW2508	APR-1993	LT	0.426000	µg/l		PR1
UB	R	AARP	9006	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW2507	APR-1993	LT	0.426000	µg/l		PR1
UB	R	AARP	9760	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW2509	APR-1993	LT	0.426000	µg/l		PR1
UB	R	AARP	9994	24DNT	2,4-DINITROTOLUENE	0.000000	UW2508	APR-1993	LT	0.397000	µg/l		PR1
UB	R	AARP	9006	24DNT	2,4-DINITROTOLUENE	0.000000	UW2507	APR-1993	LT	0.397000	µg/l		PR1
UB	R	AARP	9760	24DNT	2,4-DINITROTOLUENE	0.000000	UW2509	APR-1993	LT	0.397000	µg/l		PR1
UB	R	AARP	9994	26DNT	2,6-DINITROTOLUENE	0.000000	UW2508	APR-1993	LT	0.600000	µg/l		PR1
UB	R	AARP	9006	26DNT	2,6-DINITROTOLUENE	0.000000	UW2507	APR-1993	LT	0.600000	µg/l		PR1
UB	R	AARP	9760	26DNT	2,6-DINITROTOLUENE	0.000000	UW2509	APR-1993	LT	0.600000	µg/l		PR1
UB	R	AARP	9994	HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	UW2508	APR-1993	LT	0.533000	µg/l		PR1
UB	R	AARP	9006	HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	UW2507	APR-1993	LT	0.533000	µg/l		PR1
UB	R	AARP	9760	HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	UW2509	APR-1993	LT	0.533000	µg/l		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ITRAMINE								
UB	R	AARP9994		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW25	08-APR-1993	LT	0.682000	µg/l		PR1
UB	R	AARP9006		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW25	07-APR-1993	LT	0.682000	µg/l		PR1
UB	R	AARP9760		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW25	09-APR-1993	LT	0.682000	µg/l		PR1
UB	R	AARP9994		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW25	08-APR-1993	LT	0.416000	µg/l		PR1
UB	R	AARP9006		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW25	07-APR-1993	LT	0.416000	µg/l		PR1
UB	R	AARP9760		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW25	09-APR-1993	LT	0.416000	µg/l		PR1
UB	R	AARP9994		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25	08-APR-1993	LT	0.631000	µg/l		PR1
UB	R	AARP9006		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25	07-APR-1993	LT	0.631000	µg/l		PR1
UB	R	AARP9760		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25	09-APR-1993	LT	0.631000	µg/l		PR1
UB	R	AARQ9995		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	08-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9007		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	07-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9764		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	09-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9995		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20	08-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9007		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20	07-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9764		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20	09-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9995		ALDRN	ALDRIN	0.000000	UH20	08-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AARQ9007		ALDRN	ALDRIN	0.000000	UH20	07-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AARQ9764		ALDRN	ALDRIN	0.000000	UH20	09-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AARQ9995		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	08-APR-1993	LT	0.009900	µg/l		PR1
UB	R	AARQ9007		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	07-APR-1993	LT	0.009900	µg/l		PR1
UB	R	AARQ9764		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	09-APR-1993	LT	0.009900	µg/l		PR1

Note: QC Type= F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARQ9995		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20	08-APR-1993	LT	0.007700	µg/l		PR1
UB	R	AARQ9007		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20	07-APR-1993	LT	0.007700	µg/l		PR1
UB	R	AARQ9764		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20	09-APR-1993	LT	0.007700	µg/l		PR1
UB	R	AARQ9995		CLDAN	CHLORDANE	0.000000	UH20	08-APR-1993	LT	0.031200	µg/l		PR1
UB	R	AARQ9007		CLDAN	CHLORDANE	0.000000	UH20	07-APR-1993	LT	0.031200	µg/l		PR1
UB	R	AARQ9764		CLDAN	CHLORDANE	0.000000	UH20	09-APR-1993	LT	0.031200	µg/l		PR1
UB	R	AARQ9995		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	08-APR-1993	LT	0.003400	µg/l		PR1
UB	R	AARQ9007		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	07-APR-1993	LT	0.003400	µg/l		PR1
UB	R	AARQ9764		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	09-APR-1993	LT	0.003400	µg/l		PR1
UB	R	AARQ9995		DLDRN	DIELDRIN	0.000000	UH20	08-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AARQ9007		DLDRN	DIELDRIN	0.000000	UH20	07-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AARQ9764		DLDRN	DIELDRIN	0.000000	UH20	09-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AARQ9995		ENDRN	ENDRIN	0.000000	UH20	08-APR-1993	LT	0.017600	µg/l		PR1
UB	R	AARQ9007		ENDRN	ENDRIN	0.000000	UH20	07-APR-1993	LT	0.017600	µg/l		PR1
UB	R	AARQ9764		ENDRN	ENDRIN	0.000000	UH20	09-APR-1993	LT	0.017600	µg/l		PR1
UB	R	AARQ9995		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20	08-APR-1993	ND	0.050400	µg/l	R	PR1
UB	R	AARQ9007		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20	07-APR-1993	ND	0.050400	µg/l	R	PR1
UB	R	AARQ9764		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20	09-APR-1993	ND	0.050400	µg/l	R	PR1
UB	R	AARQ9995		ENDRNK	ENDRIN KETONE	0.000000	UH20	08-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AARQ9007		ENDRNK	ENDRIN KETONE	0.000000	UH20	07-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AARQ9764		ENDRNK	ENDRIN KETONE	0.000000	UH20	09-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AARQ9995		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20	08-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AARQ9007		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20	07-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AARQ9764		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20	09-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AARQ9995		HPCL	HEPTACHLOR	0.000000	UH20	08-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9007		HPCL	HEPTACHLOR	0.000000	UH20	07-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9764		HPCL	HEPTACHLOR	0.000000	UH20	09-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9995		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20	08-APR-1993	LT	0.006300	µg/l		PR1
UB	R	AARQ9007		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20	07-APR-1993	LT	0.006300	µg/l		PR1
UB	R	AARQ9764		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20	09-APR-1993	LT	0.006300	µg/l		PR1
UB	R	AARQ9995		ISODR	ISODRIN	0.000000	UH20	08-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9007		ISODR	ISODRIN	0.000000	UH20	07-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9764		ISODR	ISODRIN	0.000000	UH20	09-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9995		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20	08-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9007		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20	07-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9764		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20	09-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9995		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20	08-APR-1993	LT	0.075000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AARQ9007		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20	07-APR-1993	LT	0.075000	µg/l		PR1
UB	R	AARQ9764		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20	09-APR-1993	LT	0.075000	µg/l		PR1
UB	R	AARQ9995		PCB016	PCB 1016	0.000000	UH20	08-APR-1993	LT	0.385000	µg/l		PR1
UB	R	AARQ9007		PCB016	PCB 1016	0.000000	UH20	07-APR-1993	LT	0.385000	µg/l		PR1
UB	R	AARQ9764		PCB016	PCB 1016	0.000000	UH20	09-APR-1993	LT	0.385000	µg/l		PR1
UB	R	AARQ9995		PCB221	PCB 1221	0.000000	UH20	08-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9007		PCB221	PCB 1221	0.000000	UH20	07-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9764		PCB221	PCB 1221	0.000000	UH20	09-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9995		PCB232	PCB 1232	0.000000	UH20	08-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9007		PCB232	PCB 1232	0.000000	UH20	07-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9764		PCB232	PCB 1232	0.000000	UH20	09-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9995		PCB242	PCB 1242	0.000000	UH20	08-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9007		PCB242	PCB 1242	0.000000	UH20	07-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9764		PCB242	PCB 1242	0.000000	UH20	09-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9995		PCB248	PCB 1248	0.000000	UH20	08-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9007		PCB248	PCB 1248	0.000000	UH20	07-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9764		PCB248	PCB 1248	0.000000	UH20	09-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AARQ9995		PCB254	PCB 1254	0.000000	UH20	08-APR-1993	ND	0.176000	µg/l	R	PR1
UB	R	AARQ9007		PCB254	PCB 1254	0.000000	UH20	07-APR-1993	ND	0.176000	µg/l	R	PR1
UB	R	AARQ9764		PCB254	PCB 1254	0.000000	UH20	09-APR-1993	ND	0.176000	µg/l	R	PR1
UB	R	AARQ9995		PCB260	PCB 1260	0.000000	UH20	08-APR-1993	LT	0.176000	µg/l		PR1
UB	R	AARQ9007		PCB260	PCB 1260	0.000000	UH20	07-APR-1993	LT	0.176000	µg/l		PR1
UB	R	AARQ9764		PCB260	PCB 1260	0.000000	UH20	09-APR-1993	LT	0.176000	µg/l		PR1
UB	R	AARQ9995		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20	08-APR-1993	LT	0.008100	µg/l		PR1
UB	R	AARQ9007		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20	07-APR-1993	LT	0.008100	µg/l		PR1
UB	R	AARQ9764		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20	09-APR-1993	LT	0.008100	µg/l		PR1
UB	R	AARQ9995		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20	08-APR-1993	LT	0.003900	µg/l		PR1
UB	R	AARQ9007		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20	07-APR-1993	LT	0.003900	µg/l		PR1
UB	R	AARQ9764		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20	09-APR-1993	LT	0.003900	µg/l		PR1
UB	R	AARQ9995		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20	08-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9007		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20	07-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9764		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20	09-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AARQ9995		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20	08-APR-1993	LT	1.640000	µg/l		PR1
UB	R	AARQ9007		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20	07-APR-1993	LT	1.640000	µg/l		PR1
UB	R	AARQ9764		TXPHEN	TOXAPHENE / ALLTOX /	0.000000	UH20	09-APR-1993	LT	1.640000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					CHLORINATED CAMPHENE / CAMPHECHLOR								
UB	R	AAUE8924		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW2510	APR-1993	LT	0.744000	µg/l	K	PR1
UB	R	AAUE8938		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW2512	APR-1993	LT	0.210000	µg/l		PR1
UB	R	AAUE8924		13DNB	1,3-DINITROBENZENE	0.000000	UW2510	APR-1993	LT	0.458000	µg/l		PR1
UB	R	AAUE8938		13DNB	1,3-DINITROBENZENE	0.000000	UW2512	APR-1993	LT	0.458000	µg/l		PR1
UB	R	AAUE8924		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW2510	APR-1993	LT	0.426000	µg/l		PR1
UB	R	AAUE8938		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW2512	APR-1993	LT	0.426000	µg/l		PR1
UB	R	AAUE8924		24DNT	2,4-DINITROTOLUENE	0.000000	UW2510	APR-1993	LT	0.397000	µg/l		PR1
UB	R	AAUE8938		24DNT	2,4-DINITROTOLUENE	0.000000	UW2512	APR-1993	LT	0.397000	µg/l		PR1
UB	R	AAUE8924		26DNT	2,6-DINITROTOLUENE	0.000000	UW2510	APR-1993	LT	0.600000	µg/l		PR1
UB	R	AAUE8938		26DNT	2,6-DINITROTOLUENE	0.000000	UW2512	APR-1993	LT	0.600000	µg/l		PR1
UB	R	AAUE8924		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	UW2510	APR-1993	LT	0.533000	µg/l		PR1
UB	R	AAUE8938		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	UW2512	APR-1993	LT	0.533000	µg/l		PR1
UB	R	AAUE8924		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW2510	APR-1993	LT	0.682000	µg/l		PR1
UB	R	AAUE8938		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW2512	APR-1993	LT	0.682000	µg/l		PR1
UB	R	AAUE8924		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW2510	APR-1993	LT	0.416000	µg/l		PR1
UB	R	AAUE8938		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW2512	APR-1993	LT	0.416000	µg/l		PR1
UB	R	AAUE8924		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW2510	APR-1993	LT	0.631000	µg/l		PR1
UB	R	AAUE8938		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW2512	APR-1993	LT	0.631000	µg/l		PR1
UB	R	AAUF8922		AG	SILVER	0.000000	SS12	10-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AAUF8936		AG	SILVER	0.000000	SS12	12-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AAUF8952		AG	SILVER	0.000000	SS12	14-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AAUF9216		AG	SILVER	0.000000	SS12	20-APR-1993	LT	10.000000	µg/l		PR1
UB	R	AAUF8922		AL	ALUMINUM	0.000000	SS12	10-APR-1993	LT	112.000000	µg/l		PR1
UB	R	AAUF8936		AL	ALUMINUM	0.000000	SS12	12-APR-1993	LT	112.000000	µg/l		PR1
UB	R	AAUF8952		AL	ALUMINUM	0.000000	SS12	14-APR-1993	LT	112.000000	µg/l		PR1
UB	R	AAUF9216		AL	ALUMINUM	0.000000	SS12	20-APR-1993	LT	112.000000	µg/l		PR1
UB	R	AAUF8922		BA	BARIUM	0.000000	SS12	10-APR-1993	LT	2.820000	µg/l		PR1
UB	R	AAUF8936		BA	BARIUM	0.000000	SS12	12-APR-1993	LT	2.820000	µg/l		PR1
UB	R	AAUF8952		BA	BARIUM	0.000000	SS12	14-APR-1993	LT	2.820000	µg/l		PR1
UB	R	AAUF9216		BA	BARIUM	0.000000	SS12	20-APR-1993	LT	2.820000	µg/l		PR1
UB	R	AAUF8922		BE	BERYLLIUM	0.000000	SS12	10-APR-1993	LT	1.120000	µg/l		PR1
UB	R	AAUF8936		BE	BERYLLIUM	0.000000	SS12	12-APR-1993	LT	1.120000	µg/l		PR1
UB	R	AAUF8952		BE	BERYLLIUM	0.000000	SS12	14-APR-1993	LT	1.120000	µg/l		PR1
UB	R	AAUF9216		BE	BERYLLIUM	0.000000	SS12	20-APR-1993	LT	1.120000	µg/l		PR1
UB	R	AAUF8922		CA	CALCIUM	0.000000	SS12	10-APR-1993	LT	105.000000	µg/l		PR1
UB	R	AAUF8936		CA	CALCIUM	0.000000	SS12	12-APR-1993	LT	105.000000	µg/l		PR1
UB	R	AAUF8952		CA	CALCIUM	0.000000	SS12	14-APR-1993	LT	105.000000	µg/l		PR1
UB	R	AAUF9216		CA	CALCIUM	0.000000	SS12	20-APR-1993	LT	105.000000	µg/l		PR1
UB	R	AAUF8922		CD	CADMIUM	0.000000	SS12	10-APR-1993	LT	6.780000	µg/l		PR1

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AAUF8936		CD	CADMIUM	0.000000	SS12	12-APR-1993	LT	6.780000	µg/l		PR1
UB	R	AAUF8952		CD	CADMIUM	0.000000	SS12	14-APR-1993	LT	6.780000	µg/l		PR1
UB	R	AAUF9216		CD	CADMIUM	0.000000	SS12	20-APR-1993	LT	6.780000	µg/l		PR1
UB	R	AAUF8922		CO	COBALT	0.000000	SS12	10-APR-1993	LT	25.000000	µg/l		PR1
UB	R	AAUF8936		CO	COBALT	0.000000	SS12	12-APR-1993	LT	25.000000	µg/l		PR1
UB	R	AAUF8952		CO	COBALT	0.000000	SS12	14-APR-1993	LT	25.000000	µg/l		PR1
UB	R	AAUF9216		CO	COBALT	0.000000	SS12	20-APR-1993	LT	25.000000	µg/l		PR1
UB	R	AAUF8922		CR	CHROMIUM	0.000000	SS12	10-APR-1993	LT	16.800000	µg/l		PR1
UB	R	AAUF8936		CR	CHROMIUM	0.000000	SS12	12-APR-1993	LT	16.800000	µg/l		PR1
UB	R	AAUF8952		CR	CHROMIUM	0.000000	SS12	14-APR-1993	LT	16.800000	µg/l		PR1
UB	R	AAUF9216		CR	CHROMIUM	0.000000	SS12	20-APR-1993	LT	16.800000	µg/l		PR1
UB	R	AAUF8922		CU	COPPER	0.000000	SS12	10-APR-1993		143.000000	µg/l		PR1
UB	R	AAUF8936		CU	COPPER	0.000000	SS12	12-APR-1993	LT	18.800000	µg/l		PR1
UB	R	AAUF8952		CU	COPPER	0.000000	SS12	14-APR-1993	LT	18.800000	µg/l		PR1
UB	R	AAUF9216		CU	COPPER	0.000000	SS12	20-APR-1993	LT	18.800000	µg/l		PR1
UB	R	AAUF8922		FE	IRON	0.000000	SS12	10-APR-1993	LT	77.500000	µg/l		PR1
UB	R	AAUF8936		FE	IRON	0.000000	SS12	12-APR-1993	LT	77.500000	µg/l		PR1
UB	R	AAUF8952		FE	IRON	0.000000	SS12	14-APR-1993	LT	77.500000	µg/l		PR1
UB	R	AAUF9216		FE	IRON	0.000000	SS12	20-APR-1993	LT	77.500000	µg/l		PR1
UB	R	AAUF8922		K	POTASSIUM	0.000000	SS12	10-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	AAUF8936		K	POTASSIUM	0.000000	SS12	12-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	AAUF8952		K	POTASSIUM	0.000000	SS12	14-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	AAUF9216		K	POTASSIUM	0.000000	SS12	20-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	AAUF8922		MG	MAGNESIUM	0.000000	SS12	10-APR-1993	LT	135.000000	µg/l		PR1
UB	R	AAUF8936		MG	MAGNESIUM	0.000000	SS12	12-APR-1993	LT	135.000000	µg/l		PR1
UB	R	AAUF8952		MG	MAGNESIUM	0.000000	SS12	14-APR-1993	LT	135.000000	µg/l		PR1
UB	R	AAUF9216		MG	MAGNESIUM	0.000000	SS12	20-APR-1993	LT	135.000000	µg/l		PR1
UB	R	AAUF8922		MN	MANGANESE	0.000000	SS12	10-APR-1993	LT	9.670000	µg/l		PR1
UB	R	AAUF8936		MN	MANGANESE	0.000000	SS12	12-APR-1993	LT	9.670000	µg/l		PR1
UB	R	AAUF8952		MN	MANGANESE	0.000000	SS12	14-APR-1993	LT	9.670000	µg/l		PR1
UB	R	AAUF9216		MN	MANGANESE	0.000000	SS12	20-APR-1993	LT	9.670000	µg/l		PR1
UB	R	AAUF8922		NA	SODIUM	0.000000	SS12	10-APR-1993	LT	279.000000	µg/l		PR1
UB	R	AAUF8936		NA	SODIUM	0.000000	SS12	12-APR-1993	LT	279.000000	µg/l		PR1
UB	R	AAUF8952		NA	SODIUM	0.000000	SS12	14-APR-1993	LT	279.000000	µg/l		PR1
UB	R	AAUF9216		NA	SODIUM	0.000000	SS12	20-APR-1993	LT	279.000000	µg/l		PR1
UB	R	AAUF8922		NI	NICKEL	0.000000	SS12	10-APR-1993	LT	32.100000	µg/l		PR1
UB	R	AAUF8936		NI	NICKEL	0.000000	SS12	12-APR-1993	LT	32.100000	µg/l		PR1
UB	R	AAUF8952		NI	NICKEL	0.000000	SS12	14-APR-1993	LT	32.100000	µg/l		PR1
UB	R	AAUF9216		NI	NICKEL	0.000000	SS12	20-APR-1993	LT	32.100000	µg/l		PR1
UB	R	AAUF8922		TL	THALLIUM	0.000000	SS12	10-APR-1993	LT	125.000000	µg/l		PR1
UB	R	AAUF8936		TL	THALLIUM	0.000000	SS12	12-APR-1993	LT	125.000000	µg/l		PR1
UB	R	AAUF8952		TL	THALLIUM	0.000000	SS12	14-APR-1993	LT	125.000000	µg/l		PR1
UB	R	AAUF9216		TL	THALLIUM	0.000000	SS12	20-APR-1993	LT	125.000000	µg/l		PR1
UB	R	AAUF8922		V	VANADIUM	0.000000	SS12	10-APR-1993	LT	27.600000	µg/l		PR1
UB	R	AAUF8936		V	VANADIUM	0.000000	SS12	12-APR-1993	LT	27.600000	µg/l		PR1
UB	R	AAUF8952		V	VANADIUM	0.000000	SS12	14-APR-1993	LT	27.600000	µg/l		PR1
UB	R	AAUF9216		V	VANADIUM	0.000000	SS12	20-APR-1993	LT	27.600000	µg/l		PR1
UB	R	AAUF8922		ZN	ZINC	0.000000	SS12	10-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AAUF8936		ZN	ZINC	0.000000	SS12	12-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AAUF8952		ZN	ZINC	0.000000	SS12	14-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AAUF9216		ZN	ZINC	0.000000	SS12	20-APR-1993	LT	18.000000	µg/l		PR1
UB	R	AAUG8922		AS	ARSENIC	0.000000	AX8	10-APR-1993	LT	2.350000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AAUG	8936	AS	ARSENIC	0.000000	AX8	12-APR-1993	LT	2.350000	µg/l		PR1
UB	R	AAUG	8952	AS	ARSENIC	0.000000	AX8	14-APR-1993	LT	2.350000	µg/l		PR1
UB	R	AAUG	9216	AS	ARSENIC	0.000000	AX8	20-APR-1993	LT	2.350000	µg/l		PR1
UB	R	AAUH	8922	PB	LEAD	0.000000	SD18	10-APR-1993	LT	4.470000	µg/l		PR1
UB	R	AAUH	8936	PB	LEAD	0.000000	SD18	12-APR-1993	LT	4.470000	µg/l		PR1
UB	R	AAUH	8952	PB	LEAD	0.000000	SD18	14-APR-1993	LT	4.470000	µg/l		PR1
UB	R	AAUH	9216	PB	LEAD	0.000000	SD18	20-APR-1993	LT	4.470000	µg/l		PR1
UB	R	AAUI	8922	HG	MERCURY	0.000000	CC8	10-APR-1993	LT	0.100000	µg/l		PR1
UB	R	AAUI	8936	HG	MERCURY	0.000000	CC8	12-APR-1993	LT	0.100000	µg/l		PR1
UB	R	AAUI	8952	HG	MERCURY	0.000000	CC8	14-APR-1993	LT	0.100000	µg/l		PR1
UB	R	AAUI	9216	HG	MERCURY	0.000000	CC8	20-APR-1993	LT	0.100000	µg/l		PR1
UB	R	AAUJ	8922	SE	SELENIUM	0.000000	SD25	10-APR-1993	LT	2.530000	µg/l		PR1
UB	R	AAUJ	8936	SE	SELENIUM	0.000000	SD25	12-APR-1993	LT	2.530000	µg/l		PR1
UB	R	AAUJ	8952	SE	SELENIUM	0.000000	SD25	14-APR-1993	LT	2.530000	µg/l		PR1
UB	R	AAUJ	9216	SE	SELENIUM	0.000000	SD25	20-APR-1993	LT	2.530000	µg/l		PR1
UB	R	AAUK	8922	SB	ANTIMONY	0.000000	7041	10-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AAUK	8936	SB	ANTIMONY	0.000000	7041	12-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AAUK	8952	SB	ANTIMONY	0.000000	7041	14-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AAUK	9216	SB	ANTIMONY	0.000000	7041	20-APR-1993	LT	3.000000	µg/l		PR1
UB	R	AAUL	8925	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	10-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL	8940	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	12-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL	8925	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20	10-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL	8940	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20	12-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL	8925	ALDRN	ALDRIN	0.000000	UH20	10-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AAUL	8940	ALDRN	ALDRIN	0.000000	UH20	12-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AAUL	8925	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	10-APR-1993	LT	0.009900	µg/l		PR1
UB	R	AAUL	8940	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	12-APR-1993	LT	0.009900	µg/l		PR1
UB	R	AAUL	8925	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20	10-APR-1993	LT	0.007700	µg/l		PR1
UB	R	AAUL	8940	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20	12-APR-1993	LT	0.007700	µg/l		PR1
UB	R	AAUL	8925	CLDAN	CHLORDANE	0.000000	UH20	10-APR-1993	LT	0.031200	µg/l		PR1
UB	R	AAUL	8940	CLDAN	CHLORDANE	0.000000	UH20	12-APR-1993	LT	0.031200	µg/l		PR1
UB	R	AAUL	8925	DBHC	DELTA-BENZENEHEXACHLORIDE	0.000000	UH20	10-APR-1993	LT	0.003400	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					/ DELTA-HEXACHLOROCYCLOHEXANE								
UB	R	AAUL8940		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	12-APR-1993	LT	0.003400	µg/l		PR1
UB	R	AAUL8925		DLDRN	DIELDRIN	0.000000	UH20	10-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AAUL8940		DLDRN	DIELDRIN	0.000000	UH20	12-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AAUL8925		ENDRN	ENDRIN	0.000000	UH20	10-APR-1993	LT	0.017600	µg/l		PR1
UB	R	AAUL8940		ENDRN	ENDRIN	0.000000	UH20	12-APR-1993	LT	0.017600	µg/l		PR1
UB	R	AAUL8925		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20	10-APR-1993	ND	0.050400	µg/l	R	PR1
UB	R	AAUL8940		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20	12-APR-1993	ND	0.050400	µg/l	R	PR1
UB	R	AAUL8925		HPCL	HEPTACHLOR	0.000000	UH20	10-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL8940		HPCL	HEPTACHLOR	0.000000	UH20	12-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL8925		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20	10-APR-1993	LT	0.006300	µg/l		PR1
UB	R	AAUL8940		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20	12-APR-1993	LT	0.006300	µg/l		PR1
UB	R	AAUL8925		ISODR	ISODRIN	0.000000	UH20	10-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL8940		ISODR	ISODRIN	0.000000	UH20	12-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL8925		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20	10-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL8940		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20	12-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL8925		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20	10-APR-1993	LT	0.075000	µg/l		PR1
UB	R	AAUL8940		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20	12-APR-1993	LT	0.075000	µg/l		PR1
UB	R	AAUL8925		PCB016	PCB 1016	0.000000	UH20	10-APR-1993	LT	0.385000	µg/l		PR1
UB	R	AAUL8940		PCB016	PCB 1016	0.000000	UH20	12-APR-1993	LT	0.385000	µg/l		PR1
UB	R	AAUL8925		PCB221	PCB 1221	0.000000	UH20	10-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAUL8940		PCB221	PCB 1221	0.000000	UH20	12-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAUL8925		PCB232	PCB 1232	0.000000	UH20	10-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAUL8940		PCB232	PCB 1232	0.000000	UH20	12-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAUL8925		PCB242	PCB 1242	0.000000	UH20	10-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAUL8940		PCB242	PCB 1242	0.000000	UH20	12-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAUL8925		PCB254	PCB 1254	0.000000	UH20	10-APR-1993	ND	0.176000	µg/l	R	PR1
UB	R	AAUL8940		PCB254	PCB 1254	0.000000	UH20	12-APR-1993	ND	0.176000	µg/l	R	PR1
UB	R	AAUL8925		PCB260	PCB 1260	0.000000	UH20	10-APR-1993	LT	0.176000	µg/l		PR1
UB	R	AAUL8940		PCB260	PCB 1260	0.000000	UH20	12-APR-1993	LT	0.176000	µg/l		PR1
UB	R	AAUL8925		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20	10-APR-1993	LT	0.008100	µg/l		PR1
UB	R	AAUL8940		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20	12-APR-1993	LT	0.008100	µg/l		PR1
UB	R	AAUL8925		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20	10-APR-1993	LT	0.003900	µg/l		PR1
UB	R	AAUL8940		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20	12-APR-1993	LT	0.003900	µg/l		PR1
UB	R	AAUL8925		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20	10-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAUL8940		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20	12-APR-1993	LT	0.002500	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	AAUL8925		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20	10-APR-1993	LT	1.640000	µg/l		PR1
UB	R	AAUL8940		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20	12-APR-1993	LT	1.640000	µg/l		PR1
UB	R	AAWG3954-55		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	14-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAWG3954-55		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH20	14-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAWG3954-55		ALDRN	ALDRIN	0.000000	UH20	14-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AAWG3954-55		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	14-APR-1993	LT	0.009900	µg/l		PR1
UB	R	AAWG3954-55		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20	14-APR-1993	LT	0.007700	µg/l		PR1
UB	R	AAWG3954-55		CLDAN	CHLORDANE	0.000000	UH20	14-APR-1993	LT	0.031200	µg/l		PR1
UB	R	AAWG3954-55		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20	14-APR-1993	LT	0.003400	µg/l		PR1
UB	R	AAWG3954-55		DLDRN	DIELDRIN	0.000000	UH20	14-APR-1993	LT	0.007400	µg/l		PR1
UB	R	AAWG3954-55		ENDRN	ENDRIN	0.000000	UH20	14-APR-1993	LT	0.017600	µg/l		PR1
UB	R	AAWG3954-55		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20	14-APR-1993	ND	0.050400	µg/l	R	PR1
UB	R	AAWG3954-55		ENDRNK	ENDRIN KETONE	0.000000	UH20	14-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AAWG3954-55		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20	14-APR-1993	ND	0.002500	µg/l	R	PR1
UB	R	AAWG3954-55		HPCL	HEPTACHLOR	0.000000	UH20	14-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAWG3954-55		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20	14-APR-1993	LT	0.006300	µg/l		PR1
UB	R	AAWG3954-55		ISODR	ISODRIN	0.000000	UH20	14-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAWG3954-55		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH20	14-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAWG3954-55		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH20	14-APR-1993	LT	0.075000	µg/l		PR1
UB	R	AAWG3954-55		PCB016	PCB 1016	0.000000	UH20	14-APR-1993	LT	0.385000	µg/l		PR1
UB	R	AAWG3954-55		PCB221	PCB 1221	0.000000	UH20	14-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAWG3954-55		PCB232	PCB 1232	0.000000	UH20	14-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAWG3954-55		PCB242	PCB 1242	0.000000	UH20	14-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAWG3954-55		PCB248	PCB 1248	0.000000	UH20	14-APR-1993	ND	0.385000	µg/l	R	PR1
UB	R	AAWG3954-55		PCB254	PCB 1254	0.000000	UH20	14-APR-1993	ND	0.176000	µg/l	R	PR1
UB	R	AAWG3954-55		PCB260	PCB 1260	0.000000	UH20	14-APR-1993	LT	0.176000	µg/l		PR1
UB	R	AAWG3954-55		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20	14-APR-1993	LT	0.008100	µg/l		PR1
UB	R	AAWG3954-55		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20	14-APR-1993	LT	0.003900	µg/l		PR1
UB	R	AAWG3954-55		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH20	14-APR-1993	LT	0.002500	µg/l		PR1
UB	R	AAWG3954-55		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE /	0.000000	UH20	14-APR-1993	LT	1.640000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					CAMPHECHLOR								
UB	R	AAWI8953		135TNB	1,3,5-TRINITROBENZENE	0.000000	UW25	14-APR-1993	LT	0.210000	µg/l		PR1
UB	R	AAWI8953		13DNB	1,3-DINITROBENZENE	0.000000	UW25	14-APR-1993	LT	0.458000	µg/l		PR1
UB	R	AAWI8953		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW25	14-APR-1993	LT	0.426000	µg/l		PR1
UB	R	AAWI8953		24DNT	2,4-DINITROTOLUENE	0.000000	UW25	14-APR-1993	LT	0.397000	µg/l		PR1
UB	R	AAWI8953		26DNT	2,6-DINITROTOLUENE	0.000000	UW25	14-APR-1993	LT	0.600000	µg/l		PR1
UB	R	AAWI8953		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	0.000000	UW25	14-APR-1993	LT	0.533000	µg/l		PR1
UB	R	AAWI8953		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW25	14-APR-1993	LT	0.682000	µg/l		PR1
UB	R	AAWI8953		RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW25	14-APR-1993	LT	0.416000	µg/l		PR1
UB	R	AAWI8953		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	UW25	14-APR-1993	LT	0.631000	µg/l		PR1
UB	R	ABCX9299		AG	SILVER	0.000000	SS12	21-APR-1993	LT	10.000000	µg/l		PR1
UB	R	ABCX8208		AG	SILVER	0.000000	SS12	23-APR-1993	LT	10.000000	µg/l		PR1
UB	R	ABCX8242		AG	SILVER	0.000000	SS12	24-APR-1993	LT	10.000000	µg/l		PR1
UB	R	ABCX9318		AG	SILVER	0.000000	SS12	22-APR-1993	LT	10.000000	µg/l		PR1
UB	R	ABCX9299		AL	ALUMINUM	0.000000	SS12	21-APR-1993	LT	112.000000	µg/l		PR1
UB	R	ABCX8208		AL	ALUMINUM	0.000000	SS12	23-APR-1993	LT	112.000000	µg/l		PR1
UB	R	ABCX8242		AL	ALUMINUM	0.000000	SS12	24-APR-1993	LT	112.000000	µg/l		PR1
UB	R	ABCX9318		AL	ALUMINUM	0.000000	SS12	22-APR-1993	LT	112.000000	µg/l		PR1
UB	R	ABCX9299		BA	BARIUM	0.000000	SS12	21-APR-1993	LT	2.820000	µg/l		PR1
UB	R	ABCX8208		BA	BARIUM	0.000000	SS12	23-APR-1993	LT	2.820000	µg/l		PR1
UB	R	ABCX8242		BA	BARIUM	0.000000	SS12	24-APR-1993	LT	2.820000	µg/l		PR1
UB	R	ABCX9318		BA	BARIUM	0.000000	SS12	22-APR-1993	LT	2.820000	µg/l		PR1
UB	R	ABCX9299		BE	BERYLLIUM	0.000000	SS12	21-APR-1993	LT	1.120000	µg/l		PR1
UB	R	ABCX8208		BE	BERYLLIUM	0.000000	SS12	23-APR-1993	LT	1.120000	µg/l		PR1
UB	R	ABCX8242		BE	BERYLLIUM	0.000000	SS12	24-APR-1993	LT	1.120000	µg/l		PR1
UB	R	ABCX9318		BE	BERYLLIUM	0.000000	SS12	22-APR-1993	LT	1.120000	µg/l		PR1
UB	R	ABCX9299		CA	CALCIUM	0.000000	SS12	21-APR-1993	LT	105.000000	µg/l		PR1
UB	R	ABCX8208		CA	CALCIUM	0.000000	SS12	23-APR-1993		191.000000	µg/l		PR1
UB	R	ABCX8242		CA	CALCIUM	0.000000	SS12	24-APR-1993		174.000000	µg/l		PR1
UB	R	ABCX9318		CA	CALCIUM	0.000000	SS12	22-APR-1993	LT	105.000000	µg/l		PR1
UB	R	ABCX9299		CD	CADMIUM	0.000000	SS12	21-APR-1993	LT	6.780000	µg/l		PR1
UB	R	ABCX8208		CD	CADMIUM	0.000000	SS12	23-APR-1993	LT	6.780000	µg/l		PR1
UB	R	ABCX8242		CD	CADMIUM	0.000000	SS12	24-APR-1993	LT	6.780000	µg/l		PR1
UB	R	ABCX9318		CD	CADMIUM	0.000000	SS12	22-APR-1993	LT	6.780000	µg/l		PR1
UB	R	ABCX9299		CO	COBALT	0.000000	SS12	21-APR-1993	LT	25.000000	µg/l		PR1
UB	R	ABCX8208		CO	COBALT	0.000000	SS12	23-APR-1993	LT	25.000000	µg/l		PR1
UB	R	ABCX8242		CO	COBALT	0.000000	SS12	24-APR-1993	LT	25.000000	µg/l		PR1
UB	R	ABCX9318		CO	COBALT	0.000000	SS12	22-APR-1993	LT	25.000000	µg/l		PR1
UB	R	ABCX9299		CR	CHROMIUM	0.000000	SS12	21-APR-1993	LT	16.800000	µg/l		PR1
UB	R	ABCX8208		CR	CHROMIUM	0.000000	SS12	23-APR-1993	LT	16.800000	µg/l		PR1
UB	R	ABCX8242		CR	CHROMIUM	0.000000	SS12	24-APR-1993	LT	16.800000	µg/l		PR1
UB	R	ABCX9318		CR	CHROMIUM	0.000000	SS12	22-APR-1993	LT	16.800000	µg/l		PR1
UB	R	ABCX9299		CU	COPPER	0.000000	SS12	21-APR-1993	LT	18.800000	µg/l		PR1
UB	R	ABCX8208		CU	COPPER	0.000000	SS12	23-APR-1993		122.000000	µg/l		PR1
UB	R	ABCX8242		CU	COPPER	0.000000	SS12	24-APR-1993		113.000000	µg/l		PR1
UB	R	ABCX9318		CU	COPPER	0.000000	SS12	22-APR-1993		113.000000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	ABCX9299		FE	IRON	0.000000	SS12	21-APR-1993	LT	77.500000	µg/l		PR1
UB	R	ABCX8208		FE	IRON	0.000000	SS12	23-APR-1993	LT	77.500000	µg/l		PR1
UB	R	ABCX8242		FE	IRON	0.000000	SS12	24-APR-1993	LT	77.500000	µg/l		PR1
UB	R	ABCX9318		FE	IRON	0.000000	SS12	22-APR-1993	LT	77.500000	µg/l		PR1
UB	R	ABCX9299		K	POTASSIUM	0.000000	SS12	21-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	ABCX8208		K	POTASSIUM	0.000000	SS12	23-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	ABCX8242		K	POTASSIUM	0.000000	SS12	24-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	ABCX9318		K	POTASSIUM	0.000000	SS12	22-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	ABCX9299		MG	MAGNESIUM	0.000000	SS12	21-APR-1993	LT	135.000000	µg/l		PR1
UB	R	ABCX8208		MG	MAGNESIUM	0.000000	SS12	23-APR-1993	LT	135.000000	µg/l		PR1
UB	R	ABCX8242		MG	MAGNESIUM	0.000000	SS12	24-APR-1993	LT	135.000000	µg/l		PR1
UB	R	ABCX9318		MG	MAGNESIUM	0.000000	SS12	22-APR-1993	LT	135.000000	µg/l		PR1
UB	R	ABCX9299		MN	MANGANESE	0.000000	SS12	21-APR-1993	LT	9.670000	µg/l		PR1
UB	R	ABCX8208		MN	MANGANESE	0.000000	SS12	23-APR-1993	LT	9.670000	µg/l		PR1
UB	R	ABCX8242		MN	MANGANESE	0.000000	SS12	24-APR-1993	LT	9.670000	µg/l		PR1
UB	R	ABCX9318		MN	MANGANESE	0.000000	SS12	22-APR-1993	LT	9.670000	µg/l		PR1
UB	R	ABCX9299		NA	SODIUM	0.000000	SS12	21-APR-1993	LT	279.000000	µg/l		PR1
UB	R	ABCX8208		NA	SODIUM	0.000000	SS12	23-APR-1993	LT	279.000000	µg/l		PR1
UB	R	ABCX8242		NA	SODIUM	0.000000	SS12	24-APR-1993	LT	279.000000	µg/l		PR1
UB	R	ABCX9318		NA	SODIUM	0.000000	SS12	22-APR-1993	LT	279.000000	µg/l		PR1
UB	R	ABCX9299		NI	NICKEL	0.000000	SS12	21-APR-1993	LT	32.100000	µg/l		PR1
UB	R	ABCX8208		NI	NICKEL	0.000000	SS12	23-APR-1993	LT	32.100000	µg/l		PR1
UB	R	ABCX8242		NI	NICKEL	0.000000	SS12	24-APR-1993	LT	32.100000	µg/l		PR1
UB	R	ABCX9318		NI	NICKEL	0.000000	SS12	22-APR-1993	LT	32.100000	µg/l		PR1
UB	R	ABCX9299		TL	THALLIUM	0.000000	SS12	21-APR-1993	LT	125.000000	µg/l		PR1
UB	R	ABCX8208		TL	THALLIUM	0.000000	SS12	23-APR-1993	LT	125.000000	µg/l		PR1
UB	R	ABCX8242		TL	THALLIUM	0.000000	SS12	24-APR-1993	LT	125.000000	µg/l		PR1
UB	R	ABCX9318		TL	THALLIUM	0.000000	SS12	22-APR-1993	LT	125.000000	µg/l		PR1
UB	R	ABCX9299		V	VANADIUM	0.000000	SS12	21-APR-1993	LT	27.600000	µg/l		PR1
UB	R	ABCX8208		V	VANADIUM	0.000000	SS12	23-APR-1993	LT	27.600000	µg/l		PR1
UB	R	ABCX8242		V	VANADIUM	0.000000	SS12	24-APR-1993	LT	27.600000	µg/l		PR1
UB	R	ABCX9318		V	VANADIUM	0.000000	SS12	22-APR-1993	LT	27.600000	µg/l		PR1
UB	R	ABCX9299		ZN	ZINC	0.000000	SS12	21-APR-1993	LT	18.000000	µg/l		PR1
UB	R	ABCX8208		ZN	ZINC	0.000000	SS12	23-APR-1993	LT	18.000000	µg/l		PR1
UB	R	ABCX8242		ZN	ZINC	0.000000	SS12	24-APR-1993	LT	18.000000	µg/l		PR1
UB	R	ABCX9318		ZN	ZINC	0.000000	SS12	22-APR-1993	LT	18.000000	µg/l		PR1
UB	R	ABCY9299		AS	ARSENIC	0.000000	AX8	21-APR-1993	LT	2.350000	µg/l		PR1
UB	R	ABCY8208		AS	ARSENIC	0.000000	AX8	23-APR-1993	LT	2.350000	µg/l		PR1
UB	R	ABCY8242		AS	ARSENIC	0.000000	AX8	24-APR-1993	LT	2.350000	µg/l		PR1
UB	R	ABCY9318		AS	ARSENIC	0.000000	AX8	22-APR-1993	LT	2.350000	µg/l		PR1
UB	R	ABCZ9299		PB	LEAD	0.000000	SD18	21-APR-1993	LT	4.470000	µg/l		PR1
UB	R	ABCZ8208		PB	LEAD	0.000000	SD18	23-APR-1993	LT	4.470000	µg/l		PR1
UB	R	ABCZ8242		PB	LEAD	0.000000	SD18	24-APR-1993	LT	4.470000	µg/l		PR1
UB	R	ABCZ9318		PB	LEAD	0.000000	SD18	22-APR-1993	LT	4.470000	µg/l		PR1
UB	R	ABDA9299		SE	SELENIUM	0.000000	SD25	21-APR-1993	LT	2.530000	µg/l		PR1
UB	R	ABDA8208		SE	SELENIUM	0.000000	SD25	23-APR-1993	LT	2.530000	µg/l		PR1
UB	R	ABDA8242		SE	SELENIUM	0.000000	SD25	24-APR-1993	LT	2.530000	µg/l		PR1
UB	R	ABDA9318		SE	SELENIUM	0.000000	SD25	22-APR-1993	LT	2.530000	µg/l		PR1
UB	R	ABDB9299		SB	ANTIMONY	0.000000	7041	21-APR-1993	LT	5.000000	µg/l		PR1

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	R	ABDB	8208	SB	ANTIMONY	0.000000	7041	23-APR-1993	LT	5.000000	µg/l		PR1
UB	R	ABDB	8242	SB	ANTIMONY	0.000000	7041	24-APR-1993	LT	5.000000	µg/l		PR1
UB	R	ABDB	9318	SB	ANTIMONY	0.000000	7041	22-APR-1993	LT	5.000000	µg/l		PR1
UB	R	ABIO	8306	AS	ARSENIC	0.000000	AX8	25-APR-1993	LT	2.350000	µg/l		PR1
UB	R	ABIO	8428	AS	ARSENIC	0.000000	AX8	27-APR-1993	LT	2.350000	µg/l		PR1
UB	R	ABIO	10076	AS	ARSENIC	0.000000	AX8	27-APR-1993		8.560000	µg/l	D	PR1
UB	R	ABIO	8419	AS	ARSENIC	0.000000	AX8	26-APR-1993	LT	2.350000	µg/l		PR1
UB	R	ABIQ	8306	SE	SELENIUM	0.000000	SD25	25-APR-1993	LT	2.530000	µg/l		PR1
UB	R	ABIQ	8428	SE	SELENIUM	0.000000	SD25	27-APR-1993	LT	2.530000	µg/l		PR1
UB	R	ABIQ	10076	SE	SELENIUM	0.000000	SD25	27-APR-1993	LT	2.530000	µg/l	D	PR1
UB	R	ABIQ	8419	SE	SELENIUM	0.000000	SD25	26-APR-1993	LT	2.530000	µg/l		PR1
UB	R	ABIS	8306	HG	MERCURY	0.000000	CC8	25-APR-1993	LT	0.100000	µg/l		PR1
UB	R	ABIS	8428	HG	MERCURY	0.000000	CC8	27-APR-1993	LT	0.100000	µg/l		PR1
UB	R	ABIS	8419	HG	MERCURY	0.000000	CC8	26-APR-1993	LT	0.100000	µg/l		PR1
UB	R	ABPG	8445	AG	SILVER	0.000000	SS12	28-APR-1993	LT	10.000000	µg/l		PR1
UB	R	ABPG	8445	AL	ALUMINUM	0.000000	SS12	28-APR-1993	LT	112.000000	µg/l		PR1
UB	R	ABPG	8445	BA	BARIUM	0.000000	SS12	28-APR-1993	LT	2.820000	µg/l		PR1
UB	R	ABPG	8445	BE	BERYLLIUM	0.000000	SS12	28-APR-1993		1.110000	µg/l		PR1
UB	R	ABPG	8445	CA	CALCIUM	0.000000	SS12	28-APR-1993	LT	105.000000	µg/l		PR1
UB	R	ABPG	8445	CD	CADMIUM	0.000000	SS12	28-APR-1993	LT	6.780000	µg/l		PR1
UB	R	ABPG	8445	CO	COBALT	0.000000	SS12	28-APR-1993	LT	25.000000	µg/l		PR1
UB	R	ABPG	8445	CR	CHROMIUM	0.000000	SS12	28-APR-1993	LT	16.800000	µg/l		PR1
UB	R	ABPG	8445	CU	COPPER	0.000000	SS12	28-APR-1993		112.000000	µg/l		PR1
UB	R	ABPG	8445	FE	IRON	0.000000	SS12	28-APR-1993	LT	77.500000	µg/l		PR1
UB	R	ABPG	8445	K	POTASSIUM	0.000000	SS12	28-APR-1993	LT	1240.000000	µg/l		PR1
UB	R	ABPG	8445	MG	MAGNESIUM	0.000000	SS12	28-APR-1993	LT	135.000000	µg/l		PR1
UB	R	ABPG	8445	MN	MANGANESE	0.000000	SS12	28-APR-1993	LT	9.670000	µg/l		PR1
UB	R	ABPG	8445	NA	SODIUM	0.000000	SS12	28-APR-1993	LT	279.000000	µg/l		PR1
UB	R	ABPG	8445	NI	NICKEL	0.000000	SS12	28-APR-1993	LT	32.100000	µg/l		PR1
UB	R	ABPG	8445	TL	THALLIUM	0.000000	SS12	28-APR-1993	LT	125.000000	µg/l		PR1
UB	R	ABPG	8445	V	VANADIUM	0.000000	SS12	28-APR-1993	LT	27.600000	µg/l		PR1
UB	R	ABPG	8445	ZN	ZINC	0.000000	SS12	28-APR-1993	LT	18.000000	µg/l		PR1
UB	R	ABPL	8445	HG	MERCURY	0.000000	CC8	28-APR-1993	LT	0.100000	µg/l		PR1
AL	R	CDY	RINSBLNK	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	08-JUN-1992	LT	0.005610	µg/l		GO
AL	R	CDY	RINSBLNK	ACLDAN	ALPHA-CHLORDANE	0.000000	UH16	08-JUN-1992	LT	0.002010	µg/l		GO
AL	R	CDY	RINSBLNK	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16	08-JUN-1992	ND	0.050000	µg/l	T	GO
AL	R	CDY	RINSBLNK	ALDRN	ALDRIN	0.000000	UH16	08-JUN-1992	ND	0.050000	µg/l	T	GO
AL	R	CDY	RINSBLNK	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	08-JUN-1992	ND	0.050000	µg/l	T	GO
AL	R	CDY	RINSBLNK	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16	08-JUN-1992	ND	0.100000	µg/l	T	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	CDY	RINSBLNK	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	08-JUN-1992	LT	0.036900	µg/l		GO
AL	R	CDY	RINSBLNK	DLDRN	DIELDRIN	0.000000	UH16	08-JUN-1992	LT	0.021800	µg/l		GO
AL	R	CDY	RINSBLNK	ENDRN	ENDRIN	0.000000	UH16	08-JUN-1992	LT	0.007640	µg/l		GO
AL	R	CDY	RINSBLNK	ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16	08-JUN-1992	ND	0.100000	µg/l	T	GO
AL	R	CDY	RINSBLNK	ENDRNK	ENDRIN KETONE	0.000000	UH16	08-JUN-1992	ND	0.100000	µg/l	T	GO
AL	R	CDY	RINSBLNK	ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16	08-JUN-1992	ND	0.100000	µg/l	T	GO
AL	R	CDY	RINSBLNK	GCLDAN	GAMMA-CHLORDANE	0.000000	UH16	08-JUN-1992	LT	0.030900	µg/l		GO
AL	R	CDY	RINSBLNK	HPCL	HEPTACHLOR	0.000000	UH16	08-JUN-1992	LT	0.008410	µg/l		GO
AL	R	CDY	RINSBLNK	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16	08-JUN-1992	LT	0.061000	µg/l		GO
AL	R	CDY	RINSBLNK	ISODR	ISODRIN	0.000000	UH16	08-JUN-1992	LT	0.134000	µg/l		GO
AL	R	CDY	RINSBLNK	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH16	08-JUN-1992	LT	0.033000	µg/l		GO
AL	R	CDY	RINSBLNK	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH16	08-JUN-1992	ND	0.500000	µg/l	T	GO
AL	R	CDY	RINSBLNK	PCB016	PCB 1016	0.000000	UH16	08-JUN-1992	LT	0.068100	µg/l		GO
AL	R	CDY	RINSBLNK	PCB260	PCB 1260	0.000000	UH16	08-JUN-1992	LT	0.075400	µg/l		GO
AL	R	CDY	RINSBLNK	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH16	08-JUN-1992	LT	0.020100	µg/l		GO
AL	R	CDY	RINSBLNK	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH16	08-JUN-1992	LT	0.088000	µg/l		GO
AL	R	CDY	RINSBLNK	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH16	08-JUN-1992	ND	0.100000	µg/l	T	GO
AL	R	CDY	RINSBLNK	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH16	08-JUN-1992	ND	1.000000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	16-JUL-1992	LT	0.005610	µg/l		GO
AL	R	CEF	RNSEBLNK	ACLDAN	ALPHA-CHLORDANE	0.000000	UH16	16-JUL-1992	LT	0.002010	µg/l		GO
AL	R	CEF	RNSEBLNK	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UH16	16-JUL-1992	ND	0.050000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	ALDRN	ALDRIN	0.000000	UH16	16-JUL-1992	ND	0.050000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	16-JUL-1992	ND	0.050000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH16	16-JUL-1992	ND	0.100000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH16	16-JUL-1992	LT	0.036900	µg/l		GO
AL	R	CEF	RNSEBLNK	DLDRN	DIELDRIN	0.000000	UH16	16-JUL-1992	LT	0.021800	µg/l		GO
AL	R	CEF	RNSEBLNK	ENDRN	ENDRIN	0.000000	UH16	16-JUL-1992	LT	0.007640	µg/l		GO
AL	R	CEF	RNSEBLNK	ENDRNA	ENDRIN ALDEHYDE	0.000000	UH16	16-JUL-1992	ND	0.100000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	ENDRNK	ENDRIN KETONE	0.000000	UH16	16-JUL-1992	ND	0.100000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	ESFSO4	ENDOSULFAN SULFATE	0.000000	UH16	16-JUL-1992	ND	0.100000	µg/l	T	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	CEF	RNSEBLNK	GCLDAN	GAMMA-CHLORDANE	0.000000	UH16	16-JUL-1992	LT	0.030900	µg/l		GO
AL	R	CEF	RNSEBLNK	HPCL	HEPTACHLOR	0.000000	UH16	16-JUL-1992	LT	0.008410	µg/l		GO
AL	R	CEF	RNSEBLNK	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH16	16-JUL-1992	LT	0.061000	µg/l		GO
AL	R	CEF	RNSEBLNK	ISODR	ISODRIN	0.000000	UH16	16-JUL-1992	LT	0.134000	µg/l		GO
AL	R	CEF	RNSEBLNK	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UH16	16-JUL-1992	LT	0.033000	µg/l		GO
AL	R	CEF	RNSEBLNK	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UH16	16-JUL-1992	ND	0.500000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	PCB016	PCB 1016	0.000000	UH16	16-JUL-1992	LT	0.068100	µg/l		GO
AL	R	CEF	RNSEBLNK	PCB260	PCB 1260	0.000000	UH16	16-JUL-1992	LT	0.075400	µg/l		GO
AL	R	CEF	RNSEBLNK	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH16	16-JUL-1992	LT	0.020100	µg/l		GO
AL	R	CEF	RNSEBLNK	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH16	16-JUL-1992	LT	0.088000	µg/l		GO
AL	R	CEF	RNSEBLNK	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UH16	16-JUL-1992	ND	0.100000	µg/l	T	GO
AL	R	CEF	RNSEBLNK	TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH16	16-JUL-1992	ND	1.000000	µg/l	T	GO
AL	R	DEM	RINSBLNK	HG	MERCURY	0.000000	SB03	10-JUN-1992	LT	0.566000	µg/l		GO
AL	R	DEN	RINSBLNK	HG	MERCURY	0.000000	SB03	10-JUN-1992	LT	0.566000	µg/l		GO
AL	R	DEU	RNSEBLNK	HG	MERCURY	0.000000	SB03	16-JUL-1992	LT	0.566000	µg/l		GO
AL	R	EGL	RINSBLNK	135TNB	1,3,5-TRINITROBENZENE	0.000000	UW26	08-JUN-1992	LT	0.388000	µg/l		GO
AL	R	EGL	RINSBLNK	13DNB	1,3-DINITROBENZENE	0.000000	UW26	08-JUN-1992	LT	0.270000	µg/l		GO
AL	R	EGL	RINSBLNK	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW26	08-JUN-1992	LT	0.767000	µg/l		GO
AL	R	EGL	RINSBLNK	24DNT	2,4-DINITROTOLUENE	0.000000	UW26	08-JUN-1992	LT	1.160000	µg/l		GO
AL	R	EGL	RINSBLNK	26DNT	2,6-DINITROTOLUENE	0.000000	UW26	08-JUN-1992	LT	1.110000	µg/l		GO
AL	R	EGL	RINSBLNK	HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	UW26	08-JUN-1992	LT	0.869000	µg/l		GO
AL	R	EGL	RINSBLNK	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW26	08-JUN-1992	LT	1.540000	µg/l		GO
AL	R	EGL	RINSBLNK	RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW26	08-JUN-1992	LT	0.617000	µg/l		GO
AL	R	EGL	RINSBLNK	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW26	08-JUN-1992	LT	0.191000	µg/l		GO
AL	R	EGU	RNSEBLNK	135TNB	1,3,5-TRINITROBENZENE	0.000000	UW26	16-JUL-1992	LT	0.388000	µg/l		GO
AL	R	EGU	RNSEBLNK	13DNB	1,3-DINITROBENZENE	0.000000	UW26	16-JUL-1992	LT	0.270000	µg/l		GO
AL	R	EGU	RNSEBLNK	246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.000000	UW26	16-JUL-1992	LT	0.767000	µg/l		GO
AL	R	EGU	RNSEBLNK	24DNT	2,4-DINITROTOLUENE	0.000000	UW26	16-JUL-1992	LT	1.160000	µg/l		GO
AL	R	EGU	RNSEBLNK	26DNT	2,6-DINITROTOLUENE	0.000000	UW26	16-JUL-1992	LT	1.110000	µg/l		GO
AL	R	EGU	RNSEBLNK	HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	UW26	16-JUL-1992	LT	0.869000	µg/l		GO
AL	R	EGU	RNSEBLNK	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UW26	16-JUL-1992	LT	1.540000	µg/l		GO
AL	R	EGU	RNSEBLNK	RDX	CYCLONITE / HEXOGEN / RDX	0.000000	UW26	16-JUL-1992	LT	0.617000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	EGU	RNSEBLNK	TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW26	16-JUL-1992	LT	0.191000	µg/l		GO
AL	R	FPD	RINSBLNK	PB	LEAD	0.000000	SD24	10-JUN-1992	LT	4.740000	µg/l		GO
AL	R	FPD	RNSEBLNK	PB	LEAD	0.000000	SD24	16-JUL-1992	LT	4.740000	µg/l		GO
AL	R	FPK	RINSBLNK	AG	SILVER	0.000000	SD24	10-JUN-1992	LT	0.316000	µg/l		GO
AL	R	FPK	RNSEBLNK	AG	SILVER	0.000000	SD24	16-JUL-1992	LT	0.316000	µg/l		GO
AL	R	IHE	RINSBLNK	NO2	NITRITE	0.000000	TT08	10-JUN-1992	LT	280.000000	µg/l		GO
AL	R	IHE	RINSBLNK	NO3	NITRATE	0.000000	TT08	10-JUN-1992		3900.000000	µg/l		GO
AL	R	IHE	RINSBLNK	PO4	PHOSPHATE	0.000000	TT08	10-JUN-1992	LT	33.000000	µg/l		GO
AL	R	IHH	RINSBLNK	BR	BROMIDE	0.000000	TT08	10-JUN-1992		198.000000	µg/l		GO
AL	R	IHH	RINSBLNK	CL	CHLORIDE	0.000000	TT08	10-JUN-1992		250000.000000	µg/l	X	GO
AL	R	IHH	RINSBLNK	F	FLUORIDE	0.000000	TT08	10-JUN-1992	LT	710.000000	µg/l		GO
AL	R	IHH	RINSBLNK	SO4	SULFATE	0.000000	TT08	10-JUN-1992		100000.000000	µg/l		GO
AL	R	IHW	RNSEBLNK	BR	BROMIDE	0.000000	TT08	16-JUL-1992	LT	50.000000	µg/l		GO
AL	R	IHW	RNSEBLNK	CL	CHLORIDE	0.000000	TT08	16-JUL-1992	LT	273.000000	µg/l		GO
AL	R	IHW	RNSEBLNK	F	FLUORIDE	0.000000	TT08	16-JUL-1992	LT	71.000000	µg/l		GO
AL	R	IHW	RNSEBLNK	NO2	NITRITE	0.000000	TT08	16-JUL-1992	LT	28.300000	µg/l		GO
AL	R	IHW	RNSEBLNK	NO3	NITRATE	0.000000	TT08	16-JUL-1992	LT	24.300000	µg/l		GO
AL	R	IHW	RNSEBLNK	PO4	PHOSPHATE	0.000000	TT08	16-JUL-1992	LT	33.000000	µg/l	F	GO
AL	R	IHW	RNSEBLNK	SO4	SULFATE	0.000000	TT08	16-JUL-1992	LT	137.000000	µg/l		GO
AL	R	MFV	RINSBLNK	AG	SILVER	0.000000	SS16	16-JUL-1992	LT	32.000000	µg/l		GO
AL	R	MFV	RINSBLNK	AS	ARSENIC	0.000000	SS16	10-JUN-1992	LT	440.000000	µg/l	G	GO
AL	R	MFV	RINSBLNK	AS	ARSENIC	0.000000	SS16	10-JUN-1992	LT	440.000000	µg/l	G	GO
AL	R	MFV	RNSEBLNK	AS	ARSENIC	0.000000	SS16	16-JUL-1992	LT	43.800000	µg/l		GO
AL	R	MFV	RINSBLNK	AS	ARSENIC	0.000000	SS16	16-JUL-1992	LT	43.800000	µg/l		GO
AL	R	MFV	RINSBLNK	BA	BARIUM	0.000000	SS16	10-JUN-1992		30.100000	µg/l		GO
AL	R	MFV	RINSBLNK	BA	BARIUM	0.000000	SS16	10-JUN-1992		91.000000	µg/l		GO
AL	R	MFV	RNSEBLNK	BA	BARIUM	0.000000	SS16	16-JUL-1992		1.750000	µg/l		GO
AL	R	MFV	RINSBLNK	BA	BARIUM	0.000000	SS16	16-JUL-1992		110.000000	µg/l		GO
AL	R	MFV	RINSBLNK	BE	BERYLLIUM	0.000000	SS16	10-JUN-1992	LT	0.341000	µg/l		GO
AL	R	MFV	RNSEBLNK	BE	BERYLLIUM	0.000000	SS16	16-JUL-1992	LT	0.341000	µg/l		GO
AL	R	MFV	RINSBLNK	CD	CADMIUM	0.000000	SS16	10-JUN-1992	LT	2.670000	µg/l		GO
AL	R	MFV	RINSBLNK	CD	CADMIUM	0.000000	SS16	10-JUN-1992	LT	2.670000	µg/l		GO
AL	R	MFV	RNSEBLNK	CD	CADMIUM	0.000000	SS16	16-JUL-1992	LT	2.670000	µg/l		GO
AL	R	MFV	RINSBLNK	CD	CADMIUM	0.000000	SS16	16-JUL-1992	LT	2.670000	µg/l		GO
AL	R	MFV	RINSBLNK	CR	CHROMIUM	0.000000	SS16	10-JUN-1992	LT	4.470000	µg/l		GO
AL	R	MFV	RINSBLNK	CR	CHROMIUM	0.000000	SS16	10-JUN-1992	LT	4.470000	µg/l		GO
AL	R	MFV	RNSEBLNK	CR	CHROMIUM	0.000000	SS16	16-JUL-1992	LT	4.470000	µg/l		GO
AL	R	MFV	RINSBLNK	CR	CHROMIUM	0.000000	SS16	16-JUL-1992	LT	4.470000	µg/l		GO
AL	R	MFV	RINSBLNK	CU	COPPER	0.000000	SS16	10-JUN-1992		7.370000	µg/l		GO
AL	R	MFV	RNSEBLNK	CU	COPPER	0.000000	SS16	16-JUL-1992	LT	4.290000	µg/l		GO
AL	R	MFV	RINSBLNK	FE	IRON	0.000000	SS16	10-JUN-1992		28.900000	µg/l		GO
AL	R	MFV	RNSEBLNK	FE	IRON	0.000000	SS16	16-JUL-1992	LT	24.600000	µg/l		GO
AL	R	MFV	RINSBLNK	NI	NICKEL	0.000000	SS16	10-JUN-1992	LT	8.760000	µg/l		GO
AL	R	MFV	RNSEBLNK	NI	NICKEL	0.000000	SS16	16-JUL-1992	LT	8.760000	µg/l		GO
AL	R	MFV	RINSBLNK	PB	LEAD	0.000000	SS16	10-JUN-1992	LT	40.600000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	MFV	RINSBLNK	PB	LEAD	0.000000	SS16	16-JUL-1992	LT	40.600000	µg/l		GO
AL	R	MFV	RINSBLNK	SB	ANTIMONY	0.000000	SS16	10-JUN-1992	LT	51.200000	µg/l		GO
AL	R	MFV	RNSEBLNK	SB	ANTIMONY	0.000000	SS16	16-JUL-1992	LT	51.200000	µg/l		GO
AL	R	MFV	RINSBLNK	SE	SELENIUM	0.000000	SS16	10-JUN-1992	LT	1000.000000	µg/l	G	GO
AL	R	MFV	RINSBLNK	SE	SELENIUM	0.000000	SS16	10-JUN-1992	LT	1000.000000	µg/l	G	GO
AL	R	MFV	RNSEBLNK	SE	SELENIUM	0.000000	SS16	16-JUL-1992	LT	104.000000	µg/l		GO
AL	R	MFV	RINSBLNK	SE	SELENIUM	0.000000	SS16	16-JUL-1992	LT	104.000000	µg/l		GO
AL	R	MFV	RINSBLNK	TL	THALLIUM	0.000000	SS16	10-JUN-1992	LT	1100.000000	µg/l	G	GO
AL	R	MFV	RNSEBLNK	TL	THALLIUM	0.000000	SS16	16-JUL-1992	LT	114.000000	µg/l		GO
AL	R	MFV	RINSBLNK	ZN	ZINC	0.000000	SS16	10-JUN-1992		23.800000	µg/l		GO
AL	R	MFV	RNSEBLNK	ZN	ZINC	0.000000	SS16	16-JUL-1992	LT	19.400000	µg/l		GO
AL	R	SJW	RINSBLNK	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM1608	JUN-1992	LT	3.600000	µg/l		GO
AL	R	SJW	RINSBLNK	124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM1608	JUN-1992	LT	2.800000	µg/l		GO
AL	R	SJW	RINSBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM1608	JUN-1992	LT	10.000000	µg/l		GO
AL	R	SJW	RINSBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM1608	JUN-1992	LT	8.500000	µg/l		GO
AL	R	SJW	RINSBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM1608	JUN-1992	LT	4.400000	µg/l		GO
AL	R	SJW	RINSBLNK	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM1608	JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	24DCLP	2,4-DICHLOROPHENOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	24DNP	2,4-DINITROPHENOL	0.000000	UM1608	JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	24DNT	2,4-DINITROTOLUENE	0.000000	UM1608	JUN-1992	LT	5.500000	µg/l		GO
AL	R	SJW	RINSBLNK	26DNT	2,6-DINITROTOLUENE	0.000000	UM1608	JUN-1992	LT	6.600000	µg/l		GO
AL	R	SJW	RINSBLNK	2CLP	2-CHLOROPHENOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	2CNAP	2-CHLORONAPHTHALENE	0.000000	UM1608	JUN-1992	LT	9.600000	µg/l		GO
AL	R	SJW	RINSBLNK	2MNAP	2-METHYLNAPHTHALENE	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	2NANIL	2-NITROANILINE	0.000000	UM1608	JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	2NP	2-NITROPHENOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM1608	JUN-1992	ND	6.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	3NANIL	3-NITROANILINE	0.000000	UM1608	JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	UM1608	JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	4CANIL	4-CHLOROANILINE	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM1608	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	4NANIL	4-NITROANILINE	0.000000	UM1608	JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	4NP	4-NITROPHENOL	0.000000	UM1608	JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM1608	JUN-1992	LT	6.800000	µg/l		GO
AL	R	SJW	RINSBLNK	ACLDAN	ALPHA-CHLORDANE	0.000000	UM1608	JUN-1992	ND	30.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM1608	JUN-1992	ND	30.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	ALDRN	ALDRIN	0.000000	UM1608	JUN-1992	LT	12.000000	µg/l		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	SJW	RINSBLNK	ANAPNE	ACENAPHTHENE	0.000000	UM160	8-JUN-1992	LT	14.000000	µg/l		GO
AL	R	SJW	RINSBLNK	ANAPYL	ACENAPHTHYLENE	0.000000	UM160	8-JUN-1992	LT	19.000000	µg/l		GO
AL	R	SJW	RINSBLNK	ANTRC	ANTHRACENE	0.000000	UM160	8-JUN-1992	LT	20.000000	µg/l		GO
AL	R	SJW	RINSBLNK	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM160	8-JUN-1992	LT	8.100000	µg/l		GO
AL	R	SJW	RINSBLNK	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM160	8-JUN-1992	LT	32.000000	µg/l		GO
AL	R	SJW	RINSBLNK	BAANTR	BENZO[A]ANTHRACENE	0.000000	UM160	8-JUN-1992	LT	14.000000	µg/l		GO
AL	R	SJW	RINSBLNK	BAPYR	BENZO[A]PYRENE	0.000000	UM160	8-JUN-1992	LT	10.000000	µg/l		GO
AL	R	SJW	RINSBLNK	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM160	8-JUN-1992	LT	23.000000	µg/l		GO
AL	R	SJW	RINSBLNK	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM160	8-JUN-1992	LT	4.900000	µg/l		GO
AL	R	SJW	RINSBLNK	BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM160	8-JUN-1992	ND	6.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	BENZOA	BENZOIC ACID	0.000000	UM160	8-JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM160	8-JUN-1992	LT	7.100000	µg/l		GO
AL	R	SJW	RINSBLNK	BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM160	8-JUN-1992	LT	21.000000	µg/l		GO
AL	R	SJW	RINSBLNK	BZALC	BENZYL ALCOHOL	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	CHRY	CHRYSENE	0.000000	UM160	8-JUN-1992	LT	15.000000	µg/l		GO
AL	R	SJW	RINSBLNK	CL6BZ	HEXACHLOROBENZENE	0.000000	UM160	8-JUN-1992	LT	8.300000	µg/l		GO
AL	R	SJW	RINSBLNK	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	CL6ET	HEXACHLOROETHANE	0.000000	UM160	8-JUN-1992	LT	5.100000	µg/l		GO
AL	R	SJW	RINSBLNK	CLDAN	CHLORDANE	0.000000	UM160	8-JUN-1992	ND	30.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM160	8-JUN-1992	LT	5.900000	µg/l		GO
AL	R	SJW	RINSBLNK	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM160	8-JUN-1992	LT	6.800000	µg/l		GO
AL	R	SJW	RINSBLNK	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM160	8-JUN-1992	LT	38.000000	µg/l		GO
AL	R	SJW	RINSBLNK	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM160	8-JUN-1992	LT	7.500000	µg/l		GO
AL	R	SJW	RINSBLNK	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UM160	8-JUN-1992	LT	6.400000	µg/l		GO
AL	R	SJW	RINSBLNK	DBZFUR	DIBENZOFURAN	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	DEP	DIETHYL PHTHALATE	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	DITH	DITHIANE	0.000000	UM160	8-JUN-1992	LT	7.700000	µg/l		GO
AL	R	SJW	RINSBLNK	DLDRN	DIELDRIN	0.000000	UM160	8-JUN-1992	LT	11.000000	µg/l		GO
AL	R	SJW	RINSBLNK	DMP	DIMETHYL PHTHALATE	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM160	8-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM160	8-JUN-1992	LT	15.000000	µg/l		GO
AL	R	SJW	RINSBLNK	ENDRN	ENDRIN	0.000000	UM160	8-JUN-1992	LT	6.600000	µg/l		GO
AL	R	SJW	RINSBLNK	ENDRNK	ENDRIN KETONE	0.000000	UM160	8-JUN-1992	ND	6.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	ESFSO4	ENDOSULFAN SULFATE	0.000000	UM160	8-JUN-1992	ND	6.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	FANT	FLUORANTHENE	0.000000	UM160	8-JUN-1992	LT	20.000000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Sample Meth Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	SJW	RINSBLNK	FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM1608-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM1608-JUN-1992	LT	18.000000	µg/l		GO
AL	R	SJW	RINSBLNK	HPCL	HEPTACHLOR	0.000000	UM1608-JUN-1992	LT	6.200000	µg/l		GO
AL	R	SJW	RINSBLNK	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM1608-JUN-1992	LT	7.200000	µg/l		GO
AL	R	SJW	RINSBLNK	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM1608-JUN-1992	LT	7.200000	µg/l		GO
AL	R	SJW	RINSBLNK	ISOPHR	ISOPHORONE	0.000000	UM1608-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM1608-JUN-1992	LT	5.800000	µg/l		GO
AL	R	SJW	RINSBLNK	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM1608-JUN-1992	ND	30.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	MLTHN	MALATHION	0.000000	UM1608-JUN-1992	LT	7.300000	µg/l		GO
AL	R	SJW	RINSBLNK	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM1608-JUN-1992	LT	17.000000	µg/l		GO
AL	R	SJW	RINSBLNK	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UM1608-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	UM1608-JUN-1992	LT	4.500000	µg/l		GO
AL	R	SJW	RINSBLNK	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM1608-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	OXAT	1,4-OXATHIANE	0.000000	UM1608-JUN-1992	LT	9.100000	µg/l		GO
AL	R	SJW	RINSBLNK	PCP	PENTACHLOROPHENOL	0.000000	UM1608-JUN-1992	ND	50.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	PHANTR	PHENANTHRENE	0.000000	UM1608-JUN-1992	LT	22.000000	µg/l		GO
AL	R	SJW	RINSBLNK	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM1608-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	SJW	RINSBLNK	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UM1608-JUN-1992	LT	9.700000	µg/l		GO
AL	R	SJW	RINSBLNK	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UM1608-JUN-1992	LT	9.300000	µg/l		GO
AL	R	SJW	RINSBLNK	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.000000	UM1608-JUN-1992	LT	7.300000	µg/l		GO
AL	R	SJW	RINSBLNK	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM1608-JUN-1992	LT	4.700000	µg/l		GO
AL	R	SJW	RINSBLNK	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	UM1608-JUN-1992	LT	17.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	123TCB	1,2,3-TRICHLOROBENZENE	0.000000	UM1616-JUL-1992	LT	3.600000	µg/l		GO
AL	R	SKO	RNSEBLNK	124TCB	1,2,4-TRICHLOROBENZENE	0.000000	UM1616-JUL-1992	LT	2.800000	µg/l		GO
AL	R	SKO	RNSEBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM1616-JUL-1992	LT	10.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM1616-JUL-1992	LT	8.500000	µg/l		GO
AL	R	SKO	RNSEBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM1616-JUL-1992	LT	4.400000	µg/l		GO
AL	R	SKO	RNSEBLNK	245TCP	2,4,5-TRICHLOROPHENOL	0.000000	UM1616-JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	246TCP	2,4,6-TRICHLOROPHENOL	0.000000	UM1616-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	24DCLP	2,4-DICHLOROPHENOL	0.000000	UM1616-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	24DMPN	2,4-DIMETHYLPHENOL	0.000000	UM1616-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	24DNP	2,4-DINITROPHENOL	0.000000	UM1616-JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	24DNT	2,4-DINITROTOLUENE	0.000000	UM1616-JUL-1992	LT	5.500000	µg/l		GO
AL	R	SKO	RNSEBLNK	26DNT	2,6-DINITROTOLUENE	0.000000	UM1616-JUL-1992	LT	6.600000	µg/l		GO
AL	R	SKO	RNSEBLNK	2CLP	2-CHLOROPHENOL	0.000000	UM1616-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	2CNAP	2-CHLORONAPHTHALENE	0.000000	UM1616-JUL-1992	LT	9.600000	µg/l		GO
AL	R	SKO	RNSEBLNK	2MNAP	2-METHYLNAPHTHALENE	0.000000	UM1616-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	2MP	2-METHYLPHENOL / 2-CRESOL / O-CRESOL	0.000000	UM1616-JUL-1992	ND	10.000000	µg/l	R	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	SKO	RNSEBLNK	2NANIL	2-NITROANILINE	0.000000	UM1616	JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	2NP	2-NITROPHENOL	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	33DCBD	3,3'-DICHLOROBENZIDINE	0.000000	UM1616	JUL-1992	ND	20.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	3NANIL	3-NITROANILINE	0.000000	UM1616	JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	46DN2C	2-METHYL-4,6-DINITROPHENOL / 4,6-DINITRO-2-CRESOL	0.000000	UM1616	JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	4CANIL	4-CHLOROANILINE	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	4MP	4-CRESOL / 4-METHYLPHENOL / P-CRESOL	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	4NANIL	4-NITROANILINE	0.000000	UM1616	JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	4NP	4-NITROPHENOL	0.000000	UM1616	JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UM1616	JUL-1992	LT	6.800000	µg/l		GO
AL	R	SKO	RNSEBLNK	ACLDAN	ALPHA-CHLORDANE	0.000000	UM1616	JUL-1992	ND	30.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.000000	UM1616	JUL-1992	ND	30.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	ALDRN	ALDRIN	0.000000	UM1616	JUL-1992	LT	12.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	ANAPNE	ACENAPHTHENE	0.000000	UM1616	JUL-1992	LT	14.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	ANAPYL	ACENAPHTHYLENE	0.000000	UM1616	JUL-1992	LT	19.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	ANTRC	ANTHRACENE	0.000000	UM1616	JUL-1992	LT	20.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	B2CEXM	BIS(2-CHLOROETHOXY) METHANE	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	B2CIPE	BIS(2-CHLOROISOPROPYL) ETHER	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	B2CLEE	BIS(2-CHLOROETHYL) ETHER	0.000000	UM1616	JUL-1992	LT	8.100000	µg/l		GO
AL	R	SKO	RNSEBLNK	B2EHP	BIS(2-ETHYLHEXYL) PHTHALATE	0.000000	UM1616	JUL-1992	LT	32.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	BAANTR	BENZO[A]ANTHRACENE	0.000000	UM1616	JUL-1992	LT	14.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	BAPYR	BENZO[A]PYRENE	0.000000	UM1616	JUL-1992	LT	10.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	BBFANT	3,4-BENZOFLUORANTHENE / BENZO[B]FLUORANTHENE	0.000000	UM1616	JUL-1992	LT	23.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UM1616	JUL-1992	LT	4.900000	µg/l		GO
AL	R	SKO	RNSEBLNK	BBZP	BUTYLBENZYL PHTHALATE	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UM1616	JUL-1992	ND	6.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	BENZOA	BENZOIC ACID	0.000000	UM1616	JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	BGHIPY	BENZO[GHI]PERYLENE	0.000000	UM1616	JUL-1992	LT	7.100000	µg/l		GO
AL	R	SKO	RNSEBLNK	BKFANT	BENZO[K]FLUORANTHENE	0.000000	UM1616	JUL-1992	LT	21.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	BZALC	BENZYL ALCOHOL	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	CHRY	CHRYSENE	0.000000	UM1616	JUL-1992	LT	15.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	CL6BZ	HEXACHLOROBENZENE	0.000000	UM1616	JUL-1992	LT	8.300000	µg/l		GO
AL	R	SKO	RNSEBLNK	CL6CP	HEXACHLOROCYCLOPENTADIENE	0.000000	UM1616	JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	CL6ET	HEXACHLOROETHANE	0.000000	UM1616	JUL-1992	LT	5.100000	µg/l		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	SKO	RNSEBLNK	CPMS	4-CHLOROPHENYLMETHYL SULFIDE	0.000000	UM161	6-JUL-1992	LT	5.900000	µg/l		GO
AL	R	SKO	RNSEBLNK	CPMSO	4-CHLOROPHENYLMETHYL SULFOXIDE	0.000000	UM161	6-JUL-1992	LT	6.800000	µg/l		GO
AL	R	SKO	RNSEBLNK	CPMSO2	4-CHLOROPHENYLMETHYL SULFONE	0.000000	UM161	6-JUL-1992	LT	38.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	DBAHA	1,2:5,6-DIBENZANTHRACENE / DIBENZ[AH]ANTHRACENE	0.000000	UM161	6-JUL-1992	LT	7.500000	µg/l		GO
AL	R	SKO	RNSEBLNK	DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UM161	6-JUL-1992	LT	6.400000	µg/l		GO
AL	R	SKO	RNSEBLNK	DBZFUR	DIBENZOFURAN	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	DEP	DIETHYL PHTHALATE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	DITH	DITHIANE	0.000000	UM161	6-JUL-1992	LT	7.700000	µg/l		GO
AL	R	SKO	RNSEBLNK	DLDRN	DIELDRIN	0.000000	UM161	6-JUL-1992	LT	11.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	DMP	DIMETHYL PHTHALATE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	DNBP	DI-N-BUTYL PHTHALATE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	DNOP	DI-N-OCTYL PHTHALATE	0.000000	UM161	6-JUL-1992	LT	15.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	ENDRN	ENDRIN	0.000000	UM161	6-JUL-1992	LT	6.600000	µg/l		GO
AL	R	SKO	RNSEBLNK	ENDRNK	ENDRIN KETONE	0.000000	UM161	6-JUL-1992	ND	6.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	ESFSO4	ENDOSULFAN SULFATE	0.000000	UM161	6-JUL-1992	ND	6.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	FANT	FLUORANTHENE	0.000000	UM161	6-JUL-1992	LT	20.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	FLRENE	9H-FLUORENE / FLUORENE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	GCLDAN	GAMMA-CHLORDANE	0.000000	UM161	6-JUL-1992	ND	30.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	HCBD	HEXACHLOROBUTADIENE / HEXACHLORO-1,3-BUTADIENE	0.000000	UM161	6-JUL-1992	LT	18.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	HPCL	HEPTACHLOR	0.000000	UM161	6-JUL-1992	LT	6.200000	µg/l		GO
AL	R	SKO	RNSEBLNK	HPCLE	HEPTACHLOR EPOXIDE	0.000000	UM161	6-JUL-1992	LT	7.200000	µg/l		GO
AL	R	SKO	RNSEBLNK	ICDPYR	INDENO[1,2,3-C,D]PYRENE	0.000000	UM161	6-JUL-1992	LT	7.200000	µg/l		GO
AL	R	SKO	RNSEBLNK	ISOPHR	ISOPHORONE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.000000	UM161	6-JUL-1992	LT	5.800000	µg/l		GO
AL	R	SKO	RNSEBLNK	MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.000000	UM161	6-JUL-1992	ND	30.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	MLTHN	MALATHION	0.000000	UM161	6-JUL-1992	LT	7.300000	µg/l		GO
AL	R	SKO	RNSEBLNK	NAP	NAPHTHALENE / TAR CAMPHOR	0.000000	UM161	6-JUL-1992	LT	17.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	NDNPA	NITROSO DI-N-PROPYLAMINE	0.000000	UM161	6-JUL-1992	LT	4.500000	µg/l		GO
AL	R	SKO	RNSEBLNK	NNDPA	N-NITROSODIPHENYLAMINE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	OXAT	1,4-OXATHIANE	0.000000	UM161	6-JUL-1992	LT	9.100000	µg/l		GO
AL	R	SKO	RNSEBLNK	PCP	PENTACHLOROPHENOL	0.000000	UM161	6-JUL-1992	ND	50.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	PHANTR	PHENANTHRENE	0.000000	UM161	6-JUL-1992	LT	22.000000	µg/l		GO
AL	R	SKO	RNSEBLNK	PHENOL	PHENOL / CARBOLIC ACID / HYDROXYBENZENE / OXYBENZENE	0.000000	UM161	6-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	SKO	RNSEBLNK	PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UM161	6-JUL-1992	LT	9.700000	µg/l		GO
AL	R	SKO	RNSEBLNK	PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UM161	6-JUL-1992	LT	9.300000	µg/l		GO
AL	R	SKO	RNSEBLNK	PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1	0.000000	UM161	6-JUL-1992	LT	7.300000	µg/l		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					-TRICHLOROETHANE								
AL	R	SKO	RNSEBLNK	PRTHN	PARATHION / ALKRON / APHAMITE / ALLERON / DNTP / FOSFERNO	0.000000	UM1616	JUL-1992	LT	4.700000	µg/l		GO
AL	R	SKO	RNSEBLNK	PYR	BENZO[DEF]PHENANTHRENE / PYRENE	0.000000	UM1616	JUL-1992	LT	17.000000	µg/l		GO
AL	R	VJT	RINSBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM3308	JUN-1992	LT	4.100000	µg/l		GO
AL	R	VJT	RINSBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM3308	JUN-1992	LT	0.630000	µg/l		GO
AL	R	VJT	RINSBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM3308	JUN-1992	LT	1.420000	µg/l		GO
AL	R	VJT	RINSBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM3308	JUN-1992	LT	1.100000	µg/l		GO
AL	R	VJT	RINSBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM3308	JUN-1992	LT	1.100000	µg/l		GO
AL	R	VJT	RINSBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM3308	JUN-1992	LT	9.700000	µg/l		GO
AL	R	VJT	RINSBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM3308	JUN-1992	LT	7.600000	µg/l		GO
AL	R	VJT	RINSBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM3308	JUN-1992	LT	2.800000	µg/l		GO
AL	R	VJT	RINSBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM3308	JUN-1992	ND	5.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM3308	JUN-1992	LT	9.200000	µg/l		GO
AL	R	VJT	RINSBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM3308	JUN-1992	LT	3.800000	µg/l		GO
AL	R	VJT	RINSBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM3308	JUN-1992	ND	5.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM3308	JUN-1992	LT	8.100000	µg/l		GO
AL	R	VJT	RINSBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM3308	JUN-1992	LT	82.000000	µg/l		GO
AL	R	VJT	RINSBLNK	ACET	ACETONE	0.000000	UM3308	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM3308	JUN-1992	LT	7.900000	µg/l		GO
AL	R	VJT	RINSBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM3308	JUN-1992	ND	5.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM3308	JUN-1992	ND	5.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM3308	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3308	JUN-1992	LT	0.500000	µg/l		GO
AL	R	VJT	RINSBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3308	JUN-1992	LT	2.120000	µg/l		GO
AL	R	VJT	RINSBLNK	C6H6	BENZENE	0.000000	UM3308	JUN-1992	LT	2.400000	µg/l		GO
AL	R	VJT	RINSBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3308	JUN-1992	LT	3.700000	µg/l		GO
AL	R	VJT	RINSBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3308	JUN-1992		6.960000	µg/l	B	GO
AL	R	VJT	RINSBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3308	JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3308	JUN-1992	LT	1.600000	µg/l		GO
AL	R	VJT	RINSBLNK	CHBR3	BROMOFORM	0.000000	UM3308	JUN-1992	LT	8.200000	µg/l		GO
AL	R	VJT	RINSBLNK	CHCL3	CHLOROFORM	0.000000	UM3308	JUN-1992	LT	0.830000	µg/l		GO
AL	R	VJT	RINSBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM3308	JUN-1992	LT	1.400000	µg/l		GO
AL	R	VJT	RINSBLNK	CS2	CARBON DISULFIDE	0.000000	UM3308	JUN-1992	ND	5.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM3308	JUN-1992	LT	6.500000	µg/l		GO
AL	R	VJT	RINSBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM3308	JUN-1992	LT	9.300000	µg/l		GO
AL	R	VJT	RINSBLNK	MEC6H5	TOLUENE	0.000000	UM3308	JUN-1992	LT	8.700000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	VJT	RINSBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	R	VJT	RINSBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	08-JUN-1992	LT	4.700000	µg/l		GO
AL	R	VJT	RINSBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	08-JUN-1992	LT	0.500000	µg/l		GO
AL	R	VJT	RINSBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	08-JUN-1992	LT	0.500000	µg/l		GO
AL	R	VKN	RNSEBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	4.100000	µg/l		GO
AL	R	VKN	RNSEBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	0.630000	µg/l		GO
AL	R	VKN	RNSEBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	16-JUL-1992	LT	1.420000	µg/l		GO
AL	R	VKN	RNSEBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	1.100000	µg/l		GO
AL	R	VKN	RNSEBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	16-JUL-1992	LT	1.100000	µg/l		GO
AL	R	VKN	RNSEBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	9.700000	µg/l		GO
AL	R	VKN	RNSEBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	7.600000	µg/l		GO
AL	R	VKN	RNSEBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	16-JUL-1992	LT	2.800000	µg/l		GO
AL	R	VKN	RNSEBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	9.200000	µg/l		GO
AL	R	VKN	RNSEBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	16-JUL-1992	LT	3.800000	µg/l		GO
AL	R	VKN	RNSEBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	8.100000	µg/l		GO
AL	R	VKN	RNSEBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	16-JUL-1992	LT	82.000000	µg/l		GO
AL	R	VKN	RNSEBLNK	ACET	ACETONE	0.000000	UM33	16-JUL-1992		6.000000	µg/l	S	GO
AL	R	VKN	RNSEBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	16-JUL-1992	LT	7.900000	µg/l		GO
AL	R	VKN	RNSEBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33	16-JUL-1992	LT	0.500000	µg/l		GO
AL	R	VKN	RNSEBLNK	C2H5CL	CHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	2.120000	µg/l		GO
AL	R	VKN	RNSEBLNK	C6H6	BENZENE	0.000000	UM33	16-JUL-1992	LT	2.400000	µg/l		GO
AL	R	VKN	RNSEBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM33	16-JUL-1992	LT	3.700000	µg/l		GO
AL	R	VKN	RNSEBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33	16-JUL-1992		8.920000	µg/l	B	GO
AL	R	VKN	RNSEBLNK	CH3BR	BROMOMETHANE / METHYL	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					BROMIDE								
AL	R	VKN	RNSEBLNK	CH3CL	CHLOROMETHANE	0.000000	UM33	16-JUL-1992	LT	1.600000	µg/l		GO
AL	R	VKN	RNSEBLNK	CHBR3	BROMOFORM	0.000000	UM33	16-JUL-1992	LT	8.200000	µg/l		GO
AL	R	VKN	RNSEBLNK	CHCL3	CHLOROFORM	0.000000	UM33	16-JUL-1992	LT	0.830000	µg/l		GO
AL	R	VKN	RNSEBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	1.400000	µg/l		GO
AL	R	VKN	RNSEBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	16-JUL-1992	LT	6.500000	µg/l		GO
AL	R	VKN	RNSEBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	16-JUL-1992	LT	9.300000	µg/l		GO
AL	R	VKN	RNSEBLNK	MEC6H5	TOLUENE	0.000000	UM33	16-JUL-1992	LT	8.700000	µg/l		GO
AL	R	VKN	RNSEBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	R	VKN	RNSEBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	16-JUL-1992	LT	4.700000	µg/l		GO
AL	R	VKN	RNSEBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	16-JUL-1992	LT	0.500000	µg/l		GO
AL	R	VKN	RNSEBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	16-JUL-1992	LT	0.500000	µg/l		GO
AL	R	ZUD	RINSBLNK	CYN	CYANIDE	0.000000	TY12	10-JUN-1992	LT	5.000000	µg/l		GO
AL	R	ZUI	RINSBLNK	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC	0.000000	99	08-JUN-1992	ND	0.000417	µg/l	B	GO
AL	R	ZUI	RINSBLNK	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	0.000000	99	08-JUN-1992	ND	0.000006	µg/l	R	GO
AL	R	ZUI	RINSBLNK	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	0.000000	99	08-JUN-1992	ND	0.000003	µg/l	R	GO
AL	R	ZUI	RINSBLNK	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	0.000000	99	08-JUN-1992	ND	0.000002	µg/l	R	GO
AL	R	ZUI	RINSBLNK	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	0.000000	99	08-JUN-1992	ND	0.000003	µg/l	R	GO
AL	R	ZUI	RINSBLNK	THCDF	*TOTAL HEXACHLORODIBENZOFURANS	0.000000	99	08-JUN-1992	ND	0.000003	µg/l	R	GO
AL	R	ZUI	RINSBLNK	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS	0.000000	99	08-JUN-1992		0.000020	µg/l		GO
AL	R	ZUI	RINSBLNK	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	0.000000	99	08-JUN-1992	ND	0.000003	µg/l	R	GO
AL	R	ZUI	RINSBLNK	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	0.000000	99	08-JUN-1992	ND	0.000004	µg/l	R	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	R	ZUI	RINSBLNK	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	0.000000	99	08-JUN-1992	ND	0.000003	µg/l	R	GO
AL	R	ZUI	RINSBLNK	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	0.000000	99	08-JUN-1992	ND	0.000003	µg/l	R	GO
AL	R	ZUI	RINSBLNK	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS	0.000000	99	08-JUN-1992	ND	0.000002	µg/l	R	GO
AL	R	ZUP	RNSEBLNK	CYN	CYANIDE	0.000000	TY12	16-JUL-1992	LT	5.000000	µg/l		GO
AL	R	ZUU	RNSEBLNK	OCDD	*OCTACHLORODIBENZODIOXIN, NON-SPECIFIC	0.000000	99	16-JUL-1992		0.000360	µg/l	B	GO
AL	R	ZUU	RNSEBLNK	OCDF	*OCTACHLORODIBENZOFURAN, NON-SPECIFIC	0.000000	99	16-JUL-1992		0.000035	µg/l		GO
AL	R	ZUU	RNSEBLNK	TCDD	DIOXIN / TCDD / 2,3,7,8-TETRACHLORODIBENZO[B,E][1,4]DIOXIN	0.000000	99	16-JUL-1992	ND	0.000000	µg/l	R	GO
AL	R	ZUU	RNSEBLNK	TCDF	2,3,7,8-TETRACHLORODIBENZOFURAN	0.000000	99	16-JUL-1992		0.000003	µg/l		GO
AL	R	ZUU	RNSEBLNK	THCDD	*TOTAL HEXACHLORODIBENZO-P-DIOXINS	0.000000	99	16-JUL-1992	ND	0.000005	µg/l	R	GO
AL	R	ZUU	RNSEBLNK	THCDF	*TOTAL HEXACHLORODIBENZOFURANS	0.000000	99	16-JUL-1992		0.000007	µg/l		GO
AL	R	ZUU	RNSEBLNK	THPCDD	*TOTAL HEPTACHLORODIBENZO-P-DIOXINS	0.000000	99	16-JUL-1992		0.000038	µg/l	B	GO
AL	R	ZUU	RNSEBLNK	THPCDF	*TOTAL HEPTACHLORODIBENZOFURANS	0.000000	99	16-JUL-1992		0.000014	µg/l		GO
AL	R	ZUU	RNSEBLNK	TPCDD	*TOTAL PENTACHLORODIBENZO-P-DIOXINS	0.000000	99	16-JUL-1992	ND	0.000002	µg/l	R	GO
AL	R	ZUU	RNSEBLNK	TPCDF	*TOTAL PENTACHLORODIBENZOFURANS	0.000000	99	16-JUL-1992		0.000001	µg/l		GO
AL	R	ZUU	RNSEBLNK	TTCDD	*TOTAL TETRACHLORODIBENZO-P-DIOXINS	0.000000	99	16-JUL-1992	ND	0.000002	µg/l	R	GO
AL	R	ZUU	RNSEBLNK	TTCDF	*TOTAL TETRACHLORODIBENZOFURANS	0.000000	99	16-JUL-1992		0.000004	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAQT		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25			4.500000	µg/g		LIT
UB	S	AAQT		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25			4.500000	µg/g		LIT
UB	S	AAQT		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25			4.600000	µg/g		LIT
UB	S	AAQT		2FBP	2-FLUOROBIPHENYL	5.000000	LM25			4.700000	µg/g		LIT
UB	S	AAQT		2FP	2-FLUOROPHENOL	5.000000	LM25			4.400000	µg/g		LIT
UB	S	AAQT		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25			5.500000	µg/g		LIT
UB	S	AAQT		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25			5.400000	µg/g		LIT
UB	S	AAQT		NBD5	NITROBENZENE-D5	5.000000	LM25			4.000000	µg/g		LIT
UB	S	AAQT		PHEND6	PHENOL-D6	5.000000	LM25			4.300000	µg/g		LIT
UB	S	AAQT		TRPD14	TERPHENYL-D14	5.000000	LM25			6.000000	µg/g		LIT
UB	S	AAQU		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AAQU		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AAQU		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AAQU		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	AAQU		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	AAQU		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	AAQU		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AAQU		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AAQU		BA	BARIUM	0.000000	JS12			3.630000	µg/g		LIT
UB	S	AAQU		BE	BERYLLIUM	1.000000	JS12			1.020000	µg/g		LIT
UB	S	AAQU		BE	BERYLLIUM	10.000000	JS12			9.810000	µg/g		LIT
UB	S	AAQU		BE	BERYLLIUM	10.000000	JS12			9.820000	µg/g		LIT
UB	S	AAQU		CA	CALCIUM	0.000000	JS12			80.800000	µg/g		LIT
UB	S	AAQU		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	AAQU		CA	CALCIUM	0.000000	JS12			90.600000	µg/g		LIT
UB	S	AAQU		CD	CADMIUM	2.500000	JS12			2.520000	µg/g		LIT
UB	S	AAQU		CD	CADMIUM	100.000000	JS12			95.500000	µg/g		LIT
UB	S	AAQU		CD	CADMIUM	100.000000	JS12			95.300000	µg/g		LIT
UB	S	AAQU		CO	COBALT	5.000000	JS12			5.190000	µg/g		LIT
UB	S	AAQU		CO	COBALT	100.000000	JS12			97.800000	µg/g		LIT
UB	S	AAQU		CO	COBALT	100.000000	JS12			97.300000	µg/g		LIT
UB	S	AAQU		CR	CHROMIUM	10.000000	JS12			11.000000	µg/g		LIT
UB	S	AAQU		CR	CHROMIUM	100.000000	JS12			100.000000	µg/g		LIT
UB	S	AAQU		CR	CHROMIUM	100.000000	JS12			98.300000	µg/g		LIT
UB	S	AAQU		CU	COPPER	5.000000	JS12			5.660000	µg/g		LIT
UB	S	AAQU		CU	COPPER	100.000000	JS12			99.700000	µg/g		LIT
UB	S	AAQU		CU	COPPER	100.000000	JS12			99.000000	µg/g		LIT
UB	S	AAQU		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	AAQU		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	AAQU		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	AAQU		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AAQU		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AAQU		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AAQU		MG	MAGNESIUM	0.000000	JS12			11.600000	µg/g		LIT
UB	S	AAQU		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	AAQU		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	AAQU		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AAQU		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AAQU		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AAQU		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	AAQU		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAQU		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	AAQU		NI	NICKEL	5.000000	JS12			4.800000	µg/g		LIT
UB	S	AAQU		NI	NICKEL	100.000000	JS12			95.800000	µg/g		LIT
UB	S	AAQU		NI	NICKEL	100.000000	JS12			95.900000	µg/g		LIT
UB	S	AAQU		TL	THALLIUM	70.000000	JS12			63.600000	µg/g		LIT
UB	S	AAQU		TL	THALLIUM	700.000000	JS12			648.000000	µg/g		LIT
UB	S	AAQU		TL	THALLIUM	700.000000	JS12			642.000000	µg/g		LIT
UB	S	AAQU		V	VANADIUM	3.000000	JS12			2.280000	µg/g		LIT
UB	S	AAQU		V	VANADIUM	30.000000	JS12			28.500000	µg/g		LIT
UB	S	AAQU		V	VANADIUM	30.000000	JS12			28.000000	µg/g		LIT
UB	S	AAQU		ZN	ZINC	15.000000	JS12			14.300000	µg/g		LIT
UB	S	AAQU		ZN	ZINC	100.000000	JS12			96.500000	µg/g		LIT
UB	S	AAQU		ZN	ZINC	100.000000	JS12			96.500000	µg/g		LIT
UB	S	AAQV		AS	ARSENIC	10.000000	B9			9.580000	µg/g		LIT
UB	S	AAQV		AS	ARSENIC	25.000000	B9			22.700000	µg/g		LIT
UB	S	AAQV		AS	ARSENIC	25.000000	B9			23.100000	µg/g		LIT
UB	S	AAQW		PB	LEAD	2.000000	JD21			1.780000	µg/g		LIT
UB	S	AAQW		PB	LEAD	16.000000	JD21			14.100000	µg/g		LIT
UB	S	AAQW		PB	LEAD	16.000000	JD21			15.100000	µg/g		LIT
UB	S	AAQX		SE	SELENIUM	1.000000	JD20			0.958000	µg/g		LIT
UB	S	AAQX		SE	SELENIUM	16.000000	JD20			14.100000	µg/g		LIT
UB	S	AAQX		SE	SELENIUM	16.000000	JD20			14.500000	µg/g		LIT
UB	S	AAQZ		HG	MERCURY	0.100000	Y9			0.107000	µg/g		LIT
UB	S	AAQZ		HG	MERCURY	0.500000	Y9			0.532000	µg/g		LIT
UB	S	AAQZ		HG	MERCURY	0.500000	Y9			0.527000	µg/g		LIT
UB	S	AARB		135TNB	1,3,5-TRINITROBENZENE	2.500000	LW23			0.736000	µg/g	1	LIT
UB	S	AARB		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			18.700000	µg/g		LIT
UB	S	AARB		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			19.500000	µg/g		LIT
UB	S	AARB		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AARB		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AARB		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AARB		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	5.000000	LW23			3.490000	µg/g		LIT
UB	S	AARB		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			43.700000	µg/g		LIT
UB	S	AARB		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			44.800000	µg/g		LIT
UB	S	AARB		24DNT	2,4-DINITROTOLUENE	5.000000	LW23			4.940000	µg/g		LIT
UB	S	AARB		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			23.400000	µg/g		LIT
UB	S	AARB		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			23.700000	µg/g		LIT
UB	S	AARB		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AARB		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AARB		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AARB		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AARB		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AARB		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ITRAMINE								
UB	S	AARB		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	5.000000	LW23			3.990000	µg/g		LIT
UB	S	AARB		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			45.700000	µg/g		LIT
UB	S	AARB		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			46.200000	µg/g		LIT
UB	S	AARB		RDX	CYCLONITE / HEXOGEN / RDX	5.000000	LW23			4.550000	µg/g		LIT
UB	S	AARB		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			43.600000	µg/g		LIT
UB	S	AARB		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			45.100000	µg/g		LIT
UB	S	AARB		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AARB		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AARB		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AARC		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXA NE	0.000000	LH17		LT	0.002800	µg/g		LIT
UB	S	AARC		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.070000	LH17			0.062600	µg/g		LIT
UB	S	AARC		ALDRN	ALDRIN	0.060000	LH17			0.064100	µg/g		LIT
UB	S	AARC		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXAN E	0.000000	LH17		LT	0.007700	µg/g		LIT
UB	S	AARC		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH17		LT	0.000700	µg/g		LIT
UB	S	AARC		CLDAN	CHLORDANE	0.600000	LH17			0.509000	µg/g		LIT
UB	S	AARC		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXA NE	0.000000	LH17		LT	0.008500	µg/g		LIT
UB	S	AARC		DLDRN	DIELDRIN	0.080000	LH17			0.079000	µg/g		LIT
UB	S	AARC		ENDRN	ENDRIN	0.040000	LH17			0.039100	µg/g		LIT
UB	S	AARC		ENDRNK	ENDRIN KETONE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	S	AARC		ESFSO4	ENDOSULFAN SULFATE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	S	AARC		HPCL	HEPTACHLOR	0.080000	LH17			0.087300	µg/g		LIT
UB	S	AARC		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH17		LT	0.001300	µg/g		LIT
UB	S	AARC		ISODR	ISODRIN	0.000000	LH17		LT	0.003000	µg/g		LIT
UB	S	AARC		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.080000	LH17			0.073300	µg/g		LIT
UB	S	AARC		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.800000	LH17			0.773000	µg/g		LIT
UB	S	AARC		PCB016	PCB 1016	1.500000	LH17			1.110000	µg/g		LIT
UB	S	AARC		PCB221	PCB 1221	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AARC		PCB232	PCB 1232	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AARC		PCB242	PCB 1242	0.000000	LH17		ND	0.100000	µg/g	R	LIT

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AARC		PCB248	PCB 1248	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AARC		PCB254	PCB 1254	0.000000	LH17		ND	0.047900	µg/g	R	LIT
UB	S	AARC		PCB260	PCB 1260	1.500000	LH17			1.160000	µg/g		LIT
UB	S	AARC		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	S	AARC		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	S	AARC		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.080000	LH17			0.085200	µg/g		LIT
UB	S	AARC		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH17		LT	0.226000	µg/g		LIT
UB	S	AARI		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25			62.000000	µg/l		LIT
UB	S	AARI		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25			88.000000	µg/l		LIT
UB	S	AARI		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25			82.000000	µg/l		LIT
UB	S	AARI		2FBP	2-FLUOROBIPHENYL	100.000000	UM25			77.000000	µg/l		LIT
UB	S	AARI		2FP	2-FLUOROPHENOL	100.000000	UM25			48.000000	µg/l		LIT
UB	S	AARI		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25			90.000000	µg/l		LIT
UB	S	AARI		DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25			69.000000	µg/l		LIT
UB	S	AARI		NBD5	NITROBENZENE-D5	100.000000	UM25			81.000000	µg/l		LIT
UB	S	AARI		PHEND6	PHENOL-D6	100.000000	UM25			36.000000	µg/l		LIT
UB	S	AARI		TRPD14	TERPHENYL-D14	100.000000	UM25			110.000000	µg/l		LIT
UB	S	AARJ		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	AARJ		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	AARJ		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	AARJ		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	AARJ		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	AARJ		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	AARJ		BA	BARIUM	6.000000	SS12			6.010000	µg/l		LIT
UB	S	AARJ		BA	BARIUM	360.000000	SS12			344.000000	µg/l		LIT
UB	S	AARJ		BA	BARIUM	360.000000	SS12			362.000000	µg/l		LIT
UB	S	AARJ		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	AARJ		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	AARJ		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	AARJ		CA	CALCIUM	1000.000000	SS12			1060.000000	µg/l		LIT
UB	S	AARJ		CA	CALCIUM	10000.000000	SS12			10300.000000	µg/l		LIT
UB	S	AARJ		CA	CALCIUM	10000.000000	SS12			10900.000000	µg/l		LIT
UB	S	AARJ		CD	CADMIUM	25.000000	SS12			26.900000	µg/l		LIT
UB	S	AARJ		CD	CADMIUM	200.000000	SS12			204.000000	µg/l		LIT
UB	S	AARJ		CD	CADMIUM	200.000000	SS12			215.000000	µg/l		LIT
UB	S	AARJ		CO	COBALT	50.000000	SS12			57.700000	µg/l		LIT
UB	S	AARJ		CO	COBALT	500.000000	SS12			524.000000	µg/l		LIT
UB	S	AARJ		CO	COBALT	500.000000	SS12			554.000000	µg/l		LIT
UB	S	AARJ		CR	CHROMIUM	50.000000	SS12			62.500000	µg/l		LIT
UB	S	AARJ		CR	CHROMIUM	250.000000	SS12			258.000000	µg/l		LIT
UB	S	AARJ		CR	CHROMIUM	250.000000	SS12			276.000000	µg/l		LIT
UB	S	AARJ		CU	COPPER	40.000000	SS12			42.900000	µg/l		LIT
UB	S	AARJ		CU	COPPER	400.000000	SS12			396.000000	µg/l		LIT
UB	S	AARJ		CU	COPPER	400.000000	SS12			413.000000	µg/l		LIT
UB	S	AARJ		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AARJ		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	AARJ		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	AARJ		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	AARJ		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	AARJ		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	AARJ		MG	MAGNESIUM	500.000000	SS12			510.000000	µg/l		LIT
UB	S	AARJ		MG	MAGNESIUM	5000.000000	SS12			5000.000000	µg/l		LIT
UB	S	AARJ		MG	MAGNESIUM	5000.000000	SS12			5280.000000	µg/l		LIT
UB	S	AARJ		MN	MANGANESE	20.000000	SS12			22.500000	µg/l		LIT
UB	S	AARJ		MN	MANGANESE	200.000000	SS12			203.000000	µg/l		LIT
UB	S	AARJ		MN	MANGANESE	200.000000	SS12			214.000000	µg/l		LIT
UB	S	AARJ		NA	SODIUM	1200.000000	SS12			1260.000000	µg/l		LIT
UB	S	AARJ		NA	SODIUM	25000.000000	SS12			24300.000000	µg/l		LIT
UB	S	AARJ		NA	SODIUM	25000.000000	SS12			25500.000000	µg/l		LIT
UB	S	AARJ		NI	NICKEL	100.000000	SS12			101.000000	µg/l		LIT
UB	S	AARJ		NI	NICKEL	1000.000000	SS12			1050.000000	µg/l		LIT
UB	S	AARJ		NI	NICKEL	1000.000000	SS12			1120.000000	µg/l		LIT
UB	S	AARJ		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	AARJ		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	AARJ		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	AARJ		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	AARJ		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	AARJ		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	AARJ		ZN	ZINC	50.000000	SS12			53.200000	µg/l		LIT
UB	S	AARJ		ZN	ZINC	250.000000	SS12			265.000000	µg/l		LIT
UB	S	AARJ		ZN	ZINC	250.000000	SS12			283.000000	µg/l		LIT
UB	S	AARK		HG	MERCURY	0.400000	CC8			0.371000	µg/l		LIT
UB	S	AARK		HG	MERCURY	1.000000	CC8			0.944000	µg/l		LIT
UB	S	AARK		HG	MERCURY	1.000000	CC8			0.976000	µg/l		LIT
UB	S	AARL		AS	ARSENIC	5.000000	AX8			5.480000	µg/l		LIT
UB	S	AARL		AS	ARSENIC	50.000000	AX8			51.000000	µg/l		LIT
UB	S	AARL		AS	ARSENIC	50.000000	AX8			47.600000	µg/l		LIT
UB	S	AARM		PB	LEAD	10.000000	SD18			9.900000	µg/l		LIT
UB	S	AARM		PB	LEAD	100.000000	SD18			95.100000	µg/l		LIT
UB	S	AARM		PB	LEAD	100.000000	SD18			98.300000	µg/l		LIT
UB	S	AARN		SE	SELENIUM	10.000000	SD25			12.000000	µg/l		LIT
UB	S	AARN		SE	SELENIUM	160.000000	SD25			152.000000	µg/l		LIT
UB	S	AARN		SE	SELENIUM	160.000000	SD25			154.000000	µg/l		LIT
UB	S	AARP		135TNB	1,3,5-TRINITROBENZENE	0.400000	UW25			0.375000	µg/l		LIT
UB	S	AARP		135TNB	1,3,5-TRINITROBENZENE	16.000000	UW25			15.100000	µg/l		LIT
UB	S	AARP		135TNB	1,3,5-TRINITROBENZENE	16.000000	UW25			15.300000	µg/l		LIT
UB	S	AARP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AARP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AARP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AARP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.800000	UW25			0.543000	µg/l		LIT
UB	S	AARP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	32.000000	UW25			31.100000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AARP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	32.000000	UW25			31.200000	µg/l		LIT
UB	S	AARP		24DNT	2,4-DINITROTOLUENE	0.800000	UW25			0.605000	µg/l		LIT
UB	S	AARP		24DNT	2,4-DINITROTOLUENE	16.000000	UW25			12.900000	µg/l		LIT
UB	S	AARP		24DNT	2,4-DINITROTOLUENE	16.000000	UW25			13.200000	µg/l		LIT
UB	S	AARP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AARP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AARP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AARP		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AARP		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AARP		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AARP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	1.400000	UW25			1.160000	µg/l		LIT
UB	S	AARP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	32.000000	UW25			28.500000	µg/l		LIT
UB	S	AARP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	32.000000	UW25			29.100000	µg/l		LIT
UB	S	AARP		RDX	CYCLONITE / HEXOGEN / RDX	0.800000	UW25			0.712000	µg/l		LIT
UB	S	AARP		RDX	CYCLONITE / HEXOGEN / RDX	32.000000	UW25			31.200000	µg/l		LIT
UB	S	AARP		RDX	CYCLONITE / HEXOGEN / RDX	32.000000	UW25			31.500000	µg/l		LIT
UB	S	AARP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	S	AARP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	S	AARP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	S	AARQ		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	S	AARQ		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.250000	UH20			0.250000	µg/l		LIT
UB	S	AARQ		ALDRN	ALDRIN	0.100000	UH20			0.092400	µg/l		LIT
UB	S	AARQ		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.009900	µg/l		LIT
UB	S	AARQ		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20		LT	0.007700	µg/l		LIT
UB	S	AARQ		CLDAN	CHLORDANE	1.000000	UH20			1.110000	µg/l		LIT
UB	S	AARQ		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.003400	µg/l		LIT
UB	S	AARQ		DLDRN	DIELDRIN	0.250000	UH20			0.277000	µg/l		LIT
UB	S	AARQ		ENDRN	ENDRIN	0.250000	UH20			0.303000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AARQ		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20		ND	0.050400	µg/l	R	LIT
UB	S	AARQ		ENDRNK	ENDRIN KETONE	0.000000	UH20		ND	0.038000	µg/l	R	LIT
UB	S	AARQ		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20		ND	0.002500	µg/l	R	LIT
UB	S	AARQ		HPCL	HEPTACHLOR	0.100000	UH20			0.083800	µg/l		LIT
UB	S	AARQ		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20		LT	0.006300	µg/l		LIT
UB	S	AARQ		ISODR	ISODRIN	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	S	AARQ		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.250000	UH20			0.264000	µg/l		LIT
UB	S	AARQ		MEXCLR	METHOXYCHLOR / METHOXY-DDT	2.000000	UH20			1.980000	µg/l		LIT
UB	S	AARQ		PCB016	PCB 1016	5.000000	UH20			4.940000	µg/l		LIT
UB	S	AARQ		PCB221	PCB 1221	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AARQ		PCB232	PCB 1232	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AARQ		PCB242	PCB 1242	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AARQ		PCB248	PCB 1248	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AARQ		PCB254	PCB 1254	0.000000	UH20		ND	0.176000	µg/l	R	LIT
UB	S	AARQ		PCB260	PCB 1260	5.000000	UH20			5.220000	µg/l		LIT
UB	S	AARQ		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20		LT	0.008100	µg/l		LIT
UB	S	AARQ		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20		LT	0.003900	µg/l		LIT
UB	S	AARQ		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.200000	UH20			0.242000	µg/l		LIT
UB	S	AARQ		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20		LT	1.640000	µg/l		LIT
UB	S	AATH		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25			4.000000	µg/g		
UB	S	AATH		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25			2.700000	µg/g		
UB	S	AATH		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25			3.800000	µg/g		
UB	S	AATH		2FBP	2-FLUOROBIPHENYL	5.000000	LM25			3.900000	µg/g		
UB	S	AATH		2FP	2-FLUOROPHENOL	5.000000	LM25			3.400000	µg/g		
UB	S	AATH		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25			4.100000	µg/g		
UB	S	AATH		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25			4.400000	µg/g		
UB	S	AATH		NBD5	NITROBENZENE-D5	5.000000	LM25			3.500000	µg/g		
UB	S	AATH		PHEND6	PHENOL-D6	5.000000	LM25			4.000000	µg/g		
UB	S	AATH		TRPD14	TERPHENYL-D14	5.000000	LM25			4.800000	µg/g		
UB	S	AATI		135TNB	1,3,5-TRINITROBENZENE	2.500000	LW23			1.330000	µg/g		LIT
UB	S	AATI		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			17.900000	µg/g		LIT
UB	S	AATI		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			19.400000	µg/g		LIT
UB	S	AATI		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AATI		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AATI		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AATI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	5.000000	LW23			3.430000	µg/g		LIT
UB	S	AATI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			44.600000	µg/g		LIT
UB	S	AATI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			44.000000	µg/g		LIT
UB	S	AATI		24DNT	2,4-DINITROTOLUENE	5.000000	LW23			4.840000	µg/g		LIT
UB	S	AATI		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			22.900000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AATI		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			22.900000	µg/g		LIT
UB	S	AATI		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AATI		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AATI		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AATI		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AATI		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AATI		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AATI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	5.000000	LW23			3.790000	µg/g		LIT
UB	S	AATI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			44.400000	µg/g		LIT
UB	S	AATI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			44.200000	µg/g		LIT
UB	S	AATI		RDX	CYCLONITE / HEXOGEN / RDX	5.000000	LW23			4.540000	µg/g		LIT
UB	S	AATI		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			44.600000	µg/g		LIT
UB	S	AATI		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			44.200000	µg/g		LIT
UB	S	AATI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AATI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AATI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AATJ		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.002800	µg/g		LIT
UB	S	AATJ		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.070000	LH17			0.055900	µg/g		LIT
UB	S	AATJ		ALDRN	ALDRIN	0.060000	LH17			0.052000	µg/g		LIT
UB	S	AATJ		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.007700	µg/g		LIT
UB	S	AATJ		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH17		LT	0.000700	µg/g		LIT
UB	S	AATJ		CLDAN	CHLORDANE	0.600000	LH17			0.680000	µg/g		LIT
UB	S	AATJ		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.008500	µg/g		LIT
UB	S	AATJ		DLDRN	DIELDRIN	0.080000	LH17			0.068800	µg/g		LIT
UB	S	AATJ		ENDRN	ENDRIN	0.040000	LH17			0.028400	µg/g		LIT
UB	S	AATJ		HPCL	HEPTACHLOR	0.080000	LH17			0.071700	µg/g		LIT
UB	S	AATJ		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH17		LT	0.001300	µg/g		LIT
UB	S	AATJ		ISODR	ISODRIN	0.000000	LH17		LT	0.003000	µg/g		LIT
UB	S	AATJ		LIN	LINDANE /	0.080000	LH17			0.061400	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					GAMMA-BENZENEHEXACHLORIDE								
UB	S	AATJ		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.800000	LH17			0.749000	µg/g		LIT
UB	S	AATJ		PCB016	PCB 1016	1.500000	LH17			1.290000	µg/g		LIT
UB	S	AATJ		PCB221	PCB 1221	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AATJ		PCB232	PCB 1232	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AATJ		PCB242	PCB 1242	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AATJ		PCB254	PCB 1254	0.000000	LH17		ND	0.047900	µg/g	R	LIT
UB	S	AATJ		PCB260	PCB 1260	1.500000	LH17			1.370000	µg/g		LIT
UB	S	AATJ		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	S	AATJ		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	S	AATJ		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.080000	LH17			0.067000	µg/g		LIT
UB	S	AATJ		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH17		LT	0.226000	µg/g		LIT
UB	S	AATK		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AATK		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AATK		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AATK		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	AATK		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	AATK		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	AATK		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AATK		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AATK		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AATK		BE	BERYLLIUM	1.000000	JS12			1.240000	µg/g		LIT
UB	S	AATK		BE	BERYLLIUM	10.000000	JS12			9.930000	µg/g		LIT
UB	S	AATK		BE	BERYLLIUM	10.000000	JS12			9.930000	µg/g		LIT
UB	S	AATK		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	AATK		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	AATK		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	AATK		CD	CADMIUM	2.500000	JS12			2.370000	µg/g		LIT
UB	S	AATK		CD	CADMIUM	100.000000	JS12			94.900000	µg/g		LIT
UB	S	AATK		CD	CADMIUM	100.000000	JS12			96.900000	µg/g		LIT
UB	S	AATK		CO	COBALT	5.000000	JS12			5.410000	µg/g		LIT
UB	S	AATK		CO	COBALT	100.000000	JS12			100.000000	µg/g		LIT
UB	S	AATK		CO	COBALT	100.000000	JS12			101.000000	µg/g		LIT
UB	S	AATK		CR	CHROMIUM	10.000000	JS12			9.410000	µg/g		LIT
UB	S	AATK		CR	CHROMIUM	100.000000	JS12			98.300000	µg/g		LIT
UB	S	AATK		CR	CHROMIUM	100.000000	JS12			99.400000	µg/g		LIT
UB	S	AATK		CU	COPPER	5.000000	JS12			5.690000	µg/g		LIT
UB	S	AATK		CU	COPPER	100.000000	JS12			100.000000	µg/g		LIT
UB	S	AATK		CU	COPPER	100.000000	JS12			102.000000	µg/g		LIT
UB	S	AATK		FE	IRON	0.000000	JS12			44.500000	µg/g		LIT
UB	S	AATK		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	AATK		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	AATK		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AATK		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AATK		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AATK		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	AATK		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	AATK		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	AATK		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AATK		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AATK		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AATK		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	AATK		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	AATK		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	AATK		NI	NICKEL	5.000000	JS12			5.660000	µg/g		LIT
UB	S	AATK		NI	NICKEL	100.000000	JS12			101.000000	µg/g		LIT
UB	S	AATK		NI	NICKEL	100.000000	JS12			102.000000	µg/g		LIT
UB	S	AATK		TL	THALLIUM	70.000000	JS12			64.200000	µg/g		LIT
UB	S	AATK		TL	THALLIUM	700.000000	JS12			681.000000	µg/g		LIT
UB	S	AATK		TL	THALLIUM	700.000000	JS12			717.000000	µg/g		LIT
UB	S	AATK		V	VANADIUM	3.000000	JS12			2.270000	µg/g		LIT
UB	S	AATK		V	VANADIUM	30.000000	JS12			28.600000	µg/g		LIT
UB	S	AATK		V	VANADIUM	30.000000	JS12			28.500000	µg/g		LIT
UB	S	AATK		ZN	ZINC	15.000000	JS12			14.500000	µg/g		LIT
UB	S	AATK		ZN	ZINC	100.000000	JS12			98.200000	µg/g		LIT
UB	S	AATK		ZN	ZINC	100.000000	JS12			98.800000	µg/g		LIT
UB	S	AATL		AS	ARSENIC	10.000000	B9			9.740000	µg/g		LIT
UB	S	AATL		AS	ARSENIC	25.000000	B9			22.700000	µg/g		LIT
UB	S	AATL		AS	ARSENIC	25.000000	B9			22.200000	µg/g		LIT
UB	S	AATM		SE	SELENIUM	1.000000	JD20			0.872000	µg/g		LIT
UB	S	AATM		SE	SELENIUM	16.000000	JD20			13.000000	µg/g		LIT
UB	S	AATM		SE	SELENIUM	16.000000	JD20			12.200000	µg/g		LIT
UB	S	AATN		PB	LEAD	2.000000	JD21			1.650000	µg/g		LIT
UB	S	AATN		PB	LEAD	16.000000	JD21			14.500000	µg/g		LIT
UB	S	AATN		PB	LEAD	16.000000	JD21			15.200000	µg/g		LIT
UB	S	AATP		HG	MERCURY	0.500000	Y9			0.534000	µg/g		LIT
UB	S	AATP		HG	MERCURY	0.500000	Y9			0.530000	µg/g		LIT
UB	S	AATP		HG	MERCURY	0.100000	Y9			0.111000	µg/g		LIT
UB	S	AATS		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25			4.700000	µg/g		LIT
UB	S	AATS		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25			4.700000	µg/g		LIT
UB	S	AATS		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25			4.300000	µg/g		LIT
UB	S	AATS		2FBP	2-FLUOROBIPHENYL	5.000000	LM25			5.500000	µg/g		LIT
UB	S	AATS		2FP	2-FLUOROPHENOL	5.000000	LM25			4.500000	µg/g		LIT
UB	S	AATS		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25			5.400000	µg/g		LIT
UB	S	AATS		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25			5.300000	µg/g		LIT
UB	S	AATS		NBD5	NITROBENZENE-D5	5.000000	LM25			6.000000	µg/g		LIT
UB	S	AATS		PHEND6	PHENOL-D6	5.000000	LM25			5.100000	µg/g		LIT
UB	S	AATS		TRPD14	TERPHENYL-D14	5.000000	LM25			6.000000	µg/g		LIT
UB	S	AATT		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AATT		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AATT		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	AATT		AL	ALUMINUM	0.000000	JS12			91.400000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AATT		AL	ALUMINUM	0.000000	JS12			40.200000	µg/g		LIT
UB	S	AATT		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	AATT		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AATT		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AATT		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	AATT		BE	BERYLLIUM	1.000000	JS12			1.070000	µg/g		LIT
UB	S	AATT		BE	BERYLLIUM	10.000000	JS12			9.700000	µg/g		LIT
UB	S	AATT		BE	BERYLLIUM	10.000000	JS12			9.710000	µg/g		LIT
UB	S	AATT		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	AATT		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	AATT		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	AATT		CD	CADMIUM	2.500000	JS12			2.620000	µg/g		LIT
UB	S	AATT		CD	CADMIUM	100.000000	JS12			94.400000	µg/g		LIT
UB	S	AATT		CD	CADMIUM	100.000000	JS12			94.800000	µg/g		LIT
UB	S	AATT		CO	COBALT	5.000000	JS12			5.300000	µg/g		LIT
UB	S	AATT		CO	COBALT	100.000000	JS12			97.800000	µg/g		LIT
UB	S	AATT		CO	COBALT	100.000000	JS12			99.400000	µg/g		LIT
UB	S	AATT		CR	CHROMIUM	10.000000	JS12			10.100000	µg/g		LIT
UB	S	AATT		CR	CHROMIUM	100.000000	JS12			96.200000	µg/g		LIT
UB	S	AATT		CR	CHROMIUM	100.000000	JS12			97.300000	µg/g		LIT
UB	S	AATT		CU	COPPER	5.000000	JS12			5.770000	µg/g		LIT
UB	S	AATT		CU	COPPER	100.000000	JS12			98.500000	µg/g		LIT
UB	S	AATT		CU	COPPER	100.000000	JS12			98.800000	µg/g		LIT
UB	S	AATT		FE	IRON	0.000000	JS12			195.000000	µg/g		LIT
UB	S	AATT		FE	IRON	0.000000	JS12			38.600000	µg/g		LIT
UB	S	AATT		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	AATT		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AATT		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AATT		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	AATT		MG	MAGNESIUM	0.000000	JS12			48.800000	µg/g		LIT
UB	S	AATT		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	AATT		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	AATT		MN	MANGANESE	0.000000	JS12			22.300000	µg/g		LIT
UB	S	AATT		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AATT		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	AATT		NA	SODIUM	0.000000	JS12			43.900000	µg/g		LIT
UB	S	AATT		NA	SODIUM	0.000000	JS12			40.300000	µg/g		LIT
UB	S	AATT		NA	SODIUM	0.000000	JS12			51.100000	µg/g		LIT
UB	S	AATT		NI	NICKEL	5.000000	JS12			6.340000	µg/g		LIT
UB	S	AATT		NI	NICKEL	100.000000	JS12			98.300000	µg/g		LIT
UB	S	AATT		NI	NICKEL	100.000000	JS12			98.700000	µg/g		LIT
UB	S	AATT		TL	THALLIUM	70.000000	JS12			71.500000	µg/g		LIT
UB	S	AATT		TL	THALLIUM	700.000000	JS12			697.000000	µg/g		LIT
UB	S	AATT		TL	THALLIUM	700.000000	JS12			715.000000	µg/g		LIT
UB	S	AATT		V	VANADIUM	3.000000	JS12			3.260000	µg/g		LIT
UB	S	AATT		V	VANADIUM	30.000000	JS12			28.700000	µg/g		LIT
UB	S	AATT		V	VANADIUM	30.000000	JS12			28.700000	µg/g		LIT
UB	S	AATT		ZN	ZINC	15.000000	JS12			15.200000	µg/g		LIT
UB	S	AATT		ZN	ZINC	100.000000	JS12			97.000000	µg/g		LIT
UB	S	AATT		ZN	ZINC	100.000000	JS12			97.400000	µg/g		LIT
UB	S	AATU		AS	ARSENIC	10.000000	B9			9.690000	µg/g		LIT
UB	S	AATU		AS	ARSENIC	25.000000	B9			23.300000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AATU		AS	ARSENIC	25.000000	B9			23.700000	µg/g		LIT
UB	S	AATV		PB	LEAD	2.000000	JD21			1.880000	µg/g		LIT
UB	S	AATV		PB	LEAD	16.000000	JD21			14.500000	µg/g		LIT
UB	S	AATV		PB	LEAD	16.000000	JD21			15.900000	µg/g		LIT
UB	S	AATW		HG	MERCURY	0.100000	Y9			0.109000	µg/g		LIT
UB	S	AATW		HG	MERCURY	0.500000	Y9			0.527000	µg/g		LIT
UB	S	AATW		HG	MERCURY	0.500000	Y9			0.537000	µg/g		LIT
UB	S	AATX		SE	SELENIUM	1.000000	JD20			0.864000	µg/g		LIT
UB	S	AATX		SE	SELENIUM	16.000000	JD20			12.800000	µg/g		LIT
UB	S	AATX		SE	SELENIUM	16.000000	JD20			11.800000	µg/g		LIT
UB	S	AAU		CL	CHLORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		CL	CHLORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		F	FLUORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		F	FLUORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		NO2	NITRITE	1000.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	AAU		NO2	NITRITE	1000.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	AAU		NO3	NITRATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		NO3	NITRATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		PO4	PHOSPHATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		PO4	PHOSPHATE	1000.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	AAU		SO4	SULFATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAU		SO4	SULFATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAUA		135TNB	1,3,5-TRINITROBENZENE	2.500000	LW23			1.070000	µg/g		LIT
UB	S	AAUA		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			20.200000	µg/g		LIT
UB	S	AAUA		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			20.300000	µg/g		LIT
UB	S	AAUA		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AAUA		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AAUA		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	AAUA		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	5.000000	LW23			4.000000	µg/g		LIT
UB	S	AAUA		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			45.100000	µg/g		LIT
UB	S	AAUA		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			44.800000	µg/g		LIT
UB	S	AAUA		24DNT	2,4-DINITROTOLUENE	5.000000	LW23			4.710000	µg/g		LIT
UB	S	AAUA		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			23.300000	µg/g		LIT
UB	S	AAUA		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			23.900000	µg/g		LIT
UB	S	AAUA		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AAUA		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AAUA		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AAUA		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AAUA		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AAUA		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	AAUA		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	5.000000	LW23			4.280000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAUA		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			46.000000	µg/g		LIT
UB	S	AAUA		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			45.300000	µg/g		LIT
UB	S	AAUA		RDX	CYCLONITE / HEXOGEN / RDX	5.000000	LW23			4.570000	µg/g		LIT
UB	S	AAUA		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			45.500000	µg/g		LIT
UB	S	AAUA		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			45.500000	µg/g		LIT
UB	S	AAUA		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AAUA		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AAUA		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	AAUB		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.002800	µg/g		LIT
UB	S	AAUB		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.070000	LH17			0.064500	µg/g		LIT
UB	S	AAUB		ALDRN	ALDRIN	0.060000	LH17			0.062400	µg/g		LIT
UB	S	AAUB		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.007700	µg/g		LIT
UB	S	AAUB		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	LH17		LT	0.000700	µg/g		LIT
UB	S	AAUB		CLDAN	CHLORDANE	0.600000	LH17			0.473000	µg/g		LIT
UB	S	AAUB		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	LH17		LT	0.008500	µg/g		LIT
UB	S	AAUB		DLDRN	DIELDRIN	0.080000	LH17			0.079300	µg/g		LIT
UB	S	AAUB		ENDRN	ENDRIN	0.040000	LH17			0.034400	µg/g		LIT
UB	S	AAUB		ENDRNK	ENDRIN KETONE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	S	AAUB		ESFSO4	ENDOSULFAN SULFATE	0.000000	LH17		ND	0.000500	µg/g	R	LIT
UB	S	AAUB		HPCL	HEPTACHLOR	0.080000	LH17			0.081200	µg/g		LIT
UB	S	AAUB		HPCLE	HEPTACHLOR EPOXIDE	0.000000	LH17		LT	0.001300	µg/g		LIT
UB	S	AAUB		ISODR	ISODRIN	0.000000	LH17		LT	0.003000	µg/g		LIT
UB	S	AAUB		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.080000	LH17			0.070000	µg/g		LIT
UB	S	AAUB		MEXCLR	METHOXYCHLOR / METHOXY-DDT	0.800000	LH17			0.718000	µg/g		LIT
UB	S	AAUB		PCB016	PCB 1016	1.500000	LH17			1.240000	µg/g		LIT
UB	S	AAUB		PCB221	PCB 1221	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AAUB		PCB232	PCB 1232	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AAUB		PCB242	PCB 1242	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AAUB		PCB248	PCB 1248	0.000000	LH17		ND	0.100000	µg/g	R	LIT
UB	S	AAUB		PCB254	PCB 1254	0.000000	LH17		ND	0.047900	µg/g	R	LIT
UB	S	AAUB		PCB260	PCB 1260	1.500000	LH17			1.390000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAUB		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	S	AAUB		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	LH17		LT	0.002700	µg/g		LIT
UB	S	AAUB		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.080000	LH17			0.080800	µg/g		LIT
UB	S	AAUB		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	LH17		LT	0.226000	µg/g		LIT
UB	S	AAUE		135TNB	1,3,5-TRINITROBENZENE	0.400000	UW25			0.477000	µg/l		LIT
UB	S	AAUE		135TNB	1,3,5-TRINITROBENZENE	16.000000	UW25			14.300000	µg/l		LIT
UB	S	AAUE		135TNB	1,3,5-TRINITROBENZENE	16.000000	UW25			14.600000	µg/l		LIT
UB	S	AAUE		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AAUE		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AAUE		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AAUE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.800000	UW25			0.585000	µg/l		LIT
UB	S	AAUE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	32.000000	UW25			28.100000	µg/l		LIT
UB	S	AAUE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	32.000000	UW25			28.600000	µg/l		LIT
UB	S	AAUE		24DNT	2,4-DINITROTOLUENE	0.800000	UW25			0.572000	µg/l		LIT
UB	S	AAUE		24DNT	2,4-DINITROTOLUENE	16.000000	UW25			11.200000	µg/l		LIT
UB	S	AAUE		24DNT	2,4-DINITROTOLUENE	16.000000	UW25			12.400000	µg/l		LIT
UB	S	AAUE		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AAUE		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AAUE		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AAUE		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AAUE		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AAUE		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AAUE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	1.400000	UW25			1.250000	µg/l		LIT
UB	S	AAUE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	32.000000	UW25			26.800000	µg/l		LIT
UB	S	AAUE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	32.000000	UW25			27.900000	µg/l		LIT
UB	S	AAUE		RDX	CYCLONITE / HEXOGEN / RDX	0.800000	UW25			0.679000	µg/l		LIT
UB	S	AAUE		RDX	CYCLONITE / HEXOGEN / RDX	32.000000	UW25			29.000000	µg/l		LIT
UB	S	AAUE		RDX	CYCLONITE / HEXOGEN / RDX	32.000000	UW25			29.400000	µg/l		LIT
UB	S	AAUE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	S	AAUE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	S	AAUE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAUF		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	AAUF		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	AAUF		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	AAUF		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	AAUF		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	AAUF		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	AAUF		BA	BARIUM	6.000000	SS12			5.990000	µg/l		LIT
UB	S	AAUF		BA	BARIUM	360.000000	SS12			352.000000	µg/l		LIT
UB	S	AAUF		BA	BARIUM	360.000000	SS12			357.000000	µg/l		LIT
UB	S	AAUF		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	AAUF		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	AAUF		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	AAUF		CA	CALCIUM	1000.000000	SS12			1090.000000	µg/l		LIT
UB	S	AAUF		CA	CALCIUM	10000.000000	SS12			10500.000000	µg/l		LIT
UB	S	AAUF		CA	CALCIUM	10000.000000	SS12			10500.000000	µg/l		LIT
UB	S	AAUF		CD	CADMIUM	25.000000	SS12			27.100000	µg/l		LIT
UB	S	AAUF		CD	CADMIUM	200.000000	SS12			210.000000	µg/l		LIT
UB	S	AAUF		CD	CADMIUM	200.000000	SS12			206.000000	µg/l		LIT
UB	S	AAUF		CO	COBALT	50.000000	SS12			54.400000	µg/l		LIT
UB	S	AAUF		CO	COBALT	500.000000	SS12			527.000000	µg/l		LIT
UB	S	AAUF		CO	COBALT	500.000000	SS12			547.000000	µg/l		LIT
UB	S	AAUF		CR	CHROMIUM	50.000000	SS12			51.200000	µg/l		LIT
UB	S	AAUF		CR	CHROMIUM	250.000000	SS12			260.000000	µg/l		LIT
UB	S	AAUF		CR	CHROMIUM	250.000000	SS12			280.000000	µg/l		LIT
UB	S	AAUF		CU	COPPER	40.000000	SS12			42.900000	µg/l		LIT
UB	S	AAUF		CU	COPPER	400.000000	SS12			403.000000	µg/l		LIT
UB	S	AAUF		CU	COPPER	400.000000	SS12			410.000000	µg/l		LIT
UB	S	AAUF		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	AAUF		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	AAUF		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	AAUF		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	AAUF		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	AAUF		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	AAUF		MG	MAGNESIUM	500.000000	SS12			530.000000	µg/l		LIT
UB	S	AAUF		MG	MAGNESIUM	5000.000000	SS12			5090.000000	µg/l		LIT
UB	S	AAUF		MG	MAGNESIUM	5000.000000	SS12			5190.000000	µg/l		LIT
UB	S	AAUF		MN	MANGANESE	20.000000	SS12			22.000000	µg/l		LIT
UB	S	AAUF		MN	MANGANESE	200.000000	SS12			209.000000	µg/l		LIT
UB	S	AAUF		MN	MANGANESE	200.000000	SS12			212.000000	µg/l		LIT
UB	S	AAUF		NA	SODIUM	1200.000000	SS12			1180.000000	µg/l		LIT
UB	S	AAUF		NA	SODIUM	25000.000000	SS12			24400.000000	µg/l		LIT
UB	S	AAUF		NA	SODIUM	25000.000000	SS12			23900.000000	µg/l		LIT
UB	S	AAUF		NI	NICKEL	100.000000	SS12			111.000000	µg/l		LIT
UB	S	AAUF		NI	NICKEL	1000.000000	SS12			1070.000000	µg/l		LIT
UB	S	AAUF		NI	NICKEL	1000.000000	SS12			1060.000000	µg/l		LIT
UB	S	AAUF		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	AAUF		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	AAUF		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	AAUF		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	AAUF		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	AAUF		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	AAUF		ZN	ZINC	50.000000	SS12			56.500000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAUF		ZN	ZINC	250.000000	SS12			263.000000	µg/l		LIT
UB	S	AAUF		ZN	ZINC	250.000000	SS12			265.000000	µg/l		LIT
UB	S	AAUG		AS	ARSENIC	5.000000	AX8			5.500000	µg/l		LIT
UB	S	AAUG		AS	ARSENIC	50.000000	AX8			49.700000	µg/l		LIT
UB	S	AAUG		AS	ARSENIC	50.000000	AX8			49.200000	µg/l		LIT
UB	S	AAUH		PB	LEAD	10.000000	SD18			9.210000	µg/l		LIT
UB	S	AAUH		PB	LEAD	100.000000	SD18			94.700000	µg/l		LIT
UB	S	AAUH		PB	LEAD	100.000000	SD18			93.800000	µg/l		LIT
UB	S	AAUI		HG	MERCURY	0.400000	CC8			0.388000	µg/l		LIT
UB	S	AAUI		HG	MERCURY	1.000000	CC8			0.968000	µg/l		LIT
UB	S	AAUI		HG	MERCURY	1.000000	CC8			0.982000	µg/l		LIT
UB	S	AAUJ		SE	SELENIUM	10.000000	SD25			11.800000	µg/l		LIT
UB	S	AAUJ		SE	SELENIUM	160.000000	SD25			147.000000	µg/l		LIT
UB	S	AAUJ		SE	SELENIUM	160.000000	SD25			145.000000	µg/l		LIT
UB	S	AAUL		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	S	AAUL		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.250000	UH20			0.268000	µg/l		LIT
UB	S	AAUL		ALDRN	ALDRIN	0.100000	UH20			0.102000	µg/l		LIT
UB	S	AAUL		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.009900	µg/l		LIT
UB	S	AAUL		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20		LT	0.007700	µg/l		LIT
UB	S	AAUL		CLDAN	CHLORDANE	1.000000	UH20			1.210000	µg/l		LIT
UB	S	AAUL		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.003400	µg/l		LIT
UB	S	AAUL		DLDRN	DIELDRIN	0.250000	UH20			0.260000	µg/l		LIT
UB	S	AAUL		ENDRN	ENDRIN	0.250000	UH20			0.279000	µg/l		LIT
UB	S	AAUL		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20		ND	0.050400	µg/l	R	LIT
UB	S	AAUL		HPCL	HEPTACHLOR	0.100000	UH20			0.077800	µg/l		LIT
UB	S	AAUL		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20		LT	0.006300	µg/l		LIT
UB	S	AAUL		ISODR	ISODRIN	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	S	AAUL		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.250000	UH20			0.272000	µg/l		LIT
UB	S	AAUL		MEXCLR	METHOXYCHLOR / METHOXY-DDT	2.000000	UH20			2.310000	µg/l		LIT
UB	S	AAUL		PCB016	PCB 1016	5.000000	UH20			4.590000	µg/l		LIT
UB	S	AAUL		PCB221	PCB 1221	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AAUL		PCB232	PCB 1232	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AAUL		PCB242	PCB 1242	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AAUL		PCB254	PCB 1254	0.000000	UH20		ND	0.176000	µg/l	R	LIT
UB	S	AAUL		PCB260	PCB 1260	5.000000	UH20			4.600000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAUL		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHANE / TDE	0.000000	UH20		LT	0.008100	µg/l		LIT
UB	S	AAUL		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1,1-DICHLOROETHENE	0.000000	UH20		LT	0.003900	µg/l		LIT
UB	S	AAUL		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE	0.200000	UH20			0.219000	µg/l		LIT
UB	S	AAUL		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20		LT	1.640000	µg/l		LIT
UB	S	AAV		CL	CHLORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAV		F	FLUORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAV		NO2	NITRITE	990.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	AAV		NO3	NITRATE	1000.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	AAV		PO4	PHOSPHATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAV		SO4	SULFATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	AAW		12DCLE	1,2-DICHLOROETHANE	1.030000	2J		LT	1.000000	µg/l	S	PR2
UB	S	AAW		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	1.020000	2J		LT	1.000000	µg/l	S	PR2
UB	S	AAWO		ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	S	AAWO		AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.250000	UH20			0.264000	µg/l		LIT
UB	S	AAWO		ALDRN	ALDRIN	0.100000	UH20			0.099000	µg/l		LIT
UB	S	AAWO		BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.009900	µg/l		LIT
UB	S	AAWO		BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.000000	UH20		LT	0.007700	µg/l		LIT
UB	S	AAWO		CLDAN	CHLORDANE	1.000000	UH20			1.100000	µg/l		LIT
UB	S	AAWO		DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.000000	UH20		LT	0.003400	µg/l		LIT
UB	S	AAWO		DLDRN	DIELDRIN	0.250000	UH20			0.248000	µg/l		LIT
UB	S	AAWO		ENDRN	ENDRIN	0.250000	UH20			0.322000	µg/l		LIT
UB	S	AAWO		ENDRNA	ENDRIN ALDEHYDE	0.000000	UH20		ND	0.050400	µg/l	R	LIT
UB	S	AAWO		ENDRNK	ENDRIN KETONE	0.000000	UH20		ND	0.002500	µg/l	R	LIT
UB	S	AAWO		ESFSO4	ENDOSULFAN SULFATE	0.000000	UH20		ND	0.002500	µg/l	R	LIT
UB	S	AAWO		HPCL	HEPTACHLOR	0.100000	UH20			0.095600	µg/l		LIT
UB	S	AAWO		HPCLE	HEPTACHLOR EPOXIDE	0.000000	UH20		LT	0.006300	µg/l		LIT
UB	S	AAWO		ISODR	ISODRIN	0.000000	UH20		LT	0.002500	µg/l		LIT
UB	S	AAWO		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.250000	UH20			0.277000	µg/l		LIT
UB	S	AAWO		MEXCLR	METHOXYCHLOR / METHOXY-DDT	2.000000	UH20			2.370000	µg/l		LIT
UB	S	AAWO		PCB016	PCB 1016	5.000000	UH20			5.020000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAWO		PCB221	PCB 1221	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AAWO		PCB232	PCB 1232	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AAWO		PCB242	PCB 1242	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AAWO		PCB248	PCB 1248	0.000000	UH20		ND	0.385000	µg/l	R	LIT
UB	S	AAWO		PCB254	PCB 1254	0.000000	UH20		ND	0.176000	µg/l	R	LIT
UB	S	AAWO		PCB260	PCB 1260	5.000000	UH20			5.380000	µg/l		LIT
UB	S	AAWO		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.000000	UH20		LT	0.008100	µg/l		LIT
UB	S	AAWO		PPDDE	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHENE	0.000000	UH20		LT	0.003900	µg/l		LIT
UB	S	AAWO		PPDDT	2,2-BIS (PARA-CHLOROPHENYL)-1,1,1 -TRICHLOROETHANE	0.200000	UH20			0.261000	µg/l	X	LIT
UB	S	AAWO		TXPHEN	TOXAPHENE / ALLTOX / CHLORINATED CAMPHENE / CAMPHECHLOR	0.000000	UH20		LT	1.640000	µg/l		LIT
UB	S	AAWP		135TNB	1,3,5-TRINITROBENZENE	0.400000	UW25			0.330000	µg/l		LIT
UB	S	AAWP		135TNB	1,3,5-TRINITROBENZENE	16.000000	UW25			14.500000	µg/l		LIT
UB	S	AAWP		135TNB	1,3,5-TRINITROBENZENE	16.000000	UW25			15.000000	µg/l		LIT
UB	S	AAWP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AAWP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AAWP		13DNB	1,3-DINITROBENZENE	0.000000	UW25		LT	0.458000	µg/l		LIT
UB	S	AAWP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	0.800000	UW25			0.712000	µg/l		LIT
UB	S	AAWP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	32.000000	UW25			29.200000	µg/l		LIT
UB	S	AAWP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	32.000000	UW25			30.600000	µg/l		LIT
UB	S	AAWP		24DNT	2,4-DINITROTOLUENE	0.800000	UW25			0.580000	µg/l		LIT
UB	S	AAWP		24DNT	2,4-DINITROTOLUENE	16.000000	UW25			11.700000	µg/l		LIT
UB	S	AAWP		24DNT	2,4-DINITROTOLUENE	16.000000	UW25			13.400000	µg/l		LIT
UB	S	AAWP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AAWP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AAWP		26DNT	2,6-DINITROTOLUENE	0.000000	UW25		LT	0.600000	µg/l		LIT
UB	S	AAWP		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AAWP		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AAWP		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	UW25		LT	0.533000	µg/l		LIT
UB	S	AAWP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	1.400000	UW25			1.200000	µg/l		LIT
UB	S	AAWP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	32.000000	UW25			26.700000	µg/l		LIT
UB	S	AAWP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	32.000000	UW25			29.100000	µg/l		LIT
UB	S	AAWP		RDX	CYCLONITE / HEXOGEN / RDX	0.800000	UW25			0.771000	µg/l		LIT
UB	S	AAWP		RDX	CYCLONITE / HEXOGEN / RDX	32.000000	UW25			30.300000	µg/l		LIT
UB	S	AAWP		RDX	CYCLONITE / HEXOGEN / RDX	32.000000	UW25			30.800000	µg/l		LIT
UB	S	AAWP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	AAWP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	S	AAWP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	UW25		LT	0.631000	µg/l		LIT
UB	S	AAX		12DCLE	1,2-DICHLOROETHANE	1.030000	2J		GT	1.000000	µg/l	S	PR2
UB	S	AAX		CH3BR	BROMOMETHANE / METHYL BROMIDE	1.030000	2J		GT	1.000000	µg/l	S	PR2
UB	S	AAX		CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	1.020000	2J		GT	1.000000	µg/l	S	PR2
UB	S	AAY		HG	MERCURY	0.201000	1D		GT	0.200000	µg/l	S	PR2
UB	S	AAY		HG	MERCURY	0.201000	1D		GT	0.200000	µg/l	S	PR2
UB	S	AAZ		24DNP	2,4-DINITROPHENOL	31.000000	3W		LT	30.000000	µg/l	S	PR2
UB	S	AAZ		24DNP	2,4-DINITROPHENOL	31.000000	3W		GT	30.000000	µg/l	S	PR2
UB	S	AAZ		35DNA	3,5-DINITROANILINE	20.100000	3W		GT	20.000000	µg/l	S	PR2
UB	S	AAZ		35DNA	3,5-DINITROANILINE	20.100000	3W		GT	20.000000	µg/l	S	PR2
UB	S	AAZ		CL6ET	HEXACHLOROETHANE	19.700000	3W		GT	20.000000	µg/l	S	PR2
UB	S	AAZ		CL6ET	HEXACHLOROETHANE	19.700000	3W		GT	20.000000	µg/l	S	PR2
UB	S	AAZ		DLDRN	DIELDRIN	2.000000	3W		LT	2.000000	µg/l	S	PR2
UB	S	AAZ		DLDRN	DIELDRIN	2.000000	3W		GT	2.000000	µg/l	S	PR2
UB	S	ABAY		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25			4.300000	µg/g		LIT
UB	S	ABAY		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25			5.800000	µg/g		LIT
UB	S	ABAY		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25			3.900000	µg/g		LIT
UB	S	ABAY		2FBP	2-FLUOROBIPHENYL	5.000000	LM25			4.800000	µg/g		LIT
UB	S	ABAY		2FP	2-FLUOROPHENOL	5.000000	LM25			4.300000	µg/g		LIT
UB	S	ABAY		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25			6.000000	µg/g		LIT
UB	S	ABAY		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25			6.300000	µg/g		LIT
UB	S	ABAY		NBD5	NITROBENZENE-D5	5.000000	LM25			4.400000	µg/g		LIT
UB	S	ABAY		PHEND6	PHENOL-D6	5.000000	LM25			3.400000	µg/g		LIT
UB	S	ABAY		TRPD14	TERPHENYL-D14	5.000000	LM25			5.700000	µg/g		LIT
UB	S	ABAZ		135TNB	1,3,5-TRINITROBENZENE	2.500000	LW23			1.140000	µg/g		LIT
UB	S	ABAZ		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			19.100000	µg/g		LIT
UB	S	ABAZ		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			20.000000	µg/g		LIT
UB	S	ABAZ		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	ABAZ		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	ABAZ		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	ABAZ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	5.000000	LW23			4.740000	µg/g		LIT
UB	S	ABAZ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			46.300000	µg/g		LIT
UB	S	ABAZ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			46.500000	µg/g		LIT
UB	S	ABAZ		24DNT	2,4-DINITROTOLUENE	5.000000	LW23			5.610000	µg/g		LIT
UB	S	ABAZ		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			24.700000	µg/g		LIT
UB	S	ABAZ		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			24.600000	µg/g		LIT
UB	S	ABAZ		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABAZ		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABAZ		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABAZ		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABAZ		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABAZ		HMX	CYCLOTETRAMETHYLENETETRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABAZ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	5.000000	LW23			4.910000	µg/g		LIT
UB	S	ABAZ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			46.800000	µg/g		LIT
UB	S	ABAZ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			47.300000	µg/g		LIT
UB	S	ABAZ		RDX	CYCLONITE / HEXOGEN / RDX	5.000000	LW23			5.060000	µg/g		LIT
UB	S	ABAZ		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			46.600000	µg/g		LIT
UB	S	ABAZ		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			46.800000	µg/g		LIT
UB	S	ABAZ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	ABAZ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	ABAZ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	ABB		NG	1,2,3-PROPANETRIOL TRINITRATE / NITROGLYCERINE	19.500000	6B		GT	20.000000	µg/l	S	PR2
UB	S	ABB		NG	1,2,3-PROPANETRIOL TRINITRATE / NITROGLYCERINE	19.500000	6B		LT	20.000000	µg/l	S	PR2
UB	S	ABB		PETN	PENTAERYTHRITOL TETRANITRATE / PETN	5.000000	6B		LT	5.000000	µg/l	S	PR2
UB	S	ABB		PETN	PENTAERYTHRITOL TETRANITRATE / PETN	5.000000	6B		LT	5.000000	µg/l	S	PR2
UB	S	ABBB		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABBB		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABBB		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABBB		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABBB		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABBB		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABBB		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABBB		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABBB		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABBB		BE	BERYLLIUM	1.000000	JS12			1.050000	µg/g		LIT
UB	S	ABBB		BE	BERYLLIUM	10.000000	JS12			10.500000	µg/g		LIT
UB	S	ABBB		BE	BERYLLIUM	10.000000	JS12			9.470000	µg/g		LIT
UB	S	ABBB		CA	CALCIUM	0.000000	JS12			82.000000	µg/g		LIT
UB	S	ABBB		CA	CALCIUM	0.000000	JS12			176.000000	µg/g		LIT
UB	S	ABBB		CA	CALCIUM	0.000000	JS12			134.000000	µg/g		LIT
UB	S	ABBB		CD	CADMIUM	2.500000	JS12			2.270000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABBB		CD	CADMIUM	100.000000	JS12			99.900000	µg/g		LIT
UB	S	ABBB		CD	CADMIUM	100.000000	JS12			91.100000	µg/g		LIT
UB	S	ABBB		CO	COBALT	5.000000	JS12			5.640000	µg/g		LIT
UB	S	ABBB		CO	COBALT	100.000000	JS12			106.000000	µg/g		LIT
UB	S	ABBB		CO	COBALT	100.000000	JS12			95.100000	µg/g		LIT
UB	S	ABBB		CR	CHROMIUM	10.000000	JS12			9.670000	µg/g		LIT
UB	S	ABBB		CR	CHROMIUM	100.000000	JS12			104.000000	µg/g		LIT
UB	S	ABBB		CR	CHROMIUM	100.000000	JS12			94.900000	µg/g		LIT
UB	S	ABBB		CU	COPPER	5.000000	JS12			5.760000	µg/g		LIT
UB	S	ABBB		CU	COPPER	100.000000	JS12			105.000000	µg/g		LIT
UB	S	ABBB		CU	COPPER	100.000000	JS12			95.200000	µg/g		LIT
UB	S	ABBB		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABBB		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABBB		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABBB		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABBB		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABBB		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABBB		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	ABBB		MG	MAGNESIUM	0.000000	JS12			11.100000	µg/g		LIT
UB	S	ABBB		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	ABBB		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABBB		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABBB		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABBB		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABBB		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABBB		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABBB		NI	NICKEL	5.000000	JS12			6.160000	µg/g		LIT
UB	S	ABBB		NI	NICKEL	100.000000	JS12			105.000000	µg/g		LIT
UB	S	ABBB		NI	NICKEL	100.000000	JS12			95.600000	µg/g		LIT
UB	S	ABBB		TL	THALLIUM	70.000000	JS12			67.600000	µg/g		LIT
UB	S	ABBB		TL	THALLIUM	700.000000	JS12			690.000000	µg/g		LIT
UB	S	ABBB		TL	THALLIUM	700.000000	JS12			636.000000	µg/g		LIT
UB	S	ABBB		V	VANADIUM	3.000000	JS12			1.620000	µg/g		LIT
UB	S	ABBB		V	VANADIUM	30.000000	JS12			29.900000	µg/g		LIT
UB	S	ABBB		V	VANADIUM	30.000000	JS12			26.400000	µg/g		LIT
UB	S	ABBB		ZN	ZINC	15.000000	JS12			13.900000	µg/g		LIT
UB	S	ABBB		ZN	ZINC	100.000000	JS12			103.000000	µg/g		LIT
UB	S	ABBB		ZN	ZINC	100.000000	JS12			94.300000	µg/g		LIT
UB	S	ABBC		AS	ARSENIC	10.000000	B9			9.750000	µg/g		LIT
UB	S	ABBC		AS	ARSENIC	25.000000	B9			24.200000	µg/g		LIT
UB	S	ABBC		AS	ARSENIC	25.000000	B9			24.500000	µg/g		LIT
UB	S	ABBD		PB	LEAD	2.000000	JD21			1.660000	µg/g		LIT
UB	S	ABBD		PB	LEAD	16.000000	JD21			14.900000	µg/g		LIT
UB	S	ABBD		PB	LEAD	16.000000	JD21			14.700000	µg/g		LIT
UB	S	ABBE		SE	SELENIUM	1.000000	JD20			0.927000	µg/g		LIT
UB	S	ABBE		SE	SELENIUM	16.000000	JD20			14.000000	µg/g		LIT
UB	S	ABBE		SE	SELENIUM	16.000000	JD20			12.700000	µg/g		LIT
UB	S	ABBG		HG	MERCURY	0.100000	Y9			0.106000	µg/g		LIT
UB	S	ABBG		HG	MERCURY	0.500000	Y9			0.519000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABBG		HG	MERCURY	0.500000	Y9			0.524000	µg/g		LIT
UB	S	ABC		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	2.060000	2B		LT	2.000000	µg/l	S	PR2
UB	S	ABC		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	2.060000	2B		LT	2.000000	µg/l	S	PR2
UB	S	ABC		24DNT	2,4-DINITROTOLUENE	2.060000	2B		LT	2.000000	µg/l	S	PR2
UB	S	ABC		24DNT	2,4-DINITROTOLUENE	2.060000	2B		LT	2.000000	µg/l	S	PR2
UB	S	ABC		26DNT	2,6-DINITROTOLUENE	2.060000	2B		LT	3.000000	µg/l	S	PR2
UB	S	ABC		26DNT	2,6-DINITROTOLUENE	2.060000	2B		LT	3.000000	µg/l	S	PR2
UB	S	ABC		RDX	CYCLONITE / HEXOGEN / RDX	2.060000	2B		LT	1.000000	µg/l	S	PR2
UB	S	ABC		RDX	CYCLONITE / HEXOGEN / RDX	2.060000	2B		LT	1.000000	µg/l	S	PR2
UB	S	ABC		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	2.060000	2B		LT	1.000000	µg/l	S	PR2
UB	S	ABC		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	2.060000	2B		LT	1.000000	µg/l	S	PR2
UB	S	ABCX		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	ABCX		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	ABCX		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	ABCX		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	ABCX		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	ABCX		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	ABCX		BA	BARIUM	6.000000	SS12			6.450000	µg/l		LIT
UB	S	ABCX		BA	BARIUM	360.000000	SS12			361.000000	µg/l		LIT
UB	S	ABCX		BA	BARIUM	360.000000	SS12			365.000000	µg/l		LIT
UB	S	ABCX		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	ABCX		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	ABCX		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	ABCX		CA	CALCIUM	1000.000000	SS12			1070.000000	µg/l		LIT
UB	S	ABCX		CA	CALCIUM	10000.000000	SS12			10900.000000	µg/l		LIT
UB	S	ABCX		CA	CALCIUM	10000.000000	SS12			11000.000000	µg/l		LIT
UB	S	ABCX		CD	CADMIUM	25.000000	SS12			28.100000	µg/l		LIT
UB	S	ABCX		CD	CADMIUM	200.000000	SS12			218.000000	µg/l		LIT
UB	S	ABCX		CD	CADMIUM	200.000000	SS12			225.000000	µg/l		LIT
UB	S	ABCX		CO	COBALT	50.000000	SS12			55.700000	µg/l		LIT
UB	S	ABCX		CO	COBALT	500.000000	SS12			562.000000	µg/l		LIT
UB	S	ABCX		CO	COBALT	500.000000	SS12			559.000000	µg/l		LIT
UB	S	ABCX		CR	CHROMIUM	50.000000	SS12			52.600000	µg/l		LIT
UB	S	ABCX		CR	CHROMIUM	250.000000	SS12			273.000000	µg/l		LIT
UB	S	ABCX		CR	CHROMIUM	250.000000	SS12			275.000000	µg/l		LIT
UB	S	ABCX		CU	COPPER	40.000000	SS12			40.300000	µg/l		LIT
UB	S	ABCX		CU	COPPER	400.000000	SS12			409.000000	µg/l		LIT
UB	S	ABCX		CU	COPPER	400.000000	SS12			414.000000	µg/l		LIT
UB	S	ABCX		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	ABCX		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	ABCX		FE	IRON	0.000000	SS12			101.000000	µg/l		LIT
UB	S	ABCX		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	ABCX		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	ABCX		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	ABCX		MG	MAGNESIUM	500.000000	SS12			520.000000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABCX		MG	MAGNESIUM	5000.000000	SS12			5250.000000	µg/l		LIT
UB	S	ABCX		MG	MAGNESIUM	5000.000000	SS12			5310.000000	µg/l		LIT
UB	S	ABCX		MN	MANGANESE	20.000000	SS12			22.500000	µg/l		LIT
UB	S	ABCX		MN	MANGANESE	200.000000	SS12			218.000000	µg/l		LIT
UB	S	ABCX		MN	MANGANESE	200.000000	SS12			220.000000	µg/l		LIT
UB	S	ABCX		NA	SODIUM	1200.000000	SS12			1330.000000	µg/l		LIT
UB	S	ABCX		NA	SODIUM	25000.000000	SS12			26700.000000	µg/l		LIT
UB	S	ABCX		NA	SODIUM	25000.000000	SS12			27100.000000	µg/l		LIT
UB	S	ABCX		NI	NICKEL	100.000000	SS12			114.000000	µg/l		LIT
UB	S	ABCX		NI	NICKEL	1000.000000	SS12			1130.000000	µg/l		LIT
UB	S	ABCX		NI	NICKEL	1000.000000	SS12			1140.000000	µg/l		LIT
UB	S	ABCX		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	ABCX		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	ABCX		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	ABCX		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	ABCX		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	ABCX		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	ABCX		ZN	ZINC	50.000000	SS12			58.300000	µg/l		LIT
UB	S	ABCX		ZN	ZINC	250.000000	SS12			284.000000	µg/l		LIT
UB	S	ABCX		ZN	ZINC	250.000000	SS12			288.000000	µg/l		LIT
UB	S	ABCY		AS	ARSENIC	5.000000	AX8			4.680000	µg/l		LIT
UB	S	ABCY		AS	ARSENIC	50.000000	AX8			50.500000	µg/l		LIT
UB	S	ABCY		AS	ARSENIC	50.000000	AX8			50.800000	µg/l		LIT
UB	S	ABCZ		PB	LEAD	10.000000	SD18			8.820000	µg/l		LIT
UB	S	ABCZ		PB	LEAD	100.000000	SD18			91.700000	µg/l		LIT
UB	S	ABCZ		PB	LEAD	100.000000	SD18			89.900000	µg/l		LIT
UB	S	ABD		CL	CHLORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	ABD		F	FLUORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	ABD		NO2	NITRITE	990.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	ABD		NO3	NITRATE	1000.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	ABD		PO4	PHOSPHATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	ABD		SO4	SULFATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	ABDA		SE	SELENIUM	10.000000	SD25			10.500000	µg/l		LIT
UB	S	ABDA		SE	SELENIUM	160.000000	SD25			160.000000	µg/l		LIT
UB	S	ABDA		SE	SELENIUM	160.000000	SD25			164.000000	µg/l		LIT
UB	S	ABFD		13DBD4	1,3-DICHLOROBENZENE-D4	5.000000	LM25			4.100000	µg/g		LIT
UB	S	ABFD		246TBP	2,4,6-TRIBROMOPHENOL	5.000000	LM25			4.700000	µg/g		LIT
UB	S	ABFD		2CLPD4	2-CHLOROPHENOL-D4	5.000000	LM25			4.500000	µg/g		LIT
UB	S	ABFD		2FBP	2-FLUOROBIPHENYL	5.000000	LM25			4.500000	µg/g		LIT
UB	S	ABFD		2FP	2-FLUOROPHENOL	5.000000	LM25			5.100000	µg/g		LIT
UB	S	ABFD		DEPD4	DIETHYL PHTHALATE-D4	5.000000	LM25			5.800000	µg/g		LIT
UB	S	ABFD		DNOPD4	DI-N-OCTYL PHTHALATE-D4	5.000000	LM25			7.200000	µg/g		LIT
UB	S	ABFD		NBD5	NITROBENZENE-D5	5.000000	LM25			4.700000	µg/g		LIT
UB	S	ABFD		PHEND6	PHENOL-D6	5.000000	LM25			4.100000	µg/g		LIT
UB	S	ABFD		TRPD14	TERPHENYL-D14	5.000000	LM25			6.500000	µg/g	X	LIT
UB	S	ABFE		135TNB	1,3,5-TRINITROBENZENE	2.500000	LW23			0.984000	µg/g		LIT
UB	S	ABFE		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			18.600000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABFE		135TNB	1,3,5-TRINITROBENZENE	25.000000	LW23			19.100000	µg/g		LIT
UB	S	ABFE		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	ABFE		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	ABFE		13DNB	1,3-DINITROBENZENE	0.000000	LW23		LT	0.504000	µg/g		LIT
UB	S	ABFE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	5.000000	LW23			4.520000	µg/g		LIT
UB	S	ABFE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			44.700000	µg/g		LIT
UB	S	ABFE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	50.000000	LW23			44.700000	µg/g		LIT
UB	S	ABFE		24DNT	2,4-DINITROTOLUENE	5.000000	LW23			5.330000	µg/g		LIT
UB	S	ABFE		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			23.700000	µg/g		LIT
UB	S	ABFE		24DNT	2,4-DINITROTOLUENE	25.000000	LW23			23.700000	µg/g		LIT
UB	S	ABFE		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABFE		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABFE		26DNT	2,6-DINITROTOLUENE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABFE		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABFE		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABFE		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	0.000000	LW23		LT	2.000000	µg/g		LIT
UB	S	ABFE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	5.000000	LW23			4.920000	µg/g		LIT
UB	S	ABFE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			44.700000	µg/g		LIT
UB	S	ABFE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	50.000000	LW23			45.300000	µg/g		LIT
UB	S	ABFE		RDX	CYCLONITE / HEXOGEN / RDX	5.000000	LW23			5.010000	µg/g		LIT
UB	S	ABFE		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			44.600000	µg/g		LIT
UB	S	ABFE		RDX	CYCLONITE / HEXOGEN / RDX	50.000000	LW23			44.300000	µg/g		LIT
UB	S	ABFE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	ABFE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	ABFE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.000000	LW23		LT	2.110000	µg/g		LIT
UB	S	ABFG		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABFG		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABFG		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABFG		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABFG		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABFG		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABFG		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABFG		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABFG		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABFG		BE	BERYLLIUM	1.000000	JS12			0.947000	µg/g		LIT
UB	S	ABFG		BE	BERYLLIUM	10.000000	JS12			9.980000	µg/g		LIT
UB	S	ABFG		BE	BERYLLIUM	10.000000	JS12			9.670000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABFG		CA	CALCIUM	0.000000	JS12			190.000000	µg/g		LIT
UB	S	ABFG		CA	CALCIUM	0.000000	JS12			216.000000	µg/g		LIT
UB	S	ABFG		CA	CALCIUM	0.000000	JS12			117.000000	µg/g		LIT
UB	S	ABFG		CD	CADMIUM	2.500000	JS12			2.530000	µg/g		LIT
UB	S	ABFG		CD	CADMIUM	100.000000	JS12			96.300000	µg/g		LIT
UB	S	ABFG		CD	CADMIUM	100.000000	JS12			95.000000	µg/g		LIT
UB	S	ABFG		CO	COBALT	5.000000	JS12			5.660000	µg/g		LIT
UB	S	ABFG		CO	COBALT	100.000000	JS12			99.700000	µg/g		LIT
UB	S	ABFG		CO	COBALT	100.000000	JS12			98.900000	µg/g		LIT
UB	S	ABFG		CR	CHROMIUM	10.000000	JS12			10.100000	µg/g		LIT
UB	S	ABFG		CR	CHROMIUM	100.000000	JS12			98.100000	µg/g		LIT
UB	S	ABFG		CR	CHROMIUM	100.000000	JS12			97.300000	µg/g		LIT
UB	S	ABFG		CU	COPPER	5.000000	JS12			5.890000	µg/g		LIT
UB	S	ABFG		CU	COPPER	100.000000	JS12			101.000000	µg/g		LIT
UB	S	ABFG		CU	COPPER	100.000000	JS12			99.900000	µg/g		LIT
UB	S	ABFG		FE	IRON	0.000000	JS12			14.400000	µg/g		LIT
UB	S	ABFG		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABFG		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABFG		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABFG		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABFG		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABFG		MG	MAGNESIUM	0.000000	JS12			18.100000	µg/g		LIT
UB	S	ABFG		MG	MAGNESIUM	0.000000	JS12			43.000000	µg/g		LIT
UB	S	ABFG		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	ABFG		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABFG		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABFG		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABFG		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABFG		NA	SODIUM	0.000000	JS12			39.300000	µg/g		LIT
UB	S	ABFG		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABFG		NI	NICKEL	5.000000	JS12			6.250000	µg/g		LIT
UB	S	ABFG		NI	NICKEL	100.000000	JS12			100.000000	µg/g		LIT
UB	S	ABFG		NI	NICKEL	100.000000	JS12			98.800000	µg/g		LIT
UB	S	ABFG		TL	THALLIUM	70.000000	JS12			67.000000	µg/g		LIT
UB	S	ABFG		TL	THALLIUM	700.000000	JS12			698.000000	µg/g		LIT
UB	S	ABFG		TL	THALLIUM	700.000000	JS12			687.000000	µg/g		LIT
UB	S	ABFG		V	VANADIUM	3.000000	JS12			3.270000	µg/g		LIT
UB	S	ABFG		V	VANADIUM	30.000000	JS12			29.300000	µg/g		LIT
UB	S	ABFG		V	VANADIUM	30.000000	JS12			28.900000	µg/g		LIT
UB	S	ABFG		ZN	ZINC	15.000000	JS12			14.900000	µg/g		LIT
UB	S	ABFG		ZN	ZINC	100.000000	JS12			99.000000	µg/g		LIT
UB	S	ABFG		ZN	ZINC	100.000000	JS12			97.400000	µg/g		LIT
UB	S	ABFH		AS	ARSENIC	10.000000	B9			8.670000	µg/g		LIT
UB	S	ABFH		AS	ARSENIC	25.000000	B9			23.300000	µg/g		LIT
UB	S	ABFH		AS	ARSENIC	25.000000	B9			23.600000	µg/g		LIT
UB	S	ABFI		PB	LEAD	2.000000	JD21			1.900000	µg/g		LIT
UB	S	ABFI		PB	LEAD	16.000000	JD21			14.600000	µg/g		LIT
UB	S	ABFI		PB	LEAD	16.000000	JD21			15.300000	µg/g		LIT
UB	S	ABFJ		SE	SELENIUM	1.000000	JD20			0.711000	µg/g		LIT
UB	S	ABFJ		SE	SELENIUM	16.000000	JD20			10.600000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABFJ		SE	SELENIUM	16.000000	JD20			10.600000	µg/g		LIT
UB	S	ABFL		HG	MERCURY	0.100000	Y9			0.098100	µg/g		LIT
UB	S	ABFL		HG	MERCURY	0.500000	Y9			0.493000	µg/g		LIT
UB	S	ABFL		HG	MERCURY	0.500000	Y9			0.492000	µg/g		LIT
UB	S	ABFS		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABFS		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABFS		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABFS		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABFS		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABFS		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABFS		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABFS		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABFS		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABFS		BE	BERYLLIUM	1.000000	JS12			0.959000	µg/g		LIT
UB	S	ABFS		BE	BERYLLIUM	10.000000	JS12			9.360000	µg/g		LIT
UB	S	ABFS		BE	BERYLLIUM	10.000000	JS12			9.830000	µg/g		LIT
UB	S	ABFS		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	ABFS		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	ABFS		CA	CALCIUM	0.000000	JS12			64.800000	µg/g		LIT
UB	S	ABFS		CD	CADMIUM	2.500000	JS12			2.340000	µg/g		LIT
UB	S	ABFS		CD	CADMIUM	100.000000	JS12			92.600000	µg/g		LIT
UB	S	ABFS		CD	CADMIUM	100.000000	JS12			95.200000	µg/g		LIT
UB	S	ABFS		CO	COBALT	5.000000	JS12			5.590000	µg/g		LIT
UB	S	ABFS		CO	COBALT	100.000000	JS12			96.100000	µg/g		LIT
UB	S	ABFS		CO	COBALT	100.000000	JS12			100.000000	µg/g		LIT
UB	S	ABFS		CR	CHROMIUM	10.000000	JS12			9.680000	µg/g		LIT
UB	S	ABFS		CR	CHROMIUM	100.000000	JS12			94.500000	µg/g		LIT
UB	S	ABFS		CR	CHROMIUM	100.000000	JS12			99.000000	µg/g		LIT
UB	S	ABFS		CU	COPPER	5.000000	JS12			5.820000	µg/g		LIT
UB	S	ABFS		CU	COPPER	100.000000	JS12			96.800000	µg/g		LIT
UB	S	ABFS		CU	COPPER	100.000000	JS12			99.700000	µg/g		LIT
UB	S	ABFS		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABFS		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABFS		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABFS		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABFS		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABFS		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABFS		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	ABFS		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	ABFS		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	ABFS		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABFS		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABFS		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABFS		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABFS		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABFS		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABFS		NI	NICKEL	5.000000	JS12			5.420000	µg/g		LIT
UB	S	ABFS		NI	NICKEL	100.000000	JS12			95.500000	µg/g		LIT
UB	S	ABFS		NI	NICKEL	100.000000	JS12			102.000000	µg/g		LIT
UB	S	ABFS		TL	THALLIUM	70.000000	JS12			66.900000	µg/g		LIT
UB	S	ABFS		TL	THALLIUM	700.000000	JS12			680.000000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABFS		TL	THALLIUM	700.000000	JS12			678.000000	µg/g		LIT
UB	S	ABFS		V	VANADIUM	3.000000	JS12			2.220000	µg/g		LIT
UB	S	ABFS		V	VANADIUM	30.000000	JS12			26.600000	µg/g		LIT
UB	S	ABFS		V	VANADIUM	30.000000	JS12			27.100000	µg/g		LIT
UB	S	ABFS		ZN	ZINC	15.000000	JS12			13.800000	µg/g		LIT
UB	S	ABFS		ZN	ZINC	100.000000	JS12			95.700000	µg/g		LIT
UB	S	ABFS		ZN	ZINC	100.000000	JS12			97.900000	µg/g		LIT
UB	S	ABFT		AS	ARSENIC	10.000000	B9			9.930000	µg/g		LIT
UB	S	ABFT		AS	ARSENIC	25.000000	B9			23.600000	µg/g		LIT
UB	S	ABFT		AS	ARSENIC	25.000000	B9			24.100000	µg/g		LIT
UB	S	ABFU		PB	LEAD	2.000000	JD21			1.830000	µg/g		LIT
UB	S	ABFU		PB	LEAD	16.000000	JD21			15.400000	µg/g		LIT
UB	S	ABFU		PB	LEAD	16.000000	JD21			14.800000	µg/g		LIT
UB	S	ABFV		SE	SELENIUM	1.000000	JD20			0.951000	µg/g		LIT
UB	S	ABFV		SE	SELENIUM	16.000000	JD20			13.400000	µg/g		LIT
UB	S	ABFV		SE	SELENIUM	16.000000	JD20			13.800000	µg/g		LIT
UB	S	ABFX		HG	MERCURY	0.100000	Y9			0.097100	µg/g		LIT
UB	S	ABFX		HG	MERCURY	0.500000	Y9			0.496000	µg/g		LIT
UB	S	ABFX		HG	MERCURY	0.500000	Y9			0.684000	µg/g		LIT
UB	S	ABIF		PB	LEAD	2.000000	JD21			1.580000	µg/g		LIT
UB	S	ABIF		PB	LEAD	16.000000	JD21			13.600000	µg/g		LIT
UB	S	ABIF		PB	LEAD	16.000000	JD21			14.100000	µg/g		LIT
UB	S	ABIO		AS	ARSENIC	5.000000	AX8			5.120000	µg/l		LIT
UB	S	ABIO		AS	ARSENIC	50.000000	AX8			48.700000	µg/l		LIT
UB	S	ABIO		AS	ARSENIC	50.000000	AX8			41.600000	µg/l		LIT
UB	S	ABIQ		SE	SELENIUM	10.000000	SD25			10.400000	µg/l		LIT
UB	S	ABIQ		SE	SELENIUM	160.000000	SD25			151.000000	µg/l		LIT
UB	S	ABIQ		SE	SELENIUM	160.000000	SD25			156.000000	µg/l		LIT
UB	S	ABIS		HG	MERCURY	0.400000	CC8			0.409000	µg/l		LIT
UB	S	ABIS		HG	MERCURY	1.000000	CC8			0.975000	µg/l		LIT
UB	S	ABIS		HG	MERCURY	1.000000	CC8			0.976000	µg/l		LIT
UB	S	ABJ		AS	ARSENIC	7.060000	7T		LT	7.000000	µg/l	S	PR2
UB	S	ABJ		ZN	ZINC	0.990000	7T		GT	1.000000	µg/l	S	PR2
UB	S	ABK		NA	SODIUM	990.000000	1M		GT	1000.000000	µg/l	S	PR2
UB	S	ABL		AS	ARSENIC	60.500000	3T		LT	60.000000	µg/l	S	PR2
UB	S	ABL		AS	ARSENIC	60.500000	3T		LT	60.000000	µg/l	S	PR2
UB	S	ABL		BE	BERYLLIUM	0.504000	3T		GT	0.500000	µg/l	S	PR2
UB	S	ABL		BE	BERYLLIUM	0.504000	3T		GT	0.500000	µg/l	S	PR2
UB	S	ABL		CD	CADMIUM	6.040000	3T		GT	6.000000	µg/l	S	PR2
UB	S	ABL		CD	CADMIUM	6.040000	3T		GT	6.000000	µg/l	S	PR2
UB	S	ABL		CR	CHROMIUM	5.000000	3T		GT	5.000000	µg/l	S	PR2
UB	S	ABL		CR	CHROMIUM	5.000000	3T		LT	5.000000	µg/l	S	PR2

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABL		CU	COPPER	5.960000	3T		GT	6.000000	µg/l	S	PR2
UB	S	ABL		CU	COPPER	5.960000	3T		GT	6.000000	µg/l	S	PR2
UB	S	ABL		NI	NICKEL	20.000000	3T		LT	20.000000	µg/l	S	PR2
UB	S	ABL		NI	NICKEL	20.000000	3T		LT	20.000000	µg/l	S	PR2
UB	S	ABL		PB	LEAD	30.000000	3T		GT	30.000000	µg/l	S	PR2
UB	S	ABL		PB	LEAD	30.000000	3T		LT	30.000000	µg/l	S	PR2
UB	S	ABL		ZN	ZINC	19.900000	3T		GT	20.000000	µg/l	S	PR2
UB	S	ABL		ZN	ZINC	19.900000	3T		LT	20.000000	µg/l	S	PR2
UB	S	ABM		CYN	CYANIDE	10.300000	4K		LT	10.000000	µg/l	S	PR2
UB	S	ABOW		AS	ARSENIC	10.000000	B9			9.640000	µg/g		LIT
UB	S	ABOW		AS	ARSENIC	25.000000	B9			23.000000	µg/g		LIT
UB	S	ABOW		AS	ARSENIC	25.000000	B9			23.300000	µg/g		LIT
UB	S	ABOX		PB	LEAD	2.000000	JD21			1.070000	µg/g		LIT
UB	S	ABOX		PB	LEAD	16.000000	JD21			14.200000	µg/g		LIT
UB	S	ABOX		PB	LEAD	16.000000	JD21			13.600000	µg/g		LIT
UB	S	ABOY		SE	SELENIUM	1.000000	JD20			0.983000	µg/g		LIT
UB	S	ABOY		SE	SELENIUM	16.000000	JD20			15.300000	µg/g		LIT
UB	S	ABOY		SE	SELENIUM	16.000000	JD20			15.000000	µg/g		LIT
UB	S	ABPC		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABPC		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABPC		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	ABPC		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	ABPC		AL	ALUMINUM	0.000000	JS12			251.000000	µg/g		LIT
UB	S	ABPC		AL	ALUMINUM	0.000000	JS12			278.000000	µg/g		LIT
UB	S	ABPC		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABPC		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABPC		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	ABPC		BE	BERYLLIUM	1.000000	JS12			1.090000	µg/g		LIT
UB	S	ABPC		BE	BERYLLIUM	10.000000	JS12			9.890000	µg/g		LIT
UB	S	ABPC		BE	BERYLLIUM	10.000000	JS12			9.760000	µg/g		LIT
UB	S	ABPC		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	ABPC		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	ABPC		CA	CALCIUM	0.000000	JS12			126.000000	µg/g		LIT
UB	S	ABPC		CD	CADMIUM	2.500000	JS12			2.350000	µg/g		LIT
UB	S	ABPC		CD	CADMIUM	100.000000	JS12			94.200000	µg/g		LIT
UB	S	ABPC		CD	CADMIUM	100.000000	JS12			93.600000	µg/g		LIT
UB	S	ABPC		CO	COBALT	5.000000	JS12			5.310000	µg/g		LIT
UB	S	ABPC		CO	COBALT	100.000000	JS12			99.100000	µg/g		LIT
UB	S	ABPC		CO	COBALT	100.000000	JS12			97.400000	µg/g		LIT
UB	S	ABPC		CR	CHROMIUM	10.000000	JS12			10.000000	µg/g		LIT
UB	S	ABPC		CR	CHROMIUM	100.000000	JS12			98.400000	µg/g		LIT
UB	S	ABPC		CR	CHROMIUM	100.000000	JS12			96.400000	µg/g		LIT
UB	S	ABPC		CU	COPPER	5.000000	JS12			5.810000	µg/g		LIT
UB	S	ABPC		CU	COPPER	100.000000	JS12			99.700000	µg/g		LIT
UB	S	ABPC		CU	COPPER	100.000000	JS12			97.600000	µg/g		LIT
UB	S	ABPC		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	ABPC		FE	IRON	0.000000	JS12			66.000000	µg/g		LIT
UB	S	ABPC		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABPC		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABPC		K	POTASSIUM	0.000000	JS12			164.000000	µg/g		LIT
UB	S	ABPC		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	ABPC		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	ABPC		MG	MAGNESIUM	0.000000	JS12			37.400000	µg/g		LIT
UB	S	ABPC		MG	MAGNESIUM	0.000000	JS12			31.300000	µg/g		LIT
UB	S	ABPC		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABPC		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABPC		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	ABPC		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABPC		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABPC		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	ABPC		NI	NICKEL	5.000000	JS12			6.280000	µg/g		LIT
UB	S	ABPC		NI	NICKEL	100.000000	JS12			98.700000	µg/g		LIT
UB	S	ABPC		NI	NICKEL	100.000000	JS12			98.700000	µg/g		LIT
UB	S	ABPC		TL	THALLIUM	70.000000	JS12			67.600000	µg/g		LIT
UB	S	ABPC		TL	THALLIUM	700.000000	JS12			696.000000	µg/g		LIT
UB	S	ABPC		TL	THALLIUM	700.000000	JS12			696.000000	µg/g		LIT
UB	S	ABPC		V	VANADIUM	3.000000	JS12			2.630000	µg/g		LIT
UB	S	ABPC		V	VANADIUM	30.000000	JS12			29.400000	µg/g		LIT
UB	S	ABPC		V	VANADIUM	30.000000	JS12			28.600000	µg/g		LIT
UB	S	ABPC		ZN	ZINC	15.000000	JS12			14.600000	µg/g		LIT
UB	S	ABPC		ZN	ZINC	100.000000	JS12			98.100000	µg/g		LIT
UB	S	ABPC		ZN	ZINC	100.000000	JS12			96.700000	µg/g		LIT
UB	S	ABPG		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	ABPG		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	ABPG		AG	SILVER	0.000000	SS12		LT	10.000000	µg/l		LIT
UB	S	ABPG		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	ABPG		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	ABPG		AL	ALUMINUM	0.000000	SS12		LT	112.000000	µg/l		LIT
UB	S	ABPG		BA	BARIUM	360.000000	SS12			359.000000	µg/l		LIT
UB	S	ABPG		BA	BARIUM	360.000000	SS12			362.000000	µg/l		LIT
UB	S	ABPG		BA	BARIUM	6.000000	SS12			8.090000	µg/l		LIT
UB	S	ABPG		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	ABPG		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	ABPG		BE	BERYLLIUM	0.000000	SS12		LT	1.120000	µg/l		LIT
UB	S	ABPG		CA	CALCIUM	10000.000000	SS12			10500.000000	µg/l		LIT
UB	S	ABPG		CA	CALCIUM	10000.000000	SS12			10700.000000	µg/l		LIT
UB	S	ABPG		CA	CALCIUM	1000.000000	SS12			1120.000000	µg/l		LIT
UB	S	ABPG		CD	CADMIUM	200.000000	SS12			208.000000	µg/l		LIT
UB	S	ABPG		CD	CADMIUM	200.000000	SS12			207.000000	µg/l		LIT
UB	S	ABPG		CD	CADMIUM	25.000000	SS12			24.900000	µg/l		LIT
UB	S	ABPG		CO	COBALT	500.000000	SS12			544.000000	µg/l		LIT
UB	S	ABPG		CO	COBALT	500.000000	SS12			542.000000	µg/l		LIT
UB	S	ABPG		CO	COBALT	50.000000	SS12			52.100000	µg/l		LIT
UB	S	ABPG		CR	CHROMIUM	250.000000	SS12			260.000000	µg/l		LIT
UB	S	ABPG		CR	CHROMIUM	250.000000	SS12			267.000000	µg/l		LIT
UB	S	ABPG		CR	CHROMIUM	50.000000	SS12			57.200000	µg/l		LIT
UB	S	ABPG		CU	COPPER	400.000000	SS12			404.000000	µg/l		LIT
UB	S	ABPG		CU	COPPER	400.000000	SS12			410.000000	µg/l		LIT
UB	S	ABPG		CU	COPPER	40.000000	SS12			49.900000	µg/l		LIT
UB	S	ABPG		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	ABPG		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	ABPG		FE	IRON	0.000000	SS12		LT	77.500000	µg/l		LIT
UB	S	ABPG		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	ABPG		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	ABPG		K	POTASSIUM	0.000000	SS12		LT	1240.000000	µg/l		LIT
UB	S	ABPG		MG	MAGNESIUM	5000.000000	SS12			4760.000000	µg/l		LIT
UB	S	ABPG		MG	MAGNESIUM	5000.000000	SS12			4880.000000	µg/l		LIT
UB	S	ABPG		MG	MAGNESIUM	500.000000	SS12			478.000000	µg/l		LIT
UB	S	ABPG		MN	MANGANESE	200.000000	SS12			208.000000	µg/l		LIT
UB	S	ABPG		MN	MANGANESE	200.000000	SS12			212.000000	µg/l		LIT
UB	S	ABPG		MN	MANGANESE	20.000000	SS12			21.000000	µg/l		LIT
UB	S	ABPG		NA	SODIUM	25000.000000	SS12			23900.000000	µg/l		LIT
UB	S	ABPG		NA	SODIUM	25000.000000	SS12			23900.000000	µg/l		LIT
UB	S	ABPG		NA	SODIUM	1200.000000	SS12			1240.000000	µg/l		LIT
UB	S	ABPG		NI	NICKEL	1000.000000	SS12			1060.000000	µg/l		LIT
UB	S	ABPG		NI	NICKEL	1000.000000	SS12			1090.000000	µg/l		LIT
UB	S	ABPG		NI	NICKEL	100.000000	SS12			116.000000	µg/l		LIT
UB	S	ABPG		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	ABPG		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	ABPG		TL	THALLIUM	0.000000	SS12		LT	125.000000	µg/l		LIT
UB	S	ABPG		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	ABPG		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	ABPG		V	VANADIUM	0.000000	SS12		LT	27.600000	µg/l		LIT
UB	S	ABPG		ZN	ZINC	250.000000	SS12			271.000000	µg/l		LIT
UB	S	ABPG		ZN	ZINC	250.000000	SS12			278.000000	µg/l		LIT
UB	S	ABPG		ZN	ZINC	50.000000	SS12			49.800000	µg/l		LIT
UB	S	ABPL		HG	MERCURY	0.400000	CC8			0.398000	µg/l		LIT
UB	S	ABPL		HG	MERCURY	1.000000	CC8			0.972000	µg/l		LIT
UB	S	ABPL		HG	MERCURY	1.000000	CC8			0.971000	µg/l		LIT
UB	S	ACG		CL	CHLORIDE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	ACG		F	FLUORIDE	1000.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	ACG		NO2	NITRITE	990.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	ACG		NO3	NITRATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	ACG		PO4	PHOSPHATE	1000.000000	2P		LT	1000.000000	µg/l	S	PR2
UB	S	ACG		SO4	SULFATE	1000.000000	2P		GT	1000.000000	µg/l	S	PR2
UB	S	ACJ		AG	SILVER	8.000000	3T		LT	8.000000	µg/l	S	PR2
UB	S	ACK		HG	MERCURY	0.201000	1D		GT	0.200000	µg/l	S	PR2
UB	S	ACM		CYN	CYANIDE	10.300000	4K		GT	10.000000	µg/l	S	PR2
AL	S	CDX		ALDRN	ALDRIN	0.079800	99			0.087800	µg/g		
AL	S	CDX		CL10BP	DECACHLOROBIPHENYL	0.049500	99			0.059000	µg/g	L	
AL	S	CDX		CL10BP	DECACHLOROBIPHENYL	0.049800	99			0.056100	µg/g	L	
AL	S	CDX		CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049500	99			0.054700	µg/g		
AL	S	CDX		CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049900	99			0.056900	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	CDX		DBUCLE	DIBUTYLCHLORENDATE	0.049500	99			0.083700	µg/g		
AL	S	CDX		DBUCLE	DIBUTYLCHLORENDATE	0.049900	99			0.082900	µg/g		
AL	S	CDX		DLDRN	DIELDRIN	0.039900	99			0.049900	µg/g		
AL	S	CDX		ENDRN	ENDRIN	0.079800	99			0.105000	µg/g		
AL	S	CDX		GCLDAN	GAMMA-CHLORDANE	0.039900	99			0.040000	µg/g		
AL	S	CDX		HPCL	HEPTACHLOR	0.007980	99			0.011600	µg/g		
AL	S	CDX		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.020000	99			0.019000	µg/g		
AL	S	CDX		PCB016	PCB 1016	0.398000	99			0.359000	µg/g	L	
AL	S	CDX		PCB260	PCB 1260	0.398000	99			0.383000	µg/g	L	
AL	S	CDX		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.079800	99			0.101000	µg/g		
AL	S	CDY		ACLDAN	ALPHA-CHLORDANE	0.040000	UH16			0.034100	µg/l		
AL	S	CDY		CL10BP	DECACHLOROBIPHENYL	0.500000	UH16			0.647000	µg/l	T	
AL	S	CDY		CL10BP	DECACHLOROBIPHENYL	0.500000	UH16			0.744000	µg/l	T	
AL	S	CDY		DBUCLE	DIBUTYLCHLORENDATE	0.500000	UH16			0.628000	µg/l	T	
AL	S	CDY		DBUCLE	DIBUTYLCHLORENDATE	0.500000	UH16			0.706000	µg/l	T	
AL	S	CDY		DLDRN	DIELDRIN	0.400000	UH16			0.472000	µg/l		
AL	S	CDY		ENDRN	ENDRIN	0.080000	UH16			0.091200	µg/l		
AL	S	CDY		HPCL	HEPTACHLOR	0.040000	UH16			0.024900	µg/l		
AL	S	CDY		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.400000	UH16			0.465000	µg/l		
AL	S	CDY		PCB016	PCB 1016	4.000000	UH16			3.100000	µg/l		
AL	S	CDY		PCB260	PCB 1260	4.000000	UH16			4.280000	µg/l		
AL	S	CDY		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.800000	UH16			0.962000	µg/l		
AL	S	CED		CL10BP	DECACHLOROBIPHENYL	0.048700	99			0.047800	µg/g		
AL	S	CEE		ALDRN	ALDRIN	0.080000	LH13			0.071400	µg/g		
AL	S	CEE		CL10BP	DECACHLOROBIPHENYL	0.049800	LH13			0.053100	µg/g	T	
AL	S	CEE		CL10BP	DECACHLOROBIPHENYL	0.049900	LH13			0.052600	µg/g	T	
AL	S	CEE		CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.049800	LH13			0.045200	µg/g	T	
AL	S	CEE		CL4XYL	TETRACHLOROMETAXYLENE/ 2,4,5,6-TETRACHLOROMETTAX YLENE	0.050000	LH13			0.044900	µg/g	T	
AL	S	CEE		DBUCLE	DIBUTYLCHLORENDATE	0.049800	LH13			0.047400	µg/g	T	
AL	S	CEE		DBUCLE	DIBUTYLCHLORENDATE	0.050000	LH13			0.048600	µg/g	T	
AL	S	CEE		DLDRN	DIELDRIN	0.040000	LH13			0.036400	µg/g		
AL	S	CEE		ENDRN	ENDRIN	0.080000	LH13			0.079100	µg/g		
AL	S	CEE		GCLDAN	GAMMA-CHLORDANE	0.040000	LH13			0.029700	µg/g		
AL	S	CEE		HPCL	HEPTACHLOR	0.008000	LH13			0.008080	µg/g		
AL	S	CEE		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.020000	LH13			0.016700	µg/g		
AL	S	CEE		PCB016	PCB 1016	0.399000	LH13			0.421000	µg/g		
AL	S	CEE		PCB260	PCB 1260	0.399000	LH13			0.355000	µg/g		
AL	S	CEE		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.080000	LH13			0.078500	µg/g		
AL	S	CEF		ACLDAN	ALPHA-CHLORDANE	0.040000	UH16			0.051200	µg/l	X	

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	CEF		CL10BP	DECACHLOROBIPHENYL	0.500000	UH16			0.610000	µg/l	T	
AL	S	CEF		CL10BP	DECACHLOROBIPHENYL	0.500000	UH16			0.558000	µg/l	T	
AL	S	CEF		DBUCLE	DIBUTYLCHLORENDATE	0.500000	UH16			0.613000	µg/l	T	
AL	S	CEF		DBUCLE	DIBUTYLCHLORENDATE	0.500000	UH16			0.705000	µg/l	T	
AL	S	CEF		DLDRN	DIELDRIN	0.400000	UH16			0.455000	µg/l		
AL	S	CEF		ENDRN	ENDRIN	0.080000	UH16			0.098600	µg/l		
AL	S	CEF		HPCL	HEPTACHLOR	0.040000	UH16			0.040800	µg/l		
AL	S	CEF		LIN	LINDANE / GAMMA-BENZENEHEXACHLORIDE	0.400000	UH16			0.411000	µg/l		
AL	S	CEF		PCB016	PCB 1016	4.000000	UH16			4.420000	µg/l		
AL	S	CEF		PCB260	PCB 1260	4.000000	UH16			4.080000	µg/l		
AL	S	CEF		PPDDD	2,2-BIS(P-CHLOROPHENYL)-1 ,1-DICHLOROETHANE / TDE	0.800000	UH16			0.950000	µg/l		
AL	S	DEL		HG	MERCURY	0.100000	JB03			0.107000	µg/g		
AL	S	DEL		HG	MERCURY	0.350000	JB03			0.379000	µg/g		
AL	S	DEL		HG	MERCURY	0.350000	JB03			0.373000	µg/g		
AL	S	DEM		HG	MERCURY	2.000000	SB03			2.220000	µg/l		
AL	S	DEM		HG	MERCURY	3.000000	SB03			3.280000	µg/l		
AL	S	DEM		HG	MERCURY	3.000000	SB03			3.280000	µg/l		
AL	S	DEN		HG	MERCURY	2.000000	SB03			2.250000	µg/l		
AL	S	DEN		HG	MERCURY	3.000000	SB03			3.370000	µg/l		
AL	S	DEN		HG	MERCURY	3.000000	SB03			3.340000	µg/l		
AL	S	DEO		HG	MERCURY	0.100000	JB03			0.102000	µg/g		
AL	S	DEO		HG	MERCURY	0.350000	JB03			0.362000	µg/g		
AL	S	DEO		HG	MERCURY	0.350000	JB03			0.362000	µg/g		
AL	S	DEP		HG	MERCURY	0.100000	JB03			0.097000	µg/g		
AL	S	DEP		HG	MERCURY	0.350000	JB03			0.342000	µg/g		
AL	S	DEP		HG	MERCURY	0.350000	JB03			0.336000	µg/g		
AL	S	DEQ		HG	MERCURY	0.100000	JB03			0.100000	µg/g		
AL	S	DEQ		HG	MERCURY	0.350000	JB03			0.379000	µg/g		
AL	S	DEQ		HG	MERCURY	0.350000	JB03			0.379000	µg/g		
AL	S	DET		HG	MERCURY	0.100000	JB03			0.104000	µg/g		
AL	S	DET		HG	MERCURY	0.350000	JB03			0.415000	µg/g		
AL	S	DET		HG	MERCURY	0.350000	JB03			0.403000	µg/g		
AL	S	DEU		HG	MERCURY	2.000000	SB03			2.040000	µg/l		
AL	S	DEU		HG	MERCURY	3.000000	SB03			2.900000	µg/l		
AL	S	DEU		HG	MERCURY	3.000000	SB03			3.030000	µg/l		
AL	S	DEV		HG	MERCURY	0.100000	JB03			0.101000	µg/g		
AL	S	DEV		HG	MERCURY	0.350000	JB03			0.365000	µg/g		
AL	S	DEV		HG	MERCURY	0.350000	JB03			0.370000	µg/g		
AL	S	EGE		135TNB	1,3,5-TRINITROBENZENE	0.636000	LW26			0.695000	µg/g		
AL	S	EGE		135TNB	1,3,5-TRINITROBENZENE	3.690000	LW26			3.820000	µg/g		
AL	S	EGE		135TNB	1,3,5-TRINITROBENZENE	3.820000	LW26			3.840000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGE		13DNB	1,3-DINITROBENZENE	0.546000	LW26			0.591000	µg/g		
AL	S	EGE		13DNB	1,3-DINITROBENZENE	4.100000	LW26			4.260000	µg/g		
AL	S	EGE		13DNB	1,3-DINITROBENZENE	4.240000	LW26			4.300000	µg/g		
AL	S	EGE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.680000	LW26			1.960000	µg/g		
AL	S	EGE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.380000	LW26			7.660000	µg/g		
AL	S	EGE		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.630000	LW26			7.610000	µg/g		
AL	S	EGE		24DNT	2,4-DINITROTOLUENE	1.750000	LW26			1.790000	µg/g		
AL	S	EGE		24DNT	2,4-DINITROTOLUENE	8.380000	LW26			8.670000	µg/g		
AL	S	EGE		24DNT	2,4-DINITROTOLUENE	8.670000	LW26			8.450000	µg/g		
AL	S	EGE		26DNT	2,6-DINITROTOLUENE	1.180000	LW26			1.270000	µg/g		
AL	S	EGE		26DNT	2,6-DINITROTOLUENE	5.410000	LW26			5.490000	µg/g		
AL	S	EGE		26DNT	2,6-DINITROTOLUENE	5.600000	LW26			5.800000	µg/g		
AL	S	EGE		2NT	2-NITROTOLUENE	3.120000	LW26			3.500000	µg/g		
AL	S	EGE		2NT	2-NITROTOLUENE	23.900000	LW26			24.600000	µg/g		
AL	S	EGE		2NT	2-NITROTOLUENE	24.700000	LW26			24.700000	µg/g		
AL	S	EGE		HMX	CYCLOTETRAMETHYLENETETRAMINE	1.680000	LW26			1.620000	µg/g		
AL	S	EGE		HMX	CYCLOTETRAMETHYLENETETRAMINE	7.760000	LW26			8.130000	µg/g		
AL	S	EGE		HMX	CYCLOTETRAMETHYLENETETRAMINE	8.030000	LW26			8.190000	µg/g		
AL	S	EGE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	1.960000	LW26			2.030000	µg/g		
AL	S	EGE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	15.900000	LW26			16.600000	µg/g		
AL	S	EGE		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.400000	LW26			16.600000	µg/g		
AL	S	EGE		RDX	CYCLONITE / HEXOGEN / RDX	0.946000	LW26			1.070000	µg/g		
AL	S	EGE		RDX	CYCLONITE / HEXOGEN / RDX	7.740000	LW26			7.670000	µg/g		
AL	S	EGE		RDX	CYCLONITE / HEXOGEN / RDX	8.010000	LW26			7.680000	µg/g		
AL	S	EGE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	1.900000	LW26			2.020000	µg/g		
AL	S	EGE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	7.880000	LW26			8.070000	µg/g		
AL	S	EGE		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	8.160000	LW26			8.100000	µg/g		
AL	S	EGF		135TNB	1,3,5-TRINITROBENZENE	0.757000	LW26			0.767000	µg/g		
AL	S	EGF		135TNB	1,3,5-TRINITROBENZENE	4.140000	LW26			4.010000	µg/g		
AL	S	EGF		135TNB	1,3,5-TRINITROBENZENE	4.140000	LW26			3.970000	µg/g		
AL	S	EGF		13DNB	1,3-DINITROBENZENE	0.602000	LW26			0.637000	µg/g		
AL	S	EGF		13DNB	1,3-DINITROBENZENE	4.430000	LW26			4.360000	µg/g		
AL	S	EGF		13DNB	1,3-DINITROBENZENE	4.430000	LW26			4.290000	µg/g		
AL	S	EGF		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.660000	LW26			1.720000	µg/g		
AL	S	EGF		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	9.630000	LW26			7.850000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGF		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	9.630000	LW26			7.700000	µg/g		
AL	S	EGF		24DNT	2,4-DINITROTOLUENE	1.540000	LW26			1.530000	µg/g		
AL	S	EGF		24DNT	2,4-DINITROTOLUENE	8.350000	LW26			8.020000	µg/g		
AL	S	EGF		24DNT	2,4-DINITROTOLUENE	8.350000	LW26			7.870000	µg/g		
AL	S	EGF		26DNT	2,6-DINITROTOLUENE	1.510000	LW26			1.510000	µg/g		
AL	S	EGF		26DNT	2,6-DINITROTOLUENE	7.370000	LW26			7.690000	µg/g		
AL	S	EGF		26DNT	2,6-DINITROTOLUENE	7.370000	LW26			7.510000	µg/g		
AL	S	EGF		2NT	2-NITROTOLUENE	3.120000	LW26			3.110000	µg/g		
AL	S	EGF		2NT	2-NITROTOLUENE	25.600000	LW26			25.200000	µg/g		
AL	S	EGF		2NT	2-NITROTOLUENE	25.600000	LW26			24.400000	µg/g		
AL	S	EGF		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	.600000	LW26			1.540000	µg/g		
AL	S	EGF		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	8.270000	LW26			7.870000	µg/g		
AL	S	EGF		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	8.270000	LW26			7.840000	µg/g		
AL	S	EGF		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.260000	LW26			2.450000	µg/g		
AL	S	EGF		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	17.300000	LW26			17.000000	µg/g		
AL	S	EGF		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	17.300000	LW26			16.500000	µg/g		
AL	S	EGF		RDX	CYCLONITE / HEXOGEN / RDX	1.010000	LW26			1.050000	µg/g		
AL	S	EGF		RDX	CYCLONITE / HEXOGEN / RDX	8.300000	LW26			7.710000	µg/g		
AL	S	EGF		RDX	CYCLONITE / HEXOGEN / RDX	8.300000	LW26			7.800000	µg/g		
AL	S	EGF		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	1.830000	LW26			1.780000	µg/g		
AL	S	EGF		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.640000	LW26			7.670000	µg/g		
AL	S	EGF		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.640000	LW26			7.310000	µg/g		
AL	S	EGG		135TNB	1,3,5-TRINITROBENZENE	0.699000	LW26			0.722000	µg/g		
AL	S	EGG		135TNB	1,3,5-TRINITROBENZENE	4.100000	LW26			3.150000	µg/g		
AL	S	EGG		135TNB	1,3,5-TRINITROBENZENE	4.100000	LW26			4.160000	µg/g		
AL	S	EGG		13DNB	1,3-DINITROBENZENE	0.585000	LW26			0.596000	µg/g		
AL	S	EGG		13DNB	1,3-DINITROBENZENE	4.370000	LW26			3.250000	µg/g		
AL	S	EGG		13DNB	1,3-DINITROBENZENE	4.370000	LW26			4.460000	µg/g		
AL	S	EGG		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.720000	LW26			1.730000	µg/g		
AL	S	EGG		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.850000	LW26			5.860000	µg/g		
AL	S	EGG		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.850000	LW26			8.050000	µg/g		
AL	S	EGG		24DNT	2,4-DINITROTOLUENE	1.510000	LW26			1.520000	µg/g		
AL	S	EGG		24DNT	2,4-DINITROTOLUENE	8.010000	LW26			5.930000	µg/g		
AL	S	EGG		24DNT	2,4-DINITROTOLUENE	8.010000	LW26			8.130000	µg/g		
AL	S	EGG		26DNT	2,6-DINITROTOLUENE	1.670000	LW26			1.680000	µg/g		
AL	S	EGG		26DNT	2,6-DINITROTOLUENE	8.360000	LW26			6.340000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGG		26DNT	2,6-DINITROTOLUENE	8.360000	LW26			8.600000	µg/g		
AL	S	EGG		2NT	2-NITROTOLUENE	2.970000	LW26			3.010000	µg/g		
AL	S	EGG		2NT	2-NITROTOLUENE	25.600000	LW26			19.400000	µg/g		
AL	S	EGG		2NT	2-NITROTOLUENE	25.600000	LW26			26.200000	µg/g		
AL	S	EGG		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	.760000	LW26			1.620000	µg/g		
AL	S	EGG		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	6.250000	LW26			6.350000	µg/g		
AL	S	EGG		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	6.250000	LW26			8.180000	µg/g		
AL	S	EGG		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.240000	LW26			2.240000	µg/g		
AL	S	EGG		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	17.000000	LW26			12.500000	µg/g		
AL	S	EGG		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	17.000000	LW26			17.800000	µg/g		
AL	S	EGG		RDX	CYCLONITE / HEXOGEN / RDX	0.956000	LW26			1.110000	µg/g		
AL	S	EGG		RDX	CYCLONITE / HEXOGEN / RDX	8.350000	LW26			6.590000	µg/g		
AL	S	EGG		RDX	CYCLONITE / HEXOGEN / RDX	8.350000	LW26			8.210000	µg/g		
AL	S	EGG		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	2.020000	LW26			1.990000	µg/g		
AL	S	EGG		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.070000	LW26			5.960000	µg/g		
AL	S	EGG		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.070000	LW26			8.210000	µg/g		
AL	S	EGH		135TNB	1,3,5-TRINITROBENZENE	0.744000	LW26			0.682000	µg/g		
AL	S	EGH		135TNB	1,3,5-TRINITROBENZENE	3.910000	LW26			3.920000	µg/g		
AL	S	EGH		135TNB	1,3,5-TRINITROBENZENE	4.050000	LW26			4.120000	µg/g		
AL	S	EGH		13DNB	1,3-DINITROBENZENE	0.562000	LW26			0.574000	µg/g		
AL	S	EGH		13DNB	1,3-DINITROBENZENE	4.100000	LW26			4.240000	µg/g		
AL	S	EGH		13DNB	1,3-DINITROBENZENE	4.240000	LW26			4.400000	µg/g		
AL	S	EGH		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.680000	LW26			1.650000	µg/g		
AL	S	EGH		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.430000	LW26			7.620000	µg/g		
AL	S	EGH		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.680000	LW26			7.870000	µg/g		
AL	S	EGH		24DNT	2,4-DINITROTOLUENE	1.510000	LW26			1.470000	µg/g		
AL	S	EGH		24DNT	2,4-DINITROTOLUENE	7.460000	LW26			7.650000	µg/g		
AL	S	EGH		24DNT	2,4-DINITROTOLUENE	7.720000	LW26			8.010000	µg/g		
AL	S	EGH		26DNT	2,6-DINITROTOLUENE	1.740000	LW26			1.690000	µg/g		
AL	S	EGH		26DNT	2,6-DINITROTOLUENE	8.000000	LW26			8.310000	µg/g		
AL	S	EGH		26DNT	2,6-DINITROTOLUENE	8.280000	LW26			8.610000	µg/g		
AL	S	EGH		2NT	2-NITROTOLUENE	2.990000	LW26			2.960000	µg/g		
AL	S	EGH		2NT	2-NITROTOLUENE	25.000000	LW26			24.800000	µg/g		
AL	S	EGH		2NT	2-NITROTOLUENE	25.900000	LW26			26.000000	µg/g		
AL	S	EGH		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	.780000	LW26			1.820000	µg/g		
AL	S	EGH		HMX	CYCLOTETRAMETHYLENETETRAN	8.030000	LW26			7.930000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ITRAMINE								
AL	S	EGH		HMX	CYCLOTETRAMETHYLENETETRAN	8.310000	LW26			8.260000	µg/g		
					ITRAMINE								
AL	S	EGH		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.250000	LW26			2.270000	µg/g		
AL	S	EGH		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.100000	LW26			17.200000	µg/g		
AL	S	EGH		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.600000	LW26			17.200000	µg/g		
AL	S	EGH		RDX	CYCLONITE / HEXOGEN / RDX	1.120000	LW26			1.080000	µg/g		
AL	S	EGH		RDX	CYCLONITE / HEXOGEN / RDX	7.970000	LW26			7.870000	µg/g		
AL	S	EGH		RDX	CYCLONITE / HEXOGEN / RDX	8.250000	LW26			8.160000	µg/g		
AL	S	EGH		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	1.950000	LW26			1.880000	µg/g		
AL	S	EGH		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.500000	LW26			7.390000	µg/g		
AL	S	EGH		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.760000	LW26			7.800000	µg/g		
AL	S	EGI		135TNB	1,3,5-TRINITROBENZENE	0.635000	LW26			0.701000	µg/g		
AL	S	EGI		135TNB	1,3,5-TRINITROBENZENE	3.740000	LW26			4.050000	µg/g		
AL	S	EGI		135TNB	1,3,5-TRINITROBENZENE	3.810000	LW26			3.990000	µg/g		
AL	S	EGI		13DNB	1,3-DINITROBENZENE	0.570000	LW26			0.605000	µg/g		
AL	S	EGI		13DNB	1,3-DINITROBENZENE	4.020000	LW26			4.390000	µg/g		
AL	S	EGI		13DNB	1,3-DINITROBENZENE	4.110000	LW26			4.360000	µg/g		
AL	S	EGI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.520000	LW26			1.610000	µg/g		
AL	S	EGI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.220000	LW26			7.870000	µg/g		
AL	S	EGI		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.360000	LW26			7.660000	µg/g		
AL	S	EGI		24DNT	2,4-DINITROTOLUENE	1.510000	LW26			1.560000	µg/g		
AL	S	EGI		24DNT	2,4-DINITROTOLUENE	8.070000	LW26			8.590000	µg/g		
AL	S	EGI		24DNT	2,4-DINITROTOLUENE	8.230000	LW26			8.310000	µg/g		
AL	S	EGI		26DNT	2,6-DINITROTOLUENE	1.370000	LW26			1.390000	µg/g		
AL	S	EGI		26DNT	2,6-DINITROTOLUENE	6.650000	LW26			7.360000	µg/g		
AL	S	EGI		26DNT	2,6-DINITROTOLUENE	6.780000	LW26			7.340000	µg/g		
AL	S	EGI		2NT	2-NITROTOLUENE	2.870000	LW26			2.720000	µg/g		
AL	S	EGI		2NT	2-NITROTOLUENE	23.200000	LW26			25.200000	µg/g		
AL	S	EGI		2NT	2-NITROTOLUENE	23.600000	LW26			25.200000	µg/g		
AL	S	EGI		HMX	CYCLOTETRAMETHYLENETETRAN	1.670000	LW26			1.630000	µg/g		
					ITRAMINE								
AL	S	EGI		HMX	CYCLOTETRAMETHYLENETETRAN	7.840000	LW26			8.220000	µg/g		
					ITRAMINE								
AL	S	EGI		HMX	CYCLOTETRAMETHYLENETETRAN	8.000000	LW26			8.120000	µg/g		
					ITRAMINE								
AL	S	EGI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.040000	LW26			2.080000	µg/g		
AL	S	EGI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	15.400000	LW26			16.900000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGI		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	15.700000	LW26			16.800000	µg/g		
AL	S	EGI		RDX	CYCLONITE / HEXOGEN / RDX	0.958000	LW26			1.050000	µg/g		
AL	S	EGI		RDX	CYCLONITE / HEXOGEN / RDX	7.760000	LW26			8.180000	µg/g		
AL	S	EGI		RDX	CYCLONITE / HEXOGEN / RDX	7.910000	LW26			8.100000	µg/g		
AL	S	EGI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	1.820000	LW26			1.870000	µg/g		
AL	S	EGI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	7.440000	LW26			8.010000	µg/g		
AL	S	EGI		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	7.590000	LW26			7.720000	µg/g		
AL	S	EGJ		135TNB	1,3,5-TRINITROBENZENE	0.690000	LW26			0.734000	µg/g		
AL	S	EGJ		135TNB	1,3,5-TRINITROBENZENE	4.060000	LW26			3.980000	µg/g		
AL	S	EGJ		135TNB	1,3,5-TRINITROBENZENE	4.080000	LW26			4.000000	µg/g		
AL	S	EGJ		13DNB	1,3-DINITROBENZENE	0.604000	LW26			0.645000	µg/g		
AL	S	EGJ		13DNB	1,3-DINITROBENZENE	4.410000	LW26			4.330000	µg/g		
AL	S	EGJ		13DNB	1,3-DINITROBENZENE	4.430000	LW26			4.400000	µg/g		
AL	S	EGJ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.550000	LW26			1.480000	µg/g		
AL	S	EGJ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.670000	LW26			7.660000	µg/g		
AL	S	EGJ		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.710000	LW26			7.850000	µg/g		
AL	S	EGJ		24DNT	2,4-DINITROTOLUENE	1.570000	LW26			1.490000	µg/g		
AL	S	EGJ		24DNT	2,4-DINITROTOLUENE	8.220000	LW26			8.190000	µg/g		
AL	S	EGJ		24DNT	2,4-DINITROTOLUENE	8.260000	LW26			8.500000	µg/g		
AL	S	EGJ		26DNT	2,6-DINITROTOLUENE	1.360000	LW26			1.420000	µg/g		
AL	S	EGJ		26DNT	2,6-DINITROTOLUENE	7.150000	LW26			7.250000	µg/g		
AL	S	EGJ		26DNT	2,6-DINITROTOLUENE	7.190000	LW26			7.220000	µg/g		
AL	S	EGJ		2NT	2-NITROTOLUENE	2.770000	LW26			2.680000	µg/g		
AL	S	EGJ		2NT	2-NITROTOLUENE	24.600000	LW26			25.200000	µg/g		
AL	S	EGJ		2NT	2-NITROTOLUENE	24.700000	LW26			25.200000	µg/g		
AL	S	EGJ		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	.890000	LW26			1.750000	µg/g		
AL	S	EGJ		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	8.630000	LW26			8.410000	µg/g		
AL	S	EGJ		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	8.670000	LW26			8.540000	µg/g		
AL	S	EGJ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.240000	LW26			2.120000	µg/g		
AL	S	EGJ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.800000	LW26			16.500000	µg/g		
AL	S	EGJ		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.900000	LW26			17.000000	µg/g		
AL	S	EGJ		RDX	CYCLONITE / HEXOGEN / RDX	0.958000	LW26			0.980000	µg/g		
AL	S	EGJ		RDX	CYCLONITE / HEXOGEN / RDX	8.260000	LW26			7.990000	µg/g		
AL	S	EGJ		RDX	CYCLONITE / HEXOGEN / RDX	8.310000	LW26			8.070000	µg/g		
AL	S	EGJ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT	1.830000	LW26			1.710000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ROBENZENAMINE								
AL	S	EGJ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.910000	LW26			7.710000	µg/g		
AL	S	EGJ		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.950000	LW26			7.730000	µg/g		
AL	S	EGK		135TNB	1,3,5-TRINITROBENZENE	0.652000	LW26			0.671000	µg/g		
AL	S	EGK		135TNB	1,3,5-TRINITROBENZENE	4.130000	LW26			4.000000	µg/g		
AL	S	EGK		135TNB	1,3,5-TRINITROBENZENE	4.230000	LW26			4.170000	µg/g		
AL	S	EGK		13DNB	1,3-DINITROBENZENE	0.612000	LW26			0.658000	µg/g		
AL	S	EGK		13DNB	1,3-DINITROBENZENE	4.460000	LW26			4.570000	µg/g		
AL	S	EGK		13DNB	1,3-DINITROBENZENE	4.570000	LW26			4.800000	µg/g		
AL	S	EGK		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.530000	LW26			1.610000	µg/g		
AL	S	EGK		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.510000	LW26			7.760000	µg/g		
AL	S	EGK		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.700000	LW26			8.160000	µg/g		
AL	S	EGK		24DNT	2,4-DINITROTOLUENE	1.660000	LW26			1.710000	µg/g		
AL	S	EGK		24DNT	2,4-DINITROTOLUENE	8.630000	LW26			9.070000	µg/g		
AL	S	EGK		24DNT	2,4-DINITROTOLUENE	8.840000	LW26			9.340000	µg/g		
AL	S	EGK		26DNT	2,6-DINITROTOLUENE	1.300000	LW26			1.370000	µg/g		
AL	S	EGK		26DNT	2,6-DINITROTOLUENE	6.180000	LW26			6.500000	µg/g		
AL	S	EGK		26DNT	2,6-DINITROTOLUENE	6.330000	LW26			6.810000	µg/g		
AL	S	EGK		2NT	2-NITROTOLUENE	3.030000	LW26			3.110000	µg/g		
AL	S	EGK		2NT	2-NITROTOLUENE	24.300000	LW26			26.100000	µg/g		
AL	S	EGK		2NT	2-NITROTOLUENE	24.900000	LW26			26.200000	µg/g		
AL	S	EGK		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	2.000000	LW26			2.020000	µg/g		
AL	S	EGK		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	8.440000	LW26			8.880000	µg/g		
AL	S	EGK		HMX	CYCLOTETRAMETHYLENETETRAMITRAMINE	8.650000	LW26			9.010000	µg/g		
AL	S	EGK		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.190000	LW26			2.330000	µg/g		
AL	S	EGK		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.900000	LW26			17.200000	µg/g		
AL	S	EGK		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	17.300000	LW26			18.200000	µg/g		
AL	S	EGK		RDX	CYCLONITE / HEXOGEN / RDX	1.300000	LW26			1.000000	µg/g		
AL	S	EGK		RDX	CYCLONITE / HEXOGEN / RDX	8.240000	LW26			8.510000	µg/g		
AL	S	EGK		RDX	CYCLONITE / HEXOGEN / RDX	8.440000	LW26			8.730000	µg/g		
AL	S	EGK		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	1.890000	LW26			1.910000	µg/g		
AL	S	EGK		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.950000	LW26			7.900000	µg/g		
AL	S	EGK		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.150000	LW26			8.350000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGL		135TNB	1,3,5-TRINITROBENZENE	0.907000	UW26			0.828000	µg/l		
AL	S	EGL		135TNB	1,3,5-TRINITROBENZENE	19.000000	UW26			17.400000	µg/l		
AL	S	EGL		135TNB	1,3,5-TRINITROBENZENE	19.000000	UW26			17.500000	µg/l		
AL	S	EGL		13DNB	1,3-DINITROBENZENE	0.646000	UW26			0.594000	µg/l		
AL	S	EGL		13DNB	1,3-DINITROBENZENE	21.000000	UW26			19.000000	µg/l		
AL	S	EGL		13DNB	1,3-DINITROBENZENE	21.000000	UW26			19.300000	µg/l		
AL	S	EGL		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.550000	UW26			1.440000	µg/l		
AL	S	EGL		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	43.300000	UW26			38.500000	µg/l		
AL	S	EGL		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	43.300000	UW26			38.900000	µg/l		
AL	S	EGL		24DNT	2,4-DINITROTOLUENE	1.560000	UW26			1.350000	µg/l		
AL	S	EGL		24DNT	2,4-DINITROTOLUENE	41.100000	UW26			35.100000	µg/l		
AL	S	EGL		24DNT	2,4-DINITROTOLUENE	41.100000	UW26			36.200000	µg/l		
AL	S	EGL		26DNT	2,6-DINITROTOLUENE	2.230000	UW26			2.010000	µg/l		
AL	S	EGL		26DNT	2,6-DINITROTOLUENE	40.900000	UW26			35.200000	µg/l		
AL	S	EGL		26DNT	2,6-DINITROTOLUENE	40.900000	UW26			36.300000	µg/l		
AL	S	EGL		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	1.860000	UW26			1.330000	µg/l		
AL	S	EGL		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	22.500000	UW26			24.300000	µg/l		
AL	S	EGL		HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	22.500000	UW26			25.100000	µg/l		
AL	S	EGL		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.900000	UW26			2.580000	µg/l		
AL	S	EGL		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	90.400000	UW26			76.500000	µg/l		
AL	S	EGL		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	90.400000	UW26			78.200000	µg/l		
AL	S	EGL		RDX	CYCLONITE / HEXOGEN / RDX	1.280000	UW26			1.220000	µg/l		
AL	S	EGL		RDX	CYCLONITE / HEXOGEN / RDX	43.900000	UW26			38.600000	µg/l		
AL	S	EGL		RDX	CYCLONITE / HEXOGEN / RDX	43.900000	UW26			38.700000	µg/l		
AL	S	EGL		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	0.231000	UW26			0.222000	µg/l		
AL	S	EGL		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	14.100000	UW26			12.700000	µg/l		
AL	S	EGL		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANITROBENZENAMINE	14.100000	UW26			12.800000	µg/l		
AL	S	EGP		135TNB	1,3,5-TRINITROBENZENE	0.702000	LW26			0.662000	µg/g		
AL	S	EGP		135TNB	1,3,5-TRINITROBENZENE	4.090000	LW26			3.750000	µg/g		
AL	S	EGP		135TNB	1,3,5-TRINITROBENZENE	4.120000	LW26			3.700000	µg/g		
AL	S	EGP		13DNB	1,3-DINITROBENZENE	0.604000	LW26			0.624000	µg/g		
AL	S	EGP		13DNB	1,3-DINITROBENZENE	4.370000	LW26			4.370000	µg/g		
AL	S	EGP		13DNB	1,3-DINITROBENZENE	4.410000	LW26			4.360000	µg/g		
AL	S	EGP		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.540000	LW26			1.490000	µg/g		
AL	S	EGP		246TNT	ALPHA-TRINITROTOLUENE /	7.600000	LW26			7.540000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGP		246TNT	2,4,6-TRINITROTOLUENE ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.660000	LW26			7.580000	µg/g		
AL	S	EGP		24DNT	2,4-DINITROTOLUENE	1.540000	LW26			1.520000	µg/g		
AL	S	EGP		24DNT	2,4-DINITROTOLUENE	8.070000	LW26			8.110000	µg/g		
AL	S	EGP		24DNT	2,4-DINITROTOLUENE	8.130000	LW26			8.090000	µg/g		
AL	S	EGP		26DNT	2,6-DINITROTOLUENE	1.560000	LW26			1.520000	µg/g		
AL	S	EGP		26DNT	2,6-DINITROTOLUENE	7.590000	LW26			7.470000	µg/g		
AL	S	EGP		26DNT	2,6-DINITROTOLUENE	7.640000	LW26			7.500000	µg/g		
AL	S	EGP		2NT	2-NITROTOLUENE	2.980000	LW26			3.000000	µg/g		
AL	S	EGP		2NT	2-NITROTOLUENE	24.700000	LW26			24.700000	µg/g		
AL	S	EGP		2NT	2-NITROTOLUENE	24.900000	LW26			25.100000	µg/g		
AL	S	EGP		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	.900000	LW26			1.690000	µg/g		
AL	S	EGP		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	8.570000	LW26			8.520000	µg/g		
AL	S	EGP		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	8.630000	LW26			8.640000	µg/g		
AL	S	EGP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.220000	LW26			2.350000	µg/g		
AL	S	EGP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.700000	LW26			16.700000	µg/g		
AL	S	EGP		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.800000	LW26			16.700000	µg/g		
AL	S	EGP		RDX	CYCLONITE / HEXOGEN / RDX	1.210000	LW26			1.200000	µg/g		
AL	S	EGP		RDX	CYCLONITE / HEXOGEN / RDX	8.190000	LW26			8.080000	µg/g		
AL	S	EGP		RDX	CYCLONITE / HEXOGEN / RDX	8.260000	LW26			8.170000	µg/g		
AL	S	EGP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	1.940000	LW26			1.850000	µg/g		
AL	S	EGP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.040000	LW26			7.860000	µg/g		
AL	S	EGP		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.100000	LW26			7.940000	µg/g		
AL	S	EGT		135TNB	1,3,5-TRINITROBENZENE	0.650000	LW26			0.605000	µg/g		
AL	S	EGT		135TNB	1,3,5-TRINITROBENZENE	3.830000	LW26			3.470000	µg/g		
AL	S	EGT		135TNB	1,3,5-TRINITROBENZENE	3.850000	LW26			3.500000	µg/g		
AL	S	EGT		13DNB	1,3-DINITROBENZENE	0.498000	LW26			0.517000	µg/g		
AL	S	EGT		13DNB	1,3-DINITROBENZENE	4.020000	LW26			4.060000	µg/g		
AL	S	EGT		13DNB	1,3-DINITROBENZENE	4.040000	LW26			4.030000	µg/g		
AL	S	EGT		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.690000	LW26			1.690000	µg/g		
AL	S	EGT		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.840000	LW26			7.810000	µg/g		
AL	S	EGT		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.880000	LW26			7.830000	µg/g		
AL	S	EGT		24DNT	2,4-DINITROTOLUENE	1.570000	LW26			1.550000	µg/g		
AL	S	EGT		24DNT	2,4-DINITROTOLUENE	8.910000	LW26			8.310000	µg/g		
AL	S	EGT		24DNT	2,4-DINITROTOLUENE	8.950000	LW26			8.860000	µg/g		
AL	S	EGT		26DNT	2,6-DINITROTOLUENE	1.350000	LW26			1.330000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGT		26DNT	2,6-DINITROTOLUENE	6.030000	LW26			6.960000	µg/g		
AL	S	EGT		26DNT	2,6-DINITROTOLUENE	6.060000	LW26			6.200000	µg/g		
AL	S	EGT		2NT	2-NITROTOLUENE	3.590000	LW26			3.320000	µg/g		
AL	S	EGT		2NT	2-NITROTOLUENE	25.500000	LW26			25.200000	µg/g		
AL	S	EGT		2NT	2-NITROTOLUENE	25.600000	LW26			25.900000	µg/g		
AL	S	EGT		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	.810000	LW26			1.670000	µg/g		
AL	S	EGT		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	7.600000	LW26			7.120000	µg/g		
AL	S	EGT		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	7.630000	LW26			7.090000	µg/g		
AL	S	EGT		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.750000	LW26			2.300000	µg/g		
AL	S	EGT		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.700000	LW26			17.100000	µg/g		
AL	S	EGT		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.800000	LW26			16.900000	µg/g		
AL	S	EGT		RDX	CYCLONITE / HEXOGEN / RDX	0.819000	LW26			0.767000	µg/g		
AL	S	EGT		RDX	CYCLONITE / HEXOGEN / RDX	8.250000	LW26			7.990000	µg/g		
AL	S	EGT		RDX	CYCLONITE / HEXOGEN / RDX	8.290000	LW26			7.980000	µg/g		
AL	S	EGT		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	1.900000	LW26			1.960000	µg/g		
AL	S	EGT		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.860000	LW26			8.170000	µg/g		
AL	S	EGT		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.900000	LW26			8.180000	µg/g		
AL	S	EGU		135TNB	1,3,5-TRINITROBENZENE	0.747000	UW26			0.753000	µg/l		
AL	S	EGU		135TNB	1,3,5-TRINITROBENZENE	19.300000	UW26			18.600000	µg/l		
AL	S	EGU		135TNB	1,3,5-TRINITROBENZENE	19.300000	UW26			18.700000	µg/l		
AL	S	EGU		13DNB	1,3-DINITROBENZENE	0.517000	UW26			0.530000	µg/l		
AL	S	EGU		13DNB	1,3-DINITROBENZENE	20.300000	UW26			19.400000	µg/l		
AL	S	EGU		13DNB	1,3-DINITROBENZENE	20.300000	UW26			19.700000	µg/l		
AL	S	EGU		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.450000	UW26			1.440000	µg/l		
AL	S	EGU		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	40.200000	UW26			38.000000	µg/l		
AL	S	EGU		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	40.200000	UW26			38.500000	µg/l		
AL	S	EGU		24DNT	2,4-DINITROTOLUENE	2.360000	UW26			2.200000	µg/l		
AL	S	EGU		24DNT	2,4-DINITROTOLUENE	38.000000	UW26			34.700000	µg/l		
AL	S	EGU		24DNT	2,4-DINITROTOLUENE	38.000000	UW26			35.600000	µg/l		
AL	S	EGU		26DNT	2,6-DINITROTOLUENE	2.160000	UW26			2.060000	µg/l		
AL	S	EGU		26DNT	2,6-DINITROTOLUENE	39.300000	UW26			36.400000	µg/l		
AL	S	EGU		26DNT	2,6-DINITROTOLUENE	39.300000	UW26			37.400000	µg/l		
AL	S	EGU		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	.930000	UW26			1.890000	µg/l		
AL	S	EGU		HMX	CYCLOTETRAMETHYLENETETRA ITRAMINE	39.300000	UW26			30.400000	µg/l		
AL	S	EGU		HMX	CYCLOTETRAMETHYLENETETRA	39.300000	UW26			28.700000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					ITRAMINE								
AL	S	EGU		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.910000	UW26			2.840000	µg/l		
AL	S	EGU		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	84.700000	UW26			78.200000	µg/l		
AL	S	EGU		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	84.700000	UW26			76.900000	µg/l		
AL	S	EGU		RDX	CYCLONITE / HEXOGEN / RDX	1.210000	UW26			1.450000	µg/l		
AL	S	EGU		RDX	CYCLONITE / HEXOGEN / RDX	42.400000	UW26			41.400000	µg/l		
AL	S	EGU		RDX	CYCLONITE / HEXOGEN / RDX	42.400000	UW26			40.800000	µg/l		
AL	S	EGU		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	0.369000	UW26			0.393000	µg/l		
AL	S	EGU		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	15.600000	UW26			14.900000	µg/l		
AL	S	EGU		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	15.600000	UW26			14.900000	µg/l		
AL	S	EGV		135TNB	1,3,5-TRINITROBENZENE	0.656000	LW26			0.584000	µg/g		
AL	S	EGV		135TNB	1,3,5-TRINITROBENZENE	3.770000	LW26			3.520000	µg/g		
AL	S	EGV		135TNB	1,3,5-TRINITROBENZENE	3.840000	LW26			3.540000	µg/g		
AL	S	EGV		13DNB	1,3-DINITROBENZENE	0.500000	LW26			0.488000	µg/g		
AL	S	EGV		13DNB	1,3-DINITROBENZENE	3.980000	LW26			4.130000	µg/g		
AL	S	EGV		13DNB	1,3-DINITROBENZENE	4.050000	LW26			4.100000	µg/g		
AL	S	EGV		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	1.700000	LW26			1.740000	µg/g		
AL	S	EGV		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.560000	LW26			7.820000	µg/g		
AL	S	EGV		246TNT	ALPHA-TRINITROTOLUENE / 2,4,6-TRINITROTOLUENE	7.690000	LW26			7.740000	µg/g		
AL	S	EGV		24DNT	2,4-DINITROTOLUENE	1.540000	LW26			1.550000	µg/g		
AL	S	EGV		24DNT	2,4-DINITROTOLUENE	7.730000	LW26			7.960000	µg/g		
AL	S	EGV		24DNT	2,4-DINITROTOLUENE	7.870000	LW26			7.860000	µg/g		
AL	S	EGV		26DNT	2,6-DINITROTOLUENE	1.650000	LW26			1.630000	µg/g		
AL	S	EGV		26DNT	2,6-DINITROTOLUENE	7.610000	LW26			7.800000	µg/g		
AL	S	EGV		26DNT	2,6-DINITROTOLUENE	7.740000	LW26			7.710000	µg/g		
AL	S	EGV		2NT	2-NITROTOLUENE	3.370000	LW26			3.330000	µg/g		
AL	S	EGV		2NT	2-NITROTOLUENE	25.600000	LW26			26.300000	µg/g		
AL	S	EGV		2NT	2-NITROTOLUENE	26.000000	LW26			25.900000	µg/g		
AL	S	EGV		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	1.780000	LW26			1.810000	µg/g		
AL	S	EGV		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	7.550000	LW26			7.700000	µg/g		
AL	S	EGV		HMX	CYCLOTETRAMETHYLENETETRAN ITRAMINE	7.690000	LW26			7.650000	µg/g		
AL	S	EGV		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	2.390000	LW26			2.220000	µg/g		
AL	S	EGV		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	16.900000	LW26			17.700000	µg/g		
AL	S	EGV		NB	ESSENCE OF MIRBANE / OIL OF MIRBANE / NITROBENZENE	17.200000	LW26			17.600000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	EGV		RDX	CYCLONITE / HEXOGEN / RDX	0.872000	LW26			0.863000	µg/g		
AL	S	EGV		RDX	CYCLONITE / HEXOGEN / RDX	8.650000	LW26			8.120000	µg/g		
AL	S	EGV		RDX	CYCLONITE / HEXOGEN / RDX	8.800000	LW26			8.070000	µg/g		
AL	S	EGV		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	2.040000	LW26			2.090000	µg/g		
AL	S	EGV		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	7.940000	LW26			8.180000	µg/g		
AL	S	EGV		TETRYL	TETRYL / N-METHYL-N,2,4,6-TETRANIT ROBENZENAMINE	8.080000	LW26			8.090000	µg/g		
AL	S	FNZ		PB	LEAD	0.600000	JD13			0.650000	µg/g		
AL	S	FNZ		PB	LEAD	1.600000	JD13			1.500000	µg/g		
AL	S	FNZ		PB	LEAD	1.600000	JD13			1.470000	µg/g		
AL	S	FOB		AG	SILVER	0.090000	JD13			0.093000	µg/g		
AL	S	FOB		AG	SILVER	0.320000	JD13			0.305000	µg/g		
AL	S	FOB		AG	SILVER	0.320000	JD13			0.297000	µg/g		
AL	S	FOG		AG	SILVER	0.090000	JD13			0.089200	µg/g		
AL	S	FOG		AG	SILVER	0.320000	JD13			0.302000	µg/g		
AL	S	FOG		AG	SILVER	0.320000	JD13			0.309000	µg/g		
AL	S	FOH		PB	LEAD	0.600000	JD13			0.590000	µg/g		
AL	S	FOH		PB	LEAD	1.600000	JD13			1.420000	µg/g		
AL	S	FOH		PB	LEAD	1.600000	JD13			1.400000	µg/g		
AL	S	FPA		AG	SILVER	0.090000	JD13			0.102000	µg/g		
AL	S	FPA		AG	SILVER	0.320000	JD13			0.317000	µg/g		
AL	S	FPA		AG	SILVER	0.320000	JD13			0.359000	µg/g		
AL	S	FPB		PB	LEAD	0.600000	JD13			0.497000	µg/g		
AL	S	FPB		PB	LEAD	1.600000	JD13			1.360000	µg/g		
AL	S	FPB		PB	LEAD	1.600000	JD13			1.380000	µg/g		
AL	S	FPD		PB	LEAD	7.500000	SD24			6.900000	µg/l		
AL	S	FPD		PB	LEAD	30.000000	SD24			33.700000	µg/l		
AL	S	FPD		PB	LEAD	30.000000	SD24			28.500000	µg/l		
AL	S	FPE		AG	SILVER	0.090000	JD13			0.111000	µg/g		
AL	S	FPE		AG	SILVER	0.320000	JD13			0.338000	µg/g		
AL	S	FPE		AG	SILVER	0.320000	JD13			0.342000	µg/g		
AL	S	FPF		PB	LEAD	0.600000	JD13			0.503000	µg/g		
AL	S	FPF		PB	LEAD	1.600000	JD13			1.330000	µg/g		
AL	S	FPF		PB	LEAD	1.600000	JD13			1.450000	µg/g		
AL	S	FPG		AG	SILVER	0.090000	JD13			0.089800	µg/g		
AL	S	FPG		AG	SILVER	0.320000	JD13			0.311000	µg/g		
AL	S	FPG		AG	SILVER	0.320000	JD13			0.311000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	FPI		AG	SILVER	0.090000	JD13			0.088000	µg/g		
AL	S	FPI		AG	SILVER	0.320000	JD13			0.304000	µg/g		
AL	S	FPI		AG	SILVER	0.320000	JD13			0.296000	µg/g		
AL	S	FPK		AG	SILVER	0.750000	SD24			0.739000	µg/l		
AL	S	FPK		AG	SILVER	3.000000	SD24			2.810000	µg/l		
AL	S	FPK		AG	SILVER	3.000000	SD24			2.890000	µg/l		
AL	S	FPL		PB	LEAD	0.600000	JD13			0.520000	µg/g		
AL	S	FPL		PB	LEAD	1.600000	JD13			1.370000	µg/g		
AL	S	FPL		PB	LEAD	1.600000	JD13			1.380000	µg/g		
AL	S	FPM		PB	LEAD	0.600000	JD13			0.800000	µg/g		
AL	S	FPM		PB	LEAD	1.600000	JD13			1.680000	µg/g		
AL	S	FPM		PB	LEAD	1.600000	JD13			1.840000	µg/g		
AL	S	IHD		BR	BROMIDE	20.400000	KT04			19.100000	µg/g		
AL	S	IHD		BR	BROMIDE	81.700000	KT04			81.400000	µg/g		
AL	S	IHD		BR	BROMIDE	81.700000	KT04			79.300000	µg/g		
AL	S	IHD		CL	CHLORIDE	84.200000	KT04			71.600000	µg/g		
AL	S	IHD		CL	CHLORIDE	154.000000	KT04			143.000000	µg/g		
AL	S	IHD		CL	CHLORIDE	154.000000	KT04			138.000000	µg/g		
AL	S	IHD		F	FLUORIDE	41.100000	KT04			36.000000	µg/g		
AL	S	IHD		F	FLUORIDE	154.000000	KT04			146.000000	µg/g		
AL	S	IHD		F	FLUORIDE	154.000000	KT04			139.000000	µg/g		
AL	S	IHD		NO2	NITRITE	7.140000	KT04			6.950000	µg/g		
AL	S	IHD		NO2	NITRITE	81.600000	KT04			76.900000	µg/g		
AL	S	IHD		NO2	NITRITE	81.600000	KT04			75.100000	µg/g		
AL	S	IHD		NO3	NITRATE	7.340000	KT04			6.640000	µg/g		
AL	S	IHD		NO3	NITRATE	15.700000	KT04			15.200000	µg/g		
AL	S	IHD		NO3	NITRATE	15.700000	KT04			14.700000	µg/g		
AL	S	IHD		SO4	SULFATE	30.000000	KT04			27.600000	µg/g		
AL	S	IHD		SO4	SULFATE	401.000000	KT04			394.000000	µg/g		
AL	S	IHD		SO4	SULFATE	401.000000	KT04			386.000000	µg/g		
AL	S	IHE		NO2	NITRITE	51.000000	TT08			51.700000	µg/l		
AL	S	IHE		NO2	NITRITE	740.000000	TT08			631.000000	µg/l		
AL	S	IHE		NO2	NITRITE	740.000000	TT08			635.000000	µg/l		
AL	S	IHE		NO3	NITRATE	52.400000	TT08			60.100000	µg/l		
AL	S	IHE		NO3	NITRATE	157.000000	TT08			144.000000	µg/l		
AL	S	IHE		NO3	NITRATE	157.000000	TT08			143.000000	µg/l		
AL	S	IHE		PO4	PHOSPHATE	77.000000	TT08			80.200000	µg/l		
AL	S	IHE		PO4	PHOSPHATE	753.000000	TT08			681.000000	µg/l		
AL	S	IHE		PO4	PHOSPHATE	753.000000	TT08			697.000000	µg/l		
AL	S	IHF		BR	BROMIDE	20.400000	KT04			19.300000	µg/g		GO
AL	S	IHF		BR	BROMIDE	81.700000	KT04			80.500000	µg/g		GO
AL	S	IHF		BR	BROMIDE	81.700000	KT04			80.900000	µg/g		GO
AL	S	IHF		CL	CHLORIDE	84.200000	KT04			75.400000	µg/g		GO
AL	S	IHF		CL	CHLORIDE	154.000000	KT04			142.000000	µg/g		GO
AL	S	IHF		CL	CHLORIDE	154.000000	KT04			146.000000	µg/g		GO
AL	S	IHF		F	FLUORIDE	41.100000	KT04			32.000000	µg/g		GO
AL	S	IHF		F	FLUORIDE	154.000000	KT04			143.000000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	IHF		F	FLUORIDE	154.000000	KT04			148.000000	µg/g		GO
AL	S	IHF		NO2	NITRITE	7.140000	KT04			7.270000	µg/g		GO
AL	S	IHF		NO2	NITRITE	81.600000	KT04			76.100000	µg/g		GO
AL	S	IHF		NO2	NITRITE	81.600000	KT04			77.500000	µg/g		GO
AL	S	IHF		NO3	NITRATE	7.340000	KT04			6.710000	µg/g		GO
AL	S	IHF		NO3	NITRATE	15.700000	KT04			15.800000	µg/g		GO
AL	S	IHF		NO3	NITRATE	15.700000	KT04			15.300000	µg/g		GO
AL	S	IHF		SO4	SULFATE	30.000000	KT04			27.900000	µg/g		GO
AL	S	IHF		SO4	SULFATE	401.000000	KT04			392.000000	µg/g		GO
AL	S	IHF		SO4	SULFATE	401.000000	KT04			402.000000	µg/g		GO
AL	S	IHG		BR	BROMIDE	20.400000	KT04			19.200000	µg/g		GO
AL	S	IHG		BR	BROMIDE	81.700000	KT04			78.000000	µg/g		GO
AL	S	IHG		BR	BROMIDE	81.700000	KT04			78.700000	µg/g		GO
AL	S	IHG		CL	CHLORIDE	84.200000	KT04			75.200000	µg/g		GO
AL	S	IHG		CL	CHLORIDE	154.000000	KT04			138.000000	µg/g		GO
AL	S	IHG		CL	CHLORIDE	154.000000	KT04			136.000000	µg/g		GO
AL	S	IHG		F	FLUORIDE	41.100000	KT04			34.600000	µg/g		GO
AL	S	IHG		F	FLUORIDE	154.000000	KT04			135.000000	µg/g		GO
AL	S	IHG		F	FLUORIDE	154.000000	KT04			139.000000	µg/g		GO
AL	S	IHG		NO2	NITRITE	7.140000	KT04			6.930000	µg/g		GO
AL	S	IHG		NO2	NITRITE	81.600000	KT04			74.300000	µg/g		GO
AL	S	IHG		NO2	NITRITE	81.600000	KT04			73.500000	µg/g		GO
AL	S	IHG		NO3	NITRATE	7.340000	KT04			6.860000	µg/g		GO
AL	S	IHG		NO3	NITRATE	15.700000	KT04			15.000000	µg/g		GO
AL	S	IHG		NO3	NITRATE	15.700000	KT04			14.800000	µg/g		GO
AL	S	IHG		SO4	SULFATE	30.000000	KT04			25.800000	µg/g		GO
AL	S	IHG		SO4	SULFATE	401.000000	KT04			387.000000	µg/g		GO
AL	S	IHG		SO4	SULFATE	401.000000	KT04			386.000000	µg/g		GO
AL	S	IHH		BR	BROMIDE	109.000000	TT08			97.500000	µg/l		
AL	S	IHH		BR	BROMIDE	762.000000	TT08			715.000000	µg/l		
AL	S	IHH		BR	BROMIDE	762.000000	TT08			708.000000	µg/l		
AL	S	IHH		CL	CHLORIDE	505.000000	TT08			457.000000	µg/l		
AL	S	IHH		CL	CHLORIDE	1520.000000	TT08			1440.000000	µg/l		
AL	S	IHH		CL	CHLORIDE	1520.000000	TT08			1440.000000	µg/l		
AL	S	IHH		F	FLUORIDE	154.000000	TT08			144.000000	µg/l		
AL	S	IHH		F	FLUORIDE	750.000000	TT08			722.000000	µg/l		
AL	S	IHH		F	FLUORIDE	750.000000	TT08			704.000000	µg/l		
AL	S	IHH		SO4	SULFATE	205.000000	TT08			206.000000	µg/l		
AL	S	IHH		SO4	SULFATE	4090.000000	TT08			3740.000000	µg/l		
AL	S	IHH		SO4	SULFATE	4090.000000	TT08			3750.000000	µg/l		
AL	S	IHI		BR	BROMIDE	20.400000	KT04			19.700000	µg/g		
AL	S	IHI		BR	BROMIDE	81.700000	KT04			80.400000	µg/g		
AL	S	IHI		BR	BROMIDE	81.700000	KT04			80.400000	µg/g		
AL	S	IHI		CL	CHLORIDE	84.200000	KT04			79.000000	µg/g		
AL	S	IHI		CL	CHLORIDE	154.000000	KT04			151.000000	µg/g		
AL	S	IHI		CL	CHLORIDE	154.000000	KT04			154.000000	µg/g		
AL	S	IHI		F	FLUORIDE	41.100000	KT04			39.200000	µg/g		
AL	S	IHI		F	FLUORIDE	154.000000	KT04			149.000000	µg/g		
AL	S	IHI		F	FLUORIDE	154.000000	KT04			148.000000	µg/g		
AL	S	IHI		NO2	NITRITE	7.140000	KT04			7.450000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	IHI		NO2	NITRITE	81.600000	KT04			78.600000	µg/g		
AL	S	IHI		NO2	NITRITE	81.600000	KT04			78.700000	µg/g		
AL	S	IHI		NO3	NITRATE	7.340000	KT04			6.610000	µg/g		
AL	S	IHI		NO3	NITRATE	15.700000	KT04			14.900000	µg/g		
AL	S	IHI		NO3	NITRATE	15.700000	KT04			14.900000	µg/g		
AL	S	IHI		SO4	SULFATE	30.000000	KT04			28.500000	µg/g		
AL	S	IHI		SO4	SULFATE	401.000000	KT04			389.000000	µg/g		
AL	S	IHI		SO4	SULFATE	401.000000	KT04			392.000000	µg/g		
AL	S	IHJ		BR	BROMIDE	20.400000	KT04			19.400000	µg/g		
AL	S	IHJ		BR	BROMIDE	81.700000	KT04			79.500000	µg/g		
AL	S	IHJ		BR	BROMIDE	81.700000	KT04			80.600000	µg/g		
AL	S	IHJ		CL	CHLORIDE	84.200000	KT04			77.400000	µg/g		
AL	S	IHJ		CL	CHLORIDE	154.000000	KT04			148.000000	µg/g		
AL	S	IHJ		CL	CHLORIDE	154.000000	KT04			152.000000	µg/g		
AL	S	IHJ		F	FLUORIDE	41.100000	KT04			43.100000	µg/g		
AL	S	IHJ		F	FLUORIDE	154.000000	KT04			150.000000	µg/g		
AL	S	IHJ		F	FLUORIDE	154.000000	KT04			150.000000	µg/g		
AL	S	IHJ		NO2	NITRITE	7.140000	KT04			7.130000	µg/g		
AL	S	IHJ		NO2	NITRITE	81.600000	KT04			77.700000	µg/g		
AL	S	IHJ		NO2	NITRITE	81.600000	KT04			78.900000	µg/g		
AL	S	IHJ		NO3	NITRATE	7.340000	KT04			6.970000	µg/g		
AL	S	IHJ		NO3	NITRATE	15.700000	KT04			15.100000	µg/g		
AL	S	IHJ		NO3	NITRATE	15.700000	KT04			15.300000	µg/g		
AL	S	IHJ		SO4	SULFATE	30.000000	KT04			26.000000	µg/g		
AL	S	IHJ		SO4	SULFATE	401.000000	KT04			384.000000	µg/g		
AL	S	IHJ		SO4	SULFATE	401.000000	KT04			388.000000	µg/g		
AL	S	IHK		BR	BROMIDE	20.100000	KT04			20.900000	µg/g		
AL	S	IHK		BR	BROMIDE	81.700000	KT04			85.000000	µg/g		
AL	S	IHK		BR	BROMIDE	81.700000	KT04			85.000000	µg/g		
AL	S	IHK		CL	CHLORIDE	84.200000	KT04			84.200000	µg/g		
AL	S	IHK		CL	CHLORIDE	154.000000	KT04			160.000000	µg/g		
AL	S	IHK		CL	CHLORIDE	154.000000	KT04			167.000000	µg/g		
AL	S	IHK		F	FLUORIDE	41.100000	KT04			42.100000	µg/g		
AL	S	IHK		F	FLUORIDE	103.000000	KT04			102.000000	µg/g		
AL	S	IHK		F	FLUORIDE	103.000000	KT04			102.000000	µg/g		
AL	S	IHK		NO2	NITRITE	7.240000	KT04			7.940000	µg/g		
AL	S	IHK		NO2	NITRITE	77.600000	KT04			77.500000	µg/g		
AL	S	IHK		NO2	NITRITE	77.600000	KT04			76.800000	µg/g		
AL	S	IHK		NO3	NITRATE	7.340000	KT04			7.060000	µg/g		
AL	S	IHK		NO3	NITRATE	15.700000	KT04			16.400000	µg/g		
AL	S	IHK		NO3	NITRATE	15.700000	KT04			15.500000	µg/g		
AL	S	IHK		SO4	SULFATE	30.000000	KT04			30.300000	µg/g		
AL	S	IHK		SO4	SULFATE	401.000000	KT04			416.000000	µg/g		
AL	S	IHK		SO4	SULFATE	401.000000	KT04			412.000000	µg/g		
AL	S	IHL		BR	BROMIDE	20.100000	KT04			20.700000	µg/g		
AL	S	IHL		BR	BROMIDE	81.700000	KT04			83.900000	µg/g		
AL	S	IHL		BR	BROMIDE	81.700000	KT04			88.300000	µg/g		
AL	S	IHL		CL	CHLORIDE	84.200000	KT04			82.700000	µg/g		
AL	S	IHL		CL	CHLORIDE	154.000000	KT04			157.000000	µg/g		
AL	S	IHL		CL	CHLORIDE	154.000000	KT04			165.000000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	IHL		F	FLUORIDE	41.100000	KT04			42.200000	µg/g		
AL	S	IHL		F	FLUORIDE	103.000000	KT04			97.000000	µg/g		
AL	S	IHL		F	FLUORIDE	103.000000	KT04			99.700000	µg/g		
AL	S	IHL		NO2	NITRITE	7.240000	KT04			7.910000	µg/g		
AL	S	IHL		NO2	NITRITE	77.600000	KT04			76.200000	µg/g		
AL	S	IHL		NO2	NITRITE	77.600000	KT04			79.300000	µg/g		
AL	S	IHL		NO3	NITRATE	7.340000	KT04			7.310000	µg/g		
AL	S	IHL		NO3	NITRATE	15.700000	KT04			16.900000	µg/g		
AL	S	IHL		NO3	NITRATE	15.700000	KT04			17.400000	µg/g		
AL	S	IHL		SO4	SULFATE	30.000000	KT04			30.200000	µg/g		
AL	S	IHL		SO4	SULFATE	401.000000	KT04			408.000000	µg/g		
AL	S	IHL		SO4	SULFATE	401.000000	KT04			423.000000	µg/g		
AL	S	IHM		BR	BROMIDE	20.100000	KT04			20.300000	µg/g		
AL	S	IHM		BR	BROMIDE	81.700000	KT04			83.000000	µg/g		
AL	S	IHM		BR	BROMIDE	81.700000	KT04			83.600000	µg/g		
AL	S	IHM		CL	CHLORIDE	84.200000	KT04			85.500000	µg/g		
AL	S	IHM		CL	CHLORIDE	154.000000	KT04			158.000000	µg/g		
AL	S	IHM		CL	CHLORIDE	154.000000	KT04			165.000000	µg/g		
AL	S	IHM		F	FLUORIDE	41.100000	KT04			37.200000	µg/g		
AL	S	IHM		F	FLUORIDE	103.000000	KT04			97.700000	µg/g		
AL	S	IHM		F	FLUORIDE	103.000000	KT04			103.000000	µg/g		
AL	S	IHM		NO2	NITRITE	7.240000	KT04			7.750000	µg/g		
AL	S	IHM		NO2	NITRITE	77.600000	KT04			75.400000	µg/g		
AL	S	IHM		NO2	NITRITE	77.600000	KT04			76.700000	µg/g		
AL	S	IHM		NO3	NITRATE	7.340000	KT04			6.720000	µg/g		
AL	S	IHM		NO3	NITRATE	15.700000	KT04			15.700000	µg/g		
AL	S	IHM		NO3	NITRATE	15.700000	KT04			15.500000	µg/g		
AL	S	IHM		SO4	SULFATE	30.000000	KT04			28.700000	µg/g		
AL	S	IHM		SO4	SULFATE	401.000000	KT04			406.000000	µg/g		
AL	S	IHM		SO4	SULFATE	401.000000	KT04			409.000000	µg/g		
AL	S	IHO		BR	BROMIDE	20.100000	KT04			20.600000	µg/g		
AL	S	IHO		BR	BROMIDE	81.700000	KT04			85.300000	µg/g		
AL	S	IHO		BR	BROMIDE	81.700000	KT04			84.900000	µg/g		
AL	S	IHO		CL	CHLORIDE	84.200000	KT04			81.400000	µg/g		
AL	S	IHO		CL	CHLORIDE	154.000000	KT04			161.000000	µg/g		
AL	S	IHO		CL	CHLORIDE	154.000000	KT04			160.000000	µg/g		
AL	S	IHO		F	FLUORIDE	41.100000	KT04			42.700000	µg/g		
AL	S	IHO		F	FLUORIDE	103.000000	KT04			105.000000	µg/g		
AL	S	IHO		F	FLUORIDE	103.000000	KT04			105.000000	µg/g		
AL	S	IHO		NO2	NITRITE	7.240000	KT04			7.320000	µg/g		
AL	S	IHO		NO2	NITRITE	77.600000	KT04			77.300000	µg/g		
AL	S	IHO		NO2	NITRITE	77.600000	KT04			76.300000	µg/g		
AL	S	IHO		NO3	NITRATE	7.340000	KT04			6.420000	µg/g		
AL	S	IHO		NO3	NITRATE	15.700000	KT04			16.500000	µg/g		
AL	S	IHO		NO3	NITRATE	15.700000	KT04			15.400000	µg/g		
AL	S	IHO		SO4	SULFATE	30.000000	KT04			27.200000	µg/g		
AL	S	IHO		SO4	SULFATE	401.000000	KT04			409.000000	µg/g		
AL	S	IHO		SO4	SULFATE	401.000000	KT04			405.000000	µg/g		
AL	S	IHP		BR	BROMIDE	20.100000	KT04			20.900000	µg/g		
AL	S	IHP		BR	BROMIDE	81.700000	KT04			87.100000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	IHP		BR	BROMIDE	81.700000	KT04			86.000000	µg/g		
AL	S	IHP		CL	CHLORIDE	84.200000	KT04			84.300000	µg/g		
AL	S	IHP		CL	CHLORIDE	154.000000	KT04			164.000000	µg/g		
AL	S	IHP		CL	CHLORIDE	154.000000	KT04			161.000000	µg/g		
AL	S	IHP		F	FLUORIDE	41.100000	KT04			45.100000	µg/g		
AL	S	IHP		F	FLUORIDE	103.000000	KT04			109.000000	µg/g		
AL	S	IHP		F	FLUORIDE	103.000000	KT04			105.000000	µg/g		
AL	S	IHP		NO2	NITRITE	7.240000	KT04			7.580000	µg/g		
AL	S	IHP		NO2	NITRITE	77.600000	KT04			77.100000	µg/g		
AL	S	IHP		NO2	NITRITE	77.600000	KT04			76.200000	µg/g		
AL	S	IHP		NO3	NITRATE	7.340000	KT04			8.590000	µg/g		
AL	S	IHP		NO3	NITRATE	15.700000	KT04			17.000000	µg/g		
AL	S	IHP		NO3	NITRATE	15.700000	KT04			16.200000	µg/g		
AL	S	IHP		SO4	SULFATE	30.000000	KT04			30.000000	µg/g		
AL	S	IHP		SO4	SULFATE	401.000000	KT04			414.000000	µg/g		
AL	S	IHP		SO4	SULFATE	401.000000	KT04			406.000000	µg/g		
AL	S	IHQ		BR	BROMIDE	20.100000	KT04			22.000000	µg/g		
AL	S	IHQ		BR	BROMIDE	81.700000	KT04			88.000000	µg/g		
AL	S	IHQ		BR	BROMIDE	81.700000	KT04			87.400000	µg/g		
AL	S	IHQ		CL	CHLORIDE	84.200000	KT04			84.000000	µg/g		
AL	S	IHQ		CL	CHLORIDE	154.000000	KT04			170.000000	µg/g		
AL	S	IHQ		CL	CHLORIDE	154.000000	KT04			163.000000	µg/g		
AL	S	IHQ		F	FLUORIDE	41.100000	KT04			39.300000	µg/g		
AL	S	IHQ		F	FLUORIDE	103.000000	KT04			98.900000	µg/g		
AL	S	IHQ		F	FLUORIDE	103.000000	KT04			97.300000	µg/g		
AL	S	IHQ		NO2	NITRITE	7.240000	KT04			7.260000	µg/g		
AL	S	IHQ		NO2	NITRITE	77.600000	KT04			77.600000	µg/g		
AL	S	IHQ		NO2	NITRITE	77.600000	KT04			78.500000	µg/g		
AL	S	IHQ		NO3	NITRATE	7.340000	KT04			7.230000	µg/g		
AL	S	IHQ		NO3	NITRATE	15.700000	KT04			17.900000	µg/g		
AL	S	IHQ		NO3	NITRATE	15.700000	KT04			16.600000	µg/g		
AL	S	IHQ		SO4	SULFATE	30.000000	KT04			28.500000	µg/g		
AL	S	IHQ		SO4	SULFATE	401.000000	KT04			420.000000	µg/g		
AL	S	IHQ		SO4	SULFATE	401.000000	KT04			416.000000	µg/g		
AL	S	IHR		BR	BROMIDE	20.100000	KT04			21.900000	µg/g		
AL	S	IHR		BR	BROMIDE	81.700000	KT04			86.800000	µg/g		
AL	S	IHR		BR	BROMIDE	81.700000	KT04			85.800000	µg/g		
AL	S	IHR		F	FLUORIDE	41.100000	KT04			44.200000	µg/g		
AL	S	IHR		F	FLUORIDE	103.000000	KT04			107.000000	µg/g		
AL	S	IHR		F	FLUORIDE	103.000000	KT04			102.000000	µg/g		
AL	S	IHR		NO2	NITRITE	7.240000	KT04			6.470000	µg/g		
AL	S	IHR		NO2	NITRITE	77.600000	KT04			74.300000	µg/g		
AL	S	IHR		NO2	NITRITE	77.600000	KT04			72.800000	µg/g		
AL	S	IHR		NO3	NITRATE	7.340000	KT04			6.720000	µg/g		
AL	S	IHR		NO3	NITRATE	15.700000	KT04			17.900000	µg/g		
AL	S	IHR		NO3	NITRATE	15.700000	KT04			14.900000	µg/g		
AL	S	IHS		BR	BROMIDE	20.100000	KT04			21.900000	µg/g		
AL	S	IHS		BR	BROMIDE	81.700000	KT04			85.200000	µg/g		
AL	S	IHS		BR	BROMIDE	81.700000	KT04			84.000000	µg/g		
AL	S	IHS		CL	CHLORIDE	84.200000	KT04			81.900000	µg/g		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	IHS		CL	CHLORIDE	154.000000	KT04			159.000000	µg/g		
AL	S	IHS		CL	CHLORIDE	154.000000	KT04			154.000000	µg/g		
AL	S	IHS		F	FLUORIDE	41.100000	KT04			45.400000	µg/g		
AL	S	IHS		F	FLUORIDE	103.000000	KT04			110.000000	µg/g		
AL	S	IHS		F	FLUORIDE	103.000000	KT04			95.100000	µg/g		
AL	S	IHS		NO2	NITRITE	7.240000	KT04			7.460000	µg/g		
AL	S	IHS		NO2	NITRITE	77.600000	KT04			75.900000	µg/g		
AL	S	IHS		NO2	NITRITE	77.600000	KT04			74.000000	µg/g		
AL	S	IHS		NO3	NITRATE	7.340000	KT04			6.630000	µg/g		
AL	S	IHS		NO3	NITRATE	15.700000	KT04			16.400000	µg/g		
AL	S	IHS		NO3	NITRATE	15.700000	KT04			16.600000	µg/g		
AL	S	IHS		SO4	SULFATE	30.000000	KT04			26.000000	µg/g		
AL	S	IHS		SO4	SULFATE	401.000000	KT04			410.000000	µg/g		
AL	S	IHS		SO4	SULFATE	401.000000	KT04			396.000000	µg/g		
AL	S	IHU		BR	BROMIDE	109.000000	TT08			108.000000	µg/l		
AL	S	IHU		BR	BROMIDE	762.000000	TT08			779.000000	µg/l		
AL	S	IHU		BR	BROMIDE	762.000000	TT08			778.000000	µg/l		
AL	S	IHU		CL	CHLORIDE	505.000000	TT08			472.000000	µg/l		
AL	S	IHU		CL	CHLORIDE	1520.000000	TT08			1540.000000	µg/l		
AL	S	IHU		CL	CHLORIDE	1520.000000	TT08			1550.000000	µg/l		
AL	S	IHU		F	FLUORIDE	154.000000	TT08			148.000000	µg/l		
AL	S	IHU		F	FLUORIDE	750.000000	TT08			740.000000	µg/l		
AL	S	IHU		F	FLUORIDE	750.000000	TT08			731.000000	µg/l		
AL	S	IHU		NO2	NITRITE	51.700000	TT08			56.300000	µg/l		
AL	S	IHU		NO2	NITRITE	724.000000	TT08			692.000000	µg/l		
AL	S	IHU		NO2	NITRITE	724.000000	TT08			696.000000	µg/l		
AL	S	IHU		NO3	NITRATE	52.400000	TT08			53.100000	µg/l		
AL	S	IHU		NO3	NITRATE	157.000000	TT08			169.000000	µg/l		
AL	S	IHU		NO3	NITRATE	157.000000	TT08			175.000000	µg/l		
AL	S	IHU		PO4	PHOSPHATE	77.000000	TT08			77.700000	µg/l		
AL	S	IHU		PO4	PHOSPHATE	753.000000	TT08			783.000000	µg/l		
AL	S	IHU		PO4	PHOSPHATE	753.000000	TT08			787.000000	µg/l		
AL	S	IHU		SO4	SULFATE	205.000000	TT08			206.000000	µg/l		
AL	S	IHU		SO4	SULFATE	4090.000000	TT08			4030.000000	µg/l		
AL	S	IHU		SO4	SULFATE	4090.000000	TT08			4020.000000	µg/l		
AL	S	IHV		BR	BROMIDE	20.100000	KT04			20.300000	µg/g		
AL	S	IHV		BR	BROMIDE	81.700000	KT04			86.400000	µg/g		
AL	S	IHV		BR	BROMIDE	81.700000	KT04			84.700000	µg/g		
AL	S	IHV		CL	CHLORIDE	84.200000	KT04			78.800000	µg/g		
AL	S	IHV		CL	CHLORIDE	154.000000	KT04			157.000000	µg/g		
AL	S	IHV		CL	CHLORIDE	154.000000	KT04			161.000000	µg/g		
AL	S	IHV		F	FLUORIDE	41.100000	KT04			36.700000	µg/g		
AL	S	IHV		F	FLUORIDE	103.000000	KT04			110.000000	µg/g		
AL	S	IHV		F	FLUORIDE	103.000000	KT04			107.000000	µg/g		
AL	S	IHV		NO2	NITRITE	7.240000	KT04			7.270000	µg/g		
AL	S	IHV		NO2	NITRITE	77.600000	KT04			75.400000	µg/g		
AL	S	IHV		NO2	NITRITE	77.600000	KT04			74.500000	µg/g		
AL	S	IHV		NO3	NITRATE	7.340000	KT04			6.570000	µg/g		
AL	S	IHV		NO3	NITRATE	15.700000	KT04			14.900000	µg/g		
AL	S	IHV		NO3	NITRATE	15.700000	KT04			15.100000	µg/g		
AL	S	IHV		SO4	SULFATE	30.000000	KT04			24.200000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	IHV		SO4	SULFATE	401.000000	KT04			407.000000	µg/g		
AL	S	IHV		SO4	SULFATE	401.000000	KT04			403.000000	µg/g		
AL	S	IHW		BR	BROMIDE	109.000000	TT08			107.000000	µg/l		
AL	S	IHW		BR	BROMIDE	762.000000	TT08			756.000000	µg/l		
AL	S	IHW		BR	BROMIDE	762.000000	TT08			756.000000	µg/l		
AL	S	IHW		CL	CHLORIDE	505.000000	TT08			479.000000	µg/l		
AL	S	IHW		CL	CHLORIDE	1520.000000	TT08			1480.000000	µg/l		
AL	S	IHW		CL	CHLORIDE	1520.000000	TT08			1490.000000	µg/l		
AL	S	IHW		F	FLUORIDE	154.000000	TT08			157.000000	µg/l		
AL	S	IHW		F	FLUORIDE	750.000000	TT08			727.000000	µg/l		
AL	S	IHW		F	FLUORIDE	750.000000	TT08			709.000000	µg/l		
AL	S	IHW		NO2	NITRITE	51.700000	TT08			51.100000	µg/l		
AL	S	IHW		NO2	NITRITE	724.000000	TT08			657.000000	µg/l		
AL	S	IHW		NO2	NITRITE	724.000000	TT08			654.000000	µg/l		
AL	S	IHW		NO3	NITRATE	52.400000	TT08			58.400000	µg/l		
AL	S	IHW		NO3	NITRATE	157.000000	TT08			163.000000	µg/l		
AL	S	IHW		NO3	NITRATE	157.000000	TT08			162.000000	µg/l		
AL	S	IHW		PO4	PHOSPHATE	77.000000	TT08			74.100000	µg/l		
AL	S	IHW		PO4	PHOSPHATE	753.000000	TT08			761.000000	µg/l		
AL	S	IHW		PO4	PHOSPHATE	753.000000	TT08			763.000000	µg/l		
AL	S	IHW		SO4	SULFATE	205.000000	TT08			205.000000	µg/l		
AL	S	IHW		SO4	SULFATE	4090.000000	TT08			3910.000000	µg/l		
AL	S	IHW		SO4	SULFATE	4090.000000	TT08			3900.000000	µg/l		
AL	S	IHX		BR	BROMIDE	20.100000	KT04			21.000000	µg/g		
AL	S	IHX		BR	BROMIDE	81.700000	KT04			85.700000	µg/g		
AL	S	IHX		BR	BROMIDE	81.700000	KT04			88.300000	µg/g		
AL	S	IHX		CL	CHLORIDE	84.200000	KT04			80.000000	µg/g		
AL	S	IHX		CL	CHLORIDE	154.000000	KT04			160.000000	µg/g		
AL	S	IHX		CL	CHLORIDE	154.000000	KT04			160.000000	µg/g		
AL	S	IHX		F	FLUORIDE	41.100000	KT04			41.400000	µg/g		
AL	S	IHX		F	FLUORIDE	103.000000	KT04			108.000000	µg/g		
AL	S	IHX		F	FLUORIDE	103.000000	KT04			109.000000	µg/g		
AL	S	IHX		NO2	NITRITE	7.240000	KT04			7.100000	µg/g		
AL	S	IHX		NO2	NITRITE	77.600000	KT04			76.300000	µg/g		
AL	S	IHX		NO2	NITRITE	77.600000	KT04			76.200000	µg/g		
AL	S	IHX		NO3	NITRATE	7.340000	KT04			6.960000	µg/g		
AL	S	IHX		NO3	NITRATE	15.700000	KT04			16.100000	µg/g		
AL	S	IHX		NO3	NITRATE	15.700000	KT04			16.000000	µg/g		
AL	S	IHX		SO4	SULFATE	30.000000	KT04			24.900000	µg/g		
AL	S	IHX		SO4	SULFATE	401.000000	KT04			409.000000	µg/g		
AL	S	IHX		SO4	SULFATE	401.000000	KT04			407.000000	µg/g		
UB	S	JXC		13DBD4	1,3-DICHLOROBENZENE-D4	100.000000	UM25			65.000000	µg/l		LIT
UB	S	JXC		246TBP	2,4,6-TRIBROMOPHENOL	100.000000	UM25			90.000000	µg/l		LIT
UB	S	JXC		2CLPD4	2-CHLOROPHENOL-D4	100.000000	UM25			72.000000	µg/l		LIT
UB	S	JXC		2FBP	2-FLUOROBIPHENYL	100.000000	UM25			74.000000	µg/l		LIT
UB	S	JXC		2FP	2-FLUOROPHENOL	100.000000	UM25			73.000000	µg/l		LIT
UB	S	JXC		DEPD4	DIETHYL PHTHALATE-D4	100.000000	UM25			91.000000	µg/l		LIT
UB	S	JXC		DNOPD4	DI-N-OCTYL PHTHALATE-D4	100.000000	UM25			83.000000	µg/l		LIT
UB	S	JXC		NBD5	NITROBENZENE-D5	100.000000	UM25			81.000000	µg/l		LIT
UB	S	JXC		PHEND6	PHENOL-D6	100.000000	UM25		ND	34.000000	µg/l	R	LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	JXC		TRPD14	TERPHENYL-D14	100.000000	UM25			88.000000	µg/l		LIT
UB	S	JYW		CYN	CYANIDE	10.000000	TF20			9.860000	µg/l		LIT
UB	S	JYW		CYN	CYANIDE	120.000000	TF20			127.000000	µg/l		LIT
UB	S	JYW		CYN	CYANIDE	120.000000	TF20			126.000000	µg/l		LIT
UB	S	JZP		12DCD4	1,2-DICHLOROETHANE-D4	50.000000	UM21			52.000000	µg/l		LIT
UB	S	JZP		CD2CL2	METHYLENE CHLORIDE-D2	50.000000	UM21			46.000000	µg/l		LIT
UB	S	JZP		ETBD10	ETHYLBENZENE-D10	50.000000	UM21			52.000000	µg/l		LIT
UB	S	JZP		MEC6D8	TOLUENE-D8	50.000000	UM21			53.000000	µg/l		LIT
UB	S	KBA		NIT	*NITRITE, NITRATE-NON SPECIFIC	20.000000	LL8			20.400000	µg/l		LIT
UB	S	KBA		NIT	*NITRITE, NITRATE-NON SPECIFIC	100.000000	LL8			102.000000	µg/l		LIT
UB	S	KBA		NIT	*NITRITE, NITRATE-NON SPECIFIC	100.000000	LL8			97.900000	µg/l		LIT
UB	S	KBY		CL	CHLORIDE	1000.000000	TT09			942.000000	µg/l		LIT
UB	S	KBY		CL	CHLORIDE	5000.000000	TT09			4670.000000	µg/l		LIT
UB	S	KBY		CL	CHLORIDE	5000.000000	TT09			4690.000000	µg/l		LIT
UB	S	KBY		SO4	SULFATE	1000.000000	TT09			941.000000	µg/l		LIT
UB	S	KBY		SO4	SULFATE	5000.000000	TT09			4670.000000	µg/l		LIT
UB	S	KBY		SO4	SULFATE	5000.000000	TT09			4690.000000	µg/l		LIT
UB	S	KCG		P4	PHOSPHORUS	20.000000	TF29			19.900000	µg/l		LIT
UB	S	KCG		P4	PHOSPHORUS	400.000000	TF29			399.000000	µg/l		LIT
UB	S	KCG		P4	PHOSPHORUS	400.000000	TF29			411.000000	µg/l		LIT
UB	S	KCN		AS	ARSENIC	5.000000	AX8			5.220000	µg/l		LIT
UB	S	KCN		AS	ARSENIC	50.000000	AX8			48.700000	µg/l		LIT
UB	S	KCN		AS	ARSENIC	50.000000	AX8			44.100000	µg/l		LIT
AL	S	MFK		AS	ARSENIC	50.000000	JS15			46.500000	µg/g		
AL	S	MFK		AS	ARSENIC	250.000000	JS15			228.000000	µg/g		
AL	S	MFK		AS	ARSENIC	250.000000	JS15			227.000000	µg/g		
AL	S	MFK		BA	BARIUM	4.000000	JS15			4.350000	µg/g		
AL	S	MFK		BA	BARIUM	16.000000	JS15			15.300000	µg/g		
AL	S	MFK		BA	BARIUM	16.000000	JS15			15.300000	µg/g		
AL	S	MFK		BE	BERYLLIUM	0.200000	JS15			0.157000	µg/g		
AL	S	MFK		BE	BERYLLIUM	2.000000	JS15			1.800000	µg/g		
AL	S	MFK		BE	BERYLLIUM	2.000000	JS15			1.770000	µg/g		
AL	S	MFK		CD	CADMIUM	1.000000	JS15			0.904000	µg/g		
AL	S	MFK		CD	CADMIUM	10.000000	JS15			9.060000	µg/g		
AL	S	MFK		CD	CADMIUM	10.000000	JS15			8.980000	µg/g		
AL	S	MFK		CR	CHROMIUM	8.000000	JS15			8.520000	µg/g		
AL	S	MFK		CR	CHROMIUM	40.000000	JS15			37.800000	µg/g		
AL	S	MFK		CR	CHROMIUM	40.000000	JS15			37.600000	µg/g		
AL	S	MFK		CU	COPPER	4.000000	JS15			3.970000	µg/g		
AL	S	MFK		CU	COPPER	16.000000	JS15			14.800000	µg/g		
AL	S	MFK		CU	COPPER	16.000000	JS15			14.800000	µg/g		
AL	S	MFK		FE	IRON	4.000000	JS15			3.770000	µg/g		
AL	S	MFK		FE	IRON	40.000000	JS15			38.000000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	MFK		FE	IRON	40.000000	JS15			35.900000	µg/g		
AL	S	MFK		NI	NICKEL	5.000000	JS15			4.590000	µg/g		
AL	S	MFK		NI	NICKEL	25.000000	JS15			22.100000	µg/g		
AL	S	MFK		NI	NICKEL	25.000000	JS15			21.900000	µg/g		
AL	S	MFK		SB	ANTIMONY	20.000000	JS15			19.900000	µg/g		
AL	S	MFK		SB	ANTIMONY	100.000000	JS15			95.000000	µg/g		
AL	S	MFK		SB	ANTIMONY	100.000000	JS15			83.500000	µg/g		
AL	S	MFK		SE	SELENIUM	100.000000	JS15			90.300000	µg/g		
AL	S	MFK		SE	SELENIUM	600.000000	JS15			546.000000	µg/g		
AL	S	MFK		SE	SELENIUM	600.000000	JS15			546.000000	µg/g		
AL	S	MFK		TL	THALLIUM	40.000000	JS15			36.300000	µg/g		
AL	S	MFK		TL	THALLIUM	320.000000	JS15			291.000000	µg/g		
AL	S	MFK		TL	THALLIUM	320.000000	JS15			292.000000	µg/g		
AL	S	MFK		ZN	ZINC	12.000000	JS15			12.300000	µg/g		
AL	S	MFK		ZN	ZINC	18.000000	JS15			17.600000	µg/g		
AL	S	MFK		ZN	ZINC	18.000000	JS15			18.000000	µg/g		
AL	S	MFP		AS	ARSENIC	50.000000	JS15			45.700000	µg/g		
AL	S	MFP		AS	ARSENIC	250.000000	JS15			234.000000	µg/g		
AL	S	MFP		AS	ARSENIC	250.000000	JS15			232.000000	µg/g		
AL	S	MFP		BA	BARIUM	4.000000	JS15			4.330000	µg/g		
AL	S	MFP		BA	BARIUM	16.000000	JS15			16.100000	µg/g		
AL	S	MFP		BA	BARIUM	16.000000	JS15			16.200000	µg/g		
AL	S	MFP		BE	BERYLLIUM	0.200000	JS15			0.000000	µg/g		
AL	S	MFP		BE	BERYLLIUM	2.000000	JS15			1.290000	µg/g		
AL	S	MFP		BE	BERYLLIUM	2.000000	JS15			1.260000	µg/g		
AL	S	MFP		CD	CADMIUM	1.000000	JS15			0.916000	µg/g		
AL	S	MFP		CD	CADMIUM	10.000000	JS15			9.260000	µg/g		
AL	S	MFP		CD	CADMIUM	10.000000	JS15			9.010000	µg/g		
AL	S	MFP		CR	CHROMIUM	8.000000	JS15			8.470000	µg/g		
AL	S	MFP		CR	CHROMIUM	40.000000	JS15			39.000000	µg/g		
AL	S	MFP		CR	CHROMIUM	40.000000	JS15			38.400000	µg/g		
AL	S	MFP		CU	COPPER	4.000000	JS15			3.940000	µg/g		
AL	S	MFP		CU	COPPER	16.000000	JS15			15.600000	µg/g		
AL	S	MFP		CU	COPPER	16.000000	JS15			15.600000	µg/g		
AL	S	MFP		FE	IRON	4.000000	JS15			3.170000	µg/g		
AL	S	MFP		FE	IRON	40.000000	JS15			36.900000	µg/g		
AL	S	MFP		FE	IRON	40.000000	JS15			38.100000	µg/g		
AL	S	MFP		NI	NICKEL	5.000000	JS15			4.420000	µg/g		
AL	S	MFP		NI	NICKEL	25.000000	JS15			22.700000	µg/g		
AL	S	MFP		NI	NICKEL	25.000000	JS15			22.300000	µg/g		
AL	S	MFP		SB	ANTIMONY	20.000000	JS15			18.300000	µg/g		
AL	S	MFP		SB	ANTIMONY	100.000000	JS15			82.000000	µg/g		
AL	S	MFP		SB	ANTIMONY	100.000000	JS15			81.900000	µg/g		
AL	S	MFP		SE	SELENIUM	100.000000	JS15			86.900000	µg/g		
AL	S	MFP		SE	SELENIUM	600.000000	JS15			553.000000	µg/g		
AL	S	MFP		SE	SELENIUM	600.000000	JS15			548.000000	µg/g		
AL	S	MFP		TL	THALLIUM	40.000000	JS15			33.300000	µg/g		
AL	S	MFP		TL	THALLIUM	320.000000	JS15			293.000000	µg/g		
AL	S	MFP		TL	THALLIUM	320.000000	JS15			292.000000	µg/g		
AL	S	MFP		ZN	ZINC	12.000000	JS15			12.100000	µg/g		
AL	S	MFP		ZN	ZINC	18.000000	JS15			17.900000	µg/g		
AL	S	MFP		ZN	ZINC	18.000000	JS15			17.900000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	MFR		AS	ARSENIC	50.000000	JS15			46.500000	µg/g		
AL	S	MFR		AS	ARSENIC	250.000000	JS15			24.000000	µg/g		
AL	S	MFR		AS	ARSENIC	250.000000	JS15			232.000000	µg/g		
AL	S	MFR		BA	BARIUM	4.000000	JS15			4.350000	µg/g		
AL	S	MFR		BA	BARIUM	16.000000	JS15			16.100000	µg/g		
AL	S	MFR		BA	BARIUM	16.000000	JS15			15.800000	µg/g		
AL	S	MFR		BE	BERYLLIUM	0.200000	JS15			0.155000	µg/g		
AL	S	MFR		BE	BERYLLIUM	2.000000	JS15			1.810000	µg/g		
AL	S	MFR		BE	BERYLLIUM	2.000000	JS15			1.790000	µg/g		
AL	S	MFR		CD	CADMIUM	1.000000	JS15			0.870000	µg/g		
AL	S	MFR		CD	CADMIUM	10.000000	JS15			9.550000	µg/g		
AL	S	MFR		CD	CADMIUM	10.000000	JS15			9.250000	µg/g		
AL	S	MFR		CR	CHROMIUM	8.000000	JS15			8.590000	µg/g		
AL	S	MFR		CR	CHROMIUM	40.000000	JS15			39.300000	µg/g		
AL	S	MFR		CR	CHROMIUM	40.000000	JS15			38.600000	µg/g		
AL	S	MFR		CU	COPPER	4.000000	JS15			3.910000	µg/g		
AL	S	MFR		CU	COPPER	16.000000	JS15			15.500000	µg/g		
AL	S	MFR		CU	COPPER	16.000000	JS15			15.100000	µg/g		
AL	S	MFR		FE	IRON	4.000000	JS15			4.340000	µg/g		
AL	S	MFR		FE	IRON	40.000000	JS15			40.600000	µg/g		
AL	S	MFR		FE	IRON	40.000000	JS15			41.000000	µg/g		
AL	S	MFR		NI	NICKEL	5.000000	JS15			4.680000	µg/g		
AL	S	MFR		NI	NICKEL	25.000000	JS15			23.200000	µg/g		
AL	S	MFR		NI	NICKEL	25.000000	JS15			22.700000	µg/g		
AL	S	MFR		SB	ANTIMONY	20.000000	JS15			19.200000	µg/g		
AL	S	MFR		SB	ANTIMONY	100.000000	JS15			86.600000	µg/g		
AL	S	MFR		SB	ANTIMONY	100.000000	JS15			86.200000	µg/g		
AL	S	MFR		SE	SELENIUM	100.000000	JS15			90.300000	µg/g		
AL	S	MFR		SE	SELENIUM	600.000000	JS15			572.000000	µg/g		
AL	S	MFR		SE	SELENIUM	600.000000	JS15			559.000000	µg/g		
AL	S	MFR		TL	THALLIUM	40.000000	JS15			36.400000	µg/g		
AL	S	MFR		TL	THALLIUM	320.000000	JS15			300.000000	µg/g		
AL	S	MFR		TL	THALLIUM	320.000000	JS15			295.000000	µg/g		
AL	S	MFR		ZN	ZINC	12.000000	JS15			12.000000	µg/g		
AL	S	MFR		ZN	ZINC	18.000000	JS15			17.900000	µg/g		
AL	S	MFR		ZN	ZINC	18.000000	JS15			17.500000	µg/g		
AL	S	MFS		AS	ARSENIC	50.000000	JS15			48.100000	µg/g		
AL	S	MFS		AS	ARSENIC	250.000000	JS15			238.000000	µg/g		
AL	S	MFS		AS	ARSENIC	250.000000	JS15			243.000000	µg/g		
AL	S	MFS		BA	BARIUM	4.000000	JS15			4.030000	µg/g		
AL	S	MFS		BA	BARIUM	16.000000	JS15			15.700000	µg/g		
AL	S	MFS		BA	BARIUM	16.000000	JS15			16.000000	µg/g		
AL	S	MFS		BE	BERYLLIUM	0.200000	JS15			0.157000	µg/g		
AL	S	MFS		BE	BERYLLIUM	2.000000	JS15			1.790000	µg/g		
AL	S	MFS		BE	BERYLLIUM	2.000000	JS15			1.820000	µg/g		
AL	S	MFS		CD	CADMIUM	1.000000	JS15			0.916000	µg/g		
AL	S	MFS		CD	CADMIUM	10.000000	JS15			9.440000	µg/g		
AL	S	MFS		CD	CADMIUM	10.000000	JS15			9.660000	µg/g		
AL	S	MFS		CR	CHROMIUM	8.000000	JS15			7.780000	µg/g		
AL	S	MFS		CR	CHROMIUM	40.000000	JS15			38.400000	µg/g		
AL	S	MFS		CR	CHROMIUM	40.000000	JS15			39.500000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	MFS		CU	COPPER	4.000000	JS15			4.190000	µg/g		
AL	S	MFS		CU	COPPER	16.000000	JS15			16.500000	µg/g		
AL	S	MFS		CU	COPPER	16.000000	JS15			16.000000	µg/g		
AL	S	MFS		FE	IRON	4.000000	JS15			4.490000	µg/g		
AL	S	MFS		FE	IRON	40.000000	JS15			39.800000	µg/g		
AL	S	MFS		FE	IRON	40.000000	JS15			39.400000	µg/g		
AL	S	MFS		NI	NICKEL	5.000000	JS15			4.700000	µg/g		
AL	S	MFS		NI	NICKEL	25.000000	JS15			24.100000	µg/g		
AL	S	MFS		NI	NICKEL	25.000000	JS15			23.700000	µg/g		
AL	S	MFS		SB	ANTIMONY	20.000000	JS15			19.600000	µg/g		
AL	S	MFS		SB	ANTIMONY	100.000000	JS15			86.000000	µg/g		
AL	S	MFS		SB	ANTIMONY	100.000000	JS15			85.500000	µg/g		
AL	S	MFS		SE	SELENIUM	100.000000	JS15			93.000000	µg/g		
AL	S	MFS		SE	SELENIUM	600.000000	JS15			571.000000	µg/g		
AL	S	MFS		SE	SELENIUM	600.000000	JS15			581.000000	µg/g		
AL	S	MFS		TL	THALLIUM	40.000000	JS15			35.700000	µg/g		
AL	S	MFS		TL	THALLIUM	320.000000	JS15			300.000000	µg/g		
AL	S	MFS		TL	THALLIUM	320.000000	JS15			307.000000	µg/g		
AL	S	MFS		ZN	ZINC	12.000000	JS15			11.800000	µg/g		
AL	S	MFS		ZN	ZINC	18.000000	JS15			18.100000	µg/g		
AL	S	MFS		ZN	ZINC	18.000000	JS15			19.000000	µg/g		
AL	S	MFT		AS	ARSENIC	50.000000	JS15			46.800000	µg/g		
AL	S	MFT		AS	ARSENIC	250.000000	JS15			237.000000	µg/g		
AL	S	MFT		AS	ARSENIC	250.000000	JS15			232.000000	µg/g		
AL	S	MFT		BA	BARIUM	4.000000	JS15			4.450000	µg/g		
AL	S	MFT		BA	BARIUM	16.000000	JS15			16.100000	µg/g		
AL	S	MFT		BA	BARIUM	16.000000	JS15			15.800000	µg/g		
AL	S	MFT		BE	BERYLLIUM	0.200000	JS15			0.153000	µg/g		
AL	S	MFT		BE	BERYLLIUM	2.000000	JS15			1.780000	µg/g		
AL	S	MFT		BE	BERYLLIUM	2.000000	JS15			1.730000	µg/g		
AL	S	MFT		CD	CADMIUM	1.000000	JS15			0.888000	µg/g		
AL	S	MFT		CD	CADMIUM	10.000000	JS15			9.440000	µg/g		
AL	S	MFT		CD	CADMIUM	10.000000	JS15			9.210000	µg/g		
AL	S	MFT		CR	CHROMIUM	8.000000	JS15			8.590000	µg/g		
AL	S	MFT		CR	CHROMIUM	40.000000	JS15			39.500000	µg/g		
AL	S	MFT		CR	CHROMIUM	40.000000	JS15			38.700000	µg/g		
AL	S	MFT		CU	COPPER	4.000000	JS15			4.220000	µg/g		
AL	S	MFT		CU	COPPER	16.000000	JS15			15.600000	µg/g		
AL	S	MFT		CU	COPPER	16.000000	JS15			15.500000	µg/g		
AL	S	MFT		FE	IRON	4.000000	JS15			3.990000	µg/g		
AL	S	MFT		FE	IRON	40.000000	JS15			38.600000	µg/g		
AL	S	MFT		FE	IRON	40.000000	JS15			38.300000	µg/g		
AL	S	MFT		NI	NICKEL	5.000000	JS15			4.630000	µg/g		
AL	S	MFT		NI	NICKEL	25.000000	JS15			23.200000	µg/g		
AL	S	MFT		NI	NICKEL	25.000000	JS15			22.800000	µg/g		
AL	S	MFT		SB	ANTIMONY	20.000000	JS15			19.400000	µg/g		
AL	S	MFT		SB	ANTIMONY	100.000000	JS15			82.400000	µg/g		
AL	S	MFT		SB	ANTIMONY	100.000000	JS15			84.600000	µg/g		
AL	S	MFT		SE	SELENIUM	100.000000	JS15			90.800000	µg/g		
AL	S	MFT		SE	SELENIUM	600.000000	JS15			568.000000	µg/g		
AL	S	MFT		SE	SELENIUM	600.000000	JS15			556.000000	µg/g		
AL	S	MFT		TL	THALLIUM	40.000000	JS15			34.500000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	MFT		TL	THALLIUM	320.000000	JS15			301.000000	µg/g		
AL	S	MFT		TL	THALLIUM	320.000000	JS15			295.000000	µg/g		
AL	S	MFT		ZN	ZINC	12.000000	JS15			12.400000	µg/g		
AL	S	MFT		ZN	ZINC	18.000000	JS15			18.000000	µg/g		
AL	S	MFT		ZN	ZINC	18.000000	JS15			17.800000	µg/g		
AL	S	MFU		AS	ARSENIC	50.000000	JS15			45.600000	µg/g		
AL	S	MFU		AS	ARSENIC	250.000000	JS15			246.000000	µg/g		
AL	S	MFU		AS	ARSENIC	250.000000	JS15			243.000000	µg/g		
AL	S	MFU		BA	BARIUM	4.000000	JS15			4.300000	µg/g		
AL	S	MFU		BA	BARIUM	16.000000	JS15			16.700000	µg/g		
AL	S	MFU		BA	BARIUM	16.000000	JS15			16.600000	µg/g		
AL	S	MFU		BE	BERYLLIUM	0.200000	JS15			0.170000	µg/g		
AL	S	MFU		BE	BERYLLIUM	2.000000	JS15			1.800000	µg/g		
AL	S	MFU		BE	BERYLLIUM	2.000000	JS15			1.840000	µg/g		
AL	S	MFU		CD	CADMIUM	1.000000	JS15			0.816000	µg/g		
AL	S	MFU		CD	CADMIUM	10.000000	JS15			9.840000	µg/g		
AL	S	MFU		CD	CADMIUM	10.000000	JS15			9.700000	µg/g		
AL	S	MFU		CR	CHROMIUM	8.000000	JS15			7.600000	µg/g		
AL	S	MFU		CR	CHROMIUM	40.000000	JS15			39.600000	µg/g		
AL	S	MFU		CR	CHROMIUM	40.000000	JS15			39.300000	µg/g		
AL	S	MFU		CU	COPPER	4.000000	JS15			3.760000	µg/g		
AL	S	MFU		CU	COPPER	16.000000	JS15			16.300000	µg/g		
AL	S	MFU		CU	COPPER	16.000000	JS15			16.000000	µg/g		
AL	S	MFU		FE	IRON	4.000000	JS15			3.890000	µg/g		
AL	S	MFU		FE	IRON	40.000000	JS15			39.400000	µg/g		
AL	S	MFU		FE	IRON	40.000000	JS15			38.500000	µg/g		
AL	S	MFU		NI	NICKEL	5.000000	JS15			4.320000	µg/g		
AL	S	MFU		NI	NICKEL	25.000000	JS15			24.300000	µg/g		
AL	S	MFU		NI	NICKEL	25.000000	JS15			23.900000	µg/g		
AL	S	MFU		SB	ANTIMONY	20.000000	JS15			19.200000	µg/g		
AL	S	MFU		SB	ANTIMONY	100.000000	JS15			85.400000	µg/g		
AL	S	MFU		SB	ANTIMONY	100.000000	JS15			83.500000	µg/g		
AL	S	MFU		SE	SELENIUM	100.000000	JS15			92.000000	µg/g		
AL	S	MFU		SE	SELENIUM	600.000000	JS15			588.000000	µg/g		
AL	S	MFU		SE	SELENIUM	600.000000	JS15			577.000000	µg/g		
AL	S	MFU		TL	THALLIUM	40.000000	JS15			37.600000	µg/g		
AL	S	MFU		TL	THALLIUM	320.000000	JS15			319.000000	µg/g		
AL	S	MFU		TL	THALLIUM	320.000000	JS15			310.000000	µg/g		
AL	S	MFU		ZN	ZINC	12.000000	JS15			11.500000	µg/g		
AL	S	MFU		ZN	ZINC	18.000000	JS15			18.000000	µg/g		
AL	S	MFU		ZN	ZINC	18.000000	JS15			24.600000	µg/g		
AL	S	MFV		AG	SILVER	65.000000	SS16			59.900000	µg/l		
AL	S	MFV		AG	SILVER	400.000000	SS16			387.000000	µg/l		
AL	S	MFV		AG	SILVER	400.000000	SS16			382.000000	µg/l		
AL	S	MFV		AS	ARSENIC	90.000000	SS16			90.700000	µg/l		
AL	S	MFV		AS	ARSENIC	500.000000	SS16			502.000000	µg/l		
AL	S	MFV		AS	ARSENIC	500.000000	SS16			486.000000	µg/l		
AL	S	MFV		BA	BARIUM	3.000000	SS16			2.750000	µg/l		
AL	S	MFV		BA	BARIUM	15.000000	SS16			14.900000	µg/l		
AL	S	MFV		BA	BARIUM	15.000000	SS16			14.400000	µg/l		
AL	S	MFV		BA	BARIUM	30.000000	SS16			32.300000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	MFV		BE	BERYLLIUM	0.700000	SS16			0.574000	µg/l		
AL	S	MFV		BE	BERYLLIUM	3.500000	SS16			2.660000	µg/l		
AL	S	MFV		BE	BERYLLIUM	3.500000	SS16			2.690000	µg/l		
AL	S	MFV		BE	BERYLLIUM	7.000000	SS16			5.840000	µg/l		
AL	S	MFV		CD	CADMIUM	5.000000	SS16			5.720000	µg/l		
AL	S	MFV		CD	CADMIUM	40.000000	SS16			40.000000	µg/l		
AL	S	MFV		CD	CADMIUM	40.000000	SS16			38.900000	µg/l		
AL	S	MFV		CR	CHROMIUM	9.000000	SS16			7.550000	µg/l		
AL	S	MFV		CR	CHROMIUM	45.000000	SS16			42.500000	µg/l		
AL	S	MFV		CR	CHROMIUM	45.000000	SS16			44.900000	µg/l		
AL	S	MFV		CR	CHROMIUM	90.000000	SS16			95.500000	µg/l		
AL	S	MFV		CU	COPPER	9.000000	SS16			9.490000	µg/l		
AL	S	MFV		CU	COPPER	45.000000	SS16			47.700000	µg/l		
AL	S	MFV		CU	COPPER	45.000000	SS16			45.400000	µg/l		
AL	S	MFV		CU	COPPER	90.000000	SS16			97.200000	µg/l		
AL	S	MFV		FE	IRON	50.000000	SS16			52.100000	µg/l		
AL	S	MFV		FE	IRON	400.000000	SS16			398.000000	µg/l		
AL	S	MFV		FE	IRON	400.000000	SS16			387.000000	µg/l		
AL	S	MFV		NI	NICKEL	20.000000	SS16			20.000000	µg/l		
AL	S	MFV		NI	NICKEL	120.000000	SS16			119.000000	µg/l		
AL	S	MFV		NI	NICKEL	120.000000	SS16			116.000000	µg/l		
AL	S	MFV		PB	LEAD	80.000000	SS16			80.600000	µg/l		
AL	S	MFV		PB	LEAD	400.000000	SS16			394.000000	µg/l		
AL	S	MFV		PB	LEAD	400.000000	SS16			390.000000	µg/l		
AL	S	MFV		PB	LEAD	800.000000	SS16			851.000000	µg/l		
AL	S	MFV		SB	ANTIMONY	100.000000	SS16			94.300000	µg/l		
AL	S	MFV		SB	ANTIMONY	500.000000	SS16			472.000000	µg/l		
AL	S	MFV		SB	ANTIMONY	500.000000	SS16			481.000000	µg/l		
AL	S	MFV		SB	ANTIMONY	1000.000000	SS16			1050.000000	µg/l		
AL	S	MFV		SE	SELENIUM	200.000000	SS16			186.000000	µg/l		
AL	S	MFV		SE	SELENIUM	1200.000000	SS16			1170.000000	µg/l		
AL	S	MFV		SE	SELENIUM	1200.000000	SS16			1160.000000	µg/l		
AL	S	MFV		TL	THALLIUM	250.000000	SS16			232.000000	µg/l		
AL	S	MFV		TL	THALLIUM	1600.000000	SS16			1590.000000	µg/l		
AL	S	MFV		TL	THALLIUM	1600.000000	SS16			1530.000000	µg/l		
AL	S	MFV		ZN	ZINC	40.000000	SS16			38.200000	µg/l		
AL	S	MFV		ZN	ZINC	160.000000	SS16			163.000000	µg/l		
AL	S	MFV		ZN	ZINC	160.000000	SS16			160.000000	µg/l		
AL	S	MFW		AG	SILVER	65.000000	SS16			57.500000	µg/l		
AL	S	MFW		AG	SILVER	400.000000	SS16			392.000000	µg/l		
AL	S	MFW		AG	SILVER	400.000000	SS16			403.000000	µg/l		
AL	S	MFW		AS	ARSENIC	90.000000	SS16			85.900000	µg/l		
AL	S	MFW		AS	ARSENIC	500.000000	SS16			508.000000	µg/l		
AL	S	MFW		AS	ARSENIC	500.000000	SS16			513.000000	µg/l		
AL	S	MFW		BA	BARIUM	3.000000	SS16			2.880000	µg/l		
AL	S	MFW		BA	BARIUM	15.000000	SS16			16.000000	µg/l		
AL	S	MFW		BA	BARIUM	15.000000	SS16			15.400000	µg/l		
AL	S	MFW		BA	BARIUM	30.000000	SS16			32.700000	µg/l		
AL	S	MFW		CD	CADMIUM	5.000000	SS16			5.600000	µg/l		
AL	S	MFW		CD	CADMIUM	40.000000	SS16			41.300000	µg/l		
AL	S	MFW		CD	CADMIUM	40.000000	SS16			42.300000	µg/l		
AL	S	MFW		CR	CHROMIUM	9.000000	SS16			5.660000	µg/l		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	MFW		CR	CHROMIUM	45.000000	SS16			46.300000	µg/l		
AL	S	MFW		CR	CHROMIUM	45.000000	SS16			46.100000	µg/l		
AL	S	MFW		CR	CHROMIUM	90.000000	SS16			97.000000	µg/l		
AL	S	MFW		PB	LEAD	80.000000	SS16			77.500000	µg/l		
AL	S	MFW		PB	LEAD	400.000000	SS16			412.000000	µg/l		
AL	S	MFW		PB	LEAD	400.000000	SS16			415.000000	µg/l		
AL	S	MFW		PB	LEAD	800.000000	SS16			852.000000	µg/l		
AL	S	MFW		SE	SELENIUM	200.000000	SS16			185.000000	µg/l		
AL	S	MFW		SE	SELENIUM	1200.000000	SS16			1170.000000	µg/l		
AL	S	MFW		SE	SELENIUM	1200.000000	SS16			1220.000000	µg/l		
AL	S	SJT		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.500000	µg/g		
AL	S	SJT		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			1.900000	µg/g		
AL	S	SJT		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			1.800000	µg/g		
AL	S	SJT		NBD5	NITROBENZENE-D5	2.500000	LM15			1.700000	µg/g		
AL	S	SJU		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			2.100000	µg/g		
AL	S	SJU		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.300000	µg/g		
AL	S	SJU		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			2.100000	µg/g		
AL	S	SJU		NBD5	NITROBENZENE-D5	2.500000	LM15			2.200000	µg/g		
AL	S	SJV		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.800000	µg/g		
AL	S	SJV		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.600000	µg/g		
AL	S	SJV		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			2.600000	µg/g		
AL	S	SJV		NBD5	NITROBENZENE-D5	2.500000	LM15			2.000000	µg/g		
AL	S	SJW		13DBD4	1,3-DICHLOROBENZENE-D4	75.000000	UM16			51.000000	µg/l		
AL	S	SJW		DEPD4	DIETHYL PHTHALATE-D4	75.000000	UM16			53.000000	µg/l		
AL	S	SJW		DNOPD4	DI-N-OCTYL PHTHALATE-D4	75.000000	UM16			59.000000	µg/l		
AL	S	SJW		NBD5	NITROBENZENE-D5	75.000000	UM16			63.000000	µg/l		
AL	S	SJX		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.900000	µg/g		
AL	S	SJX		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			1.900000	µg/g		
AL	S	SJX		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			1.900000	µg/g		
AL	S	SJX		NBD5	NITROBENZENE-D5	2.500000	LM15			1.900000	µg/g		
AL	S	SJZ		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.800000	µg/g		
AL	S	SJZ		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			1.800000	µg/g		
AL	S	SJZ		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			2.500000	µg/g		
AL	S	SJZ		NBD5	NITROBENZENE-D5	2.500000	LM15			2.600000	µg/g		
AL	S	SKB		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.800000	µg/g		
AL	S	SKB		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.200000	µg/g		
AL	S	SKB		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			2.300000	µg/g		
AL	S	SKB		NBD5	NITROBENZENE-D5	2.500000	LM15			2.000000	µg/g		
AL	S	SKC		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.900000	µg/g		
AL	S	SKC		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.500000	µg/g		
AL	S	SKC		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			3.000000	µg/g		
AL	S	SKC		NBD5	NITROBENZENE-D5	2.500000	LM15			2.700000	µg/g		
AL	S	SKD		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.900000	µg/g		
AL	S	SKD		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.200000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	SKD		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			3.000000	µg/g		
AL	S	SKD		NBD5	NITROBENZENE-D5	2.500000	LM15			2.900000	µg/g		
AL	S	SKE		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.300000	µg/g		
AL	S	SKE		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.000000	µg/g		
AL	S	SKE		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			2.200000	µg/g		
AL	S	SKE		NBD5	NITROBENZENE-D5	2.500000	LM15			2.000000	µg/g		
AL	S	SKF		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.600000	µg/g		
AL	S	SKF		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.100000	µg/g		
AL	S	SKF		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			2.300000	µg/g		
AL	S	SKF		NBD5	NITROBENZENE-D5	2.500000	LM15			2.000000	µg/g		
AL	S	SKJ		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.500000	µg/g		
AL	S	SKJ		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.100000	µg/g		
AL	S	SKJ		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			1.900000	µg/g		
AL	S	SKJ		NBD5	NITROBENZENE-D5	2.500000	LM15			1.800000	µg/g		
AL	S	SKK		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.200000	µg/g		
AL	S	SKK		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			2.000000	µg/g		
AL	S	SKK		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			1.800000	µg/g		
AL	S	SKK		NBD5	NITROBENZENE-D5	2.500000	LM15			1.600000	µg/g		
AL	S	SKM		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99			0.390000	µg/g		
AL	S	SKM		DEPD4	DIETHYL PHTHALATE-D4	2.500000	99			0.890000	µg/g		
AL	S	SKM		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99			0.900000	µg/g		
AL	S	SKM		NBD5	NITROBENZENE-D5	2.500000	99			0.560000	µg/g		
AL	S	SKN		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	99			1.100000	µg/g		
AL	S	SKN		DEPD4	DIETHYL PHTHALATE-D4	2.500000	99			2.000000	µg/g		
AL	S	SKN		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	99			2.100000	µg/g		
AL	S	SKN		NBD5	NITROBENZENE-D5	2.500000	99			1.600000	µg/g		
AL	S	SKO		13DBD4	1,3-DICHLOROBENZENE-D4	75.000000	UM16			50.000000	µg/l		
AL	S	SKO		DEPD4	DIETHYL PHTHALATE-D4	75.000000	UM16			35.000000	µg/l		
AL	S	SKO		DNOPD4	DI-N-OCTYL PHTHALATE-D4	75.000000	UM16			42.000000	µg/l		
AL	S	SKO		NBD5	NITROBENZENE-D5	75.000000	UM16			69.000000	µg/l		
AL	S	SKP		13DBD4	1,3-DICHLOROBENZENE-D4	2.500000	LM15			1.200000	µg/g		
AL	S	SKP		DEPD4	DIETHYL PHTHALATE-D4	2.500000	LM15			1.800000	µg/g		
AL	S	SKP		DNOPD4	DI-N-OCTYL PHTHALATE-D4	2.500000	LM15			1.600000	µg/g		
AL	S	SKP		NBD5	NITROBENZENE-D5	2.500000	LM15			1.600000	µg/g		
AL	S	VJS		12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16			0.140000	µg/g		
AL	S	VJS		CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16			0.140000	µg/g		
AL	S	VJS		ETBD10	ETHYLBENZENE-D10	0.120000	LM16			0.130000	µg/g		
AL	S	VJS		MEC6D8	TOLUENE-D8	0.030000	LM16			0.037000	µg/g		
AL	S	VJT		12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33			140.000000	µg/l		
AL	S	VJT		CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33			130.000000	µg/l		
AL	S	VJT		ETBD10	ETHYLBENZENE-D10	120.000000	UM33			140.000000	µg/l		
AL	S	VJT		MEC6D8	TOLUENE-D8	120.000000	UM33			140.000000	µg/l		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	VJU		12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16			0.110000	µg/g		
AL	S	VJU		CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16			0.110000	µg/g		
AL	S	VJU		ETBD10	ETHYLBENZENE-D10	0.120000	LM16			0.120000	µg/g		
AL	S	VJU		MEC6D8	TOLUENE-D8	0.030000	LM16			0.031000	µg/g		
AL	S	VJV		12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16			0.110000	µg/g		
AL	S	VJV		CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16			0.110000	µg/g		
AL	S	VJV		ETBD10	ETHYLBENZENE-D10	0.120000	LM16			0.120000	µg/g		
AL	S	VJV		MEC6D8	TOLUENE-D8	0.030000	LM16			0.029000	µg/g		
AL	S	VJY		12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33			100.000000	µg/l		
AL	S	VJY		CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33			120.000000	µg/l		
AL	S	VJY		ETBD10	ETHYLBENZENE-D10	120.000000	UM33			140.000000	µg/l		
AL	S	VJY		MEC6D8	TOLUENE-D8	120.000000	UM33			130.000000	µg/l		
AL	S	VKE		12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33			110.000000	µg/l		
AL	S	VKE		CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33			120.000000	µg/l		
AL	S	VKE		ETBD10	ETHYLBENZENE-D10	120.000000	UM33			120.000000	µg/l		
AL	S	VKE		MEC6D8	TOLUENE-D8	120.000000	UM33			120.000000	µg/l		
AL	S	VKF		12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16			0.120000	µg/g		
AL	S	VKF		CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16			0.110000	µg/g		
AL	S	VKF		ETBD10	ETHYLBENZENE-D10	0.120000	LM16			0.120000	µg/g		
AL	S	VKF		MEC6D8	TOLUENE-D8	0.030000	LM16			0.029000	µg/g		
AL	S	VKK		12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16			0.120000	µg/g		
AL	S	VKK		CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16			0.120000	µg/g		
AL	S	VKK		ETBD10	ETHYLBENZENE-D10	0.120000	LM16			0.120000	µg/g		
AL	S	VKK		MEC6D8	TOLUENE-D8	0.030000	LM16			0.031000	µg/g		
AL	S	VKL		12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16			0.130000	µg/g		
AL	S	VKL		CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16			0.130000	µg/g		
AL	S	VKL		ETBD10	ETHYLBENZENE-D10	0.120000	LM16			0.120000	µg/g		
AL	S	VKL		MEC6D8	TOLUENE-D8	0.030000	LM16			0.030000	µg/g		
AL	S	VKM		12DCD4	1,2-DICHLOROETHANE-D4	0.120000	LM16			0.130000	µg/g		
AL	S	VKM		CD2CL2	METHYLENE CHLORIDE-D2	0.120000	LM16			0.130000	µg/g		
AL	S	VKM		ETBD10	ETHYLBENZENE-D10	0.120000	LM16			0.120000	µg/g		
AL	S	VKM		MEC6D8	TOLUENE-D8	0.030000	LM16			0.031000	µg/g		
AL	S	VKN		12DCD4	1,2-DICHLOROETHANE-D4	120.000000	UM33			140.000000	µg/l		
AL	S	VKN		CD2CL2	METHYLENE CHLORIDE-D2	120.000000	UM33			130.000000	µg/l		
AL	S	VKN		ETBD10	ETHYLBENZENE-D10	120.000000	UM33			120.000000	µg/l		
AL	S	VKN		MEC6D8	TOLUENE-D8	120.000000	UM33			120.000000	µg/l		
UB	S	YXY		AS	ARSENIC	10.000000	B9			10.500000	µg/g		LIT
UB	S	YXY		AS	ARSENIC	25.000000	B9			23.900000	µg/g		LIT
UB	S	YXY		AS	ARSENIC	25.000000	B9			23.800000	µg/g		LIT
UB	S	YXZ		SE	SELENIUM	1.000000	JD20			0.693000	µg/g		LIT
UB	S	YXZ		SE	SELENIUM	16.000000	JD20			11.300000	µg/g		LIT
UB	S	YXZ		SE	SELENIUM	16.000000	JD20			11.300000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	YYA		PB	LEAD	2.000000	JD21			2.000000	µg/g		LIT
UB	S	YYA		PB	LEAD	16.000000	JD21			14.000000	µg/g		LIT
UB	S	YYA		PB	LEAD	16.000000	JD21			14.000000	µg/g		LIT
UB	S	YYB		HG	MERCURY	0.100000	Y9			0.106000	µg/g		LIT
UB	S	YYB		HG	MERCURY	0.500000	Y9			0.492000	µg/g		LIT
UB	S	YYB		HG	MERCURY	0.500000	Y9			0.507000	µg/g		LIT
UB	S	YYD		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	YYD		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	YYD		AG	SILVER	0.000000	JS12		LT	0.803000	µg/g		LIT
UB	S	YYD		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	YYD		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	YYD		AL	ALUMINUM	0.000000	JS12		LT	11.200000	µg/g		LIT
UB	S	YYD		B	BORON	15.000000	JS12			14.800000	µg/g		LIT
UB	S	YYD		B	BORON	150.000000	JS12			144.000000	µg/g		LIT
UB	S	YYD		B	BORON	150.000000	JS12			146.000000	µg/g		LIT
UB	S	YYD		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	YYD		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	YYD		BA	BARIUM	0.000000	JS12		LT	3.290000	µg/g		LIT
UB	S	YYD		BE	BERYLLIUM	1.000000	JS12			0.959000	µg/g		LIT
UB	S	YYD		BE	BERYLLIUM	10.000000	JS12			9.580000	µg/g		LIT
UB	S	YYD		BE	BERYLLIUM	10.000000	JS12			9.720000	µg/g		LIT
UB	S	YYD		CA	CALCIUM	0.000000	JS12			110.000000	µg/g		LIT
UB	S	YYD		CA	CALCIUM	0.000000	JS12		LT	25.300000	µg/g		LIT
UB	S	YYD		CA	CALCIUM	0.000000	JS12			113.000000	µg/g		LIT
UB	S	YYD		CD	CADMIUM	2.500000	JS12			2.450000	µg/g		LIT
UB	S	YYD		CD	CADMIUM	100.000000	JS12			93.100000	µg/g		LIT
UB	S	YYD		CD	CADMIUM	100.000000	JS12			94.500000	µg/g		LIT
UB	S	YYD		CO	COBALT	5.000000	JS12			5.830000	µg/g		LIT
UB	S	YYD		CO	COBALT	100.000000	JS12			97.300000	µg/g		LIT
UB	S	YYD		CO	COBALT	100.000000	JS12			98.300000	µg/g		LIT
UB	S	YYD		CR	CHROMIUM	10.000000	JS12			9.830000	µg/g		LIT
UB	S	YYD		CR	CHROMIUM	100.000000	JS12			97.000000	µg/g		LIT
UB	S	YYD		CR	CHROMIUM	100.000000	JS12			98.100000	µg/g		LIT
UB	S	YYD		CU	COPPER	5.000000	JS12			5.550000	µg/g		LIT
UB	S	YYD		CU	COPPER	100.000000	JS12			97.400000	µg/g		LIT
UB	S	YYD		CU	COPPER	100.000000	JS12			98.600000	µg/g		LIT
UB	S	YYD		FE	IRON	0.000000	JS12			27.900000	µg/g		LIT
UB	S	YYD		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	YYD		FE	IRON	0.000000	JS12		LT	6.660000	µg/g		LIT
UB	S	YYD		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	YYD		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	YYD		K	POTASSIUM	0.000000	JS12		LT	131.000000	µg/g		LIT
UB	S	YYD		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	YYD		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	YYD		MG	MAGNESIUM	0.000000	JS12		LT	10.100000	µg/g		LIT
UB	S	YYD		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	YYD		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	YYD		MN	MANGANESE	0.000000	JS12		LT	9.870000	µg/g		LIT
UB	S	YYD		MO	MOLYBDENUM	30.000000	JS12			30.300000	µg/g		LIT
UB	S	YYD		MO	MOLYBDENUM	300.000000	JS12			289.000000	µg/g		LIT
UB	S	YYD		MO	MOLYBDENUM	300.000000	JS12			294.000000	µg/g		LIT

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
UB	S	YYD		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	YYD		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	YYD		NA	SODIUM	0.000000	JS12		LT	38.700000	µg/g		LIT
UB	S	YYD		NI	NICKEL	5.000000	JS12			5.780000	µg/g		LIT
UB	S	YYD		NI	NICKEL	100.000000	JS12			97.600000	µg/g		LIT
UB	S	YYD		NI	NICKEL	100.000000	JS12			99.400000	µg/g		LIT
UB	S	YYD		SB	ANTIMONY	100.000000	JS12			67.100000	µg/g		LIT
UB	S	YYD		SB	ANTIMONY	500.000000	JS12			363.000000	µg/g		LIT
UB	S	YYD		SB	ANTIMONY	500.000000	JS12			338.000000	µg/g		LIT
UB	S	YYD		SN	TIN	15.000000	JS12			17.000000	µg/g		LIT
UB	S	YYD		SN	TIN	150.000000	JS12			144.000000	µg/g		LIT
UB	S	YYD		SN	TIN	150.000000	JS12			138.000000	µg/g		LIT
UB	S	YYD		TE	TELLURIUM	30.000000	JS12			27.700000	µg/g		LIT
UB	S	YYD		TE	TELLURIUM	300.000000	JS12			284.000000	µg/g		LIT
UB	S	YYD		TE	TELLURIUM	300.000000	JS12			286.000000	µg/g		LIT
UB	S	YYD		TL	THALLIUM	70.000000	JS12			66.300000	µg/g		LIT
UB	S	YYD		TL	THALLIUM	700.000000	JS12			681.000000	µg/g		LIT
UB	S	YYD		TL	THALLIUM	700.000000	JS12			691.000000	µg/g		LIT
UB	S	YYD		V	VANADIUM	3.000000	JS12			3.120000	µg/g		LIT
UB	S	YYD		V	VANADIUM	30.000000	JS12			28.700000	µg/g		LIT
UB	S	YYD		V	VANADIUM	30.000000	JS12			28.900000	µg/g		LIT
UB	S	YYD		ZN	ZINC	15.000000	JS12			14.000000	µg/g		LIT
UB	S	YYD		ZN	ZINC	100.000000	JS12			93.900000	µg/g		LIT
UB	S	YYD		ZN	ZINC	100.000000	JS12			94.700000	µg/g		LIT
AL	S	ZTY		CYN	CYANIDE	10.000000	KY07			9.020000	µg/g		
AL	S	ZTY		CYN	CYANIDE	80.000000	KY07			72.400000	µg/g		
AL	S	ZTY		CYN	CYANIDE	80.000000	KY07			72.000000	µg/g		
AL	S	ZUA		CYN	CYANIDE	10.000000	KY07			10.600000	µg/g		
AL	S	ZUA		CYN	CYANIDE	80.000000	KY07			79.600000	µg/g		
AL	S	ZUA		CYN	CYANIDE	80.000000	KY07			80.000000	µg/g		
AL	S	ZUB		CYN	CYANIDE	10.000000	KY07			9.720000	µg/g		
AL	S	ZUB		CYN	CYANIDE	80.000000	KY07			73.800000	µg/g		
AL	S	ZUB		CYN	CYANIDE	80.000000	KY07			76.600000	µg/g		
AL	S	ZUC		CYN	CYANIDE	10.000000	KY07			10.300000	µg/g		
AL	S	ZUC		CYN	CYANIDE	80.000000	KY07			73.300000	µg/g		
AL	S	ZUC		CYN	CYANIDE	80.000000	KY07			77.200000	µg/g		
AL	S	ZUD		CYN	CYANIDE	10.000000	TY12			10.600000	µg/l		
AL	S	ZUD		CYN	CYANIDE	160.000000	TY12			167.000000	µg/l		
AL	S	ZUD		CYN	CYANIDE	160.000000	TY12			155.000000	µg/l		
AL	S	ZUF		CYN	CYANIDE	10.000000	KY07			9.090000	µg/g		
AL	S	ZUF		CYN	CYANIDE	80.000000	KY07			81.200000	µg/g		
AL	S	ZUF		CYN	CYANIDE	80.000000	KY07			74.500000	µg/g		
AL	S	ZUG		CYN	CYANIDE	10.000000	KY07			9.630000	µg/g		
AL	S	ZUG		CYN	CYANIDE	80.000000	KY07			68.200000	µg/g		
AL	S	ZUG		CYN	CYANIDE	80.000000	KY07			74.900000	µg/g		

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	S	ZUH		ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000182	99			0.000119	µg/g		
AL	S	ZUH		ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.000182	99			0.000154	µg/g		
AL	S	ZUI		ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.002000	99			0.001300	µg/l		
AL	S	ZUI		ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.002000	99			0.001320	µg/l		
AL	S	ZUJ		CYN	CYANIDE	10.000000	KY07			10.200000	µg/g		
AL	S	ZUJ		CYN	CYANIDE	80.000000	KY07			77.200000	µg/g		
AL	S	ZUJ		CYN	CYANIDE	80.000000	KY07			74.900000	µg/g		
AL	S	ZUK		CYN	CYANIDE	10.000000	KY07			9.270000	µg/g		
AL	S	ZUK		CYN	CYANIDE	80.000000	KY07			75.600000	µg/g		
AL	S	ZUK		CYN	CYANIDE	80.000000	KY07			83.900000	µg/g		
AL	S	ZUM		CYN	CYANIDE	10.000000	KY07			9.090000	µg/g		
AL	S	ZUM		CYN	CYANIDE	80.000000	KY07			91.000000	µg/g		
AL	S	ZUM		CYN	CYANIDE	80.000000	KY07			89.800000	µg/g		
AL	S	ZUN		CYN	CYANIDE	10.000000	KY07			9.560000	µg/g		
AL	S	ZUN		CYN	CYANIDE	80.000000	KY07			75.900000	µg/g		
AL	S	ZUN		CYN	CYANIDE	80.000000	KY07			76.800000	µg/g		
AL	S	ZUO		CYN	CYANIDE	10.000000	KY07			9.250000	µg/g		
AL	S	ZUO		CYN	CYANIDE	80.000000	KY07			75.300000	µg/g		
AL	S	ZUO		CYN	CYANIDE	80.000000	KY07			76.000000	µg/g		
AL	S	ZUP		CYN	CYANIDE	10.000000	TY12			9.360000	µg/l		
AL	S	ZUP		CYN	CYANIDE	160.000000	TY12			157.000000	µg/l		
AL	S	ZUP		CYN	CYANIDE	160.000000	TY12			159.000000	µg/l		
AL	S	ZUQ		CYN	CYANIDE	10.000000	KY07			9.720000	µg/g		
AL	S	ZUQ		CYN	CYANIDE	80.000000	KY07			76.800000	µg/g		
AL	S	ZUQ		CYN	CYANIDE	80.000000	KY07			76.000000	µg/g		
AL	S	ZUT		ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.000198	99			0.000140	µg/g		
AL	S	ZUT		ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.000198	99			0.000120	µg/g		
AL	S	ZUU		ITCDD	C13-2,3,7,8-TETRACHLORODI BENZODIOXIN, ISOMERIC	0.002000	99			0.001750	µg/l		
AL	S	ZUU		ITCDF	C13-2,3,7,8-TETRACHLORODI BENZOFURAN, ISOMERIC	0.002000	99			0.001710	µg/l		

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VJT	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	09-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	10-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VJT	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VJT	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	09-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VJT	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	10-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	08-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	08-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	09-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	10-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	09-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	10-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	08-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	08-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	09-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	10-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	08-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	08-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	09-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	10-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	08-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	09-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	10-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	08-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	08-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	09-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	10-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	09-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	10-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	08-JUN-1992	LT	9.200000	µg/l		GO
AL	T	VJT	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	08-JUN-1992	LT	9.200000	µg/l		GO
AL	T	VJT	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	09-JUN-1992	LT	9.200000	µg/l		GO
AL	T	VJT	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	10-JUN-1992	LT	9.200000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VJT	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	08-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	08-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	09-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	10-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VJT	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	09-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	10-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	08-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	08-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	09-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	10-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VJT	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	08-JUN-1992	LT	82.000000	µg/l		GO
AL	T	VJT	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	08-JUN-1992	LT	82.000000	µg/l		GO
AL	T	VJT	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	09-JUN-1992	LT	82.000000	µg/l		GO
AL	T	VJT	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	10-JUN-1992	LT	82.000000	µg/l		GO
AL	T	VJT	TRIPBLNK	ACET	ACETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	ACET	ACETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	ACET	ACETONE	0.000000	UM33	09-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	ACET	ACETONE	0.000000	UM33	10-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	08-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VJT	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	08-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VJT	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	09-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VJT	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	10-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VJT	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	09-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	10-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	09-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	10-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER /	0.000000	UM33	09-JUN-1992	ND	10.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VJT	TRIPBLNK	C2AVE	VINYL ACETATE ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM3310	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3308	JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3308	JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3309	JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3310	JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3308	JUN-1992	LT	2.120000	µg/l		GO
AL	T	VJT	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3308	JUN-1992	LT	2.120000	µg/l		GO
AL	T	VJT	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3309	JUN-1992	LT	2.120000	µg/l		GO
AL	T	VJT	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3310	JUN-1992	LT	2.120000	µg/l		GO
AL	T	VJT	TRIPBLNK	C6H6	BENZENE	0.000000	UM3308	JUN-1992	LT	2.400000	µg/l		GO
AL	T	VJT	TRIPBLNK	C6H6	BENZENE	0.000000	UM3308	JUN-1992	LT	2.400000	µg/l		GO
AL	T	VJT	TRIPBLNK	C6H6	BENZENE	0.000000	UM3309	JUN-1992	LT	2.400000	µg/l		GO
AL	T	VJT	TRIPBLNK	C6H6	BENZENE	0.000000	UM3310	JUN-1992	LT	2.400000	µg/l		GO
AL	T	VJT	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3308	JUN-1992	LT	3.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3308	JUN-1992	LT	3.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3309	JUN-1992	LT	3.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3310	JUN-1992	LT	3.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3308	JUN-1992		6.370000	µg/l	B	GO
AL	T	VJT	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3308	JUN-1992		6.570000	µg/l	B	GO
AL	T	VJT	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3309	JUN-1992		7.060000	µg/l	B	GO
AL	T	VJT	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3310	JUN-1992		6.960000	µg/l	B	GO
AL	T	VJT	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3308	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3308	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3309	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3310	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3308	JUN-1992	LT	1.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3308	JUN-1992	LT	1.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3309	JUN-1992	LT	1.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3310	JUN-1992	LT	1.600000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3308	JUN-1992	LT	8.200000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3308	JUN-1992	LT	8.200000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3309	JUN-1992	LT	8.200000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3310	JUN-1992	LT	8.200000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM3308	JUN-1992	LT	0.830000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM3308	JUN-1992	LT	0.830000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM3309	JUN-1992	LT	0.830000	µg/l		GO
AL	T	VJT	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM3310	JUN-1992	LT	0.830000	µg/l		GO
AL	T	VJT	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM3308	JUN-1992	LT	1.400000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VJT	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	08-JUN-1992	LT	1.400000	µg/l		GO
AL	T	VJT	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	09-JUN-1992	LT	1.400000	µg/l		GO
AL	T	VJT	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	10-JUN-1992	LT	1.400000	µg/l		GO
AL	T	VJT	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	09-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	10-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	08-JUN-1992	LT	6.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	08-JUN-1992	LT	6.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	09-JUN-1992	LT	6.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	10-JUN-1992	LT	6.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	08-JUN-1992	LT	9.300000	µg/l		GO
AL	T	VJT	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	08-JUN-1992	LT	9.300000	µg/l		GO
AL	T	VJT	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	09-JUN-1992	LT	9.300000	µg/l		GO
AL	T	VJT	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	10-JUN-1992	LT	9.300000	µg/l		GO
AL	T	VJT	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	08-JUN-1992	LT	8.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	08-JUN-1992	LT	8.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	09-JUN-1992	LT	8.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	10-JUN-1992	LT	8.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	09-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	10-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	09-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	10-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	08-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	09-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	10-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	STYR	STYRENE / VINYLBENZENE /	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VJT	TRIPBLNK	STYR	CINNAMOL / ETHENYLBENZENE STYRENE / VINYLBENZENE /	0.000000	UM33	09-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	STYR	CINNAMOL / ETHENYLBENZENE STYRENE / VINYLBENZENE /	0.000000	UM33	10-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	T13DCP	CINNAMOL / ETHENYLBENZENE TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	08-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	09-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	10-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJT	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	08-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	08-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	09-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	10-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VJT	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	08-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	08-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	09-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	10-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	08-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	08-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	09-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJT	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	10-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJY	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	18-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VJY	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	18-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VJY	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	18-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VJY	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	18-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJY	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	18-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VJY	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	18-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VJY	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	18-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VJY	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	18-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VJY	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE /	0.000000	UM33	18-JUN-1992	ND	5.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
					O-XYLENE								
AL	T	VJY	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	18-JUN-1992	LT	9.200000	µg/l		GO
AL	T	VJY	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	18-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VJY	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	18-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	18-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VJY	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	18-JUN-1992	LT	82.000000	µg/l		GO
AL	T	VJY	TRIPBLNK	ACET	ACETONE	0.000000	UM33	18-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	18-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VJY	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	18-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	18-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	18-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33	18-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJY	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM33	18-JUN-1992	LT	2.120000	µg/l		GO
AL	T	VJY	TRIPBLNK	C6H6	BENZENE	0.000000	UM33	18-JUN-1992	LT	2.400000	µg/l		GO
AL	T	VJY	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM33	18-JUN-1992	LT	3.700000	µg/l		GO
AL	T	VJY	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33	18-JUN-1992		6.570000	µg/l	B	GO
AL	T	VJY	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM33	18-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM33	18-JUN-1992	LT	1.600000	µg/l		GO
AL	T	VJY	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM33	18-JUN-1992	LT	8.200000	µg/l		GO
AL	T	VJY	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM33	18-JUN-1992	LT	0.830000	µg/l		GO
AL	T	VJY	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	18-JUN-1992	LT	1.400000	µg/l		GO
AL	T	VJY	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	18-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	18-JUN-1992	LT	6.500000	µg/l		GO
AL	T	VJY	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	18-JUN-1992	LT	9.300000	µg/l		GO
AL	T	VJY	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	18-JUN-1992	LT	8.700000	µg/l		GO
AL	T	VJY	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	18-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	18-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	18-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	18-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	18-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VJY	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	18-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VJY	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	18-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VJY	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	18-JUN-1992	LT	0.500000	µg/l		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKE	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	19-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	22-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	24-JUN-1992	LT	4.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	19-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VKE	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	22-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VKE	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	24-JUN-1992	LT	0.630000	µg/l		GO
AL	T	VKE	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	19-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VKE	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	22-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VKE	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	24-JUN-1992	LT	1.420000	µg/l		GO
AL	T	VKE	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	19-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	22-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	24-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	19-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	22-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	24-JUN-1992	LT	1.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	19-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	22-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	24-JUN-1992	LT	9.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	19-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	22-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	24-JUN-1992	LT	7.600000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	19-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	22-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	24-JUN-1992	LT	2.800000	µg/l		GO
AL	T	VKE	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	19-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	22-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	24-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	19-JUN-1992	LT	9.200000	µg/l		GO
AL	T	VKE	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	22-JUN-1992	LT	9.200000	µg/l		GO
AL	T	VKE	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	24-JUN-1992	LT	9.200000	µg/l		GO
AL	T	VKE	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	19-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VKE	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	22-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VKE	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	24-JUN-1992	LT	3.800000	µg/l		GO
AL	T	VKE	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	19-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	22-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	24-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	19-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	22-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	24-JUN-1992	LT	8.100000	µg/l		GO
AL	T	VKE	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	19-JUN-1992	LT	82.000000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKE	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	22-JUN-1992	LT	82.000000	µg/l		GO
AL	T	VKE	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	24-JUN-1992	LT	82.000000	µg/l		GO
AL	T	VKE	TRIPBLNK	ACET	ACETONE	0.000000	UM33	19-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	ACET	ACETONE	0.000000	UM33	22-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	ACET	ACETONE	0.000000	UM33	24-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	19-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VKE	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	22-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VKE	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	24-JUN-1992	LT	7.900000	µg/l		GO
AL	T	VKE	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	19-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	22-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	24-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	19-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	22-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	24-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	19-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	22-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM33	24-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33	19-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33	22-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM33	24-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM33	19-JUN-1992	LT	2.120000	µg/l		GO
AL	T	VKE	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM33	22-JUN-1992	LT	2.120000	µg/l		GO
AL	T	VKE	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM33	24-JUN-1992	LT	2.120000	µg/l		GO
AL	T	VKE	TRIPBLNK	C6H6	BENZENE	0.000000	UM33	19-JUN-1992	LT	2.400000	µg/l		GO
AL	T	VKE	TRIPBLNK	C6H6	BENZENE	0.000000	UM33	22-JUN-1992	LT	2.400000	µg/l		GO
AL	T	VKE	TRIPBLNK	C6H6	BENZENE	0.000000	UM33	24-JUN-1992	LT	2.400000	µg/l		GO
AL	T	VKE	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM33	19-JUN-1992	LT	3.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM33	22-JUN-1992	LT	3.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM33	24-JUN-1992	LT	3.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33	19-JUN-1992		8.140000	µg/l	B	GO
AL	T	VKE	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33	22-JUN-1992		7.650000	µg/l	B	GO
AL	T	VKE	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM33	24-JUN-1992		9.020000	µg/l	B	GO
AL	T	VKE	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM33	19-JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM33	22-JUN-1992	ND	10.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKE	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3324	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3319	JUN-1992	LT	1.600000	µg/l		GO
AL	T	VKE	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3322	JUN-1992	LT	1.600000	µg/l		GO
AL	T	VKE	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3324	JUN-1992	LT	1.600000	µg/l		GO
AL	T	VKE	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3319	JUN-1992	LT	8.200000	µg/l		GO
AL	T	VKE	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3322	JUN-1992	LT	8.200000	µg/l		GO
AL	T	VKE	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3324	JUN-1992	LT	8.200000	µg/l		GO
AL	T	VKE	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM3319	JUN-1992	LT	0.830000	µg/l		GO
AL	T	VKE	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM3322	JUN-1992	LT	0.830000	µg/l		GO
AL	T	VKE	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM3324	JUN-1992	LT	0.830000	µg/l		GO
AL	T	VKE	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM3319	JUN-1992	LT	1.400000	µg/l		GO
AL	T	VKE	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM3322	JUN-1992	LT	1.400000	µg/l		GO
AL	T	VKE	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM3324	JUN-1992	LT	1.400000	µg/l		GO
AL	T	VKE	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM3319	JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM3322	JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM3324	JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM3319	JUN-1992	LT	6.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM3322	JUN-1992	LT	6.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM3324	JUN-1992	LT	6.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM3319	JUN-1992	LT	9.300000	µg/l		GO
AL	T	VKE	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM3322	JUN-1992	LT	9.300000	µg/l		GO
AL	T	VKE	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM3324	JUN-1992	LT	9.300000	µg/l		GO
AL	T	VKE	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM3319	JUN-1992	LT	8.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM3322	JUN-1992	LT	8.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM3324	JUN-1992	LT	8.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM3319	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM3322	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM3324	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM3319	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM3322	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM3324	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM3319	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM3322	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM3324	JUN-1992	ND	10.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM3319	JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	STYR	STYRENE / VINYLBENZENE /	0.000000	UM3322	JUN-1992	ND	5.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKE	TRIPBLNK	STYR	CINNAMOL / ETHENYLBENZENE STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	24-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	19-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	22-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	24-JUN-1992	ND	5.000000	µg/l	R	GO
AL	T	VKE	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	19-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	22-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	24-JUN-1992	LT	4.700000	µg/l		GO
AL	T	VKE	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	19-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	22-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	24-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	19-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	22-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKE	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	24-JUN-1992	LT	0.500000	µg/l		GO
AL	T	VKL	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.004200	µg/g		GO
AL	T	VKL	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.004200	µg/g		GO
AL	T	VKL	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	LM16	13-JUL-1992	LT	0.004200	µg/g		GO
AL	T	VKL	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.020000	µg/g		GO
AL	T	VKL	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.020000	µg/g		GO
AL	T	VKL	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	LM16	13-JUL-1992	LT	0.020000	µg/g		GO
AL	T	VKL	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16	10-JUL-1992	LT	0.019000	µg/g		GO
AL	T	VKL	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16	10-JUL-1992	LT	0.019000	µg/g		GO
AL	T	VKL	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	LM16	13-JUL-1992	LT	0.019000	µg/g		GO
AL	T	VKL	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.001700	µg/g		GO
AL	T	VKL	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.001700	µg/g		GO
AL	T	VKL	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	LM16	13-JUL-1992	LT	0.001700	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16	10-JUL-1992	LT	0.002000	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16	10-JUL-1992	LT	0.002000	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	LM16	13-JUL-1992	LT	0.002000	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.001200	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKL	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.001200	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	LM16	13-JUL-1992	LT	0.001200	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.003100	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.003100	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	LM16	13-JUL-1992	LT	0.003100	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16	10-JUL-1992	LT	0.002200	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16	10-JUL-1992	LT	0.002200	µg/g		GO
AL	T	VKL	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	LM16	13-JUL-1992	LT	0.002200	µg/g		GO
AL	T	VKL	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	LM16	13-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.002000	µg/g		GO
AL	T	VKL	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.002000	µg/g		GO
AL	T	VKL	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	LM16	13-JUL-1992	LT	0.002000	µg/g		GO
AL	T	VKL	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	LM16	10-JUL-1992	LT	0.001300	µg/g		GO
AL	T	VKL	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	LM16	10-JUL-1992	LT	0.001300	µg/g		GO
AL	T	VKL	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	LM16	13-JUL-1992	LT	0.001300	µg/g		GO
AL	T	VKL	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	LM16	13-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.000900	µg/g		GO
AL	T	VKL	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.000900	µg/g		GO
AL	T	VKL	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	LM16	13-JUL-1992	LT	0.000900	µg/g		GO
AL	T	VKL	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16	10-JUL-1992	LT	0.048000	µg/g		GO
AL	T	VKL	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16	10-JUL-1992	LT	0.048000	µg/g		GO
AL	T	VKL	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	LM16	13-JUL-1992	LT	0.048000	µg/g		GO
AL	T	VKL	TRIPBLNK	ACET	ACETONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	ACET	ACETONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	ACET	ACETONE	0.000000	LM16	13-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16	10-JUL-1992	LT	0.003300	µg/g		GO
AL	T	VKL	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16	10-JUL-1992	LT	0.003300	µg/g		GO
AL	T	VKL	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	LM16	13-JUL-1992	LT	0.003300	µg/g		GO
AL	T	VKL	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	LM16	13-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	LM16	13-JUL-1992	ND	0.005000	µg/g	R	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKL	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	LM16	13-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.015000	µg/g		GO
AL	T	VKL	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.015000	µg/g		GO
AL	T	VKL	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	LM16	13-JUL-1992	LT	0.015000	µg/g		GO
AL	T	VKL	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.027000	µg/g		GO
AL	T	VKL	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	LM16	10-JUL-1992	LT	0.027000	µg/g		GO
AL	T	VKL	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	LM16	13-JUL-1992	LT	0.027000	µg/g		GO
AL	T	VKL	TRIPBLNK	C6H6	BENZENE	0.000000	LM16	10-JUL-1992	LT	0.002900	µg/g		GO
AL	T	VKL	TRIPBLNK	C6H6	BENZENE	0.000000	LM16	10-JUL-1992	LT	0.002900	µg/g		GO
AL	T	VKL	TRIPBLNK	C6H6	BENZENE	0.000000	LM16	13-JUL-1992	LT	0.002900	µg/g		GO
AL	T	VKL	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.005600	µg/g		GO
AL	T	VKL	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.005600	µg/g		GO
AL	T	VKL	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	LM16	13-JUL-1992	LT	0.005600	µg/g		GO
AL	T	VKL	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16	10-JUL-1992		0.007350	µg/g	B	GO
AL	T	VKL	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16	10-JUL-1992		0.007690	µg/g	B	GO
AL	T	VKL	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	LM16	13-JUL-1992		0.008550	µg/g	B	GO
AL	T	VKL	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	LM16	13-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	LM16	10-JUL-1992	LT	0.017000	µg/g		GO
AL	T	VKL	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	LM16	10-JUL-1992	LT	0.017000	µg/g		GO
AL	T	VKL	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	LM16	13-JUL-1992	LT	0.017000	µg/g		GO
AL	T	VKL	TRIPBLNK	CHBR3	BROMOFORM	0.000000	LM16	10-JUL-1992	LT	0.018000	µg/g		GO
AL	T	VKL	TRIPBLNK	CHBR3	BROMOFORM	0.000000	LM16	10-JUL-1992	LT	0.018000	µg/g		GO
AL	T	VKL	TRIPBLNK	CHBR3	BROMOFORM	0.000000	LM16	13-JUL-1992	LT	0.018000	µg/g		GO
AL	T	VKL	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	LM16	10-JUL-1992	LT	0.002300	µg/g		GO
AL	T	VKL	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	LM16	10-JUL-1992	LT	0.002300	µg/g		GO
AL	T	VKL	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	LM16	13-JUL-1992	LT	0.002300	µg/g		GO
AL	T	VKL	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.002800	µg/g		GO
AL	T	VKL	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16	10-JUL-1992	LT	0.002800	µg/g		GO
AL	T	VKL	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	LM16	13-JUL-1992	LT	0.002800	µg/g		GO
AL	T	VKL	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	LM16	13-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16	10-JUL-1992	LT	0.014000	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKL	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16	10-JUL-1992	LT	0.014000	µg/g		GO
AL	T	VKL	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	LM16	13-JUL-1992	LT	0.014000	µg/g		GO
AL	T	VKL	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	LM16	10-JUL-1992	LT	0.003300	µg/g		GO
AL	T	VKL	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	LM16	10-JUL-1992	LT	0.003300	µg/g		GO
AL	T	VKL	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	LM16	13-JUL-1992	LT	0.003300	µg/g		GO
AL	T	VKL	TRIPBLNK	MEC6H5	TOLUENE	0.000000	LM16	10-JUL-1992	LT	0.008400	µg/g		GO
AL	T	VKL	TRIPBLNK	MEC6H5	TOLUENE	0.000000	LM16	10-JUL-1992	LT	0.008400	µg/g		GO
AL	T	VKL	TRIPBLNK	MEC6H5	TOLUENE	0.000000	LM16	13-JUL-1992	LT	0.008400	µg/g		GO
AL	T	VKL	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	LM16	13-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	LM16	13-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16	10-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	LM16	13-JUL-1992	ND	0.010000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	LM16	13-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16	10-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	LM16	13-JUL-1992	ND	0.005000	µg/g	R	GO
AL	T	VKL	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.001600	µg/g		GO
AL	T	VKL	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.001600	µg/g		GO
AL	T	VKL	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	LM16	13-JUL-1992	LT	0.001600	µg/g		GO
AL	T	VKL	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.001900	µg/g		GO
AL	T	VKL	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16	10-JUL-1992	LT	0.001900	µg/g		GO
AL	T	VKL	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	LM16	13-JUL-1992	LT	0.001900	µg/g		GO
AL	T	VKL	TRIPBLNK	TRCLE	TRICHLOROETHYLENE /	0.000000	LM16	10-JUL-1992	LT	0.003800	µg/g		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKL	TRIPBLNK	TRCLE	ALGYLEN / CHLORYLEN / GEMALGENE TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16	10-JUL-1992	LT	0.003800	µg/g		GO
AL	T	VKL	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	LM16	13-JUL-1992	LT	0.003800	µg/g		GO
AL	T	VKN	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	4.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	4.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	4.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	111TCE	1,1,1-TRICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	4.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	0.630000	µg/l		GO
AL	T	VKN	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	0.630000	µg/l		GO
AL	T	VKN	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	0.630000	µg/l		GO
AL	T	VKN	TRIPBLNK	112TCE	1,1,2-TRICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	0.630000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	14-JUL-1992	LT	1.420000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	14-JUL-1992	LT	1.420000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	15-JUL-1992	LT	1.420000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCE	1,1-DICHLOROETHENE / 1,1-DICHLOROETHYLENE	0.000000	UM33	16-JUL-1992	LT	1.420000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	11DCLE	1,1-DICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	14-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	14-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	15-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCE	*1,2-DICHLOROETHYLENES (CIS AND TRANS ISOMERS)	0.000000	UM33	16-JUL-1992	LT	1.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	9.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	9.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	9.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLB	1,2-DICHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	9.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	7.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	14-JUL-1992	LT	7.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	15-JUL-1992	LT	7.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLE	1,2-DICHLOROETHANE	0.000000	UM33	16-JUL-1992	LT	7.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	14-JUL-1992	LT	2.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	14-JUL-1992	LT	2.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	15-JUL-1992	LT	2.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DCLP	1,2-DICHLOROPROPANE	0.000000	UM33	16-JUL-1992	LT	2.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKN	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	12DMB	1,2-DIMETHYLBENZENE / O-XYLENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	9.200000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	9.200000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	9.200000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DCLB	1,3-DICHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	9.200000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	14-JUL-1992	LT	3.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	14-JUL-1992	LT	3.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	15-JUL-1992	LT	3.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DCP	1,3-DICHLOROPROPANE	0.000000	UM33	16-JUL-1992	LT	3.800000	µg/l		GO
AL	T	VKN	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	13DMB	1,3-DIMETHYLBENZENE / M-XYLENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	8.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	8.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	8.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	14DCLB	1,4-DICHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	8.100000	µg/l		GO
AL	T	VKN	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	14-JUL-1992	LT	82.000000	µg/l		GO
AL	T	VKN	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	14-JUL-1992	LT	82.000000	µg/l		GO
AL	T	VKN	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	15-JUL-1992	LT	82.000000	µg/l		GO
AL	T	VKN	TRIPBLNK	2CLEVE	2-CHLOROETHYL VINYL ETHER / (2-CHLOROETHOXY)ETHENE	0.000000	UM33	16-JUL-1992	LT	82.000000	µg/l		GO
AL	T	VKN	TRIPBLNK	ACET	ACETONE	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	ACET	ACETONE	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	ACET	ACETONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	ACET	ACETONE	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	14-JUL-1992	LT	7.900000	µg/l		GO
AL	T	VKN	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	14-JUL-1992	LT	7.900000	µg/l		GO
AL	T	VKN	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	15-JUL-1992	LT	7.900000	µg/l		GO
AL	T	VKN	TRIPBLNK	BRDCLM	BROMODICHLOROMETHANE	0.000000	UM33	16-JUL-1992	LT	7.900000	µg/l		GO
AL	T	VKN	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C12DCE	CIS-1,2-DICHLOROETHYLENE / CIS-1,2-DICHLOROETHENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE / CIS-1,3-DICHLOROPROPENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C13DCP	CIS-1,3-DICHLOROPROPYLENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKN	TRIPBLNK	C13DCP	/ CIS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPYLENE	0.000000	UM3316	JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C2AVE	/ CIS-1,3-DICHLOROPROPENE ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM3314	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM3314	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM3315	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C2AVE	ACETIC ACID VINYL ESTER / VINYL ACETATE	0.000000	UM3316	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3314	JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3314	JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3315	JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.000000	UM3316	JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3314	JUL-1992	LT	2.120000	µg/l		GO
AL	T	VKN	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3314	JUL-1992	LT	2.120000	µg/l		GO
AL	T	VKN	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3315	JUL-1992	LT	2.120000	µg/l		GO
AL	T	VKN	TRIPBLNK	C2H5CL	CHLOROETHANE	0.000000	UM3316	JUL-1992	LT	2.120000	µg/l		GO
AL	T	VKN	TRIPBLNK	C6H6	BENZENE	0.000000	UM3314	JUL-1992	LT	2.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	C6H6	BENZENE	0.000000	UM3314	JUL-1992	LT	2.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	C6H6	BENZENE	0.000000	UM3315	JUL-1992	LT	2.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	C6H6	BENZENE	0.000000	UM3316	JUL-1992	LT	2.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3314	JUL-1992	LT	3.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3314	JUL-1992	LT	3.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3315	JUL-1992	LT	3.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	CCL4	CARBON TETRACHLORIDE	0.000000	UM3316	JUL-1992	LT	3.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3314	JUL-1992		8.920000	µg/l	B	GO
AL	T	VKN	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3314	JUL-1992		9.610000	µg/l	B	GO
AL	T	VKN	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3315	JUL-1992		9.800000	µg/l	B	GO
AL	T	VKN	TRIPBLNK	CH2CL2	DICHLOROMETHANE / METHYLENE CHLORIDE	0.000000	UM3316	JUL-1992		9.120000	µg/l	B	GO
AL	T	VKN	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3314	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3314	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3315	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	CH3BR	BROMOMETHANE / METHYL BROMIDE	0.000000	UM3316	JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3314	JUL-1992	LT	1.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3314	JUL-1992	LT	1.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3315	JUL-1992	LT	1.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	CH3CL	CHLOROMETHANE	0.000000	UM3316	JUL-1992	LT	1.600000	µg/l		GO
AL	T	VKN	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3314	JUL-1992	LT	8.200000	µg/l		GO
AL	T	VKN	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM3314	JUL-1992	LT	8.200000	µg/l		GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKN	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM33	15-JUL-1992	LT	8.200000	µg/l		GO
AL	T	VKN	TRIPBLNK	CHBR3	BROMOFORM	0.000000	UM33	16-JUL-1992	LT	8.200000	µg/l		GO
AL	T	VKN	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM33	14-JUL-1992	LT	0.830000	µg/l		GO
AL	T	VKN	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM33	14-JUL-1992	LT	0.830000	µg/l		GO
AL	T	VKN	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM33	15-JUL-1992	LT	0.830000	µg/l		GO
AL	T	VKN	TRIPBLNK	CHCL3	CHLOROFORM	0.000000	UM33	16-JUL-1992	LT	0.830000	µg/l		GO
AL	T	VKN	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	1.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	14-JUL-1992	LT	1.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	15-JUL-1992	LT	1.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	CLC6H5	CHLOROBENZENE / MONOCHLOROBENZENE	0.000000	UM33	16-JUL-1992	LT	1.400000	µg/l		GO
AL	T	VKN	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	CS2	CARBON DISULFIDE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	14-JUL-1992	LT	6.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	14-JUL-1992	LT	6.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	15-JUL-1992	LT	6.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	DBRCLM	DIBROMOCHLOROMETHANE / CHLORODIBROMOMETHANE	0.000000	UM33	16-JUL-1992	LT	6.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	14-JUL-1992	LT	9.300000	µg/l		GO
AL	T	VKN	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	14-JUL-1992	LT	9.300000	µg/l		GO
AL	T	VKN	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	15-JUL-1992	LT	9.300000	µg/l		GO
AL	T	VKN	TRIPBLNK	ETC6H5	ETHYLBENZENE	0.000000	UM33	16-JUL-1992	LT	9.300000	µg/l		GO
AL	T	VKN	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	14-JUL-1992	LT	8.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	14-JUL-1992	LT	8.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	15-JUL-1992	LT	8.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	MEC6H5	TOLUENE	0.000000	UM33	16-JUL-1992	LT	8.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MEK	2-BUTANONE / METHYL ETHYL KETONE	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MIBK	METHYL ISOBUTYL KETONE / 4-METHYL-2-PENTANONE	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MNBK	2-HEXANONE / METHYL N-BUTYL KETONE	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MNBK	2-HEXANONE / METHYL	0.000000	UM33	14-JUL-1992	ND	10.000000	µg/l	R	GO

Note: QC Type=F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

Lab	QC Type	Lot	Field Sample No.	Analyte Code	Analyte	Spike	Meth	Sample Date	Meas Bool	Value	Unit Meas	Flag Code	Program
AL	T	VKN	TRIPBLNK	MNBK	N-BUTYL KETONE 2-HEXANONE / METHYL	0.000000	UM33	15-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	MNBK	N-BUTYL KETONE 2-HEXANONE / METHYL	0.000000	UM33	16-JUL-1992	ND	10.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	STYR	N-BUTYL KETONE STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	STYR	STYRENE / VINYLBENZENE / CINNAMOL / ETHENYLBENZENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	14-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	15-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	T13DCP	TRANS-1,3-DICHLOROPROPENE	0.000000	UM33	16-JUL-1992	ND	5.000000	µg/l	R	GO
AL	T	VKN	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	14-JUL-1992	LT	4.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	14-JUL-1992	LT	4.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	4.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	TCLEA	1,1,2,2-TETRACHLOROETHANE / ACETYLENE TETRACHLORIDE	0.000000	UM33	16-JUL-1992	LT	4.700000	µg/l		GO
AL	T	VKN	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	14-JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	14-JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	15-JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	TCLEE	TETRACHLOROETHYLENE / ANKILOSTIN / ETHYLENE TETRACHLORIDE	0.000000	UM33	16-JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	14-JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	14-JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	15-JUL-1992	LT	0.500000	µg/l		GO
AL	T	VKN	TRIPBLNK	TRCLE	TRICHLOROETHYLENE / ALGYLEN / CHLORYLEN / GEMALGENE	0.000000	UM33	16-JUL-1992	LT	0.500000	µg/l		GO

Note: QC Type = F:Field Blank, M:Method Blank, R:Rinse Blank, T:Trip Blank, N:Natural Matrix Spike, S:Standard Matrix Spike

APPENDIX H

TOXICITY PROFILES

ANTIMONY
CAS NO. 7440-36-0

Synonyms:

Chemistry and Uses:

Description: A metal with a boiling point at 1750°C and a melting point at 630.74°C. Antimony exists in a variety of chemical forms, and the most common is stibnite (Sb_2S_3).

Uses:

Fate:

Air: Unstable in air and oxidized to for stibnite. Airborne transport in the form of particulates may occur.

Soil: Sorption to clay and mineral particles results in removal of antimony from solution.

Water: Present as a soluble oxide or as antimonite salt in most natural waters. May react with other heavy metals in solution to form insoluble compounds.

Biological Systems: Bioaccumulation is a minor fate process.

Human Health Effects:

Antimony production has been associated with an increase in lung cancer in exposed workers. Exposed female workers had an increased incidence of gynecological disorders and spontaneous abortions. Decreased weight gain was observed in children born to workers exposed to antimony. Histopathological studies suggest that antimony may result in heart muscle damage to exposed persons.

Environmental Effects:

Daphnia magna and the fathead minnow have been tested with antimony potassium tartrate and antimony trichloride. The LC50 and EC50 values for these two species range from 9,000 - 21,000 μg/l respectively. Chronic values for the fathead minnow and Daphnia are 1,600 and 5,400 μg/l respectively. The freshwater alga, Selanastrum capricornutum had a 96-hour LC50 of 610 ug/l for the inhibition of chlorophyll a synthesis. No detectable bioconcentration of antimony was observed in the bluegill fish. Data are lacking for other wildlife species.

BARIUM
CAS NO. 7440-39-3

Synonyms:

Bario (Spanish)
Baryum (French)
Elemental Barium

Chemistry and Uses:

Description: A silvery-white, malleable metal that is easily oxidized. Barium occurs in nature as many different compounds. It is highly flammable at room temperature in powder form. Barium reacts readily with water, ammonia, oxygen, and most acids (ASTDR, 1991).

Uses: Barium is produced by reducing barium oxide with a less reactive, non-volatile element. It is used as a carrier for radium, a deoxidizer of copper, spark-plug alloys, and getter alloys in vacuum tubes (HSDB, 1991).

Fate:

Releases to the atmosphere: Barium is a highly reactive metal that occurs naturally in a combined state. It is released by both natural processes and anthropogenic sources. It is primarily released by industrial means during mining, refining, etc., and the combustion of coal (ASTDR, 1991).

Barium is not very mobile in most soil systems. This is dependent on the characteristics of the soil. If not taken up by vegetation, barium will be transported through the soil by precipitation (ASTDR, 1991).

Barium may leach into groundwater (in the presence of chloride) and absorb to soils and sediments (ASTDR, 1991).

Barium is not expected to hydrolyze except in highly alkaline environments. It is likely to precipitate out as an insoluble salt. Barium may absorb to suspended particulate matter. The uptake by fish and marine organisms is also an important removal process (ASTDR, 1991).

Barium is primarily removed from the air by wet and dry deposition. It is easily and readily oxidized in moist air. Residence time in air is dependent on size, chemical structure, and environmental factors (ASTDR, 1991).

Human Health Effects:

Exposure to barium occurs by ingestion or inhalation of dust or fume and by skin and eye contact (NLM, 1991).

Barium is not considered to be an industrial health hazard. Exposure to barium resulted in increased blood pressure. No data were available for human LOAELS. A NOAEL of 0.21 mg/kg/day has been established. Hypertension, stroke, heart and renal disease were noted after exposure (ASTDR, 1991).

Environmental Effects:

The uptake of barium by fish and marine organisms is an important removal mechanism. Barium was found to bioconcentrate in marine plants by a factor of 1,000 times the level present in water. Bioconcentration factors (BCFs) in marine animals, plankton, and in algae of 100, 120 and 260, respectively, have been reported (ASTDR, 1991).

BENZ[A]ANTHRACENE
CAS NO. 56-55-3

Synonyms:

benzo[a]phenanthrene
tetraphene
HSDB 4003
benzo[a]anthracene
1,2-benzanthracene
naphthanthracene
benzphenanthrene

Chemistry and Uses:

Description: Crystals with greenish-yellow fluorescence, insoluble in water.

Uses: Found in oils, waxes, food, drugs, used in gases, bitumen, crude oil and wood preservative sludge.

Fate:

Air:

Soil:

Water: Insoluble.

Biological Systems:

Human Health Effects: Not orally toxic; may be highly toxic by intravenous injection, carcinogen (EPA-CAG).

Environmental Effects: Proved to be carcinogenic mice by oral administration. 87% mortality rate in bluegills exposed to 1,000 μg/liter for 6 months.

BENZO[A]PYRENE
CAS NO. 50-32-8

Synonyms:

3,4-Benz[A]Pyrene
Benz[A]Pyrene
BaP
BP

Chemistry and Uses:

Description: Pale yellow monoclinic needles from benzene and methanol. Faint aromatic odor. Toxic to experimental animals.

Uses: BaP is not produced commercially in the United States. It is a research chemical and it uses include positive controls in studies of mutagenicity and carcinogenicity.

Fate:

Air: Released from incomplete combustion. Not volatile. Adsorbs to airborne particulate matter, and removed through wet/dry deposition. Fairly stable in the atmosphere. Photolysis. Reacts with ozone and nitrates.

Soil: Adsorbs strongly to soil with little leaching to the ground water.

Water: Low water solubility. Adsorbs strongly to sediments and particulate matter, and bioconcentrates in some aquatic organisms.

Biological Systems: Resistant to biodegradation. May bioconcentrate. Many organisms may also eliminate this chemical rapidly.

Human Health Effects:

Scrotal and bladder cancers are attributed to workers who have come in contact with BaP, such as chimney sweeps and aluminum smelter workers. Workers in coke-oven plants had a higher incidence of lung cancer than the general population. Workers exposed to products of combustion, like BaP, or distillation of bituminous coal, had a increased risk of cancers of the skin, respiratory tract, bladder and kidney.

Exposure is through inhalation and ingestion of contaminated foods.

Environmental Effects:

BaP has been implicated with causing cancers in some strains of experimental mice, rats and hamsters, resulting in skin, mammary and stomach tumors.

BENZO[B]FLUORANTHENE
CAS NO. 205-99-2

Synonyms:

Benz[e]acephenanthrylene
3,4-Benz[e]acephenanthrylene
2,3-Benzfluoranthene
3,4-Benzfluoranthene
B(b)F
HSDB 4035

Chemistry and Uses:

Description: Solid

Use: Research chemical. Derived from industrial and experimental coal gasification operations. Found in crude oil, gas, and motor oils.

Fate:

Air: Not volatile. May become airborne through adsorption to particulates, and is removed by wet/dry deposition.

Soil: Strong tendency to adsorb to soil. Resistant to leaching.

Water: Low water solubility. Expected to partition to sediments. May bioaccumulate in some organisms.

Biological Systems: Resistant to biodegradation. May bioaccumulate. Many organisms may also eliminate this chemical rapidly.

Human Health Effects:

Potential human carcinogen.

Environmental Effects: Carcinogenic in rats and mice.

BENZO[G,H,I]PERYLENE
CAS NO. 191-24-2

Synonyms:

1,12-Benzoperylene
1,12-Benzperylene
B(ghi)P

Chemistry and Uses:

Description: Solid with a boiling > 500°C and a melting point ranging from 222 - 280°C.

Use: Research chemical. Derived from industrial and experimental coal gasification operations. Found in gas, crude oil, and bitumen.

Fate:

Air: Not volatile. May become airborne through adsorption to particulates, and is removed by wet/dry deposition.

Soil: Strong tendency to adsorb to soil. Resistant to leaching.

Water: Low water solubility. Expected to partition to sediments. May bioaccumulate in some organisms.

Biological Systems: Resistant to biodegradation. May bioaccumulate in some organisms, although it may be eliminated rapidly.

Human Health Effects:

Potential human carcinogen.

Environmental Effects:

BENZO[K]FLUORANTHENE
CAS NO. 207-08-9

Synonyms:

8,9-Benzfluoranthene
8,9-Benzofluoranthene
11,12-Benzofluoranthene
Dibenzo[b,jk]fluorene
HSDB 6012

Chemistry and Uses:

Description: Solid with a boiling point at 480°C and a melting point at 217°C. It is soluble in most solvents.

Use: Research chemical. Derived from industrial and experimental coal gasification operations; also found in cigarette smoke, bitumen, gas and crude oil.

Fate:

Air: Not volatile. May become airborne through adsorption to particulates, and is removed by wet/dry deposition.

Soil: Strong tendency to adsorb to soil. Resistant to leaching.

Water: Low water solubility. Expected to partition to sediments.
Biological Systems: May bioaccumulate in some organisms.

Human Health Effects:

Not considered a potential human carcinogen.

Environmental Effects: Mutagenic in bacteria.

2,2-BIS(p-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE
CAS NO.

Synonyms:

DDT

Chemistry and Uses:

Description:

Uses: DDT is an insecticide used to control malaria, typhus and other insect-transmitted diseases or forest defoliators. In actions dated 1-15-71 and 7-7-72 the EPA canceled all uses of DDT products with few exceptions. These exceptions include the use of DDT to control vector diseases and the use of DDT in pharmaceuticals for control of body lice. In emergencies DDT may be used to control the tussock moth.

Fate:

Air: DDT when released to the atmosphere undergoes direct photooxidation and reaction with photochemically produced hydrosyl radicals. Photooxidation is slow. It is removed from the atmosphere by wet and dry deposition.

Soil: DDT adsorbs strongly to soil with little leaching to the ground water. However, because traces of DDT have been found in ground waters, it is known that leaching does occur. It evaporates from soil surfaces and biodegrades in moist/wet soils. Its half-life is 100 days.

Water: DDT sorption to sediments and biota is strong.

Biological Systems: Significant bioaccumulation.

Transformations: DDT goes to DDE and DDD.

Human Health Effects:

DDT attacks the central nervous system, liver, kidneys, skin and peripheral nervous system. The intake of large doses is followed by vomiting, numbness, parasthesias of lips, tongue and face, malaise, headache, sore throat, fatigue, weakness, leading to tremors, ataxia, convulsions, coma and paresis. Death is due to respiratory failure (Gosselin et al 1984). In humans, 20 grams in the form of 10% dry mixture has induces sever symptoms with gradual recovery over a five week period. A 10 mg daily dose results in an equilibrium condition of 0.15 mg/l DDT in blood serum and 100 mg/kg DDT in biopsy fat. Equilibrium is reached after a 6 month period.

Environmental Effects:

DDT is known to bioconcentrate, and at certain levels is toxic to a number of organisms. LC50s have been determined for some birds, mammals and invertebrates. Pheasant, Japanese quail, bobwhite quail and mallard duck each had LC50 mean values of 311 ppm, 568 ppm, 611 ppm and 1869 ppm respectively when two week old chicks were studied in a 5-day diet, ad libitum. An LC50 for stoneflies and midges was 4.0 and 7.0 μg/l/96 hr respectively.

BIS(2-ETHYLHEXYL) PHTHALATE
CAS NO. 117-81-7

Synonyms:

BEHP
1,2-Benzenedicarboxylic Acid
Bisoflex 81
Bisoflex DOP
DEHP
Di-sec-Octyl Phthalate
Ergoplast FDO
Eviplast 80
Eviplast 81
Fleximel
Flexol DOP
Hatcol DOP
Hercoflex 260
Mollan O
NCI-C52733
Sicol 150
Vinicizer 80
Witcizer 312

Chemistry and Uses:

Description: Bis (2-ethylhexyl) phthalate is a colorless to light colored oil with a slight odor. It has a low vapor pressure (1.32 mm Hg at 200°C).

Uses: Bis (2-ethylhexyl) phthalate is commonly used as a plasticizer for PVC resins. Other uses include pesticide formulations, dielectric fluids, and solvents. Although there have been reports suggesting natural sources of the chemical, they are negligible compared to manmade sources (ATSDR, 1989).

Fate:

Bis (2-ethylhexyl)phthalate has a strong tendency to adsorb to soil and sediment, particularly organic-rich soils. Due to its low volatility, bis (2-ethylhexyl) phthalate will tend not to evaporate when discharged to the land or water. DEHP has been shown to biodegrade under aerobic conditions, with a half-life of several days. Biodegradation under anaerobic conditions occurs very slowly, if at all. Evaporation of DEHP from surface waters is likely to be negligible, with sediments playing a more important role in determining the fate of the chemical. Because of its low vapor pressure and strong adsorptive tendency, atmospheric DEHP will have a strong tendency to adsorb to atmospheric particulates and be removed in precipitation (ATSDR, 1989).

Human Health Effects:

Bis (2-ethylhexyl) phthalate is absorbed well through the gastrointestinal tract following ingestion. Once absorbed, DEHP is distributed through the body with the liver and testes being main target organs. Elimination from the body is rapid, with only a slight cumulative potential.

Environmental Effects:

Reported LC_{50} values for the coho salmon, channel catfish, rainbow trout and bluegill were greater than 100 mg/L for a 96-hour static test. Other tests reported LC_{50}s of greater than 770 mg/L for bluegills in a 96-hour test and 1,000-5,000 μg/l for Daphnia magna in a 48-hour test. Bis (2-ethylhexyl) phthalate does have a tendency to bioconcentrate in aquatic organisms. Experimental log bioconcentration factors range from two to four in fish and invertebrates. The bioconcentration factor for rainbow trout ranged from 42 to 113 for a 36-day test. Fathead minnows had a bioconcentration factor of 115-886 in a 56 day test. The log octanol/water partition coefficient for bis (2-ethylhexyl) phthalate is 4.88 (NLM, 1989).

DEHP has a strong tendency to adsorb to soil and sediments. Calculated log Koc values of 4-5 have been reported. Evidence demonstrates strong partitioning to clays and sediments. DEHP has a very low vapor pressure and Henry's Law Constant 1×10^{-4}. This value relates to a low potential of evaporation from soils or water.

CADMIUM
CAS NO. 7440-43-9

Synonyms:

Kadmium (German)
CI 77180
Colloidal Cadmium

Chemistry and Uses:

Description: Cadmium is a soft, ductile, silver-metal, which has an atomic weight of 112.40 and a specific gravity of 8.642. It is found in many soil profiles under natural conditions. It is readily attacked by most acids and occurs naturally as zero valence (metal and alloys) and the +2 valence (compounds) [U.S. EPA, 1980].

Uses: Commercial uses include electroplating and engraving, as a constituent of easily fusible alloys, of soft solder and of solder for aluminum, in the manufacture of cadmium-vapor lamps, photoelectric cells, Ni-Cd batteries, and as an amalgam in dentistry (Merck & Co., 1968). In the atmosphere, cadmium is expected to be present as dust and fumes from smelting of ores, manufacturing of metallic-alloys, reprocessing of cadmium-containing alloys, recycling of scrip steel, emissions of coal-fired power plants, and incineration of solid wastes (NLM, 1989).

Fate:

The principal removal mechanisms for atmospheric cadmium are wet and dry deposition. The predominant fate of cadmium in aquatic media is sedimentation through binding onto clays or organic matter, and precipitation with manganese oxide, iron oxide, and hydrates (NLM, 1989). Cadmium is also bound onto soil particles with increased binding as the organic matter content of soil increases. Transport in soils may be in the form of nitrate, chloride, carbonate complexes, hydroxide complexes, ammonia complexes, and as chelated and other organo-metallic complexes resulting from organic decay. In the aquatic environment, cadmium is relatively mobile and may be transported in solution as either hydrated cations or as organic or inorganic complexes. Photolysis is not an important removal process (NLM, 1989).

Human Health Effects:

Several studies indicate that cadmium is poorly absorbed by the gut. In Japan, however, chronic exposure through cadmium-contaminated food items caused what is known as itai-itai disease. This disease was caused by cadmium's ability to weaken bone structure. A lowest observable effect level dose is estimated to be 301 μg/kg-bw/day. Cadmium is absorbed more efficiently by the lungs than by the gut in humans. Respiratory problems and possible renal complications are associated with chronic occupations exposure to cadmium fumes. A major non-occupational source of respirable cadmium is cigarettes. The estimated intake from the source is 0.1 to 0.2 micrograms per cigarette. Inhalation of welding fumes from

metals containing cadmium may result in "metal fume fever" and acute reaction to occupational levels of cadmium (NLM, 1989).

Cadmium also has long-term toxicity to mammals. It is particularly effective because it is not eliminated by the organism and accumulates mostly in the bones. There is also evidence of a correlation between cadmium poisoning and arterial hypertension. Cadmium has been demonstrated to be teratogenic and to reduce fertility following intravenous, intraperitoneal, and subcutaneous administration. It appears that cadmium can be mutagenic under some conditions; however, the relationship between mutagenicity and carcinogenicity is not as well correlated for metals as for some other classes of carcinogens. Cadmium has been classified by the U.S. EPA. Carcinogen Assessment Group as a probable human carcinogen by inhalation based upon limited human exposure data. Insufficient data exist to classify cadmium as carcinogenic to humans by the oral route (NLM, 1989).

Environmental Effects:

Acute toxicity of cadmium ranged from 33-63 μg/L for Daphnia magna, 8-12,000 μg/L for fathead minnows, and 21,000 μg/L for bluegill (U.S. EPA, 1980a; Birge et al., 1985). Birge and others. (1985) also reported concentrations of 140 ad 240 μg/L for carp and bass, respectively, in a 96-hour LC_{50} test.

CHLORDANE
CAS NO. 57-74-9

Synonyms:

CD-68
Chloridan
Dowchlor
Ortho-Klor
M-140
Niran
Octachlordihydrodicyclopentadiene
Topiclor

Chemistry and Uses:

Description: Amber, viscous liquid with aromatic, pungent chlorine-like odor.

Uses: Pesticide, termite control, insecticide, fumigant.

Fate:

Air: Adsorb to airborne particulates. Atmospheric transport of vapors.

Soil: Binds tightly to soil particles. Resists leaching.

Water: Insoluble.

Biological Systems: Degrades under natural conditions to compound of higher toxicity and bioaccumulation. Very persistent in the environment. Absorbed by certain food and feed crops.

Human Health Effects: Fatal toxic dose between 6-60 grams. Toxic by ingestion, inhalation, and skin absorption.

Environmental Effects: Bioaccumulates in adipose tissue. Causes liver tumors in mice (carcinogenic); mutagen, cumulative neurotoxin; does not appear to be extensively concentrated in the higher members of the food chain.

CHLORINE
CAS NO. 7782-50-5

Synonyms:

bertholite

Chemistry and Uses:

Description: Dense greenish-yellow volatile gas with a pungent, irritating odor.

Uses: In the manufacture of carbon tetrachloride and other chlorinated hydrocarbons, explosives in combination with certain compounds and metals, water purification, shrink proofing wool, in special batteries.

Fate:

Air: Very reactive gas, forms HCI.

Soil: Reacts with many types of organics and inorganics.

Water: Reacts quickly to form HOCI.

Biological Systems:

Human Health Effects: Moderately toxic, very irritating to mucous membranes, 1000 ppm may be fatal.

Environmental Effects: Not carcinogenic or teratogenic, causes pulmonary edema as chlorine gas.

CHROMIUM
CAS NO. 7440-47-5

Synonyms:

Chrome
Chrom (German)
Chrome (French)

Chemistry and Uses:

Description: Chromium is a naturally occurring element. It is a steel-gray lustrous metal with a high melting point, that occurs in several different forms. No known taste or odor is associated with chromium. Toxicological important routes of entry are inhalation and ingestion.

Uses: Chromium is used in coloring glass and as pigment for floor coverings, paper, cement and asphalt roofing. It is also used as a component in stainless and heat-resisting steels. Air emissions containing chromium result from paper mills, petro-chemical fertilizers, metal foundries and steam-generation power plants (NRCC, 1976.) The sources of chromium in wastewater are from its use as a corrosion inhibitor and from dyeing and tanning industries (Brown, 1983).

Fate:

Chromium is very mobile in groundwater and sometimes used as a tracer to follow groundwater flows. In the atmosphere, chromium is associated with particulate matter and is not expected to exist in a gaseous form. Large particles will deposit quickly. Small particles form stable aerosols and may be transported many miles. Hexavalent chromium does not absorb to clay. Sandy soils with low organic contents have high chromium (III) availability (NRCC, 1976).

Human Health Effects:

Chromium compounds act as allergens, which cause dermatitis to exposed skin. Exposures to dust or mist may cause coughing, wheezing, and headaches. Chromium may have a corrosive effect on the mucous membranes of the upper respiratory tract. When compared to adult tissues, human fetus (heart, liver and spleen) showed an accumulation factor of 10. The level decreased upon aging (NRCC, 1976).

Environmental Effects:

The bioconcentration factor for chromium in rainbow trout is approximately 1. In bottom feeder bivalues such as the oyster, mussel, and soft shell clam, the BCF may range from 86 to 192. Chromium is not expected to biomagnify in the aquatic food chain.

CHRYSENE
CAS NO. 218-01-9

Synonyms:

1,2-Benzophenanthrene
Benzo[a]phenanthrene
1,2,5,6-Dibenzonaphthalene

Chemistry and Uses:

Description: Naturally occurs in coal tar; formed during distillation of coal.

Uses: Organic synthesis.

Fate:

Air: Not highly volatile, atmospheric transport can occur.

Soil:

Water: Insoluble, absorbs to suspended matter, sediment.

Biological Systems: Slightly soluble in alcohol, ether, facial acetic acid.

Human Health Effects: Suspected carcinogen, mutagen, immunosuppressive.

Environmental Effects: Biodegrades quicker in soil than in aquatic systems, produces skin tumors in mice, mutagenic.

COPPER
CAS NO. 7440-50-8

Synonyms:

ANAC 110
Bronze Powder
CDA 101
CDA 102
CDA 110
CDA 122
1721 Gold
Gold Bronze
Kafar Copper
Cu
Ranery Copper

Chemistry and Uses

Description: Copper is a reddish, malleable metal that is naturally occurring in rocks, soil, water, sediment, and air. It is insoluble and classified as a non-combustible solid.

Uses: Copper is an essential nutrient for all living organisms. It is most commonly used in electrical wiring, water pipes, and the U.S. penny. Copper is also found as a bronze and brass alloy.

Fate:

Copper is released to the atmosphere in the form of particulate matter or adsorbed to particulate matter. It is removed by bulk and dry deposition, washout by rain, and rainout. Most copper deposited in soil from the atmosphere, agricultural use, and solid waste and sludge disposal will be strongly adsorbed and remain in the soil. Much of copper discharged via water is in particulate form and settles out, precipitates out, or adsorbs to organic matter, hydros iron and manganese oxides, and clay in sediment or in the water column. Copper binds primarily to organic matter in estuarine sediment.

Human Health Effects:

Copper has little or no toxicity, but inhalation of fumes and dust can irritate the upper respiratory tract causing congestion of mucous membranes, ulceration, and perforation of the nasal septum. In severe cases, inhalation of fumes can cause nausea, gastric pain, diarrhea, and sometimes poisoning. Ingestion of high concentrations of copper can induce acute gastrointestinal disturbance including vomiting, diarrhea, stomach cramps, and nausea. Long-term exposure to excessive amounts of copper in food or water by young children can result in liver damage and death. The LD_{50} in mice has been found to be 3,500 μg/kg.

Environmental Effects:

The bioconcentration factor (BCF) of copper in fish is 10-100, indicating a low level. the BCF in mollusks is much higher and for oysters can reach 30,000. Nevertheless, copper does not appear to exhibit biomagnification in the food chain. The biomagnification ratio (concentration of copper in fish to that in potential food) was <1, indicating no biomagnification. Studies of bioaccumulation in 10 mammalian species at various trophic levels reported similar findings. In fish, the LC_{50} ranges from 75-470 μg/L during the adult lifestage, depending on the species. During early lifestage, rainbow trout were found to have a LC_{50} value of 80 μg/L (Barnthouse, 1986).

CYANIDE
CAS NO. 57-12-5

Synonyms:

isocyanide
carbon nitride ion
HCN
amygdalin

Chemistry and Uses:

Description: White solids with a faint almond odor.

Uses: Pesticides, metal polishes, photographic solutions.

Fate:

Air: Extremely volatile (toxic and flammable vapors).

Soil: Move freely, biodegrade rapidly.

Water: As HCN in aquatic environment, metal cyanides are insoluble, accumulate in sediment.

Biological Systems:

Human Health Effects: Respiratory failure toxicity level grater than 0.2 μg/ml.

Environmental Effects: HCN and NaCN are very toxic by all routes, dangerous at 20 ppm, fatal at 100 ppm for one hour.

DI-N-BUTYLPHTHALATE
CAS NO. 84-74-2

Synonyms:

o-Benzenedicarboxylic Acid
Dibutyl Ester
n-Butyl Phthalate
Celluflex DPB
DBP
Dibutyl 1,2-Benzenedicarboxylate
Elaol
Hexaplas M/B
NA 9095
Palatinol C
Polycizer DBP
PX 104
Staflex DBP
Witcizer 300

Chemistry and Uses:

Description: Di-n-butyl phthalate is a colorless to faint yellow viscous liquid, with a slight, but characteristic ester odor.

Uses: Di-n-butyl phthalate is used primarily to soften plastics such as raincoats, car interiors, vinyl fabrics, and floor tiles. It is also used in nail polish, aftershave lotion, adhesives, and caulking (NLM, 1990).

Fate:

Di-n-butyl phthalate exists primarily as particulate matter and is subject to gravitational settling when released into the atmosphere. It has an estimated half-life of 18 hours in air, and the free molecule will photodegrade by reaction with hydroxyl radicals. In water, di-n-butylphthalate will adsorb moderately to sediment and complex with humic material in the water column. Biodegradation rates are rapid with 90-100 percent degradation in 3-5 days in industrial rivers, and 2-17 days in water from a variety of estuarine and freshwater conditions. Although it biodegrades under anaerobic conditions, its fate in groundwater remains unknown. Di-n-butyl phthalate will adsorb to a moderate extent and will slowly biodegrade in soil (66 to 98 percent degradation in 26 weeks from two soil) (NLM, 1990).

Human Health Effects

Exposure to di-n-butyl phthalate may occur through inhalation, ingestion, or dermal routes. It can be found in wastewater emissions during production and use, incineration of plastics, and migration from products from which it is constructed. Exposure may also occur from drinking water and food products. Contact may cause burns to skin and eyes. Breathing plasticizers as sprays can cause throat irritation. Problems with menstrual disorders and higher rates of miscarriages, reduced gestation, and delivery rates have been reported among women who worked in industries where phthalates were used. Di-n-butyl phthalate has not been classified as a carcinogen as both human and animal studies are not available (U.S. EPA, 1990).

Environmental Effects

Di-n-butyl phthalate is readily metabolized and does not bioaccumulate in fish to any extent. Studies of clams (Neanthes virens), american oysters, brown shrimp, and sheepshead minnow reported similar findings. Di-n-butyl phthalate is toxic to synchronously developing larvae of the brine shrimp, Artemia. An LC_{50} value of 0.21 mg/L/1500 hr were found in scud (Gammarusfasciatus), while the alga, Gymnodinium breve, was reported to have a LC_{50} value of 0.02-0.6 ppm/96 hr (NLM, 1991).

DIETHYL PHTHALATE
CAS NO. 84-66-2

Synonyms:

anozol
1,2-benzenedicarboxylic acid
DEP
diethyl ester
ethyl phthalate
neantine
solvanol

Chemistry and Uses:

Description: Clear, colorless liquid, combustible, white stable, odorless, liquid, bitter taste.

Uses: Plastics, explosive component.

Fate:

Air: May volatilize in dry soil. Also adsorbs to airborne particulates.

Soil: Not known.

Water: May be subject to leaching. Reacts with Fulvic acid (in Humas) to form a complex which is highly soluble in water.

Biological Systems: May biodegrade under aerobic conditions. Not expected to bioaccumulate.

Human Health Effects: Moderate toxicity by ingestion and inhalation, poison by intravenous producing respiratory system effects, teratogenic.

Environmental Effects: Teratogenic, mutagenic, no report that it is carcinogenic.

2,4-DINITROTOLUENE
CAS NO. 121-14-2

Synonyms:

1-Methyl-2,4-Dinitro Benzene
2,4-Dinitrotoluol
2,4-DNI

Chemistry and Uses:

Description: 2,4-Dinitrotoluene is a yellow to red solid with a characteristic odor. It may be in the form of a yellow liquid. Is classified as a combustible solid, but is difficult to ignite. 2,4-Dinitrotoluene is incompatible with strong oxidizers, caustics, and metals. Commercial grades will decompose at 482 °F with self-sustaining decomposition at 536°F.

Uses: 2,4-Dinitrotoluene is used by the munitions industry as a modifier for smokeless powders. It is also used as a plasticizer in moderate or explosives and in the manufacture of rubber chemicals and plastic.

Fate:

An estimated soil adsorption coefficient (K_{oc}) of 282 indicates the potential for slight mobility in the soil (NLM, 1992). Photolysis is probably the most significant removal process of 2,4-dinitrotoluene in water. Photolytic half-lives in rivers, bays, and pond waters were 2.7, 9.6, and 3.7 hours, respectively (NLM, 1992). The measured log Kow value of 1.98 reflects that 2,4-dinitrotoluene has a slight tendency to adsorb to sediments, suspended solids, and biota.

Human Health Effects:

The effects from exposure to 2,4-dinitrotoluene may include headaches, irritability, dizziness, nausea, and unconsciousness. It is also noted to cause systemic intoxication (NLM, 1992). the onset of symptoms may be delayed. Repeated or prolonged exposure may cause anemia. Skin absorption is the primary exposure route. Alcohol ingestion may lead to an increased susceptibility.

Environmental Effects:

Reported 96-hour bioassay for fathead minnows resulted in LC_{50}'s of 24.3 mg/L and 31,000 mg/L, respectively (NLM, 1992).

2,6-DINITROTOLUENE
CAS NO. 606-20-2

Synonyms:

2,6-DNT
Benzene, 2-methyl-1,3-dinitro

Chemistry and Uses:

Description: 2,6-DNT is a yellow to red solid with a slight odor. It is soluble in alcohol.

Uses: 2,6-DNT is used as a gelatinizing and waterproofing agent in explosives. It also is used in the synthesis of TNT, urethane polymers, foams, coatings, and dyes.

Fate:

Releases to the Environment: 2,6-DNT can enter the body by ingestion, inhalation of vapor, and percutaneous absorption of liquid.

Soil: The calculated Kox 204 and an estimated log Kow of 1.72 indicate that 2,6-DNT is slightly mobile in soil (NLM, 1992).

Groundwater: No information could be found on the mobility of 2,6-DNT in groundwater.

Surface Water: Photolysis may be the most significant removal mechanism for 2,6-DNT in water. The estimated log Kow of 1.72 indicates that 2,6-DNT may sorb to sediments, suspended solids and biota to a limited extent.

Atmosphere: A computer estimated atmospheric half-life for 2,6-DNT is 8 hours (NLM, 1992).

Human Health Effects:

Routes of Entry:

Noncarcinogenic Effects: The primary subacute toxic effects occur in the red cells, nervous system, and tests (NLM, 1992). It is mutagenic in the Ames test. Reproductive effects were observed in dogs, rats, and mice. A 4 mg/kg oral dose in the dog produced inhibited muscular coordination, decreased appetite, and weight loss. It is a possible inductor of adverse reproductive effects in humans.

Carcinogenic Effects: 2,6-DNT is a potent hepatocarcinogen in rats and is regarded by the National Institute for Occupational Safety and Health as a potential human carcinogen.

Environmental Effects:

Aquatic Toxicity: A bioconcentration factor of 5225 was measured for the algal biomass in a model waste stabilization pond.

Terrestrial Toxicity: No information could be found.

FLUORANTHENE
CAS NO. 206-44-0

Synonyms:

1,2-Benzacenaphthene
1,2-(1,8-Naphthalenediyl)benzene
Benzo[j,k]fluorene
Idryl

Chemistry and Uses:

Description: Colorless solid, combustible, derived from coal tar.

Uses:

Fate:

Air:

Soil:

Water: Insoluble.

Biological Systems:

Human Health Effects: Poisonous by intravenous injection; moderately toxic by ingestion and skin contact; suspected carcinogen.

Environmental Effects:

HEPTACHLOR
CAS NO. 76-44-8

Synonyms:

agroceres
3-chlorochlordane
drinox
heptagran
heptamul

Chemistry and Uses:

Description: Crystalline, white to light tan waxy solid.

Uses: Pesticide, termite control, insecticide, termite control.

Fate:

Air: Does not volatilize.

Soil: Will not leach or diffuse in soils.

Water: Nearly insoluble.

Biological Systems: May bioconcentrate.

Human Health Effects: Suspected carcinogen; poison by ingestion and skin contact; mutagenic; liver damage; 1-3 grams cause acute symptoms and death.

Environmental Effects: Highly toxic to aquatic life. Persists for prolonged times in the environment. Bioconcentrates in organisms at different trophic levels. Has been found to be carcinogenic in mice.

HMX
CAS NO. 2691-41-0

Synonyms:

beta HMX
cyclotetramethylenetetranitramine
HW4
LX 14-0
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine
Octogen
Oktogen
Tetramethylenetetranitramine
1,3,5,7-tetrazocine, octahydro-1,3,5,7-tetranitro
UN 0226

Chemistry and Uses:

Description: HMX is an explosive polynitramine. Information on the description of HMX was limited (NLM, 1992).

Uses: HMX is used in the manufacture of explosives (NLM, 1992).

Fate:

In river water, photolysis is the dominant transformation process. Poor light transmission in lagoon waters inhibited photolysis. Conditions were not favorable in the river or LAAP lagoons for biotransformation. HMX may be persistent in these environments with dilution being the major factor in reducing HMX concentrations. Biotransformation occurred under aerobic and anaerobic conditions in HMX wasteline water, but were not favorable in the river on LAAP lagoon. Half-lives for photolytic transformation in the (Holston) river and the lagoon were 17 days and 7,900 days, respectively (NLM, 1992).

Human Health Effects:

Following a 13 week Fisher Rat study, a NOAEL of 50 mg/kg/day and a LOAEL of 150 mg/kg/day were determined. An RfD of 5E-2 mg/kg/day is established.

Dose-related reductions in weight gain were noted. Following histologic exams, hepatic lesions and other changes were noted (NLM, 1992).

HMX is not classifiable as to human carcinogenicity. No human studies evaluating carcinogenicity were found. No chronic bioassays evaluating carcinogenicity in animals were found.

Environmental Effects:

HMX exhibits acute toxicity to aquatic organisms. Mutagenic activity was not exhibited using the Ames test in Salmonella typhimurium. The 7-day old fry of the fathead minnow was acutely affected, with an LC_{50} of 15 mg/L/96-hour (NLM, 1992).

INDENO[1,2,3-C,D]PYRENE
CAS NO. 193-39-5

Synonyms:

Indenopyren
IP
1,10-[-o-phenylene]pyrene
2,3-Phenylenepyrene
2,3-o-Phenylenepyrene

Chemistry and Uses:

Description:

Uses:

Fate:

Air: Not volatile. May adsorb to airborne particulates. This chemical is removed by wet/dry deposition.

Soil: Based on physical properties, expected to adsorb to soil and resist leaching.

Water: Not soluble. Not expected to hydrolyze of photolyze.

Biological Systems: Expected to be resistant to biodegradation. Based on physical properties may bioconcentrate in some organisms.

Human Health Effects: Carcinogenic, mutagen.

Environmental Effects:

IRON
(CAS NO. 7439-89-6)

Description: Iron is considered an essential human nutrient. No other information is available from the National Library of Medicine Database.

Uses: No information on use is available from the National Library of Medicine Database.

Fate:

Releases to the Environment: No information is available on the environmental fate of iron in the National Library of Medicine Database.

Human Health Effects:

Routes of Entry: Little information is available concerning the adverse health effects of exposure to iron. Long-term inhalation exposure to iron caused mottling of the lungs, a conditions known as siderosis. Metallic iron foreign bodies in the cornea caused a "rust ring" of yellow-brown staining, associated with irritation of the conjunctiva (NLM 1991).

Environmental Effects:

No information is available on environmental effects of iron in the National Library of Medicine Database.

LEAD
CAS NO. 7439-92-1

Synonyms:

Pb
Plumbum

Chemistry and Uses:

Description: Lead is a heavy, ductile, soft gray metal. It is a known carcinogen of the lungs and kidneys.

Uses: Lead is the fifth most important metal commercially in the United States and enters the environment through mining, processing, smelting, refining, recycling, or disposal. Lead is utilized in the metallurgy process and can be added to other alloys to improve their characteristics. It is a common constituent of pigments for paints, varnishes, storage batteries, rubber, plastics, and electronic devices.

Fate:

Lead is an extremely stable metal, although it dissolves in acid. Lead usually converts to more insoluble forms in soil, although some corrosion may be expected. It also forms complexes with organic matter and clay minerals, which limit its mobility. In water, lead sinks into the sediment, although when dissolved it will form ligands that vary with pH. Lead will also form compounds of low solubility with the major anions of natural water. Biomethylation of lead by benthic microorganisms can lead to its remobilization and reintroduction into the aqueous environment.

Human Health Effects:

Lead is poisonous in all forms. Systemic lead poisoning can result from inhalation of airborne lead particulate matter for fumes, or from ingestion in its ionic form in water and food. Ingestion of metallic lead can lead to an acute attack after a long asymptomatic period. Lead ingestion may result in an astringent and metallic taste in the mouth, dry throat, thirst, burning abdominal pain, and vomiting, occasionally accompanied by diarrhea or constipation. Stools may be bloody or black due to the presence of lead sulfide. Other symptoms include peripheral circulatory collapse and neuromuscular symptoms, such as muscular weakness, pain and cramps, especially in the legs. Central nervous system manifestations include headaches, insomnia, paresthesia, depression, comas, and death. Exposure to lead by children occasionally produces progressive mental deterioration.

Environmental Effects

Lead does not appear to bioconcentrate significantly in fish, but does in some shellfish such as mussels. The log BCF on a wet weight basis in freshwater fish ranges from 1.38 to 1.65; for freshwater invertebrates the range is 2.70 to 3.23.

MERCURY
CAS NO. 7439-97-6

Synonyms

Hg
Colloidal Mercury
Metallic Mercury
Quicksilver

Chemistry and Uses:

Description: Mercury is a silver-white, heavy, odorless liquid metal. It is insoluble and classified as non-combustible liquid.

Uses: Mercury ore is ubiquitous in rock formations and is also present under natural conditions in soils. Besides a variety of inorganic compounds, mercury forms a number of organic chemicals. Organic compounds are toxicologically and environmentally significant because they can be rapidly absorbed by living organisms. Mercury is used in a number of industrial processes and in fungicides. The largest industrial use of mercury is for the manufacture of electrical apparatus. Mercury in ambient air is largely derived from electrical and chloroalkali industries and the burning of fossil fuels.

Fate:

Mercury binds strongly to soils, especially to soil organic material. Elemental mercury is very immobile in soil; thus, leaching to groundwater is unlikely. Organomercury develops in soil within 30 to 50 days after application in the presence of biological activity. Availability of soil mercury to plants is very low and there is a root barrier to translocation of mercury to plant tops. Volatility of elemental mercury accounts for high atmospheric concentrations, reported at 20 to 200 $\mu g/m^3$ near areas containing high soil levels of 10 mg/kg (normal atmospheric concentration = 5 ug/m^3). Mercury binds to atmospheric dust particles which are removed by wet and dry deposition. Photodegradation may be important in the removal of vapor-phase mercurial compounds (NLM, 1989).

In aquatic systems, mercury appears to bind to dissolved matter or fine particulates and to bed sediments. Mercury in sediments can be desorbed into the water column, transported, and redeposited. Methylation is likely to occur in the top two centimeters of the sediments. Virtually any mercurial compound can be microbially converted to methyl mercury. Methylation is also reported to occur among zooplankton. Transformation to volatile chemicals, such as dimethyl mercury may result in loss to the atmosphere or conversion to photolysis to methylmercury and return to the surface water. Mercury bioaccumulates and concentrates in the food chain, where it then acts as a significant transport mechanism (NLM, 1989).

Human Health Effects:

Metallic mercury is poorly absorbed from the gastrointestinal tract. However, ingested organic mercury, especially methylmercury, is almost completely absorbed. The respiratory system is much more efficient in absorbing mercury vapor. Studies indicate that approximately 80 percent of the inhaled vapor is absorbed. Data regarding the absorption of organic mercury via the lungs have not been identified in the literature reviewed.

The toxic effects of chronic exposure to elevated levels of mercury have been well documented. Exposure to elevated organic mercury resulted in Japan after consumption of tainted seafood and in Iraq after people consumed bread made from gain treated with a mercury-containing fungicide. The major signs of toxicity were twitching in the extremities, impaired peripheral field of vision, slurred speech, and unsteadiness of gait and limb. Maximum severity of symptoms occurred several weeks after the end of exposure.

The Human Health Assessment Group of the U.S. Environmental Protection Agency has classified this chemical as "not classifiable as to human carcinogenicity." No human datum is available, and animal and supporting data are inadequate to classify possible human effects (U.S. EPA, 1989).

Environmental Effects:

The U.S. EPA Ambient Water Quality Criteria document reports acute 96-hour LC_{50} values of 5, 15 and 24-400 μg/L for Daphnia, fathead minnows, and trout, respectively. A value of 350 μg/L has been reported for catfish (NLM, 1989). MATC values in the ranges of 1 - 2.47 μg/L, for Daphnia have been reported. Barnthouse and Suter (1986) reported a NOEC of <0.23 - <0.26 μg/L for fathead minnows and Biryl et al. (1985) reported a MATC of 0.29 - 0.93 μg/L for trout.

METHYL-n-BUTYL KETONE
CAS NO. 591-78-6

Synonyms:

propylacetone
2-hexanone
MBK
butyl methyl ketone

Chemistry and Uses:

Description: Colorless liquid.

Uses: Solvent.

Fate:

Air: TLV: 5 ppm in air.

Soil:

Water:

Biological Systems:

Human Health Effects: Irritant to eyes and mucuous membranes absorbed by skin.

Environmental Effects:

N-NITROSODIPHENYLAMINE
CAS NO. 86-30-6

Synonyms:

Benzenamine
Curetard A
Delac J
Diphenylnitrosamine
NDPhA
Diphenylnitrosamine
Diphenyl-N-Nitrosodamine
Naugard TJB
NDPA
NDPhA
Nitrosodiphenifamine
Nitrosodiphenylamine, N-
Nitrous Diphenylamide
N-Nitrosodifenylamine
N-Nitrosodifenylamine
REDAX
RETARDER J
TJB
Vulcalent A
Vulcatard
Vulcatard A
Vulkalent A
Vultrol

Chemistry and Uses:

Description: Green plate-like crystals or dark blue crystals.

Uses: Chemical intermediate for N-phenyl-p-phenylenediamine. Used in rubber processing as a vulcanization retarder.

Fate:

Air:

Soil:

Water:

Biological Systems:

Human Health Effects: Suspected carcinogens, suspected mutagens.

Environmental Effects:

NICKEL
CAS NO. 7440-02-0

Synonyms:

Ni
Elemental Nickel
Synonyms of other compounds vary depending upon the specific nickel component.

Chemistry and Uses:

Description: Nickel is a hard, ductile, magnetic metal with a silver-white color. It is classified as a flammable solid.

Uses: Nickel is a valuable mineral commodity because of its resistance to corrosion. It is used extensively in the production of stainless steel. Other uses include electroplating baths, batteries, and textile dyes. In the atmosphere, nickel is present as suspended particulate matter.

Fate:

Nickel is continuously transferred between environmental sectors by erosion, precipitation, and weathering. Various dry and wet precipitation processes remove particulate matter as washout or fallout from the atmosphere to soils and water systems. The transportation of nickel in soils is dependent upon physical and chemical interactions. Aquatic nickel mobility is controlled mainly by the capability of various sorbents to release it from solution. Although nickel is bioaccumulated, the concentration factors suggest that partitioning is not a dominant fate process. No data were found to suggest that nickel is involved in any biological transformation in the aquatic environment.

Human Health Effects:

Routes of intake for humans are inhalation, ingestion, and percutaneous absorption. Skin sensitization is the most common toxic reaction. Pulmonary absorption varies according to the physical form of the compound. Target organs during inhalation exposures have been identified as the lung, brain, kidney, and liver. Based on animal studies, nickel appears to have a very short half-life of several days. There is evidence, both in humans and animals, of carcinogenic effects from nickel exposures.

Environmental Effects:

Six strains of algae were tested for their ability to bioaccumulate. The concentration factor for nickel was determined in the range of 0 - 3.0 x 10^{+3}. The effect of environmental bioaccumulation has been observed to depend on pH. Most of the algae strains accumulated nickel optimally at a pH of 8.0 (Env. Sci. Tech., 1984). Although aquatic organisms may accumulate nickel from their surrounding, there is little evidence for significant biomagnification with food chains (NRCC, 1981). The NOAEL and LOAEL values have been published at 5 and 50 mg/kg/day, respectively (Ambrose et al., 1976).

NITRATE
CAS NO. 14797-55-8

Synonyms:

Collo-Bo
Kalii Nitras
Kaliumnitrat
Niter
Nitrate of Potash
Nitre
Nitric Acid Potassium Salt
Saltpeter

Chemistry and Uses:

Description: Nitrate is an odorless, white, granular or crystalline powder with a cooling, saline pungent taste. It is slightly soluble in water and is insoluble in ether (NLM, 1992).

Uses: Nitrate is used in fireworks; fluxes; pickling of meat; manufacture of glass, matches, blasting and gun powder. It is also used as a fertilizer and medically as a diuretic (NLM, 1992).

Fate:

Nitrate is present in well water contaminated by runoff from nitrogen fertilizers, decaying matter, or sewage treatment plants. No data were found on the fate, biodegradation, or transformation processes of nitrate (NLM, 1992).

Human Health Effects:

The main route of exposure for nitrate is by ingestion. Nitrate is most rapidly absorbed and excreted unchanged. In some instances, if not absorbed, nitrate is reduced to nitrite in saliva. Excretion is primarily through the kidney.

Ingestion of large quantities may cause violent gastroenteritis, while prolonged exposure to small amounts may produce anemia, methemoglobinemia, and nephritis. Symptoms from nitrate exposure include: fall in blood pressure, a roaring sound in ears, headaches, and visual disturbances, nausea and vomiting, followed by collapse, coma and clonic convulsions. Death may result due to circulatory failure. The lethal dose for an adult ranges from 54 to 462 mg/kg (NLM, 1992).

Acute toxicity is a result of the reduction of nitrate, which occurs in the stomach and saliva. Nitrite oxidizes hemoglobin to methemoglobin which is not an oxygen carrier to the tissues, anoxia and death may occur. The toxic dose varies greatly; 15 to 30 grams may be fatal, but larger doses have been taken without serious effect (NLM, 1992).

In animals, after nitrate ingestion, abdominal pain and diarrhea are seen, along with muscular weakness, convulsions, increased heart rate, and in severe cases, progressive cyanosis,

leading to coma and death. In experimental horses, an oral dose of 1,000 mg/kg of body weight caused illness, not death.

The NOAEL and LOAEL are 1.6 mg/kg/day and 1.8 - 3.2 mg/kg/day, respectively. An oral reference dose of 1.6 + 0 mg/kg/day has been established. A reproductive/developmental NOAEL of 41 mg/kg/day for rats and rabbits was identified (NLM, 1992).

No data were available on human carcinogenicity (NLM, 1992).

Environmental Effects:

Data on the aquatic toxicity of nitrate were not found, and only limited data on terrestrial animals were found.

The acute oral LD_{50} is 1000 mg/kg in sheep. The oral LD_{50} of 1.166 g anion/kg for rabbits (NLM, 1992).

NITRITE
CAS NO. 14797-65-0

Synonyms:

Nitrous acid, ion (1-)

Chemistry and Uses:

Description:

Uses: Explosives.

Fate:

Air:

Soil:

Water: MCL of 1.0 mg/L.

Biological Systems:

Human Health Effects: Nausea, vomiting, cyanosis, collapse and coma; repeated small doses causes low blood pressure, methemoglobinemia in infants.

Environmental Effects:

PHENANTHRENE
CAS NO. 85-01-8

Synonyms:

phenantrin

Chemistry and Uses:

Description: Colorless, shining crystals, soluble in alcohol, insoluble in water, combustible. One of the polycyclic aromatic hydrocarbons.

Uses: Dyes, explosives.

Fate:

Air: Transported as suspected particulates.

Soil: Strongly absorbed into particulate matter.

Water: Insoluble, transported as suspended particulates and accumulates in sediment.

Biological Systems: Accumulates in the biota of aquatic environments, metabolized by multicellular organisms and degraded by microbes.

Human Health Effects: Questionable carcinogen; poison by intravenous injection; moderate toxic by ingestion; skin photosensitizer.

Environmental Effects: Development of skin tumors in mice, exhibits mutagenic evidence.

PHOSPHORUS (WHITE)
CAS NO. 7723-14-0

Synonyms:

None

Chemistry and Uses:

Description: Crystalline wax-like transparent solid.

Uses: Rodenticides, smoke screens, analytical chemistry.

Fate:

Air: Explosive in air.

Soil:

Water: Insoluble in water, slowly converted to phosphate.

Biological Systems: Bioaccumulates as phosphate in plants (in particular aquatic plants), excess phosphate causes algae blooms which limit the amount of O_2 in the water.

Human Health Effects: Highly toxic by ingestion and inhalation, will burn skin. Causes bone necrosis with chronic expousre, most often in the jawbone.

Environmental Effects: Ignites spontaneously in air at 86 °F (30 °C).

POLYCHLORINATED BIPHENYLS
CAS NO. 37324-23-5

Synonyms:

Chlorinated diphenyl
Aroclor
Chlorobiphenyl
Chlophen
Phenoclor
PCB
Dykanol
Fenclor
Pyralene

Chemistry and Uses:

Description: PCB 1262 is a polychlorinated biphenyl mixture with 61.5-62.5 percent chlorine. It is a sticky resin with little to no odor. Solubility in water is extremely low (ASTDR, 1992).

Uses: PCB is not naturally occurring in nature. It is produced and restricted to use in non-totally enclosed manner in hydraulic systems, in microscopy as mounting medium and in small quantities for research and development (as enzyme inducers) (NLM, 1992).

Fate:

PCBs (Aroclors) are no longer produced or used in the manufacture of new products. Releases to the air occur in the redistribution of compounds already present in soil and water. They are also released from transformers and capacitors found in disposal sites, incineration of PCB-containing wastes, and illegal or improper disposal of PCB. In surface water, PCB is released during the environmental cycling process. In soil, the deposition of atmospheric PCB from the environmental cycling process is the major source of PCB in the soil (ASTDR, 1992). Exposure to PCB is through ingestion of food and water, along with inhalation of contaminated air. Dermal exposure is a likely route for workers handling PCB-containing equipment (NLM, 1992).

PCB in soil is resistant to biodegradation, although this is the ultimate degradation process. The low water solubility and high octanol-water partition coefficients demonstrate strong absorption to soil and sediment and indicate that leaching should not occur under most conditions (ASTDR, 1992). In the presence of organic solvents, PCB will leach quite significantly in soil. Volatilization rates in soils will be low for areas with high chlorination. The half-life for the more highly chlorinated PCBs is >60 - >150 years, taking into account environmental fate mechanisms (NLM, 1992).

PCBs in the atmosphere occur primarily in the vapor-phase state. The tendency of PCBs to absorb to airborne particulates will increase as the degree of chlorination increases. Physical removal of PCB in the atmosphere is accomplished by wet and dry deposition. These emissions may be transported long distances from their sources. The dominant transformation process may be the photochemical reaction of PCB with the hydroxyl radical. A half-life ranges from 12.9 days (monochlorobiphenyl) to 1.31 years (heptachlorobiphenyl) [NLM, 1992].

In water, absorption to sediment and organic matter is the major fate process for PCBs. Concentrations in sediment are greater than in the water column, indicating that sediments act as a reservoir from which PCBs may be released slowly over a long period of time. Redistribution from aquatic sediments will be significant for PCBs in the top layers of sediments.

Volatilization of PCBs is an important transport process. Adsorption to sediments will decrease volatilization rate. Even though the volatilization is low, the total loss over time may be significant due to the persistence and stability of PCBs. Aquatic hydrolysis and oxidation are not significant processes for PCBs in the aquatic environment (NLM, 1992).

PCBs are highly lipophilic and bioconcentrate in tissue. The bioconcentration factor of fat in humans is 175 (wet weight basis). BCFs in fish, shrimp, and oysters range from 26,000 to 660,000. For the fathed minnow, BCFs range from 43,000-200,000. The BCF in aquatic animals may depend on the water zone where they reside. Due to airborne PCBs, the surface layers contain higher concentrations of PCBs. Since concentrations in sediments are also higher than water, bottom feeders will have higher concentrations of PCB. Evidence that PCB will biomagnify in the food chain is indicated by the levels in higher tropic levels in aquatic organisms and in fish-consuming birds and seals (ASTDR, 1992).

Human Health Effects:

Environmental contamination may be a significant source of human exposure. Likely routes of entry are ingestion through water and food, while inhalation and dermal contact are significant in occupational exposures. Exposure through consumption of contaminated fish may be important.

PCBs are readily absorbed through the gastrointestinal tract, respiratory system, and the skin. They may initially concentrate in the liver, blood and muscle, while long-term storage in mammals is in adipose tissue and skin. PCBs are readily metabolized and are excreted in urine and bile. Urine excretion is most prominent for least chlorinated, while bile is a significant route for highly chlorinated PCBs. Highly chlorinated PCBs accumulate almost indefinitely. Excretion also occurs through breast milk and through the placenta (NLM, 1992).

Symptoms associated with exposure to PCBs are abdominal pain, anorexia, nausea, vomiting, jaundice and in rare cases, coma and death. Neurological symptoms include headaches, dizziness, depression, nervousness, fatigue, weight loss, muscle, and joint pain. Responses from occupational exposure to PCBs include chloracne, hyperpigmentation of skin,

conjunctivitis, subcutaneous edema, edema of the eyelids, decrease in red blood cells, discoloration of fingernails, and thickening of the skin. PCB are liver toxins and may cause peripheral neuropathy in man.

A correlation between occupationally exposed mothers and PCB levels in breast milk was determined. Nursing infants had blood PCB levels that were determined to be higher than the mothers. Developmental abnormalities were also observed in these infants.

The first documented incident resulting in acute toxicosis was from ingestion of a rice (Japanese) oil contaminated with industrial oil containing PCBs. The amount consumed ranged from 0.5 to 2 grams (NLM, 2993).

Information on general population exposure was limited, while occupational exposure studies were more prevalent.

PCB exposure in animals has been found to increase synthesis; hepatic content and excretion of porphyrins. PCBs have been found (as in humans) to cross the placental barrier and are excreted in mother's milk. The most consistent pathological changes in mammals occur in the liver. In rats, rabbits, and guinea pigs after injection and dermal application, fatty deposits were noted. After repeated exposure in rats and an increase in liver weight was observed. PCBs were also shown to inhibit the growth of experimental tumors in rats. An oral LD_{50} of 1,010 for rats was observed. A NOAEL of 0.5 mg/kg/day for acute oral exposure was determined (NLM, 1992).

PCB is classified as a B2 human carcinogen. The basis for classification is hepatocellular carcinomas in three strains of rats and two strains of mice and inadequate yet suggestive evidence of excess risk of liver cancer in humans by ingestion and inhalation or dermal contact.

The data for carcinogenicity is inadequate due to confounding exposures and lack of exposure quantification. A significant increase in malignant melanomas was reported at a petrochemical plant, but the study was unable to report a quantified exposure level or to account for other carcinogens.

A TWA daily dose of 3.45 mg/kg/day was observed, and the oral slope factor is 7.7 mg/kg/day.

Data on the carcinogenicity in animals are sufficient. Benign and malignant liver cell tumors, lymphomas and leukemia, and carcinomas of the gastrointestinal tract were observed. In a long-term bioassay with Aroclor 1260, females Sherman rats developed hepatocellular carcinomas after administration of 100 ppm PCB for 630 days (NLM, 1992).

In another study, Sprague-Dawley rats (70 male/70 female) were fed PCBs in corn oil at 100 ppm for 16 months, followed by a 50 ppm diet for 8 months, then a basal diet for 5 months. Female rats that survived the 18 months exhibited 91 percent incidence of hepatocellular carcinoma and 4 percent neoplastic nodules. Incidences in male rats were lower.

Morphology studies of these rats indicate sequential progression of liver lesions to hepatocellular carcinomas (NLM, 1992).

Environmental Effects:

The eggs of three seabird species (double-crested cormorant, storm-petrel, and the Atlantic puffin) were examined at sites in eastern Canada. PCB residues were highest in the double-crested cormorant; however, results and levels were not listed (NLM, 1992).

Channel catfish exposed to PCBs in a highly industrial area and adjacent hazardous waste sites in Louisiana were examined for PCB concentration. When compared to a reference fish (devoid of exposure to PCB), the channel catfish exhibited elevated PCB congener concentrations in fatty tissue (NLM, 1992).

POLYCHLORINATED DIBENZO DIOXINS/DIBENZOFURANS
CAS NO. 3268-87-9

Synonyms:

Octachlorodibenzodioxin
Octachlorodibenzofuran
Heptachlorodibenzo-p-dioxin
Heptachlorodibenzofuran
Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-)
Hexachlorodibenzofuran (1,2,3,4,7,8-)
Pentachlorodibenzofuran (2,3,4,7,8-)
Tetrachlorodibenzo-p-dioxin (2,3,7,8-)
Tetrachlorodibenzofuran (2,3,7,8-)

Chemistry and Uses:

Description: Colorless crystalline solids. The greater the chlorination of the dioxin or furan, the less toxicity. Exhibits inertness to acids, bases, oxidation, reduction and to heat.

Uses: Breakdown products of pesticides and polychlorinated biphenyls.

Fate: Based on similar chemical structures, dioxins and furans are expected to behave similarly.

Air: Not volatile. May bind to airborne particulates.

Soil: Expect to adsorb to soil and resistant to leaching.

Water: Not soluble. Expected to adsorb to sediment. Not expected to hydrolyze or photolyze.

Biological Systems: Resistant to biodegradation. May bioconcentrate. Readily incorporated into terrestrial ecosystems.

Human Health Effects: Toxic to human. Once absorbed, dioxins rapidly localize in the liver or fat tissue. Potential carcinogen.

Environmental Effects: Dioxins/furans bind to soil or sediment, thus, a potential exists for the contaminants to be transported to groundwater entering an aquifer.

Dioxin/furans can accumulate in animals by ingestion of soil, concentrates most often in adipose (fatty) tissue and are not readily excreted.

Dioxins/furans are not accumulated in plants. There is a concern of biomagnification due to slow excretion of dioxins/furans.

Dioxins/furans can be lethal, carcinogenic, teratogenic, mutagenic, histopathologic, and immunotoxic.

POLYCYCLIC AROMATIC HYDROCARBONS
CAS NOS. 50-32-8, 207-08-9 and 218-01-9

Synonyms/Specific Chemical Names:

PAHs
Benzo (a) anthracene
Benzo (k) fluoranthene
Benzo (a) pyrene
Chrysene
Fluoranthene
Phenanthene

Chemistry and Uses:

Description: Polycyclic aromatic hydrocarbons (PAHs) are a group of chemicals, which in their pure form, exist as colorless, white or pale yellow-green solids. They are formed during incomplete combustion of coal, oil, garbage, or other organic substances. PAHS occur as vapors or can be attached to dust or other particles in the air.

Uses: Common sources of PAHS are vehicle exhaust, asphalt roads, coal tar, wildfires, agricultural burning, cooked foods, grains, flour, meat, fruit, processed or pickled foods, and beverages.

Fate:

PAHs are ubiquitous throughout the environment and found in air, water, and soil. PAHs are capable of short and long-term transport and are removed by wet and dry deposition; the relative importance of each process varies with the individual PAH being examined. In the atmosphere, PAHs are present in the gaseous phase or sorbed to particulates. Atmospheric residence time and transport distance are dependent on the size of the particle to which the PAH is sorbed. Atmospheric half-life is generally less than 30 days (ATSDR, 1991).

Because of their low solubility, PAHs in aquatic systems are generally found sorbed to bottom particles or suspended in the water column. PAHs are removed from the water column by volatilization to the atmosphere, and subsequently binding to particulates or sediments. They also can accumulate or sorb onto aquatic biota. Sorption of PAHs to soil and sediments increases with increasing organic carbon content and is dependent on particle size. PAHs found in groundwater may occur as a result of migration from contaminated surface waters or through the soil.

Human Health Effects:

Certain PAHs may be carcinogenic to humans. Cancer associated with exposure to mixtures containing PAHs occurred primarily in the lung and skin following inhalation and dermal exposure, respectively. Cancerous effects have generally not been observed in humans (with the exception of adverse hematological and dermal effects) but have been found in animals. In animals, PAHs tend to affect tissue such as bone marrow, lymphoid organs, gonads, and intestinal epithelium. Major target organics in animals appear to be hematopoietic and lymphoid systems.

No reports of death from exposure to PAHs have been made. Nevertheless, benzo(a) pyrene has been found to be fatal to mice following ingestion. Adverse non-cancer respiratory effects have not been reported in humans although inhalation is a significant route of exposure, and the respiratory system appears to be a target for PAH-induced cancers. Therefore, it seems likely that PAH-induced noncancerous effects may occur in humans as well. Rats administered 0.6 μg/L benzo(a)pyrene adsorbed on Ga_2O_3 particles as an aerosol and as an aerosol only, showed 20 percent deposition on the lung with the tracer and 10 percent as an aerosol after 30 minutes, and over a 2-week period, the hydrocarbon was removed from the lung via mucociliary clearance and absorbed. With the aerosol only it was removed and transported directly to the blood. There was an increase in benzo(a)pyrene in the alimentary tract, thus converting it to the stomach, liver, and kidneys relative to the pure benzo(a)pyrene (NLM, 1991).

The skin is susceptible to PAH-induced toxicity in both humans and animals. Workers exposed to PAHs experienced chronic dermatitis and hyperkeratosis. In animals, destruction of sebaceous glands, skin ulcerations, hyperplasia and hyperkeratosis, and alternations in epidermal cell growth were found. Application of 2 percent crude coal tar to the skin of humans for 8 hour periods for 2 days resulted in absorption of PAHs. Phenanthrene, anthracene, pyrene, and fluoranthene were detected in the blood but benzo(a)pyrene was not. Systemic absorption of PAHs from the skin is variable among these compounds (ATSDR, 1991).

The testes and ovaries should be considered as susceptible to damage from PAHs. Scrotal cancer was observed among chimney sweeps most likely from exposure to soot containing PAHs. Women of childbearing age may be at increased risk to reproductive or ovarian dysfunction from exposure to PAHs.

Some PAHs may also be genotoxic, the most widely tested being benzo(a)pyrene. Benzo(a)pyrene caused several types of genotoxic effects during in vitro assays of human cells. Chrysene and fluoranthene have also shown similar results. Synergistic and/or antagonistic effects from combinations of PAHs, particularly in respect to carcinogenesis, may occur (ATSDR, 1991).

Environmental Effects:

In surface water, PAHs can volatilize, photodegrade, oxidize, biodegrade, bind to particulates, or accumulate in aquatic organisms, enter groundwater, and be transported through the aquifer. Bioconcentration factors of 100-2,000 are typical for this group of chemicals. In sediment and soil, PAHs can biodegrade and accumulate in aquatic organisms or plants, respectively. Biomagnification has not been reported because of the tendency for many organisms to eliminate these compounds rapidly.

PAHs in sediments can accumulate in bottom-dwelling invertebrates and fish. They can also accumulate in terrestrial plants via roots or foliage. PAHs can accumulate in animals through the food chain or by ingestion of soil.

POLYNUCLEAR AROMATIC HYDROCARBONS (PAHs)
CAS NO. 120-12-7, 56-55-3, 50-32-8, 205-99-2, 207-08-9, 191-24-2, 218-01-9, 206-44-0, 193-39-5, 85-01-8

Synonyms:

Acenaphthene
Benz[a]anthracene (1,2-benzanthracene)
Benzo[a]pyrene (3,4-benzopyrene)
Benzo[b]fluoranthene
Benzo[k]fluoranthene (11,12-benzofluoranthene)
Benzo[g,h,i]perylene (1,12-benzoperylene)
chrysene
fluoranthene
Indeno[1,2,3-C,D]pyrene
phenanthrene

Chemistry and Uses:

Description: PAHs are a group of chemicals that exists as colorless, white or pale yellow-green solids. They are formed during incomplete combustion of coal, oil, garbage and other substnaces.

Uses: Primary sources of PAHs are stationary sources such as heat and power generation, refuse burning, industrial activity.

Fate: Based on similar chemical structures, PAHs are expected to behave similarly.

Air: Not volatile. May become airborne through adsorption to particulates.

Soil: Adsorbs to soil and sediment.

Water: Low solubility. Adsorbs to solids.

Biological Systems: Bioaccumulates but many organisms eliminates compounds rapidly. Removed by wet and dry deposition.

Human Health Effects: May be carcinogenic to humans, primarily in the lungs and skin.

In animals, PAHs have also been found to effect tissue such as bone marrow, lymphoid organs, gonads, and intestinal epithelium. Some PAHs may also be genotoxic.

Environmental Effects: In surface water, PAHs can volatilize, photodegrade, oxidize, biodegrade, bind to particulates or accumulate in aquatic organisms. Once bound to organisms PAHs can enter groundwater and be transported through an aquifer.

PAHs can accumulate in bottom-dwelling invertebrates and fish. PAHs can also accumulate in terrestrial plants via roots and foliage, thus, PAHs can accumulate in animals through a food chain. Biomagnification is not a major concern due to the rapid elimination of PAH in many organisms.

PYRENE
CAS NO. 129-00-0

Synonyms:

Benzo (D, E, F) Phenanthrene
Beta - Pyrene

Chemistry and Uses:

Description: Pyrene is colorless and solid and has a slight blue color when in solution. It is fairly soluble in organic solvents.

Uses: Pyrene is used primarily in biochemical research. It is also used as a starting material for the synthesis of benzo(a) pyrene.

Fate:

Pyrene's release to the environment is ubiquitous since it is a product of incomplete combustion. It is largely associated with particulate matter, soils, and sediments. It is reasonably stable in the atmosphere and capable of long distance transport. If released to water, it will adsorb very strongly to sediments and particulate matter. If released to soil, it will not be expected to leach appreciably through to groundwater. It is not expected that pyrene will hydrolyze or significantly evaporate from soils and surfaces. Evaporation may be important, with a half-life of 4.8 to 39.2 days (NLM, 1991).

Human Health Effects:

Pyrene has not been classified as to its carcinogenicity (U.S. EPA, 1989). Cutaneous applications for 10 days caused hyperemia and weight loss. According to Potapova and others, rats at oral doses near the LD_{50} succumbed in 2 to 5 days. Inhalation exposures lead to hepatic, pulmonary, and intragastric disorders.

Environmental Effects:

Pyrene will bioconcentrate in aquatic organisms slightly to moderately if released in water, but it will not hydrolyze. Bioconcentration is considered to be short term and not an important fate process. Reported BCF values for rainbow trout, goldfish, and fathead minnows are 72, 457 and 600-970, respectively (NLM, 1991). The NOAEL and LOAEL values were listed as 75 and 125 mg/kg/day, respectively (U.S. EPA, 1989).

RDX
Hexahydro-1,3,5-trinitro-1,3,5-triazine
CAS NO. 121-82-4

Synonyms:

Cyclonite
Cyclotrimethylenenitramine
Cyclotrimethylenetrinitramine
Cyklonit
Esaidro-1,3,5-trinitro-1,3,5-triazina
Heksogen
Hexahydro-1,3,5-trinitro-1,3,5-triazin
Hexahydro-1,3,5-trinitro-1,3,5-triazine
Hexahydro-1,3,5-trinitro-s-triazine
Hexogeen
Hexogen
Hexogen 5w
Hexolite
Hexolite, dry or containing, by weight, less than 15 percent water
Ne triamine
1,3,5-trinitrohexahydro-s-triazine
1,3,6-trinitro-1,3,5-triazacyclohexane
UN 0072
UN 0118
PBX(af) 108
PBXW 108(e)
T4
1,3,5-triazine, hexahydro-1,3,5-trinitro-
S-triazine, hexahydro-1,3,5-trinitro-
Trimethyleentrinitramine
Trimethylenetrinitramine
Sym-trimethylenetrinitramine
Trinitrocyclotrimethyle

Chemistry and Uses:

Description: RDX is a white crystalline powder, which is insoluble in water, alcohol, and benzene; but is slightly soluble in ether, methanol, and toluene.

Uses: RDX is used as a high explosive, a detonator, and sometimes as a rat poison.

Fate:

Releases to the environment: RDX is released through demilitarization of antiquated munitions, or during the manufacture or conversion to munitions. Routes of human exposure include inhalation, ingestion, and dermal contact (skin and eye).

When released to soil, RDX is expected to exhibit moderate to high mobility in soils. Biodegradation, volatilization, and hydrolysis are not important processes in the fate of RDX. Under proper conditions, anaerobic degradation is known to occur (NLM, 1992).

Direct photochemical degradation by sunlight occurs if RDX is released to water. The half-life of RDX in translucent waters is on the order of a few weeks. For RDX, bioaccumulation in aquatic organisms and volatilization to the atmosphere should not be a significant fate process (NLM, 1992).

RDX released to the atmosphere will undergo degradation by reaction with photochemically produced hydroxyl radicals. The vapor phase half-life can be estimated about 1.5 hours. Direct photochemical degradation should also be important process (NLM, 1992).

Human Health Effects

Exposure to RDX occurs through inhalation, ingestion, and skin and eye contact. RDX is slowly absorbed from the stomach and the lungs. Symptoms include headache, dizziness, nausea, and intermittent stupor. Recovery was eventually complete. Human illness results from repeated exposure via G.S. and respiratory tract. Dermatitis resulted from handling intermediates of RDX.

Environmental Effects

The minimum LD_{50} for rats in a single dose of 4 percent solution was 200 mg/kg. Toxicity effects on survival at 4.9-6.3 mg/L during chronic exposure of fathead minnows.

Symptoms in animals ranged from twitching with mild hyperreflexia to severe convulsions.

The bioconcentration factor in bluegills was determined to be 24.8, suggesting that bioaccumulation in aquatic organisms should not be an important fate process.

An LC_{50} of 3.6 mg/L/96 hour in a static bioassay was reported for bluegills.

SILVER
(CAS #7440-22-4)

Chemistry and Uses

Description: Silver is a rare element, which occurs naturally in its pure form as a white ductile metal and in ores. It has an average abundance of about 0.1 ppm in the earth's crust and about 0.3 ppm in soils. It also occurs in powdery white or dark-gray to black compounds.

Uses: Silver is used for making jewelry, dental fillings, and electronic equipment. Photographers use silver compounds to make photographs.

Fate

Silver is released into the air and water through natural processes such as weathering of rocks and erosion of soils. Important sources of atmospheric silver from human activities include the processing of ores, steel refining, cement manufacture, fossil fuel combustion, municipal waste incineration, and cloud seeding. Photographic sources and releases from disposal of sewage sludge are the major source of releases of silver into the environment. Silver remains stable in the environment until it is removed by human activities.

Soil: Silver tends to form complexes with inorganic chemicals and humic substances in soils. The transport and partitioning of silver in soils is influenced by the particular form of the compound. The mobility of silver in soils is affected by drainage, pH conditions, and a number of other factors. The enhanced ability of organic matter to immobilize silver is demonstrated by increases in levels of silver found in peat and bog soils and in marshes. Since silver is toxic to soil microorganisms and inhibits bacterial biodegrative enzymes, biotransformation is not expected to be a significant process.

Groundwater: Leachates containing silver may enter groundwater when tailing ponds or piles are situated in areas with high water tables or when abandoned mines or sections of mines become saturated.

Surface Water: In fresh water, silver may form complex ions with chlorides, ammonium, and sulfates. It may also become adsorbed onto humic complexes and suspended particulates and become incorporated into or adsorbed onto aquatic biota.

Air: Silver is released into the atmosphere as an aerosol. Particulates of metallic silver emitted from the burning of fossil fuels and municipal refuse are likely to become coated with silver oxide, or other silver compounds. Fine particles tend to be transported long distances and are deposited by deposition.

Human Health Effects

Routes of Entry: Routes of entry for silver include ingestion, inhalation, and dermal. Usually, silver enters the body through the ingestion of food or drinking of water that contains silver, or through inhalation after breathing air that contains silver. It can also enter the body through the dermal route when there is exposure to solutions or powders containing silver compounds.

Noncarcinogenic Effects: Exposure to dust containing relatively high levels of silver compounds can cause breathing problems, lung and throat irritation, and stomach pain. Eating or breathing silver compounds over a long period of time can also cause argyria, a skin condition whereby the skin turns gray or blue-gray. Studies in rats show that swallowing water containing very large amounts of silver (25890 ppm) can be life threatening.

U.S. EPA has developed a reference dose for silver (3E-3 mg/kg/day) based on the assumption that thresholds exist for certain toxic effects such as cellular necrosis, but nay not exist for other toxic effects such as carcinogenicity.

Carcinogenic Effects: U.S. EPA has not classified silver as a carcinogen.

Environmental Effects:

Aquatic Toxicity: Silver accumulation in marine algae appears to result from adsorption rather than uptake; bioconcentration factors of 13,000-16,000 have been reported. Bioconcentration factors of 1,055-7,650 wet weight were estimated in mussel in salt water. The clam contained silver at 32-133 μg/g. Silver from sewer sludge at an ocean disposal site was bioaccumulated by scallop (Placopecten magellanicus). The estimated biological half-lives for the elimination of bioaccumulated silver were 26.4 days for the Pacific oyster (Crassostrea gigas) and 149.1 days for the American oyster (C. virginica).

Terrestrial Toxicity: In pasture plants growing in the vicinity of an airborne source of silver, silver in leaves appears to be the result of deposition of airborne silver, while concentrations in roots are from soil uptake.

SULPHATE
CAS NO.

Synonyms:

sulfate mineral

Chemistry and Uses:

Description: Violent reaction with Al, Mg. When heated, emits toxic fumes of SO_x.

Uses:

Fate:

Air:

Soil:

Water: Highly soluble.

Biological Systems:

Human Health Effects: Variable toxicity: varies with which materials (cation) the sulfate (anion) combines with.

Environmental Effects:

2,3,7,8-TETRACHLORODIBENZOFURAN
CAS NO. 51207-31-9

Synonyms:

TCDF
TCDBF

Chemistry and Uses:

Description:

Uses: 2,3,7,8-tetrachlorodibenzofuran is not produced commercially in the United States, nor does it have an industrial use. It occurs as an impurity in arochlors.

Fate:

Air: Near incinerators it occurs in both gas and particulate phases. The gas phase reacts photochemically to produce hydroxyl radicals. Particulates may be removed from the atmosphere by wet and dry deposition.

Soil: This chemical sorbs strongly to soil and is not susceptible to leaching under most soil conditions.

Water: It partitions to sediments and suspended materials in the water. Some volatilizations occurs.

Biological Systems: Resistant to biodegradation. Based on physical properties, expected to bioconcentrate.

Human Health Effects:

The primary human exposure route is municipal waste incineration, industrial boilers burning hazardous waste and exhaust from leaded gasoline. Secondary exposure is from contaminated sea food. Toxicity is similar to that of p-dioxins. This chemical is the most toxic of the dibenzofurans.

Human bioconcentration factor (BCF) is 591 lipid weight basis.

Environmental Effects:

Black, mallard and wood ducks in Lake Michigan were found to have body burdens ranging from 13 - 79 ppt, and herons and cormorants had a range of 2 - 8 ng/kg. Chicks died from 8 - 15 days with a dose of 5 μg/kg daily, and tumors occurred in mice fed 1 μg/mouse twice weekly.

TETRYL
CAS NO. 479-45-8

Synonyms:

N-Methyl-N,2,4,6-tetranitroaniline
Nitramine
Tetril
2,4,6-Tetryl
2,4,6-Trinitrophenyl-n-methylnitramine
Tetralite
Methylpecrylnitramine
2,4,5-trinitrophenylmethylnitramine

Chemistry and Uses:

Description: Colorless to pale yellow crystalline solid.

Uses: Explosives. As an indicator in analytical chemistry; powerful oxidant with fire and explosion hazard.

Fate: Insoluble in water.

Human Health Effects: Skin irritant, absorbed by skin (dermatitis), allergen, anemia either of the marrow depression or deficiency type has been observed among tetryl workers (Sittig, 1985, p. 853).

Environmental Effects: Caused liver and kidney damage in animals.

THALLIUM
(CAS NO. 7440-28-0)

Synonyms:

None

Chemistry and Uses:

Description: Pure thallium is a soft, bluish-white heavy metal that is widely distributed in trace amounts in the earth's crust. It is odorless and tasteless. It can be found in pure form or mixed with other metals in the form of alloys. Thallium exists in two states: thallous and thallic. The thallous state is the more common and stable form.

Uses: Thallium is used in the manufacture of electronic devices, switches and closures. It also has limited use in the manufacture of special glasses and for procedures that evaluate heart disease. Until 1972, thallium was used as a rat poison, but was banned because of its potential harm to man. Thallium is no longer produced in the United States.

Fate:

Major releases of thallium to the environment are from processes such as coal burning and smelting, in which thallium is a trace contaminant of the raw materials.

Thallium tends to be sorbed to soils and is relatively stable in the environment. It is not biotransformed in the environment. Direct soil releases are likely to be small, although atmospheric thallium pollution may contribute to soil contamination in the vicinity of thallium emission sources. The atmospheric half-life of suspended thallium particles is unknown.

Thallium exists in water primarily as a monovalent ion (Thallium+) and may precipitate from water as mineral solid phases. However, some thallium compounds are very soluble in water. Thallium may partition from water to soils and sediments. Furthermore, it can be absorbed by micaceous clays in sediments.

Thallium is a nonvolatile heavy metal and if released to the atmosphere may exist as an oxide, hydroxide, sulfate or as the sulfite Tl_2S. It has been speculated that thallium sulfate will partition into water vapor, thus precipitation may remove thallium from the atmosphere.

Human Health Effects:

Routes of Entry: Thallium may enter the body through ingestion of food and drinking of water, and through inhalation of air containing thallium, or by dermal exposure during skin contact with the metal.

Long term exposure to thallium can produce fatty infiltration and necrosis of the liver, nephritis, gastroenteritis, pulmonary edema, degenerative changes in the adrenals, degeneration of peripheral and central nervous system, alopecia, and in some cases death.

Loss of vision and other signs of poisoning have been related to industrial exposure. Temporary hair loss, vomiting, and diarrhea can also occur. Thallium can be fatal from a dose as low as 1 gram.

No data are available on carcinogenic effects on humans or animals.

Environmental Effects:

Thallium in surface water may be bioconcentrated by aquatic organisms. Bioconcentration factors (BCFs) of 18.2 for clams, 11.7 for mussels, and 27-1430 for atlantic salmon have been reported (ATSDR 1990). The maximum BCF for bluegill sunfish was 34.

Thallium is absorbed by plants from soil and enters the terrestrial food chain. It has been demonstrated that thallium could be absorbed from the rhizosphere by the roots of higher plants.

1,3,5-TRINITROBENZENE
CAS NO. 99-35-4

Synonyms:

Benrite
TRB
Trinitrobenzeen
Trinitrobenzene
Trinitrolbenzol
RCRA Waste # V234

Chemistry and Uses:

Description: 1,3,5-Trinitrobenzene is a slightly yellowish crystal.

Uses: 1,3,5-Trinitrobenzene is used primarily in the manufacture of explosives. It is also used to vulcanize natural rubber and as a pH indicator in the range of 12.0 - 14.0

Fate:

If released to the soil, 1,3,5-trinitrobenzene is expected to be moderately to highly mobile. It has the potential to photolyze on soil surfaces (NLM, 1992). Water-bound 1,3,5-trinitrobenzene may be subject to direct photolysis. Based on a extrapolated vapor pressure of 3.2×10^{-6} mm Hg at 20°C, 1,3,5-trinitrobenzene is expected to exist partly in the vapor phase and partly adsorbed onto particulate matter in the atmosphere (NLM, 1992). A water solubility of 340 mg/L at 20°C suggests that wet deposition may be a potential fate process.

Human Health Effects:

1,3,5-Trinitrobenzene may cause optic disorders. Chronic intoxication has been reported to cause yellowing of the conjunctiva. Routes of entry for human exposures are skin contact, inhalation, and ingestion. Severe explosion hazards may develop when shocked or exposed to heat. When heated to decomposition, highly toxic fumes of nitrous oxides may be produced. It is incompatible and will react violently with reducing materials.

Environmental Effects

Based on a log octanol/water partition coefficient of 1.18 and a water solubility of 340 mg/L at 20°C, bioconcentration factors of 5 and 23 have been estimated. Adsorption coefficients of 104 and 178 suggest that 1,3,5-trinitrobenzene has moderate to high soil mobility and exhibits low adsorption to suspended solids and sediments (NLM, 1992).

2,4,6-TRINITROTOLUENE
CAS NO. 118-96-7

Synonyms:

2-Methyl-1,3,5-Trinitrobenzene
Entsufon
TNT
Alpha-TRT
TRT-tolite
Tolit
Tolite
2,4,6-Trinitrotolueen
Trinitrotoluene
NCI-C561155

Chemistry and Uses:

Description: 2,4,6-Trinitrotoluene is a colorless to light yellow crystal or flake. It is classified as a highly explosive and combustible solid.

Uses: It is primarily used in the production of explosives.

Fate:

The capability of microorganisms to biotransform 2,4,6-trinitrotoluene is well established. Reduction rates under aerobic conditions are very slow. 2,4,6-Trinitrotoluene is not expected to hydrolyze in soils or groundwater. Based on an average Koc of 1600, soil mobility is expected to be low. Studies comparing river waters and distilled water have shown that the rate of photolysis is directly related to increases in pH and organic matter content. The vapor pressure of 1.99×10^{-4} mm Hg at 20°C indicates that 2,4,6-trinitrotoluene exists almost entirely in the vapor phase (NLM, 1992). At an atmospheric concentration of $5 \times 10^{+5}$ hydroxyl radicals per cm^3, the atmospheric half-life is estimated to be approximately 110 days (NLM, 1992).

Human Health Effects

Exposure to 2,4,6-trinitrotoluene may cause irritation to the eyes, nose, and throat with sneezing, cough, and sore throat. Skin contact may lead to severe dermatitis and may stain the skin and nails. Other symptoms include weakness, drowsiness, unconsciousness, muscular pains, heart irregularities, and cataracts. Numerous fatalities have occurred due to toxic hepatitis and anemia.

Environmental Effects:

A bioconcentration factor of 11.5 was determined from an estimated oil/water partition coefficient. Based on a water solubility of 130 ppm at 20°C, the BCI factor was estimated at 40 (NLM, 1992). Reported 48-hour LC_{50}s include 11.7 mg/L for Daphnia magna and 6.5 mg/L for Hyabella azctia. A 96-hour bio-assay resulted in an LC_{50} of 2.58 mg/L for fathead minnows (NLM, 1992).

ZINC
CAS NO. 7440-66-6

Synonyms:

Zn
Blue Powder
Jasad
Merrillite
Pasco
Pigment Black 16
VR 1383
VR 1436

Chemistry and Uses:

Description: Zinc is a bluish-white, lustrous metal. Pure zinc powder, dust and fume is relatively non-toxic to humans by inhalation. It is incompatible with chlorates, acids, oxidizers and sodium hydroxide.

Uses: Zinc is used as a protective coating for metals to prevent corrosion. It is also used as purifying agent for soaps.

Fate:

No information is available for environmental fate through the National Library of Medicine database for zinc.

Human Health Effects:

Humans can be exposed to zinc primarily through drinking water, and ingestion of food containing zinc. Zinc poisoning can occur with prolonged consumption of water from galvanized pipes. Muscular stiffness and pain, loss of appetite, and nausea were reported among individuals who drank water that contained 40 mg/L of zinc for an extended period of time. Ingestion of apples stewed in galvanized iron vessels containing 7g zinc resulted in dizziness, nausea, tightness in the throat, and in some cases diarrhea. Dermal exposure of 300 μg/3 days resulted in mild skin irritation (NLM, 1991).

Environmental Effects:

Bioconcentration factors (BCFs) in mollusks are extremely variable. The BCF in edible portions of adult oysters Crassostrea virginia is 16,700, whereas in the soft shell clam May arenaria it is 85 and in Mytilus edulis the BCF value is 500 (NLM, 1991). The LC_{50} for fish ranges from 430 to 9200, depending on the species (Barnthouse et al., 1986).

APPENDIX I

BASELINE RISK ASSESSMENT RESULTS

Appendix I Contents

	Page
Operable Unit 4	I-5
Wastewater Spreading Area (Site 35)	I-5
Operable Unit 5	I-24
Former Transformer Storage Area (Site 17)	I-24
PCB Spill Site (Site 32)	I-45
Operable Unit 7	I-52
Pole Transformer PCB Spill Site (Site 5)	I-52
Old Burn Area (Site 6)	I-88
Chemical Range (Site 7)	I-105
Old Burn Staging Area (Site 36)	I-120
Operable Unit 8	I-134
Building 1303 Washout Pond (Site 22)	I-134
Bomb and Shell Reconditioning Building (Site 23)	I-151
Operable Unit 9	I-170
AED Test Range (Site 40)	I-170
Operable Unit 10	I-187
Box Elder Wash Drum Site (Site 41)	I-187

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Alpha Chlordane	1.10E-06	1.30E+00	1.44E-06
Gamma Chlordane	2.10E-06	1.30E+00	2.73E-06
			4.16E-06
Inhalation			
Alpha Chlordane	2.90E-10	1.30E+00	3.77E-10
Gamma Chlordane	5.51E-10	1.30E+00	7.15E-10
			1.09E-09
Dermal			
Alpha Chlordane	6.85E-06	1.30E+00	8.91E-06
Gamma Chlordane	1.30E-05	1.30E+00	1.69E-05
			2.58E-05
			======
Total for Site			3.00E-05

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Alpha Chlordane	1.45E-07	1.30E+00	1.89E-07
Gamma Chlordane	6.99E-07	1.30E+00	9.09E-07
			1.10E-06
Inhalation			
Alpha Chlordane	4.14E-13	1.30E+00	5.38E-13
Gamma Chlordane	7.87E-13	1.30E+00	1.02E-12
			1.56E-12
Dermal			
Alpha Chlordane	9.01E-07	1.30E+00	1.17E-06
Gamma Chlordane	4.33E-06	1.30E+00	5.63E-06
			6.80E-06
Total for Site			7.90E-06

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Alpha Chlordane	2.58E-06	6.00E-05	4.30E-02
Gamma Chlordane	4.89E-06	6.00E-05	8.15E-02
Nitrate	6.80E-06	1.60E+00	4.25E-06
Zinc	7.34E-05	3.00E-01	2.45E-04
			1.25E-01
Inhalation			
No data for this time period			
Dermal			
Nitrate	4.22E-05	1.60E+00	2.64E-05
Zinc	4.55E-06	3.00E-01	1.52E-05
			4.15E-05
Total for Site			1.25E-01

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Alpha Chlordane	1.02E-06	6.00E-05	1.70E-02
Gamma Chlordane	4.89E-06	6.00E-05	8.15E-02
Nitrate	3.78E-06	1.60E+00	2.36E-06
Zinc	5.23E-05	3.00E-01	1.74E-04
			9.87E-02
Inhalation			
No RFDs available for contaminants of concern			
Dermal			
Nitrate	2.34E-05	1.60E+00	1.46E-05
Zinc	3.25E-06	3.00E-01	1.08E-05
			2.55E-05
			======
Total for Site			9.87E-02

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Alpha Chlordane	1.51E-07	1.30E+00	1.96E-07
Gamma Chlordane	3.50E-07	1.30E+00	4.54E-07
			6.51E-07
Inhalation			
Alpha Chlordane	1.46E-11	1.30E+00	1.89E-11
Gamma Chlordane	2.76E-11	1.30E+00	3.59E-11
			5.48E-11
Dermal			
Alpha Chlordane	9.75E-08	1.30E+00	1.27E-07
Gamma Chlordane	2.26E-07	1.30E+00	2.93E-07
			4.20E-07
			======
Total for Site			1.07E-06

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Alpha Chlordane	7.92E-09	1.30E+00	1.03E-08
Gamma Chlordane	2.40E-08	1.30E+00	3.12E-08
			4.15E-08
Inhalation			
Alpha Chlordane	4.14E-14	1.30E+00	5.38E-14
Gamma Chlordane	7.87E-14	1.30E+00	1.02E-13
			1.56E-13
Dermal			
Alpha Chlordane	4.91E-08	1.30E+00	6.38E-08
Gamma Chlordane	1.49E-07	1.30E+00	1.94E-07
			2.57E-07
			=======
Total for Site			2.99E-07

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Alpha Chlordane	1.06E-05	6.00E-05	1.76E-01
Gamma Chlordane	2.45E-05	6.00E-05	4.08E-01
Nitrate	3.93E-05	1.60E+00	2.46E-05
Zinc	4.10E-04	3.00E-01	1.37E-03
			5.85E-01
Inhalation			
No data for this time period			
Dermal			
Nitrate	2.54E-05	1.60E+00	1.59E-05
Zinc	2.65E-04	3.00E-01	8.84E-04
			9.00E-04
Total for Site			5.86E-01

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Alpha Chlordane	5.54E-07	6.00E-05	9.24E-03
Gamma Chlordane	1.68E-06	6.00E-05	2.80E-02
Nitrate	2.76E-06	1.60E+00	1.72E-06
Zinc	3.17E-05	3.00E-01	1.06E-04
			3.74E-02
Inhalation			
No data for this time period			
Dermal			
Nitrate	1.71E-05	1.60E+00	1.07E-05
Zinc	1.96E-04	3.00E-01	6.54E-04
			6.65E-04
			======
Total for Site			3.80E-02

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Alpha Chlordane	6.15E-10	1.30E+00	7.99E-10
Gamma Chlordane	1.16E-09	1.30E+00	1.51E-09
Total for Site			2.31E-09

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Alpha Chlordane	1.86E-13	1.30E+00	2.41E-13
Gamma Chlordane	3.52E-13	1.30E+00	4.58E-13
Total for Site			6.99E-13

Current On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Alpha Chlordane	7.74E-11	1.30E+00	1.01E-10
Gamma Chlordane	1.47E-10	1.30E+00	1.91E-10
Total for Site			2.91E-10

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Alpha Chlordane	3.31E-13	1.30E+00	4.31E-13
Gamma Chlordane	6.29E-13	1.30E+00	8.18E-13
Total for Site			1.25E-12

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No RFDs for contaminants of concern			

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No RFDs for the contaminants of concern			

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
INHALATION			
Alpha Chlordane	3.80E-10	1.30E+00	4.93E-10
Gamma Chlordane	7.20E-10	1.30E+00	9.36E-10
Total For Site			1.43E-09

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
INHALATION			
Alpha Chlordane	2.90E-13	1.30E+00	3.77E-13
Gamma Chlordane	5.50E-13	1.30E+00	7.15E-13
Total for Site			1.09E-12

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
INHALATION			
No RFDs for contaminants of concern			

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
INHALATION			
No RFDs for contaminants of concern			

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
INHALATION			
Alpha Chlordane	1.08E-10	1.30E+00	1.40E-10
Gamma Chlordane	2.05E-10	1.30E+00	2.67E-10
Total For Site			4.07E-10

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
INHALATION			
Alpha Chlordane	8.26E-14	1.30E+00	1.07E-13
Gamma Chlordane	1.57E-13	1.30E+00	2.04E-13
Total for Site			3.11E-13

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Risk Factor
Inhalation			
No RFDs for contaminants of concern			

Off-Site Resident (Grantsville) Average Noncarcinogenic

Analyte	CDI	RFD	Risk Factor
Inhalation			
No RFDs for contaminants of concern			

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Alpha Chlordane	3.87E-10	1.30E+00	5.04E-10
Gamma Chlordane	7.34E-10	1.30E+00	9.54E-10
Total for Site			1.46E-09

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Alpha Chlordane	2.97E-13	1.30E+00	3.86E-13
Gamma Chlordane	5.61E-13	1.30E+00	7.30E-13
Total for Site			1.12E-12

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Risk Factor
Inhalation			
No RFDs for contaminants of concern			

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Risk Factor
Inhalation			
No RFDs for contaminants of concern			

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Alpha Chlordane	2.68E-06	1.30E+00	3.49E-06
Gamma Chlordane	5.09E-06	1.30E+00	6.61E-06
			1.01E-05
Inhalation			
Alpha Chlordane	1.09E-09	1.30E+00	1.42E-09
Gamma Chlordane	2.07E-09	1.30E+00	2.69E-09
			4.11E-09
Dermal			
Alpha Chlordane	1.60E-05	1.30E+00	2.09E-05
Gamma Chlordane	3.05E-05	1.30E+00	3.96E-05
			6.04E-05
			======
Total for Site			7.06E-05

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Alpha Chlordane	1.83E-07	1.30E+00	2.38E-07
Gamma Chlordane	8.81E-07	1.30E+00	1.14E-06
			1.38E-06
Inhalation			
Alpha Chlordane	8.35E-13	1.30E+00	1.09E-12
Gamma Chlordane	1.59E-12	1.30E+00	2.06E-12
			3.15E-12
Dermal			
Alpha Chlordane	1.14E-06	1.30E+00	1.48E-06
Gamma Chlordane	5.46E-06	1.30E+00	7.10E-06
			8.57E-06
			=======
Total for Site			9.96E-06

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Alpha Chlordane	2.05E-05	6.00E-05	3.41E-01
Gamma Chlordane	3.88E-05	6.00E-05	6.47E-01
Nitrate	5.39E-05	1.60E+00	3.37E-05
Zinc	5.82E-04	3.00E-01	1.94E-03
			9.90E-01
Inhalation			
No RFDs were available for contaminants of concern			
Dermal			
Nitrate	3.17E-04	1.60E+00	1.98E-04
Zinc	3.42E-05	3.00E-01	1.14E-04
			3.12E-04
			========
Total for Site			9.90E-01

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Alpha Chlordane	1.42E-06	6.00E-05	2.37E-02
Gamma Chordane	6.85E-06	6.00E-05	1.14E-01
Nitrate	5.29E-06	1.60E+00	3.30E-06
Zinc	7.33E-05	3.00E-01	2.44E-04
			1.38E-01
Inhalation			
No RFDs available for contaminants of concern			
Dermal			
Nitrate	3.28E-05	1.60E+00	2.05E-05
Zinc	4.54E-06	3.00E-01	1.51E-05
			3.52E-05
			======
Total for Site			1.38E-01

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyl 1260	3.04E-08	7.70E+00	2.35E-07
Inhalation			
Polychlorinated Biphenyl 1260	3.92E-12	9.60E+00	3.76E-11
Dermal			
Polychlorinated Biphenyl 1260	1.31E-08	1.90E+01	2.48E-07
			=======
Total for Site			4.83E-07

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyl 1260	6.08E-09	7.70E+00	4.68E-08
Inhalation			
Polychlorinated Biphenyl 1260	1.57E-12	9.60E+00	1.50E-11
Dermal			
Polychlorinated Biphenyl 1260	1.05E-09	1.90E+01	1.99E-08
			=======
Total for Site			6.67E-08

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Polychlorinated Biphenyl 1260	8.51E-08	7.00E-05	1.22E-03
Inhalation			
Polychlorinated Biphenyl 1260	1.10E-11	5.60E-05	1.96E-07
Dermal			
Polychlorinated Biphenyl 1260	3.66E-08	2.80E-05	1.31E-03
Total for Site			2.53E-03

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Polychlorinated Biphenyl 1260	4.26E-08	7.00E-05	6.08E-04
Inhalation			
Polychlorinated Biphenyl 1260	1.10E-11	5.60E-05	1.97E-07
Dermal			
Polychlorinated Biphenyl 1260	7.32E-09	2.80E-05	2.61E-04
Total for Site			8.69E-04

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyl 1260	5.84E-09	7.70E+00	4.49E-08
Inhalation			
Polychlorinated Biphenyl 1260	2.36E-13	9.60E+00	2.26E-12
Dermal			
Polychlorinated Biphenyl 1260	5.23E-10	1.90E+01	9.94E-09
			======
Total for Site			5.48E-08

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyl 1260	6.08E-10	7.70E+00	4.68E-08
Inhalation			
Polychlorinated Biphenyl 1260	1.57E-13	9.60E+00	1.50E-12
Dermal			
Polychlorinated Biphenyl 1260	1.05E-10	1.90E+01	1.99E-09
			=======
Total for Site			6.67E-09

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Polychlorinated Biphenyl 1260	4.09E-07	7.00E-05	5.84E-03
Inhalation			
Polychlorinated Biphenyl 1260	1.65E-11	5.60E-05	2.95E-07
Dermal			
Polychlorinated Biphenyl 1260	3.66E-08	2.80E-05	1.31E-03
Total for Site			7.15E-03

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Polychlorinated Biphenyl 1260	4.26E-08	7.00E-05	6.08E-04
Inhalation			
Polychlorinated Biphenyl 1260	1.10E-11	5.60E-05	1.96E-07
Dermal			
Polychlorinated Biphenyl 1260	7.32E-09	2.80E-05	2.61E-04
Total for Site			8.69E-04

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	5.54E-12	9.60E+00	5.32E-11
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			5.32E-11

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	4.69E-13	9.60E+00	4.50E-12
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			4.50E-12

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	1.32E-10	5.60E-05	2.36E-06
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			2.36E-06

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	1.64E-11	5.60E-05	2.93E-07
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			2.93E-07

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	3.51E-13	9.60E+00	3.37E-12
Total for Site			3.37E-12

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl	1.75E-13	9.60E+00	1.68E-12
Total for Site			1.68E-12

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	6.14E-12	5.60E-05	1.10E-07
Total for Site			1.10E-07

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	6.14E-12	5.60E-05	1.10E-07
Total for Site			1.10E-07

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	7.14E-14	9.60E+00	6.85E-13
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			6.85E-13

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	8.52E-15	9.60E+00	8.18E-14
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			8.18E-14

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	5.35E-13	5.60E-05	9.55E-09
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			9.55E-09

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	6.63E-14	5.60E-05	1.18E-09
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			1.18E-09

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	1.22E-13	9.60E+00	1.17E-12
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			1.17E-12

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	1.45E-14	9.60E+00	1.39E-13
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			1.39E-13

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	9.11E-13	5.60E-05	1.63E-08
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			1.63E-08

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	1.13E-13	5.60E-05	2.02E-09
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			2.02E-09

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	6.02E-13	9.60E+00	5.78E-12
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			5.78E-12

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Polychlorinated Biphenyl 1260	7.19E-14	9.60E+00	6.91E-13
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			6.91E-13

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	4.51E-12	5.60E-05	8.06E-08
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			8.06E-08

Off-Site Resident (Grantsville) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Polychlorinated Biphenyl 1260	5.59E-13	5.60E-05	9.99E-09
Beef Ingestion			
Polychlorinated Biphenyl 1260		No grazing at this site	
Total for Site			9.99E-09

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyl 1260	1.36E-07	7.70E+00	1.05E-06
Inhalation			
Polychlorinated Biphenyl 1260	1.77E-11	9.60E+00	1.70E-10
Dermal			
Polychlorinated Biphenyl 1260	2.76E-08	1.90E+01	5.24E-07
Beef Ingestion			
Polychlorinated Biphenyl 1260	2.57E-07	7.70E+00	1.98E-06
Vegetable Ingestion			
Polychlorinated Biphenyl 1260	7.08E-08	7.70E+00	5.45E-07
Fruit Ingestion			
Polychlorinated Biphenyl 1260	3.72E-08	7.70E+00	2.86E-07
			======
Total for Site			4.39E-06

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyl 1260	2.18E-08	7.70E+00	1.68E-07
Inhalation			
Polychlorinated Biphenyl 1260	2.11E-12	9.60E+00	2.03E-11
Dermal			
Polychlorinated Biphenyl 1260	8.81E-10	1.90E+01	1.67E-08
Beef Ingestion			
Polychlorinated Biphenyl 1260	2.61E-08	7.70E+00	2.01E-07
Vegetable Ingestion			
Polychlorinated Biphenyl 1260	7.66E-09	7.70E+00	5.90E-08
Fruit Ingestion			
Polychlorinated Biphenyl 1260	4.29E-09	7.70E+00	3.30E-08
			======
Total for Site			4.78E-07

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Polychlorinated Biphenyl 1260	1.23E-06	7.00E-05	1.76E-02
Inhalation			
Polychlorinated Biphenyl 1260	1.32E-10	5.60E-05	2.36E-06
Dermal			
Polychlorinated Biphenyl 1260	1.68E-07	2.80E-05	6.00E-03
Beef Ingestion			
Polychlorinated Biphenyl 1260	1.96E-06	7.00E-05	2.80E-02
Vegetable Ingestion			
Polychlorinated Biphenyl 1260	5.40E-07	7.00E-05	7.72E-03
Fruit Ingestion			
Polychlorinated Biphenyl 1260	2.84E-07	7.00E-05	4.05E-03
Total for Site			6.34E-02

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Polychlorinated Biphenyl 1260	6.16E-07	7.00E-05	8.80E-05
Inhalation			
Polychlorinated Biphenyl 1260	1.64E-11	5.60E-05	2.93E-07
Dermal			
Polychlorinated Biphenyl 1260	6.85E-09	2.80E-05	2.45E-04
Beef Ingestion			
Polychlorinated Biphenyl 1260	2.03E-07	7.00E-05	2.90E-03
Vegetable Ingestion			
Polychlorinated Biphenyl 1260	5.96E-08	7.00E-05	8.51E-04
Fruit Ingestion			
Polychlorinated Biphenyl 1260	3.34E-08	7.00E-05	4.77E-04
Total for Site			1.33E-02

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyls 1260	3.97E-08	7.70E+00	3.06E-07
Inhalation			
No data for this time period			
Dermal			
Polychlorinated Biphenyls 1260	2.46E-07	7.70E+00	1.90E-06
			======
Total for Site			2.20E-06

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyls 1260	9.22E-09	7.70E+00	7.10E-08
Inhalation			
No data for this time period			
Dermal			
Polychlorinated Biphenyls 1260	5.72E-08	7.70E+00	4.40E-07
			======
Total for Site			5.11E-07

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data for this time period			

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data for this time period			

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyls 1260	1.27E-08	7.70E+00	9.78E-08
Dermal			
Polychlorinated Biphenyls 1260	8.21E-09	7.70E+00	6.32E-08
			=======
Total for Site			1.16E-07

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyls 1260	9.22E-10	7.70E+00	7.10E-09
Inhalation			
No data for this time period			
Dermal			
Polychlorinated Biphenyls 1260	5.72E-09	7.70E+00	4.40E-08
			======
Total for Site			5.11E-08

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data for this time period			

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data for this time period			

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
No data for this time period			

Current On-Site Resident Average Carcinogneic

Analyte	CDI	Slope Factor	Risk Factor
No data for this time period			

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data for this time period			

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data for this time period			

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
No data available			

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
No data available			

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyls 1260	9.64E-08	7.70E+00	7.42E-07
Inhalation			
No slope factors for PCBs			
Dermal			
Polychlorinated Biphenyls 1260	5.77E-07	7.70E+00	4.44E-06
			======
Total for Site			5.18E-06

Operable Unit 5: Site 32—PCB Spill Site (continued)

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Polychlorinated Biphenyls 1260	1.16E-08	7.70E+00	8.95E-08
Inhalation			
No slope factors for PCBs			
Dermal			
Polychlorinated Biphenyls 1260	7.20E-08	7.70E+00	5.55E-07
			======
Total for Site			6.44E-07

Operable Unit 5: Site 32—PCB Spill Site (continued)

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available for this site			

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data for this time period			

On-Site Worker RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	4.54E-12	1.50E+05	6.81E-07
2,3,7,8-Tetrachlorodibenzofuran	3.49E-13	1.50E+04	5.24E-09
Heptachlorodibenzodioxin	2.31E-11	1.50E+03	3.46E-08
Heptachlorodibenzofuran	4.19E-12	1.50E+03	6.29E-09
Hexachlorodibenzodioxin	3.25E-12	1.50E+04	4.87E-08
Hexachlorodibenzofuran	6.29E-12	1.50E+04	9.44E-08
Octachlorodibenzodioxin	8.74E-11	1.50E+02	1.31E-08
Octachlorodibenzofuran	3.08E-12	1.50E+02	4.61E-10
Pentachlorodibenzofuran	9.78E-12	7.50E+04	7.34E-07
Tetrachlorodibenzodioxin	4.54E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	3.42E-12	0.00E+00	0.00E+00
PCB 1260	4.09E-08	7.70E+00	3.15E-07
			1.93E-06
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.06E-16	1.50E+05	3.09E-11
2,3,7,8-Tetrachlorodibenzofuran	1.58E-17	1.50E+04	2.38E-13
Heptachlorodibenzodioxin	1.04E-15	1.50E+03	1.57E-12
Heptachlorodibenzofuran	1.90E-16	1.50E+03	2.85E-13
Hexachlorodibenzodioxin	1.47E-16	1.50E+04	2.21E-12
Hexachlorodibenzofuran	2.85E-16	1.50E+04	4.28E-12
Octachlorodibenzodioxin	3.97E-15	1.50E+02	5.96E-13
Octachlorodibenzofuran	1.40E-16	1.50E+02	2.09E-14
Pentachlorodibenzofuran	4.44E-16	7.50E+04	3.33E-11
Tetrachlorodibenzodioxin	2.06E-16	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.55E-16	0.00E+00	0.00E+00
PCB 1260	1.85E-12	9.60E+00	1.78E-11
			9.12E-11
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	1.95E-12	3.80E+05	7.42E-07
2,3,7,8-Tetrachlorodibenzofuran	1.50E-13	3.80E+04	5.71E-09
Heptachlorodibenzodioxin	9.92E-12	3.80E+03	3.77E-08
Heptachlorodibenzofuran	1.80E-12	3.80E+03	6.85E-09
Hexachlorodibenzodioxin	1.40E-12	3.80E+04	5.31E-08
Hexachlorodibenzofuran	2.70E-12	3.80E+04	1.03E-07
Octachlorodibenzodioxin	3.76E-11	3.80E+02	1.43E-08
Octachlorodibenzofuran	1.32E-12	3.80E+02	5.02E-10
Pentachlorodibenzofuran	4.21E-12	1.90E+05	7.99E-07
Tetrachlorodibenzodioxin	1.95E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.47E-12	0.00E+00	0.00E+00
PCB 1260	1.76E-08	1.90E+01	3.34E-07
			2.10E-06
			==========
Total for Site			**4.03E-06**

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	9.09E-13	1.50E+05	1.36E-07
2,3,7,8-Tetrachlorodibenzofuran	6.99E-14	1.50E+04	1.05E-09
Heptachlorodibenzodioxin	4.61E-12	1.50E+03	6.92E-09
Heptachlorodibenzofuran	8.39E-13	1.50E+03	1.26E-09
Hexachlorodibenzodioxin	6.50E-13	1.50E+04	9.75E-09
Hexachlorodibenzofuran	1.26E-12	1.50E+04	1.89E-08
Octachlorodibenzodioxin	1.75E-11	1.50E+02	2.62E-09
Octachlorodibenzofuran	6.15E-13	1.50E+02	9.23E-11
Pentachlorodibenzofuran	1.96E-12	7.50E+04	1.47E-07
Tetrachlorodibenzodioxin	9.09E-13	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	6.85E-13	0.00E+00	0.00E+00
PCB 1260	8.18E-09	7.70E+00	6.30E-08
			3.87E-07
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	8.24E-17	1.50E+05	1.24E-11
2,3,7,8-Tetrachlorodibenzofuran	6.33E-18	1.50E+04	9.50E-14
Heptachlorodibenzodioxin	4.18E-16	1.50E+03	6.27E-13
Heptachlorodibenzofuran	7.60E-17	1.50E+03	1.14E-13
Hexachlorodibenzodioxin	5.89E-17	1.50E+04	8.84E-13
Hexachlorodibenzofuran	1.14E-16	1.50E+04	1.71E-12
Octachlorodibenzodioxin	1.59E-15	1.50E+02	2.38E-13
Octachlorodibenzofuran	5.58E-17	1.50E+02	8.37E-15
Pentachlorodibenzofuran	1.78E-16	7.50E+04	1.33E-11
Tetrachlorodibenzodioxin	8.24E-17	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	6.21E-17	0.00E+00	0.00E+00
PCB 1260	7.41E-13	9.60E+00	7.12E-12
			3.65E-11
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	1.56E-13	3.80E+05	5.94E-08
2,3,7,8-Tetrachlorodibenzofuran	1.20E-14	3.80E+04	4.57E-10
Heptachlorodibenzodioxin	7.93E-13	3.80E+03	3.01E-09
Heptachlorodibenzofuran	1.44E-13	3.80E+03	5.48E-10
Hexachlorodibenzodioxin	1.12E-13	3.80E+04	4.25E-09
Hexachlorodibenzofuran	2.16E-13	3.80E+04	8.22E-09
Octachlorodibenzodioxin	3.01E-12	3.80E+02	1.14E-09
Octachlorodibenzofuran	1.06E-13	3.80E+02	4.02E-11
Pentachlorodibenzofuran	3.37E-13	1.90E+05	6.40E-08
Tetrachlorodibenzodioxin	1.56E-13	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.18E-13	0.00E+00	0.00E+00
PCB 1260	1.41E-09	1.90E+01	2.67E-08
			1.68E-07
Total for Site			**5.54E-07**

On-Site Worker RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	1.27E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	9.78E-13	NA	NA
Heptachlorodibenzodioxin	6.46E-11	NA	NA
Heptachlorodibenzofuran	1.17E-11	NA	NA
Hexachlorodibenzodioxin	9.10E-12	NA	NA
Hexachlorodibenzofuran	1.76E-11	NA	NA
Octachlorodibenzodioxin	2.45E-10	NA	NA
Octachlorodibenzofuran	8.61E-12	NA	NA
Pentachlorodibenzofuran	2.74E-11	NA	NA
Tetrachlorodibenzodioxin	1.27E-11	NA	NA
Tetrachlorodibenzofuran	9.59E-12	NA	NA
PCB 1260	1.14E-07	7.00E-05	1.64E-03
			1.64E-03
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	5.77E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	4.43E-17	NA	NA
Heptachlorodibenzodioxin	2.92E-15	NA	NA
Heptachlorodibenzofuran	5.32E-16	NA	NA
Hexachlorodibenzodioxin	4.13E-16	NA	NA
Hexachlorodibenzofuran	7.98E-16	NA	NA
Octachlorodibenzodioxin	1.11E-14	NA	NA
Octachlorodibenzofuran	3.91E-16	NA	NA
Pentachlorodibenzofuran	1.24E-15	NA	NA
Tetrachlorodibenzodioxin	5.77E-16	NA	NA
Tetrachlorodibenzofuran	4.34E-16	NA	NA
PCB 1260	5.19E-12	5.60E-05	9.27E-08
			9.27E-08
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	5.47E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	4.21E-13	NA	NA
Heptachlorodibenzodioxin	2.78E-11	NA	NA
Heptachlorodibenzofuran	5.05E-12	NA	NA
Hexachlorodibenzodioxin	3.91E-12	NA	NA
Hexachlorodibenzofuran	7.57E-12	NA	NA
Octachlorodibenzodioxin	1.05E-10	NA	NA
Octachlorodibenzofuran	3.70E-12	NA	NA
Pentachlorodibenzofuran	1.18E-11	NA	NA
Tetrachlorodibenzodioxin	5.47E-12	NA	NA
Tetrachlorodibenzofuran	4.12E-12	NA	NA
PCB 1260	4.92E-08	2.80E-05	1.76E-03
			1.76E-03
			==========
Total for Site			**3.39E-03**

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	6.36E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	4.89E-13	NA	NA
Heptachlorodibenzodioxin	3.23E-11	NA	NA
Heptachlorodibenzofuran	5.87E-12	NA	NA
Hexachlorodibenzodioxin	4.55E-12	NA	NA
Hexachlorodibenzofuran	8.81E-12	NA	NA
Octachlorodibenzodioxin	1.22E-10	NA	NA
Octachlorodibenzofuran	4.31E-12	NA	NA
Pentachlorodibenzofuran	1.37E-11	NA	NA
Tetrachlorodibenzodioxin	6.36E-12	NA	NA
Tetrachlorodibenzofuran	4.79E-12	NA	NA
PCB 1260	5.72E-08	7.00E-05	8.18E-04
			8.18E-04
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	5.77E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	4.43E-17	NA	NA
Heptachlorodibenzodioxin	2.92E-15	NA	NA
Heptachlorodibenzofuran	5.32E-16	NA	NA
Hexachlorodibenzodioxin	4.13E-16	NA	NA
Hexachlorodibenzofuran	7.98E-16	NA	NA
Octachlorodibenzodioxin	1.11E-14	NA	NA
Octachlorodibenzofuran	3.91E-16	NA	NA
Pentachlorodibenzofuran	1.24E-15	NA	NA
Tetrachlorodibenzodioxin	5.77E-16	NA	NA
Tetrachlorodibenzofuran	4.34E-16	NA	NA
PCB 1260	5.19E-12	5.60E-05	9.27E-08
			9.27E-08
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	1.09E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	8.41E-14	NA	NA
Heptachlorodibenzodioxin	5.55E-12	NA	NA
Heptachlorodibenzofuran	1.01E-12	NA	NA
Hexachlorodibenzodioxin	7.83E-13	NA	NA
Hexachlorodibenzofuran	1.51E-12	NA	NA
Octachlorodibenzodioxin	2.10E-11	NA	NA
Octachlorodibenzofuran	7.41E-13	NA	NA
Pentachlorodibenzofuran	2.36E-12	NA	NA
Tetrachlorodibenzodioxin	1.09E-12	NA	NA
Tetrachlorodibenzofuran	8.25E-13	NA	NA
PCB 1260	9.85E-09	2.80E-05	3.52E-04
			3.52E-04
			==========
Total for Site			**1.17E-03**

Construction Worker RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	4.29E-13	1.50E+05	6.44E-08
2,3,7,8-Tetrachlorodibenzofuran	7.38E-14	1.50E+04	1.11E-09
Heptachlorodibenzodioxin	2.55E-12	1.50E+03	3.82E-09
Heptachlorodibenzofuran	3.56E-13	1.50E+03	5.33E-10
Hexachlorodibenzodioxin	3.69E-13	1.50E+04	5.54E-09
Hexachlorodibenzofuran	1.01E-12	1.50E+04	1.51E-08
Octachlorodibenzodioxin	8.72E-12	1.50E+02	1.31E-09
Octachlorodibenzofuran	4.97E-13	1.50E+02	7.45E-11
Pentachlorodibenzofuran	1.41E-12	7.50E+04	1.06E-07
Tetrachlorodibenzodioxin	4.56E-13	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	5.64E-13	0.00E+00	0.00E+00
PCB 1260	1.16E-08	7.70E+00	8.94E-08
			2.87E-07
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.24E-17	1.50E+05	1.86E-12
2,3,7,8-Tetrachlorodibenzofuran	9.54E-19	1.50E+04	1.43E-14
Heptachlorodibenzodioxin	6.29E-17	1.50E+03	9.44E-14
Heptachlorodibenzofuran	1.14E-17	1.50E+03	1.72E-14
Hexachlorodibenzodioxin	8.88E-18	1.50E+04	1.33E-13
Hexachlorodibenzofuran	1.72E-17	1.50E+04	2.58E-13
Octachlorodibenzodioxin	2.39E-16	1.50E+02	3.59E-14
Octachlorodibenzofuran	8.40E-18	1.50E+02	1.26E-15
Pentachlorodibenzofuran	2.67E-17	7.50E+04	2.00E-12
Tetrachlorodibenzodioxin	1.24E-17	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	9.35E-18	0.00E+00	0.00E+00
PCB 1260	1.12E-13	9.60E+00	1.07E-12
			5.49E-12
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	3.85E-14	3.80E+05	1.46E-08
2,3,7,8-Tetrachlorodibenzofuran	6.61E-15	3.80E+04	2.51E-10
Heptachlorodibenzodioxin	2.28E-13	3.80E+03	8.68E-10
Heptachlorodibenzofuran	3.19E-14	3.80E+03	1.21E-10
Hexachlorodibenzodioxin	3.31E-14	3.80E+04	1.26E-09
Hexachlorodibenzofuran	9.02E-14	3.80E+04	3.43E-09
Octachlorodibenzodioxin	7.81E-13	3.80E+02	2.97E-10
Octachlorodibenzofuran	4.45E-14	3.80E+02	1.69E-11
Pentachlorodibenzofuran	1.26E-13	1.90E+05	2.40E-08
Tetrachlorodibenzodioxin	4.09E-14	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	5.05E-14	0.00E+00	0.00E+00
PCB 1260	1.04E-09	1.90E+01	1.98E-08
			6.46E-08
			==========
Total for Site			**3.52E-07**

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	4.47E-14	1.50E+05	6.71E-09
2,3,7,8-Tetrachlorodibenzofuran	7.69E-15	1.50E+04	1.15E-10
Heptachlorodibenzodioxin	2.66E-13	1.50E+03	3.98E-10
Heptachlorodibenzofuran	3.70E-14	1.50E+03	5.56E-11
Hexachlorodibenzodioxin	3.84E-14	1.50E+04	5.77E-10
Hexachlorodibenzofuran	1.05E-13	1.50E+04	1.57E-09
Octachlorodibenzodioxin	9.09E-13	1.50E+02	1.36E-10
Octachlorodibenzofuran	5.17E-14	1.50E+02	7.76E-12
Pentachlorodibenzofuran	1.47E-13	7.50E+04	1.10E-08
Tetrachlorodibenzodioxin	4.75E-14	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	5.87E-14	0.00E+00	0.00E+00
PCB 1260	1.21E-09	7.70E+00	9.31E-09
			2.99E-08
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	8.24E-18	1.50E+05	1.24E-12
2,3,7,8-Tetrachlorodibenzofuran	6.33E-19	1.50E+04	9.50E-15
Heptachlorodibenzodioxin	4.18E-17	1.50E+03	6.27E-14
Heptachlorodibenzofuran	7.60E-18	1.50E+03	1.14E-14
Hexachlorodibenzodioxin	5.89E-18	1.50E+04	8.84E-14
Hexachlorodibenzofuran	1.14E-17	1.50E+04	1.71E-13
Octachlorodibenzodioxin	1.59E-16	1.50E+02	2.38E-14
Octachlorodibenzofuran	5.58E-18	1.50E+02	8.37E-16
Pentachlorodibenzofuran	1.78E-17	7.50E+04	1.33E-12
Tetrachlorodibenzodioxin	8.24E-18	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	6.21E-18	0.00E+00	0.00E+00
PCB 1260	7.41E-14	9.60E+00	7.12E-13
			3.65E-12
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	7.69E-15	3.80E+05	2.92E-09
2,3,7,8-Tetrachlorodibenzofuran	1.32E-15	3.80E+04	5.02E-11
Heptachlorodibenzodioxin	4.57E-14	3.80E+03	1.74E-10
Heptachlorodibenzofuran	6.37E-15	3.80E+03	2.42E-11
Hexachlorodibenzodioxin	6.61E-15	3.80E+04	2.51E-10
Hexachlorodibenzofuran	1.80E-14	3.80E+04	6.85E-10
Octachlorodibenzodioxin	1.56E-13	3.80E+02	5.94E-11
Octachlorodibenzofuran	8.90E-15	3.80E+02	3.38E-12
Pentachlorodibenzofuran	2.52E-14	1.90E+05	4.80E-09
Tetrachlorodibenzodioxin	8.17E-15	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.01E-14	0.00E+00	0.00E+00
PCB 1260	2.08E-10	1.90E+01	3.95E-09
			1.29E-08
			==========
Total for Site			4.28E-08

Construction Worker RME Noncarcinogenic

Analyte	CDI	Slope Factor	Hazard Index
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	3.01E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	5.17E-12	NA	NA
Heptachlorodibenzodioxin	1.78E-10	NA	NA
Heptachlorodibenzofuran	2.49E-11	NA	NA
Hexachlorodibenzodioxin	2.58E-11	NA	NA
Hexachlorodibenzofuran	7.05E-11	NA	NA
Octachlorodibenzodioxin	6.11E-10	NA	NA
Octachlorodibenzofuran	3.48E-11	NA	NA
Pentachlorodibenzodioxin	9.86E-11	NA	NA
Tetrachlorodibenzodioxin	3.19E-11	NA	NA
Tetrachlorodibenzofuran	3.95E-11	NA	NA
PCB 1260	8.13E-07	7.00E-05	1.16E-02
			1.16E-02
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	8.68E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	6.68E-17	NA	NA
Heptachlorodibenzodioxin	4.40E-15	NA	NA
Heptachlorodibenzofuran	8.01E-16	NA	NA
Hexachlorodibenzodioxin	6.21E-16	NA	NA
Hexachlorodibenzofuran	1.20E-15	NA	NA
Octachlorodibenzodioxin	1.68E-14	NA	NA
Octachlorodibenzofuran	5.88E-16	NA	NA
Pentachlorodibenzofuran	1.87E-15	NA	NA
Tetrachlorodibenzodioxin	8.68E-16	NA	NA
Tetrachlorodibenzofuran	6.54E-16	NA	NA
PCB 1260	7.82E-12	5.60E-05	1.40E-07
			1.40E-07
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	2.69E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	4.63E-13	NA	NA
Heptachlorodibenzodioxin	1.60E-11	NA	NA
Heptachlorodibenzofuran	2.23E-12	NA	NA
Hexachlorodibenzodioxin	2.31E-12	NA	NA
Hexachlorodibenzofuran	6.31E-12	NA	NA
Octachlorodibenzodioxin	5.47E-11	NA	NA
Octachlorodibenzofuran	3.11E-12	NA	NA
Pentachlorodibenzofuran	8.84E-12	NA	NA
Tetrachlorodibenzodioxin	2.86E-12	NA	NA
Tetrachlorodibenzofuran	3.53E-12	NA	NA
PCB 1260	7.28E-08	2.80E-05	2.60E-03
			2.60E-03
			==========
Total for Site			**1.42E-02**

Construction Worker Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	3.13E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	5.38E-13	NA	NA
Heptachlorodibenzodioxin	1.86E-11	NA	NA
Heptachlorodibenzofuran	2.59E-12	NA	NA
Hexachlorodibenzodioxin	2.69E-12	NA	NA
Hexachlorodibenzofuran	7.34E-12	NA	NA
Octachlorodibenzodioxin	6.36E-11	NA	NA
Octachlorodibenzofuran	3.62E-12	NA	NA
Pentachlorodibenzodioxin	1.03E-11	NA	NA
Tetrachlorodibenzodioxin	3.33E-12	NA	NA
Tetrachlorodibenzofuran	4.11E-12	NA	NA
PCB 1260	8.46E-08	7.00E-05	1.21E-03
			1.21E-03
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	5.77E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	4.43E-17	NA	NA
Heptachlorodibenzodioxin	2.92E-15	NA	NA
Heptachlorodibenzofuran	5.32E-16	NA	NA
Hexachlorodibenzodioxin	4.13E-16	NA	NA
Hexachlorodibenzofuran	7.98E-16	NA	NA
Octachlorodibenzodioxin	1.11E-14	NA	NA
Octachlorodibenzofuran	3.91E-16	NA	NA
Pentachlorodibenzodioxin	1.24E-15	NA	NA
Tetrachlorodibenzodioxin	5.77E-16	NA	NA
Tetrachlorodibenzofuran	4.34E-16	NA	NA
PCB 1260	5.19E-12	5.60E-05	9.27E-08
			9.27E-08
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	5.39E-13	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	9.26E-14	NA	NA
Heptachlorodibenzodioxin	3.20E-12	NA	NA
Heptachlorodibenzofuran	4.46E-13	NA	NA
Hexachlorodibenzodioxin	4.63E-13	NA	NA
Hexachlorodibenzofuran	1.26E-12	NA	NA
Octachlorodibenzodioxin	1.09E-11	NA	NA
Octachlorodibenzofuran	6.23E-13	NA	NA
Pentachlorodibenzodioxin	1.77E-12	NA	NA
Tetrachlorodibenzodioxin	5.72E-13	NA	NA
Tetrachlorodibenzofuran	7.07E-13	NA	NA
PCB 1260	1.46E-08	2.80E-05	5.20E-04
			5.20E-04
			==========
Total for Site			**1.73E-03**

Current Installation Resident RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.91E-16	1.50E+05	4.37E-11
2,3,7,8-Tetrachlorodibenzofuran	2.24E-17	1.50E+04	3.36E-13
Heptachlorodibenzodioxin	1.48E-15	1.50E+03	2.22E-12
Heptachlorodibenzofuran	2.69E-16	1.50E+03	4.03E-13
Hexachlorodibenzodioxin	2.08E-16	1.50E+04	3.13E-12
Hexachlorodibenzofuran	4.03E-16	1.50E+04	6.05E-12
Octachlorodibenzodioxin	5.62E-15	1.50E+02	8.43E-13
Octachlorodibenzofuran	1.97E-16	1.50E+02	2.96E-14
Pentachlorodibenzofuran	6.28E-16	7.50E+04	4.71E-11
Tetrachlorodibenzodioxin	2.91E-16	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.19E-16	0.00E+00	0.00E+00
PCB 1260	2.62E-12	9.60E+00	2.52E-11
			1.29E-10
Beef Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	1.21E-11	1.50E+05	1.81E-06
2,3,7,8-Tetrachlorodibenzofuran	9.29E-13	1.50E+04	1.39E-08
Heptachlorodibenzodioxin	6.13E-11	1.50E+03	9.20E-08
Heptachlorodibenzofuran	1.11E-11	1.50E+03	1.67E-08
Hexachlorodibenzodioxin	8.64E-12	1.50E+04	1.30E-07
Hexachlorodibenzofuran	1.67E-11	1.50E+04	2.51E-07
Octachlorodibenzodioxin	2.32E-10	1.50E+02	3.48E-08
Octachlorodibenzofuran	8.17E-12	1.50E+02	1.23E-09
Pentachlorodibenzofuran	2.60E-11	7.50E+04	1.95E-06
Tetrachlorodibenzodioxin	1.21E-11	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	9.10E-12	0.00E+00	0.00E+00
PCB 1260	1.09E-07	7.70E+00	8.37E-07
			5.14E-06
Total for Site			**5.14E-06**

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.47E-17	1.50E+05	3.70E-12
2,3,7,8-Tetrachlorodibenzofuran	1.90E-18	1.50E+04	2.85E-14
Heptachlorodibenzodioxin	1.25E-16	1.50E+03	1.88E-13
Heptachlorodibenzofuran	2.28E-17	1.50E+03	3.41E-14
Hexachlorodibenzodioxin	1.77E-17	1.50E+04	2.65E-13
Hexachlorodibenzofuran	3.42E-17	1.50E+04	5.12E-13
Octachlorodibenzodioxin	4.76E-16	1.50E+02	7.14E-14
Octachlorodibenzofuran	1.67E-17	1.50E+02	2.51E-15
Pentachlorodibenzofuran	5.32E-17	7.50E+04	3.99E-12
Tetrachlorodibenzodioxin	2.47E-17	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.86E-17	0.00E+00	0.00E+00
PCB 1260	2.22E-13	9.60E+00	2.13E-12
			1.09E-11
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	8.68E-13	1.50E+05	1.30E-07
2,3,7,8-Tetrachlorodibenzofuran	6.67E-14	1.50E+04	1.00E-09
Heptachlorodibenzodioxin	4.40E-12	1.50E+03	6.61E-09
Heptachlorodibenzofuran	8.01E-13	1.50E+03	1.20E-09
Hexachlorodibenzodioxin	6.21E-13	1.50E+04	9.31E-09
Hexachlorodibenzofuran	1.20E-12	1.50E+04	1.80E-08
Octachlorodibenzodioxin	1.67E-11	1.50E+02	2.50E-09
Octachlorodibenzofuran	5.87E-13	1.50E+02	8.81E-11
Pentachlorodibenzofuran	1.87E-12	7.50E+04	1.40E-07
Tetrachlorodibenzodioxin	8.68E-13	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	6.54E-13	0.00E+00	0.00E+00
PCB 1260	7.81E-09	7.70E+00	6.01E-08
			3.69E-07
Total for Site			**3.69E-07**

Current Installation Resident RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	6.97E-15	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	5.36E-16	NA	NA
Heptachlorodibenzodioxin	3.53E-14	NA	NA
Heptachlorodibenzofuran	6.43E-15	NA	NA
Hexachlorodibenzodioxin	4.98E-15	NA	NA
Hexachlorodibenzofuran	9.64E-15	NA	NA
Octachlorodibenzodioxin	1.34E-13	NA	NA
Octachlorodibenzofuran	4.72E-15	NA	NA
Pentachlorodibenzofuran	1.50E-14	NA	NA
Tetrachlorodibenzodioxin	6.97E-15	NA	NA
Tetrachlorodibenzofuran	5.25E-15	NA	NA
PCB 1260	6.27E-11	5.60E-05	1.12E-06
			1.12E-06
Beef Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	2.93E-10	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.26E-11	NA	NA
Heptachlorodibenzodioxin	1.49E-09	NA	NA
Heptachlorodibenzofuran	2.71E-10	NA	NA
Hexachlorodibenzodioxin	2.10E-10	NA	NA
Hexachlorodibenzofuran	4.06E-10	NA	NA
Octachlorodibenzodioxin	5.64E-09	NA	NA
Octachlorodibenzofuran	1.99E-10	NA	NA
Pentachlorodibenzofuran	6.32E-10	NA	NA
Tetrachlorodibenzodioxin	2.93E-10	NA	NA
Tetrachlorodibenzofuran	2.21E-10	NA	NA
PCB 1260	2.64E-06	7.00E-05	3.77E-02
			3.77E-02
Total for Site			**3.77E-02**

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	8.64E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	6.64E-17	NA	NA
Heptachlorodibenzodioxin	4.38E-15	NA	NA
Heptachlorodibenzofuran	7.97E-16	NA	NA
Hexachlorodibenzodioxin	6.18E-16	NA	NA
Hexachlorodibenzofuran	1.20E-15	NA	NA
Octachlorodibenzodioxin	1.67E-14	NA	NA
Octachlorodibenzofuran	5.85E-16	NA	NA
Pentachlorodibenzofuran	1.86E-15	NA	NA
Tetrachlorodibenzodioxin	8.64E-16	NA	NA
Tetrachlorodibenzofuran	6.51E-16	NA	NA
PCB 1260	7.77E-12	5.60E-05	1.39E-07
			1.39E-07
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.04E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.34E-12	NA	NA
Heptachlorodibenzodioxin	1.54E-10	NA	NA
Heptachlorodibenzofuran	2.80E-11	NA	NA
Hexachlorodibenzodioxin	2.17E-11	NA	NA
Hexachlorodibenzofuran	4.20E-11	NA	NA
Octachlorodibenzodioxin	5.84E-10	NA	NA
Octachlorodibenzofuran	2.06E-11	NA	NA
Pentachlorodibenzofuran	6.54E-11	NA	NA
Tetrachlorodibenzodioxin	3.04E-11	NA	NA
Tetrachlorodibenzofuran	2.29E-11	NA	NA
PCB 1260	2.73E-07	7.00E-05	3.90E-03
			3.90E-03
Total for Site			**3.90E-03**

Installation School RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.85E-17	1.50E+05	2.77E-12
2,3,7,8-Tetrachlorodibenzofuran	1.42E-18	1.50E+04	2.13E-14
Heptachlorodibenzodioxin	9.36E-17	1.50E+03	1.40E-13
Heptachlorodibenzofuran	1.70E-17	1.50E+03	2.55E-14
Hexachlorodibenzodioxin	1.32E-17	1.50E+04	1.98E-13
Hexachlorodibenzofuran	2.55E-17	1.50E+04	3.83E-13
Octachlorodibenzodioxin	3.56E-16	1.50E+02	5.34E-14
Octachlorodibenzofuran	1.25E-17	1.50E+02	1.88E-15
Pentachlorodibenzofuran	3.98E-17	7.50E+04	2.98E-12
Tetrachlorodibenzodioxin	1.85E-17	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.39E-17	0.00E+00	0.00E+00
PCB 1260	1.66E-13	9.60E+00	1.59E-12
			8.17E-12
Total for Site			**8.17E-12**

Installation School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	9.23E-18	1.50E+05	1.38E-12
2,3,7,8-Tetrachlorodibenzofuran	7.09E-19	1.50E+04	1.06E-14
Heptachlorodibenzodioxin	4.68E-17	1.50E+03	7.02E-14
Heptachlorodibenzofuran	8.51E-18	1.50E+03	1.28E-14
Hexachlorodibenzodioxin	6.60E-18	1.50E+04	9.90E-14
Hexachlorodibenzofuran	1.28E-17	1.50E+04	1.92E-13
Octachlorodibenzodioxin	1.78E-16	1.50E+02	2.67E-14
Octachlorodibenzofuran	6.25E-18	1.50E+02	9.38E-16
Pentachlorodibenzofuran	1.99E-17	7.50E+04	1.49E-12
Tetrachlorodibenzodioxin	9.23E-18	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	6.95E-18	0.00E+00	0.00E+00
PCB 1260	8.30E-14	9.60E+00	7.97E-13
			4.08E-12
Total for Site			**4.08E-12**

Installation School RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	3.23E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.48E-17	NA	NA
Heptachlorodibenzodioxin	1.64E-15	NA	NA
Heptachlorodibenzofuran	2.98E-16	NA	NA
Hexachlorodibenzodioxin	2.31E-16	NA	NA
Hexachlorodibenzofuran	4.47E-16	NA	NA
Octachlorodibenzodioxin	6.23E-15	NA	NA
Octachlorodibenzofuran	2.19E-16	NA	NA
Pentachlorodibenzofuran	6.96E-16	NA	NA
Tetrachlorodibenzodioxin	3.23E-16	NA	NA
Tetrachlorodibenzofuran	2.43E-16	NA	NA
PCB 1260	2.91E-12	5.60E-05	5.19E-08
			5.19E-08
Total for Site			**5.19E-08**

Installation School Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	3.23E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.48E-17	NA	NA
Heptachlorodibenzodioxin	1.64E-15	NA	NA
Heptachlorodibenzofuran	2.98E-16	NA	NA
Hexachlorodibenzodioxin	2.31E-16	NA	NA
Hexachlorodibenzofuran	4.47E-16	NA	NA
Octachlorodibenzodioxin	6.23E-15	NA	NA
Octachlorodibenzofuran	2.19E-16	NA	NA
Pentachlorodibenzofuran	6.96E-16	NA	NA
Tetrachlorodibenzodioxin	3.23E-16	NA	NA
Tetrachlorodibenzofuran	2.43E-16	NA	NA
PCB 1260	2.91E-12	5.60E-05	5.19E-08
			5.19E-08
Total for Site			**5.19E-08**

Off-Site Resident, Tooele, RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.11E-21	1.50E+05	3.16E-16
2,3,7,8-Tetrachlorodibenzofuran	1.62E-22	1.50E+04	2.43E-18
Heptachlorodibenzodioxin	1.07E-20	1.50E+03	1.61E-17
Heptachlorodibenzofuran	1.95E-21	1.50E+03	2.92E-18
Hexachlorodibenzodioxin	1.50E-21	1.50E+04	2.26E-17
Hexachlorodibenzofuran	2.93E-21	1.50E+04	4.40E-17
Octachlorodibenzodioxin	4.06E-20	1.50E+02	6.09E-18
Octachlorodibenzofuran	1.43E-21	1.50E+02	2.14E-19
Pentachlorodibenzofuran	4.55E-21	7.50E+04	3.42E-16
Tetrachlorodibenzodioxin	2.11E-21	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.60E-21	0.00E+00	0.00E+00
PCB 1260	1.90E-17	9.60E+00	1.82E-16
			9.34E-16
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.84E-11	1.50E+05	5.77E-06
2,3,7,8-Tetrachlorodibenzofuran	2.96E-12	1.50E+04	4.44E-08
Heptachlorodibenzodioxin	1.95E-10	1.50E+03	2.93E-07
Heptachlorodibenzofuran	3.55E-11	1.50E+03	5.32E-08
Hexachlorodibenzodioxin	2.75E-11	1.50E+04	4.13E-07
Hexachlorodibenzofuran	5.32E-11	1.50E+04	7.99E-07
Octachlorodibenzodioxin	7.39E-10	1.50E+02	1.11E-07
Octachlorodibenzofuran	2.60E-11	1.50E+02	3.90E-09
Pentachlorodibenzofuran	8.28E-11	7.50E+04	6.21E-06
Tetrachlorodibenzodioxin	3.84E-11	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.90E-11	0.00E+00	0.00E+00
PCB 1260	3.46E-07	7.70E+00	2.66E-06
			1.64E-05
Total for Site			**1.64E-05**

Off-Site Resident, Tooele, Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.52E-22	1.50E+05	3.78E-17
2,3,7,8-Tetrachlorodibenzofuran	1.94E-23	1.50E+04	2.91E-19
Heptachlorodibenzodioxin	1.28E-21	1.50E+03	1.92E-18
Heptachlorodibenzofuran	2.33E-22	1.50E+03	3.49E-19
Hexachlorodibenzodioxin	1.80E-22	1.50E+04	2.70E-18
Hexachlorodibenzofuran	3.50E-22	1.50E+04	5.25E-18
Octachlorodibenzodioxin	4.85E-21	1.50E+02	7.27E-19
Octachlorodibenzofuran	1.70E-22	1.50E+02	2.56E-20
Pentachlorodibenzofuran	5.44E-22	7.50E+04	4.08E-17
Tetrachlorodibenzodioxin	2.52E-22	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.91E-22	0.00E+00	0.00E+00
PCB 1260	2.27E-18	9.60E+00	2.18E-17
			1.12E-16
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.90E-12	1.50E+05	5.86E-07
2,3,7,8-Tetrachlorodibenzofuran	3.00E-13	1.50E+04	4.50E-09
Heptachlorodibenzodioxin	1.98E-11	1.50E+03	2.97E-08
Heptachlorodibenzofuran	3.60E-12	1.50E+03	5.41E-09
Hexachlorodibenzodioxin	2.79E-12	1.50E+04	4.19E-08
Hexachlorodibenzofuran	5.41E-12	1.50E+04	8.11E-08
Octachlorodibenzodioxin	7.51E-11	1.50E+02	1.13E-08
Octachlorodibenzofuran	2.64E-12	1.50E+02	3.96E-10
Pentachlorodibenzofuran	8.41E-12	7.50E+04	6.31E-07
Tetrachlorodibenzodioxin	3.90E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.94E-12	0.00E+00	0.00E+00
PCB 1260	3.51E-08	7.70E+00	2.71E-07
			1.66E-06
Total for Site			**1.66E-06**

Off-Site Resident, Tooele, RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.58E-20	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	1.22E-21	NA	NA
Heptachlorodibenzodioxin	8.04E-20	NA	NA
Heptachlorodibenzofuran	1.46E-20	NA	NA
Hexachlorodibenzodioxin	1.13E-20	NA	NA
Hexachlorodibenzofuran	2.20E-20	NA	NA
Octachlorodibenzodioxin	3.04E-19	NA	NA
Octachlorodibenzofuran	1.07E-20	NA	NA
Pentachlorodibenzofuran	3.41E-20	NA	NA
Tetrachlorodibenzodioxin	1.58E-20	NA	NA
Tetrachlorodibenzofuran	1.20E-20	NA	NA
PCB 1260	1.42E-16	5.60E-05	2.54E-12
			2.54E-12
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	2.93E-10	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.26E-11	NA	NA
Heptachlorodibenzodioxin	1.49E-09	NA	NA
Heptachlorodibenzofuran	2.71E-10	NA	NA
Hexachlorodibenzodioxin	2.10E-10	NA	NA
Hexachlorodibenzofuran	4.06E-10	NA	NA
Octachlorodibenzodioxin	5.64E-09	NA	NA
Octachlorodibenzofuran	1.99E-10	NA	NA
Pentachlorodibenzofuran	6.32E-10	NA	NA
Tetrachlorodibenzodioxin	2.93E-10	NA	NA
Tetrachlorodibenzofuran	2.21E-10	NA	NA
PCB 1260	2.64E-06	7.00E-05	3.77E-02
			3.77E-02
			==========
Total for Site			**3.77E-02**

Off-Site Resident, Tooele, Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.96E-21	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	1.51E-22	NA	NA
Heptachlorodibenzodioxin	9.97E-21	NA	NA
Heptachlorodibenzofuran	1.81E-21	NA	NA
Hexachlorodibenzodioxin	1.40E-21	NA	NA
Hexachlorodibenzofuran	2.72E-21	NA	NA
Octachlorodibenzodioxin	3.77E-20	NA	NA
Octachlorodibenzofuran	1.33E-21	NA	NA
Pentachlorodibenzofuran	4.23E-21	NA	NA
Tetrachlorodibenzodioxin	1.96E-21	NA	NA
Tetrachlorodibenzofuran	1.48E-21	NA	NA
PCB 1260	1.76E-17	5.60E-05	3.15E-13
			3.15E-13
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.04E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.34E-12	NA	NA
Heptachlorodibenzodioxin	1.54E-10	NA	NA
Heptachlorodibenzofuran	2.80E-11	NA	NA
Hexachlorodibenzodioxin	2.17E-11	NA	NA
Hexachlorodibenzofuran	4.20E-11	NA	NA
Octachlorodibenzodioxin	5.84E-10	NA	NA
Octachlorodibenzofuran	2.06E-11	NA	NA
Pentachlorodibenzofuran	6.54E-11	NA	NA
Tetrachlorodibenzodioxin	3.04E-11	NA	NA
Tetrachlorodibenzofuran	2.29E-11	NA	NA
PCB 1260	2.73E-07	7.00E-05	3.90E-03
			3.90E-03
			==========
Total for Site			**3.90E-03**

Off-Site Resident, Grantsville, RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.61E-21	1.50E+05	2.41E-16
2,3,7,8-Tetrachlorodibenzofuran	1.24E-22	1.50E+04	1.86E-18
Heptachlorodibenzodioxin	8.18E-21	1.50E+03	1.23E-17
Heptachlorodibenzofuran	1.49E-21	1.50E+03	2.24E-18
Hexachlorodibenzodioxin	1.15E-21	1.50E+04	1.73E-17
Hexachlorodibenzofuran	2.22E-21	1.50E+04	3.34E-17
Octachlorodibenzodioxin	3.10E-20	1.50E+02	4.65E-18
Octachlorodibenzofuran	1.09E-21	1.50E+02	1.64E-19
Pentachlorodibenzofuran	3.47E-21	7.50E+04	2.60E-16
Tetrachlorodibenzodioxin	1.61E-21	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.21E-21	0.00E+00	0.00E+00
PCB 1260	1.45E-17	9.60E+00	1.39E-16
			7.13E-16
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.84E-11	1.50E+05	5.77E-06
2,3,7,8-Tetrachlorodibenzofuran	2.96E-12	1.50E+04	4.44E-08
Heptachlorodibenzodioxin	1.95E-10	1.50E+03	2.93E-07
Heptachlorodibenzofuran	3.55E-11	1.50E+03	5.32E-08
Hexachlorodibenzodioxin	2.75E-11	1.50E+04	4.13E-07
Hexachlorodibenzofuran	5.32E-11	1.50E+04	7.99E-07
Octachlorodibenzodioxin	7.39E-10	1.50E+02	1.11E-07
Octachlorodibenzofuran	2.60E-11	1.50E+02	3.90E-09
Pentachlorodibenzofuran	8.28E-11	7.50E+04	6.21E-06
Tetrachlorodibenzodioxin	3.84E-11	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.90E-11	0.00E+00	0.00E+00
PCB 1260	3.46E-07	7.70E+00	2.66E-06
			1.64E-05
Total for Site			**1.64E-05**

Off-Site Resident, Grantsville, Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.92E-22	1.50E+05	2.89E-17
2,3,7,8-Tetrachlorodibenzofuran	1.48E-23	1.50E+04	2.22E-19
Heptachlorodibenzodioxin	9.77E-22	1.50E+03	1.47E-18
Heptachlorodibenzofuran	1.78E-22	1.50E+03	2.67E-19
Hexachlorodibenzodioxin	1.38E-22	1.50E+04	2.07E-18
Hexachlorodibenzofuran	2.66E-22	1.50E+04	3.99E-18
Octachlorodibenzodioxin	3.71E-21	1.50E+02	5.56E-19
Octachlorodibenzofuran	1.30E-22	1.50E+02	1.95E-20
Pentachlorodibenzofuran	4.14E-22	7.50E+04	3.11E-17
Tetrachlorodibenzodioxin	1.92E-22	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.45E-22	0.00E+00	0.00E+00
PCB 1260	1.74E-18	9.60E+00	1.67E-17
			8.52E-17
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.90E-12	1.50E+05	5.86E-07
2,3,7,8-Tetrachlorodibenzofuran	3.00E-13	1.50E+04	4.50E-09
Heptachlorodibenzodioxin	1.98E-11	1.50E+03	2.97E-08
Heptachlorodibenzofuran	3.60E-12	1.50E+03	5.41E-09
Hexachlorodibenzodioxin	2.79E-12	1.50E+04	4.19E-08
Hexachlorodibenzofuran	5.41E-12	1.50E+04	8.11E-08
Octachlorodibenzodioxin	7.51E-11	1.50E+02	1.13E-08
Octachlorodibenzofuran	2.64E-12	1.50E+02	3.96E-10
Pentachlorodibenzofuran	8.41E-12	7.50E+04	6.31E-07
Tetrachlorodibenzodioxin	3.90E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.94E-12	0.00E+00	0.00E+00
PCB 1260	3.51E-08	7.70E+00	2.71E-07
			1.66E-06
			= = = = = = = =
Total for Site			**1.66E-06**

Off-Site Resident, Grantsville, RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.21E-20	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	9.29E-22	NA	NA
Heptachlorodibenzodioxin	6.13E-20	NA	NA
Heptachlorodibenzofuran	1.12E-20	NA	NA
Hexachlorodibenzodioxin	8.64E-21	NA	NA
Hexachlorodibenzofuran	1.67E-20	NA	NA
Octachlorodibenzodioxin	2.32E-19	NA	NA
Octachlorodibenzofuran	8.17E-21	NA	NA
Pentachlorodibenzofuran	2.60E-20	NA	NA
Tetrachlorodibenzodioxin	1.21E-20	NA	NA
Tetrachlorodibenzofuran	9.10E-21	NA	NA
PCB 1260	1.09E-16	5.60E-05	1.94E-12
			1.94E-12
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	2.93E-10	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.26E-11	NA	NA
Heptachlorodibenzodioxin	1.49E-09	NA	NA
Heptachlorodibenzofuran	2.71E-10	NA	NA
Hexachlorodibenzodioxin	2.10E-10	NA	NA
Hexachlorodibenzofuran	4.06E-10	NA	NA
Octachlorodibenzodioxin	5.64E-09	NA	NA
Octachlorodibenzofuran	1.99E-10	NA	NA
Pentachlorodibenzofuran	6.32E-10	NA	NA
Tetrachlorodibenzodioxin	2.93E-10	NA	NA
Tetrachlorodibenzofuran	2.21E-10	NA	NA
PCB 1260	2.64E-06	7.00E-05	3.77E-02
			3.77E-02
			==========
Total for Site			**3.77E-02**

Off-Site Resident, Grantsville, Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.50E-21	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	1.15E-22	NA	NA
Heptachlorodibenzodioxin	7.60E-21	NA	NA
Heptachlorodibenzofuran	1.39E-21	NA	NA
Hexachlorodibenzodioxin	1.07E-21	NA	NA
Hexachlorodibenzofuran	2.07E-21	NA	NA
Octachlorodibenzodioxin	2.88E-20	NA	NA
Octachlorodibenzofuran	1.01E-21	NA	NA
Pentachlorodibenzofuran	3.22E-22	NA	NA
Tetrachlorodibenzodioxin	1.50E-21	NA	NA
Tetrachlorodibenzofuran	1.13E-21	NA	NA
PCB 1260	1.35E-17	5.60E-05	2.41E-13
			2.41E-13
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.04E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.34E-12	NA	NA
Heptachlorodibenzodioxin	1.54E-10	NA	NA
Heptachlorodibenzofuran	2.80E-11	NA	NA
Hexachlorodibenzodioxin	2.17E-11	NA	NA
Hexachlorodibenzofuran	4.20E-11	NA	NA
Octachlorodibenzodioxin	5.84E-10	NA	NA
Octachlorodibenzofuran	2.06E-11	NA	NA
Pentachlorodibenzofuran	6.54E-11	NA	NA
Tetrachlorodibenzodioxin	3.04E-11	NA	NA
Tetrachlorodibenzofuran	2.29E-11	NA	NA
PCB 1260	2.73E-07	7.00E-05	3.90E-03
			3.90E-03
			==========
Total for Site			**3.90E-03**

Off-Site Resident, Stockton, RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.93E-21	1.50E+05	4.40E-16
2,3,7,8-Tetrachlorodibenzofuran	2.25E-22	1.50E+04	3.38E-18
Heptachlorodibenzodioxin	1.49E-20	1.50E+03	2.24E-17
Heptachlorodibenzofuran	2.71E-21	1.50E+03	4.06E-18
Hexachlorodibenzodioxin	2.09E-21	1.50E+04	3.14E-17
Hexachlorodibenzofuran	4.06E-21	1.50E+04	6.09E-17
Octachlorodibenzodioxin	5.63E-20	1.50E+02	8.44E-18
Octachlorodibenzofuran	1.98E-21	1.50E+02	2.96E-19
Pentachlorodibenzofuran	6.31E-21	7.50E+04	4.73E-16
Tetrachlorodibenzodioxin	2.93E-21	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.21E-21	0.00E+00	0.00E+00
PCB 1260	2.63E-17	9.60E+00	2.53E-16
			1.30E-15
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.84E-11	1.50E+05	5.77E-06
2,3,7,8-Tetrachlorodibenzofuran	2.96E-12	1.50E+04	4.44E-08
Heptachlorodibenzodioxin	1.95E-10	1.50E+03	2.93E-07
Heptachlorodibenzofuran	3.55E-11	1.50E+03	5.32E-08
Hexachlorodibenzodioxin	2.75E-11	1.50E+04	4.13E-07
Hexachlorodibenzofuran	5.32E-11	1.50E+04	7.99E-07
Octachlorodibenzodioxin	7.39E-10	1.50E+02	1.11E-07
Octachlorodibenzofuran	2.60E-11	1.50E+02	3.90E-09
Pentachlorodibenzofuran	8.28E-11	7.50E+04	6.21E-06
Tetrachlorodibenzodioxin	3.84E-11	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.90E-11	0.00E+00	0.00E+00
PCB 1260	3.46E-07	7.70E+00	2.66E-06
			1.64E-05
Total for Site			**1.64E-05**

Off-Site Resident, Stockton, Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	3.50E-22	1.50E+05	5.25E-17
2,3,7,8-Tetrachlorodibenzofuran	2.69E-23	1.50E+04	4.03E-19
Heptachlorodibenzodioxin	1.78E-21	1.50E+03	2.67E-18
Heptachlorodibenzofuran	3.24E-22	1.50E+03	4.86E-19
Hexachlorodibenzodioxin	2.50E-22	1.50E+04	3.75E-18
Hexachlorodibenzofuran	4.85E-22	1.50E+04	7.27E-18
Octachlorodibenzodioxin	6.72E-21	1.50E+02	1.01E-18
Octachlorodibenzofuran	2.36E-22	1.50E+02	3.54E-20
Pentachlorodibenzofuran	7.54E-22	7.50E+04	5.65E-17
Tetrachlorodibenzodioxin	3.50E-22	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.64E-22	0.00E+00	0.00E+00
PCB 1260	3.14E-18	9.60E+00	3.02E-17
			1.55E-16
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.90E-12	1.50E+05	5.86E-07
2,3,7,8-Tetrachlorodibenzofuran	3.00E-13	1.50E+04	4.50E-09
Heptachlorodibenzodioxin	1.98E-11	1.50E+03	2.97E-08
Heptachlorodibenzofuran	3.60E-12	1.50E+03	5.41E-09
Hexachlorodibenzodioxin	2.79E-12	1.50E+04	4.19E-08
Hexachlorodibenzofuran	5.41E-12	1.50E+04	8.11E-08
Octachlorodibenzodioxin	7.51E-11	1.50E+02	1.13E-08
Octachlorodibenzofuran	2.64E-12	1.50E+02	3.96E-10
Pentachlorodibenzofuran	8.41E-12	7.50E+04	6.31E-07
Tetrachlorodibenzodioxin	3.90E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.94E-12	0.00E+00	0.00E+00
PCB 1260	3.51E-08	7.70E+00	2.71E-07
			1.66E-06
Total for Site			**1.66E-06**

Off-Site Resident, Stockton, RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.20E-20	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	1.69E-21	NA	NA
Heptachlorodibenzodioxin	1.12E-19	NA	NA
Heptachlorodibenzofuran	2.03E-20	NA	NA
Hexachlorodibenzodioxin	1.57E-20	NA	NA
Hexachlorodibenzofuran	3.04E-20	NA	NA
Octachlorodibenzodioxin	4.22E-19	NA	NA
Octachlorodibenzofuran	1.48E-20	NA	NA
Pentachlorodibenzofuran	4.73E-20	NA	NA
Tetrachlorodibenzodioxin	2.20E-20	NA	NA
Tetrachlorodibenzofuran	1.66E-20	NA	NA
PCB 1260	1.97E-16	5.60E-05	3.52E-12
			3.52E-12
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	2.93E-10	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.26E-11	NA	NA
Heptachlorodibenzodioxin	1.49E-09	NA	NA
Heptachlorodibenzofuran	2.71E-10	NA	NA
Hexachlorodibenzodioxin	2.10E-10	NA	NA
Hexachlorodibenzofuran	4.06E-10	NA	NA
Octachlorodibenzodioxin	5.64E-09	NA	NA
Octachlorodibenzofuran	1.99E-10	NA	NA
Pentachlorodibenzofuran	6.32E-10	NA	NA
Tetrachlorodibenzodioxin	2.93E-10	NA	NA
Tetrachlorodibenzofuran	2.21E-10	NA	NA
PCB 1260	2.64E-06	7.00E-05	3.77E-02
			3.77E-02
Total for Site			**3.77E-02**

Off-Site Resident, Stockton, Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	2.72E-21	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.09E-22	NA	NA
Heptachlorodibenzodioxin	1.39E-20	NA	NA
Heptachlorodibenzofuran	2.52E-21	NA	NA
Hexachlorodibenzodioxin	1.95E-21	NA	NA
Hexachlorodibenzofuran	3.77E-21	NA	NA
Octachlorodibenzodioxin	5.23E-20	NA	NA
Octachlorodibenzofuran	1.84E-21	NA	NA
Pentachlorodibenzofuran	5.86E-21	NA	NA
Tetrachlorodibenzodioxin	2.72E-21	NA	NA
Tetrachlorodibenzofuran	2.06E-21	NA	NA
PCB 1260	2.44E-17	5.60E-05	4.37E-13
			4.37E-13
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.04E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.34E-12	NA	NA
Heptachlorodibenzodioxin	1.54E-10	NA	NA
Heptachlorodibenzofuran	2.80E-11	NA	NA
Hexachlorodibenzodioxin	2.17E-11	NA	NA
Hexachlorodibenzofuran	4.20E-11	NA	NA
Octachlorodibenzodioxin	5.84E-10	NA	NA
Octachlorodibenzofuran	2.06E-11	NA	NA
Pentachlorodibenzofuran	6.54E-11	NA	NA
Tetrachlorodibenzodioxin	3.04E-11	NA	NA
Tetrachlorodibenzofuran	2.29E-11	NA	NA
PCB 1260	2.73E-07	7.00E-05	3.90E-03
			3.90E-03
			==========
Total for Site			**3.90E-03**

Future On-Site Resident RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	2.04E-11	1.50E+05	3.05E-06
2,3,7,8-Tetrachlorodibenzofuran	1.57E-12	1.50E+04	2.35E-08
Heptachlorodibenzodioxin	1.03E-10	1.50E+03	1.55E-07
Heptachlorodibenzofuran	1.88E-11	1.50E+03	2.82E-08
Hexachlorodibenzodioxin	1.46E-11	1.50E+04	2.18E-07
Hexachlorodibenzofuran	2.82E-11	1.50E+04	4.23E-07
Octachlorodibenzodioxin	3.91E-10	1.50E+02	5.87E-08
Octachlorodibenzofuran	1.38E-11	1.50E+02	2.07E-09
Pentachlorodibenzofuran	4.38E-11	7.50E+04	3.29E-06
Tetrachlorodibenzodioxin	2.04E-11	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	1.53E-11	0.00E+00	0.00E+00
PCB 1260	1.83E-07	7.70E+00	1.41E-06
			8.66E-06
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	9.29E-16	1.50E+05	1.39E-10
2,3,7,8-Tetrachlorodibenzofuran	7.15E-17	1.50E+04	1.07E-12
Heptachlorodibenzodioxin	4.71E-15	1.50E+03	7.07E-12
Heptachlorodibenzofuran	8.57E-16	1.50E+03	1.29E-12
Hexachlorodibenzodioxin	6.65E-16	1.50E+04	9.97E-12
Hexachlorodibenzofuran	1.29E-15	1.50E+04	1.93E-11
Octachlorodibenzodioxin	1.79E-14	1.50E+02	2.69E-12
Octachlorodibenzofuran	6.29E-16	1.50E+02	9.44E-14
Pentachlorodibenzofuran	2.00E-15	7.50E+04	1.50E-10
Tetrachlorodibenzodioxin	9.29E-16	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	7.00E-16	0.00E+00	0.00E+00
PCB 1260	8.36E-12	9.60E+00	8.03E-11
			4.11E-10
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	4.12E-12	3.80E+05	1.57E-06
2,3,7,8-Tetrachlorodibenzofuran	3.17E-13	3.80E+04	1.20E-08
Heptachlorodibenzodioxin	2.09E-11	3.80E+03	7.95E-08
Heptachlorodibenzofuran	3.80E-12	3.80E+03	1.45E-08
Hexachlorodibenzodioxin	2.95E-12	3.80E+04	1.12E-07
Hexachlorodibenzofuran	5.71E-12	3.80E+04	2.17E-07
Octachlorodibenzodioxin	7.93E-11	3.80E+02	3.01E-08
Octachlorodibenzofuran	2.79E-12	3.80E+02	1.06E-09
Pentachlorodibenzofuran	8.88E-12	1.90E+05	1.69E-06
Tetrachlorodibenzodioxin	4.12E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	3.11E-12	0.00E+00	0.00E+00
PCB 1260	3.71E-08	1.90E+01	7.05E-07
			4.42E-06

Future On-Site Resident RME Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Beef Consumption	3.84E-11	1.50E+05	5.77E-06
2,3,7,8-Tetrachlorodibenzofuran	2.96E-12	1.50E+04	4.44E-08
Heptachlorodibenzodioxin	1.95E-10	1.50E+03	2.93E-07
Heptachlorodibenzofuran	3.55E-11	1.50E+03	5.32E-08
Hexachlorodibenzodioxin	2.75E-11	1.50E+04	4.13E-07
Hexachlorodibenzofuran	5.32E-11	1.50E+04	7.99E-07
Octachlorodibenzodioxin	7.39E-10	1.50E+02	1.11E-07
Octachlorodibenzofuran	2.60E-11	1.50E+02	3.90E-09
Pentachlorodibenzofuran	8.28E-11	7.50E+04	6.21E-06
Tetrachlorodibenzodioxin	3.84E-11	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.90E-11	0.00E+00	0.00E+00
PCB 1260	3.46E-07	7.70E+00	2.66E-06
			1.64E-05
Vegetable Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	1.06E-11	1.50E+05	1.59E-06
2,3,7,8-Tetrachlorodibenzofuran	8.14E-13	1.50E+04	1.22E-08
Heptachlorodibenzodioxin	5.37E-11	1.50E+03	8.06E-08
Heptachlorodibenzofuran	9.77E-12	1.50E+03	1.47E-08
Hexachlorodibenzodioxin	7.57E-12	1.50E+04	1.14E-07
Hexachlorodibenzofuran	1.47E-11	1.50E+04	2.20E-07
Octachlorodibenzodioxin	2.04E-10	1.50E+02	3.05E-08
Octachlorodibenzofuran	7.16E-12	1.50E+02	1.07E-09
Pentachlorodibenzofuran	2.28E-11	7.50E+04	1.71E-06
Tetrachlorodibenzodioxin	1.06E-11	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	7.98E-12	0.00E+00	0.00E+00
PCB 1260	9.52E-08	7.70E+00	7.33E-07
			4.50E-06
Fruit Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	5.56E-12	1.50E+05	8.33E-07
2,3,7,8-Tetrachlorodibenzofuran	4.27E-13	1.50E+04	6.41E-09
Heptachlorodibenzodioxin	2.82E-11	1.50E+03	4.23E-08
Heptachlorodibenzofuran	5.13E-12	1.50E+03	7.69E-09
Hexachlorodibenzodioxin	3.97E-12	1.50E+04	5.96E-08
Hexachlorodibenzofuran	7.69E-12	1.50E+04	1.15E-07
Octachlorodibenzodioxin	1.07E-10	1.50E+02	1.60E-08
Octachlorodibenzofuran	3.76E-12	1.50E+02	5.64E-10
Pentachlorodibenzofuran	1.20E-11	7.50E+04	8.98E-07
Tetrachlorodibenzodioxin	5.56E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	4.19E-12	0.00E+00	0.00E+00
PCB 1260	5.00E-08	7.70E+00	3.85E-07
			2.36E-06
Total for Site			**3.63E-05**

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	3.26E-12	1.50E+05	4.90E-07
2,3,7,8-Tetrachlorodibenzofuran	2.51E-13	1.50E+04	3.77E-09
Heptachlorodibenzodioxin	1.66E-11	1.50E+03	2.49E-08
Heptachlorodibenzofuran	3.01E-12	1.50E+03	4.52E-09
Hexachlorodibenzodioxin	2.34E-12	1.50E+04	3.50E-08
Hexachlorodibenzofuran	4.52E-12	1.50E+04	6.78E-08
Octachlorodibenzodioxin	6.28E-11	1.50E+02	9.42E-09
Octachlorodibenzofuran	2.21E-12	1.50E+02	3.32E-10
Pentachlorodibenzofuran	7.03E-12	7.50E+04	5.27E-07
Tetrachlorodibenzodioxin	3.26E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.46E-12	0.00E+00	0.00E+00
PCB 1260	2.94E-08	7.70E+00	2.26E-07
			1.39E-06
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	1.11E-16	1.50E+05	1.67E-11
2,3,7,8-Tetrachlorodibenzofuran	8.54E-18	1.50E+04	1.28E-13
Heptachlorodibenzodioxin	5.63E-16	1.50E+03	8.44E-13
Heptachlorodibenzofuran	1.02E-16	1.50E+03	1.54E-13
Hexachlorodibenzodioxin	7.94E-17	1.50E+04	1.19E-12
Hexachlorodibenzofuran	1.54E-16	1.50E+04	2.31E-12
Octachlorodibenzodioxin	2.14E-15	1.50E+02	3.21E-13
Octachlorodibenzofuran	7.52E-17	1.50E+02	1.13E-14
Pentachlorodibenzofuran	2.39E-16	7.50E+04	1.79E-11
Tetrachlorodibenzodioxin	1.11E-16	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	8.37E-17	0.00E+00	0.00E+00
PCB 1260	9.99E-13	9.60E+00	9.59E-12
			4.91E-11
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	1.32E-13	3.80E+05	5.00E-08
2,3,7,8-Tetrachlorodibenzofuran	1.01E-14	3.80E+04	3.85E-10
Heptachlorodibenzodioxin	6.68E-13	3.80E+03	2.54E-09
Heptachlorodibenzofuran	1.22E-13	3.80E+03	4.62E-10
Hexachlorodibenzodioxin	9.42E-14	3.80E+04	3.58E-09
Hexachlorodibenzofuran	1.82E-13	3.80E+04	6.93E-09
Octachlorodibenzodioxin	2.53E-12	3.80E+02	9.62E-10
Octachlorodibenzofuran	8.91E-14	3.80E+02	3.39E-11
Pentachlorodibenzofuran	2.84E-13	1.90E+05	5.39E-08
Tetrachlorodibenzodioxin	1.32E-13	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	9.92E-14	0.00E+00	0.00E+00
PCB 1260	1.18E-09	1.90E+01	2.25E-08
			1.41E-07

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	3.90E-12	1.50E+05	5.86E-07
2,3,7,8-Tetrachlorodibenzofuran	3.00E-13	1.50E+04	4.50E-09
Heptachlorodibenzodioxin	1.98E-11	1.50E+03	2.97E-08
Heptachlorodibenzofuran	3.60E-12	1.50E+03	5.41E-09
Hexachlorodibenzodioxin	2.79E-12	1.50E+04	4.19E-08
Hexachlorodibenzofuran	5.41E-12	1.50E+04	8.11E-08
Octachlorodibenzodioxin	7.51E-11	1.50E+02	1.13E-08
Octachlorodibenzofuran	2.64E-12	1.50E+02	3.96E-10
Pentachlorodibenzofuran	8.41E-12	7.50E+04	6.31E-07
Tetrachlorodibenzodioxin	3.90E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	2.94E-12	0.00E+00	0.00E+00
PCB 1260	3.51E-08	7.70E+00	2.71E-07
			1.66E-06
Vegetable Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	1.14E-12	1.50E+05	1.72E-07
2,3,7,8-Tetrachlorodibenzofuran	8.81E-14	1.50E+04	1.32E-09
Heptachlorodibenzodioxin	5.81E-12	1.50E+03	8.72E-09
Heptachlorodibenzofuran	1.06E-12	1.50E+03	1.59E-09
Hexachlorodibenzodioxin	8.19E-13	1.50E+04	1.23E-08
Hexachlorodibenzofuran	1.59E-12	1.50E+04	2.38E-08
Octachlorodibenzodioxin	2.20E-11	1.50E+02	3.30E-09
Octachlorodibenzofuran	7.75E-13	1.50E+02	1.16E-10
Pentachlorodibenzofuran	2.47E-12	7.50E+04	1.85E-07
Tetrachlorodibenzodioxin	1.14E-12	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	8.63E-13	0.00E+00	0.00E+00
PCB 1260	1.03E-08	7.70E+00	7.93E-08
			4.87E-07
Fruit Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	6.41E-13	1.50E+05	9.62E-08
2,3,7,8-Tetrachlorodibenzofuran	4.93E-14	1.50E+04	7.40E-10
Heptachlorodibenzodioxin	3.25E-12	1.50E+03	4.88E-09
Heptachlorodibenzofuran	5.92E-13	1.50E+03	8.88E-10
Hexachlorodibenzodioxin	4.59E-13	1.50E+04	6.88E-09
Hexachlorodibenzofuran	8.88E-13	1.50E+04	1.33E-08
Octachlorodibenzodioxin	1.23E-11	1.50E+02	1.85E-09
Octachlorodibenzofuran	4.34E-13	1.50E+02	6.51E-11
Pentachlorodibenzofuran	1.38E-12	7.50E+04	1.04E-07
Tetrachlorodibenzodioxin	6.41E-13	0.00E+00	0.00E+00
Tetrachlorodibenzofuran	4.83E-13	0.00E+00	0.00E+00
PCB 1260	5.77E-09	7.70E+00	4.44E-08
			2.73E-07
			==========
Total for Site			**3.95E-06**

Future On-Site Resident RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	1.84E-10	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	1.42E-11	NA	NA
Heptachlorodibenzodioxin	9.34E-10	NA	NA
Heptachlorodibenzofuran	1.70E-10	NA	NA
Hexachlorodibenzodioxin	1.32E-10	NA	NA
Hexachlorodibenzofuran	2.55E-10	NA	NA
Octachlorodibenzodioxin	3.54E-09	NA	NA
Octachlorodibenzofuran	1.25E-10	NA	NA
Pentachlorodibenzofuran	3.96E-10	NA	NA
Tetrachlorodibenzodioxin	1.84E-10	NA	NA
Tetrachlorodibenzofuran	1.39E-10	NA	NA
PCB 1260	1.66E-06	7.00E-05	2.37E-02
			2.37E-02
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	6.97E-15	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	5.36E-16	NA	NA
Heptachlorodibenzodioxin	3.53E-14	NA	NA
Heptachlorodibenzofuran	6.43E-15	NA	NA
Hexachlorodibenzodioxin	4.98E-15	NA	NA
Hexachlorodibenzofuran	9.64E-15	NA	NA
Octachlorodibenzodioxin	1.34E-13	NA	NA
Octachlorodibenzofuran	4.72E-15	NA	NA
Pentachlorodibenzofuran	1.50E-14	NA	NA
Tetrachlorodibenzodioxin	6.97E-15	NA	NA
Tetrachlorodibenzofuran	5.25E-15	NA	NA
PCB 1260	6.27E-11	5.60E-05	1.12E-06
			1.12E-06
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	2.51E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	1.93E-12	NA	NA
Heptachlorodibenzodioxin	1.27E-10	NA	NA
Heptachlorodibenzofuran	2.32E-11	NA	NA
Hexachlorodibenzodioxin	1.80E-11	NA	NA
Hexachlorodibenzofuran	3.48E-11	NA	NA
Octachlorodibenzodioxin	4.83E-10	NA	NA
Octachlorodibenzofuran	1.70E-11	NA	NA
Pentachlorodibenzofuran	5.41E-11	NA	NA
Tetrachlorodibenzodioxin	2.51E-11	NA	NA
Tetrachlorodibenzofuran	1.89E-11	NA	NA
PCB 1260	2.26E-07	2.80E-05	8.07E-03
			8.07E-03

Future On-Site Resident RME Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Beef Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	2.93E-10	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	2.26E-11	NA	NA
Heptachlorodibenzodioxin	1.49E-09	NA	NA
Heptachlorodibenzofuran	2.71E-10	NA	NA
Hexachlorodibenzodioxin	2.10E-10	NA	NA
Hexachlorodibenzofuran	4.06E-10	NA	NA
Octachlorodibenzodioxin	5.64E-09	NA	NA
Octachlorodibenzofuran	1.99E-10	NA	NA
Pentachlorodibenzofuran	6.32E-10	NA	NA
Tetrachlorodibenzodioxin	2.93E-10	NA	NA
Tetrachlorodibenzofuran	2.21E-10	NA	NA
PCB 1260	2.64E-06	7.00E-05	3.77E-02
			3.77E-02
Vegetable Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	8.07E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	6.21E-12	NA	NA
Heptachlorodibenzodioxin	4.10E-10	NA	NA
Heptachlorodibenzofuran	7.45E-11	NA	NA
Hexachlorodibenzodioxin	5.78E-11	NA	NA
Hexachlorodibenzofuran	1.12E-10	NA	NA
Octachlorodibenzodioxin	1.55E-09	NA	NA
Octachlorodibenzofuran	5.46E-11	NA	NA
Pentachlorodibenzofuran	1.74E-10	NA	NA
Tetrachlorodibenzodioxin	8.07E-11	NA	NA
Tetrachlorodibenzofuran	6.09E-11	NA	NA
PCB 1260	7.27E-07	7.00E-05	1.04E-02
			1.04E-02
Fruit Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	4.24E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	3.26E-12	NA	NA
Heptachlorodibenzodioxin	2.15E-10	NA	NA
Heptachlorodibenzofuran	3.91E-11	NA	NA
Hexachlorodibenzodioxin	3.03E-11	NA	NA
Hexachlorodibenzofuran	5.87E-11	NA	NA
Octachlorodibenzodioxin	8.15E-10	NA	NA
Octachlorodibenzofuran	2.87E-11	NA	NA
Pentachlorodibenzofuran	9.13E-11	NA	NA
Tetrachlorodibenzodioxin	4.24E-11	NA	NA
Tetrachlorodibenzofuran	3.20E-11	NA	NA
PCB 1260	3.81E-07	7.00E-05	5.45E-03
			5.45E-03
			==========
Total for Site			**8.53E-02**

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
Ingestion			
2,3,7,8-Tetrachlorodibenzodioxin	9.20E-11	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	7.08E-12	NA	NA
Heptachlorodibenzodioxin	4.67E-10	NA	NA
Heptachlorodibenzofuran	8.49E-11	NA	NA
Hexachlorodibenzodioxin	6.58E-11	NA	NA
Hexachlorodibenzofuran	1.27E-10	NA	NA
Octachlorodibenzodioxin	1.77E-09	NA	NA
Octachlorodibenzofuran	6.23E-11	NA	NA
Pentachlorodibenzofuran	1.98E-10	NA	NA
Tetrachlorodibenzodioxin	9.20E-11	NA	NA
Tetrachlorodibenzofuran	6.94E-11	NA	NA
PCB 1260	8.28E-07	7.00E-05	1.18E-02
			1.18E-02
Inhalation			
2,3,7,8-Tetrachlorodibenzodioxin	8.64E-16	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	6.64E-17	NA	NA
Heptachlorodibenzodioxin	4.38E-15	NA	NA
Heptachlorodibenzofuran	7.97E-16	NA	NA
Hexachlorodibenzodioxin	6.18E-16	NA	NA
Hexachlorodibenzofuran	1.20E-15	NA	NA
Octachlorodibenzodioxin	1.67E-14	NA	NA
Octachlorodibenzofuran	5.85E-16	NA	NA
Pentachlorodibenzofuran	1.86E-15	NA	NA
Tetrachlorodibenzodioxin	8.64E-16	NA	NA
Tetrachlorodibenzofuran	6.51E-16	NA	NA
PCB 1260	7.77E-12	5.60E-05	1.39E-07
			1.39E-07
Dermal			
2,3,7,8-Tetrachlorodibenzodioxin	1.02E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	7.88E-14	NA	NA
Heptachlorodibenzodioxin	5.20E-12	NA	NA
Heptachlorodibenzofuran	9.45E-13	NA	NA
Hexachlorodibenzodioxin	7.32E-13	NA	NA
Hexachlorodibenzofuran	1.42E-12	NA	NA
Octachlorodibenzodioxin	1.97E-11	NA	NA
Octachlorodibenzofuran	6.93E-13	NA	NA
Pentachlorodibenzofuran	2.21E-12	NA	NA
Tetrachlorodibenzodioxin	1.02E-12	NA	NA
Tetrachlorodibenzofuran	7.72E-13	NA	NA
PCB 1260	9.22E-09	2.80E-05	3.29E-04
			3.29E-04

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RfD/RfC	Hazard Index
2,3,7,8-Tetrachlorodibenzofuran	2.34E-12	NA	NA
Heptachlorodibenzodioxin	1.54E-10	NA	NA
Heptachlorodibenzofuran	2.80E-11	NA	NA
Hexachlorodibenzodioxin	2.17E-11	NA	NA
Hexachlorodibenzofuran	4.20E-11	NA	NA
Octachlorodibenzodioxin	5.84E-10	NA	NA
Octachlorodibenzofuran	2.06E-11	NA	NA
Pentachlorodibenzofuran	6.54E-11	NA	NA
Tetrachlorodibenzodioxin	3.04E-11	NA	NA
Tetrachlorodibenzofuran	2.29E-11	NA	NA
PCB 1260	2.73E-07	7.00E-05	3.90E-03
			3.90E-03
Vegetable Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	8.90E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	6.85E-13	NA	NA
Heptachlorodibenzodioxin	4.52E-11	NA	NA
Heptachlorodibenzofuran	8.22E-12	NA	NA
Hexachlorodibenzodioxin	6.37E-12	NA	NA
Hexachlorodibenzofuran	1.23E-11	NA	NA
Octachlorodibenzodioxin	1.71E-10	NA	NA
Octachlorodibenzofuran	6.03E-12	NA	NA
Pentachlorodibenzofuran	1.92E-11	NA	NA
Tetrachlorodibenzodioxin	8.90E-12	NA	NA
Tetrachlorodibenzofuran	6.71E-12	NA	NA
PCB 1260	8.01E-08	7.00E-05	1.14E-03
			1.14E-03
Fruit Consumption			
2,3,7,8-Tetrachlorodibenzodioxin	4.99E-12	NA	NA
2,3,7,8-Tetrachlorodibenzofuran	3.84E-13	NA	NA
Heptachlorodibenzodioxin	2.53E-11	NA	NA
Heptachlorodibenzofuran	4.60E-12	NA	NA
Hexachlorodibenzodioxin	3.57E-12	NA	NA
Hexachlorodibenzofuran	6.90E-12	NA	NA
Octachlorodibenzodioxin	9.59E-11	NA	NA
Octachlorodibenzofuran	3.38E-12	NA	NA
Pentachlorodibenzofuran	1.07E-11	NA	NA
Tetrachlorodibenzodioxin	4.99E-12	NA	NA
Tetrachlorodibenzofuran	3.76E-12	NA	NA
PCB 1260	4.49E-08	7.00E-05	6.41E-04
			6.41E-04
			==========
Total for Site			**1.78E-02**

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	2.94E-07	3.02E-02	8.86E-09
RDX	5.89E-07	1.10E-01	6.48E-08
			7.37E-08
Inhalation			
Cadmium	1.20E-10	6.10E+00	7.32E-10
Dermal			
2,4,6-Trinitrotoluene	1.82E-06	3.02E-02	5.50E-08
RDX	3.65E-06	1.10E-01	4.02E-07
			4.57E-07
Total for Site			5.31E-07

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	5.53E-08	3.02E-02	1.67E-09
RDX	7.90E-08	1.10E-01	8.69E-09
			1.04E-08
Inhalation			
Cadmium	1.71E-13	6.10E+00	1.04E-12
Dermal			
2,4,6-Trinitrotoluene	3.43E-07	3.02E-02	1.04E-08
RDX	4.90E-07	1.10E-01	5.39E-08
			6.42E-08
			======
Total for Site			7.46E-08

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	Slope Factor	Hazard Index
Ingestion			
2,4,6-Trinitrotoluene	6.85E-07	5.00E-04	1.37E-03
2,4-Dinitrotoluene	2.42E-06	2.00E-03	1.21E-03
Cadmium	1.62E-06	1.00E-03	1.62E-03
Copper	4.30E-05	3.70E-03	1.16E-02
Mercury	4.63E-08	3.00E-04	1.54E-04
RDX	1.37E-06	3.00E-03	4.58E-04
Zinc	1.99E-04	3.00E-01	6.64E-04
			1.71E-02
Inhalation			
Mercury	7.97E-12	9.00E-05	8.85E-08
			8.85E-08
Dermal			
2,4-Dinitrotoluene	1.50E-05	2.00E-03	7.49E-03
Cadmium	1.01E-07	5.00E-04	2.01E-04
Mercury	2.87E-09	3.00E-04	9.52E-06
RDX	8.52E-06	3.00E-03	2.84E-03
Zinc	1.23E-05	3.00E-01	4.12E-05
			1.06E-02
			======
Total for Site			2.77E-02

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4,6-Trinitrotoluene	3.87E-07	5.00E-04	7.74E-04
2,4-Dinitrotoluene	1.31E-06	2.00E-03	6.56E-04
Cadmium	6.36E-07	1.00E-03	6.36E-04
Copper	2.55E-05	3.70E-03	6.89E-03
Mercury	2.28E-08	3.00E-04	7.62E-05
RDX	5.53E-07	3.00E-03	1.84E-04
Zinc	1.24E-04	3.00E-01	4.13E-04
			9.63E-03
Inhalation			
Mercury	3.41E-14	9.00E-05	3.79E-10
Dermal			
2,4-Dinitrotoluene	8.13E-06	2.00E-03	4.06E-03
Cadmium	3.94E-08	5.00E-04	7.89E-05
Mercury	1.42E-09	3.00E-04	4.72E-06
RDX	3.43E-06	3.00E-03	1.14E-03
Zinc	7.67E-06	3.00E-01	2.56E-05
			5.32E-03
Total for Site			1.49E-02

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	1.82E-07	3.02E-02	5.49E-09
RDX	7.38E-08	1.10E-01	8.12E-09
			1.36E-08
Inhalation			
Cadmium	6.01E-12	6.10E+00	3.67E-11
Dermal			
2,4,6-Trinitrotoluene	1.17E-07	3.02E-02	3.55E-09
RDX	4.77E-08	1.10E-01	5.24E-09
			8.79E-09
Total for Site			2.24E-08

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	1.07E-08	3.02E-02	3.23E-10
RDX	3.83E-09	1.10E-01	4.21E-10
			7.44E-10
Inhalation			
Cadmium	1.71E-14	6.10E+00	1.04E-13
Dermal			
2,4,6-Trinitrotoluene	6.63E-08	3.02E-02	2.00E-09
RDX	2.37E-08	1.10E-01	2.61E-09
			4.61E-09
Total for Site			5.36E-09

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4,6-Trinitrotoluene	1.27E-05	5.00E-04	2.55E-02
2,4-Dinitrotoluene	1.90E-05	2.00E-03	9.49E-03
1,3,5-Trinitrobenzene	1.11E-05	5.00E-05	2.23E-01
Antimony	1.04E-04	4.00E-04	2.61E-01
Barium	2.24E-03	7.00E-02	3.20E-02
Cadmium	5.96E-06	5.00E-04	1.19E-02
Chromium	2.05E-04	5.00E-03	4.10E-02
Copper	5.59E-03	3.70E-03	1.51E+00
Mercury	4.34E-07	3.00E-04	1.45E-03
RDX	5.17E-06	3.00E-03	1.72E-03
Silver	7.89E-06	5.00E-03	1.58E-03
Thallium	5.03E-04	7.50E-05	6.70E+00
Zinc	8.55E-03	3.00E-01	2.85E-02
			8.85E+00
Inhalation			
Mercury	1.20E-11	9.00E-05	1.33E-07
			1.33E-07
Dermal			
2,4-Dinitrotoluene	1.23E-05	2.00E-03	6.13E-03
1,3,5-Trinitrobenzene	7.19E-06	5.00E-05	1.44E-01
Antimony	6.73E-07	4.00E-04	1.68E-03
Barium	1.45E-05	7.00E-02	2.07E-04
Cadmium	3.85E-08	5.00E-04	7.70E-05
Chromium	1.33E-06	5.00E-03	2.65E-04
Mercury	2.80E-09	3.00E-04	9.33E-06
RDX	3.34E-06	3.00E-03	1.11E-03
Zinc	5.52E-05	3.00E-01	1.84E-04
			1.53E-01
			=========
Total for Site			9.00E+00

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4,6-Trinitrotoluene	7.49E-07	5.00E-04	1.50E-03
2,4-Dinitrotoluene	1.09E-06	2.00E-03	5.43E-04
1,3,5-Trinitrobenzene	5.58E-07	5.00E-05	1.12E-02
Antimony	9.1E-06	4.00E-04	2.27E-02
Barium	1.45E-04	7.00E-02	2.08E-03
Cadmium	2.95E-07	5.00E-04	5.91E-04
Chromium	1.32E-05	5.00E-03	2.63E-03
Copper	2.45E-04	3.70E-03	6.62E-02
Mercury	2.88E-08	3.00E-04	9.59E-05
RDX	2.68E-07	3.00E-03	8.94E-05
Silver	3.99E-07	5.00E-03	7.98E-05
Thallium	4.22E-05	7.50E-05	5.63E-01
Zinc	4.58E-04	3.00E-01	1.53E-03
			6.72E-01
Inhalation			
Mercury	3.41E-14	9.00E-05	3.79E-10
Dermal			
2,4-Dinitrotoluene	6.73E-06	2.00E-03	3.37E-03
1,3,5-Trinitrobenzene	3.46E-06	5.00E-05	6.92E-02
Antimony	5.64E-07	4.00E-04	1.41E-03
Barium	9.01E-06	7.00E-02	1.29E-04
Cadmium	1.83E-08	5.00E-04	3.66E-05
Chromium	8.16E-07	5.00E-03	1.63E-04
Mercury	1.78E-09	3.00E-04	5.95E-06
RDX	1.66E-06	3.00E-03	5.54E-04
Zinc	2.84E-05	3.00E-01	9.47E-05
			7.49E-02
			======
Total for Site			7.47E-01

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	2.53E-10	6.10E+00	1.55E-09

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	7.64E-14	6.10E+00	4.66E-13

Current On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	9.62E-11	9.00E-05	1.07E-06

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	7.64E-14	9.00E-05	8.49E-10

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	3.19E-11	6.10E+00	1.95E-10

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.36E-13	6.1E+00	8.32E-13

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	6.37E-12	9.00E-05	7.08E-08

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	2.73E-14	9.0E-05	3.03E-10

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	7.89E-13	6.10E+00	4.81E-12

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	6.03E-16	6.10E+00	3.68E-15

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	1.69E-13	9.00E-05	1.87E-09

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Mercury	1.34E-16	9.00E-05	1.49E-12

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	5.88E-13	6.10E+00	3.58E-12

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	4.49E-16	6.10E+00	2.74E-15

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	1.26E-13	9.00E-05	1.40E-09

Off-Site Resident (Grantsville) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Mercury	9.97E-17	9.00E-05	1.11E-12

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.39E-12	6.10E+00	8.46E-12

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.06E-15	6.10E+00	6.46E-15

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	2.96E-13	9.00E-05	3.29E-09

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Mercury	2.35E-16	9.00E-05	2.61E-12

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	7.12E-07	3.00E-02	2.14E-08
RDX	1.43E-06	1.10E-01	1.57E-07
			1.79E-07
Inhalation			
Cadmium	4.50E-10	6.10E+00	2.75E-09
Dermal			
2,4,6-Trinitrotoluene	4.26E-06	3.02E-02	1.29E-07
RDX	8.56E-06	1.10E-01	9.41E-07
			1.07E-06
			======
Total for Site			1.25E-06

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	6.97E-08	3.02E-02	2.10E-09
RDX	9.95E-08	1.10E-01	1.09E-08
			1.30E-08
Inhalation			
Cadmium	3.44E-13	6.10E+00	2.10E-12
Dermal			
2,4,6-Trinitrotoluene	4.32E-07	3.02E-02	1.30E-08
RDX	6.17E-07	1.10E-01	6.79E-08
			8.09E-08
			======
Total for Site			9.40E-08

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4,6-Trinitrotoluene	5.43E-06	5.00E-04	1.09E-02
2,4-Dinitrotoluene	1.92E-05	2.00E-03	9.59E-03
Cadmium	1.29E-05	1.00E-03	1.29E-02
Copper	3.41E-04	3.70E-03	9.22E-02
Mercury	3.67E-07	3.00E-04	1.22E-03
RDX	1.09E-05	3.00E-03	3.64E-03
Zinc	1.58E-03	3.00E-01	5.27E-03
			1.36E-01
Inhalation			
Mercury	9.62E-11	9.00E-05	1.07E-06
Dermal			
2,4-Dinitrotoluene	1.13E-04	2.00E-03	5.63E-02
Cadmium	7.56E-07	5.00E-04	1.51E-03
Mercury	2.16E-08	3.00E-04	7.18E-05
RDX	6.40E-05	3.00E-03	2.13E-02
Zinc	9.27E-05	3.00E-01	3.09E-04
			7.95E-02
			======
Total for Site			2.15E-01

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4,6-Trinitrotoluene	5.42E-07	5.00E-04	1.08E-03
2,4-Dinitrotoluene	1.84E-06	2.00E-03	9.18E-04
Cadmium	8.90E-07	1.00E-03	8.90E-04
Copper	3.57E-05	3.70E-03	9.64E-03
Mercury	3.20E-08	3.00E-04	1.07E-04
RDX	7.74E-07	3.00E-03	2.58E-04
Zinc	1.73E-04	3.00E-01	5.78E-04
			1.35E-02
Inhalation			
Mercury	7.64E-14	9.00E-05	8.49E-10
Dermal			
2,4-Dinitrotoluene	1.14E-05	2.00E-03	5.69E-03
Cadmium	5.52E-08	5.00E-04	1.10E-04
Mercury	1.98E-09	3.00E-04	6.61E-06
RDX	4.80E-06	3.00E-03	1.60E-03
Zinc	1.07E-05	3.00E-01	3.58E-05
			7.44E-03
Total for Site			2.09E-02

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
No slope factors for contaminants of concern			
Inhalation			
Cadmium	3.76E-11	6.10E+00	2.29E-10
Dermal			
No slope factors for contaminants of concern			
			====
Total for Site			2.29E-10

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
No slope factors for contaminants of concern			
Inhalation			
Chromium	5.36E-14	6.10E+00	3.27E-13
Dermal			
No data for this time period			
			====
Total for Site			3.27E-13

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	6.16E-07	1.00E-03	6.16E-04
Zinc	2.78E-04	3.00E-01	9.28E-04
			1.54E-03
Inhalation			
No data were available for this time period			
Dermal			
Cadmium	3.82E-08	5.00E-04	7.64E-05
Zinc	1.73E-05	3.00E-01	5.75E-05
			1.34E-04
Total for Site			1.68E-03

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	4.50E-07	1.00E-03	4.50E-04
Zinc	1.59E-04	3.00E-01	5.32E-04
			9.81E-04
Inhalation			
No data for this time period			
Dermal			
Cadmium	2.79E-08	5.00E-04	5.58E-05
Zinc	9.89E-06	3.00E-01	3.30E-05
			8.87E-05
			=======
Total for Site			1.07E-03

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Bis(2-ethylhexylphthalate)	1.49E-08	1.40E-02	2.09E-10
Inhalation			
Cadmium	1.89E-12	6.10E+00	1.15E-11
Dermal			
Bis(2-ethylhexylphthalate)	9.62E-09	1.40E-02	1.35E-10
			=======
Total for Site			1.46E-10

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Bis(2-ethylhexylphthalate)	1.43E-09	1.40E-02	2.01E-11
Inhalation			
Cadmium	5.36E-15	6.10E+00	3.27E-14
Dermal			
Bis(2-ethylhexylphthalate)	8.88E-09	1.40E-02	1.24E-10
			=======
Total for Site			1.44E-10

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	3.85E-06	5.00E-04	7.70E-03
Bis (2-ehtylhexylphthalate)	1.04E-06	2.00E-02	5.21E-05
Zinc	1.74E-03	3.00E-01	5.81E-03
			1.36E-02
Inhalation			
No data for this time period			
Dermal			
Cadmium	2.49E-08	5.00E-04	4.97E-05
Zinc	1.13E-05	3.00E-01	3.75E-05
			8.73E-05
Total for Site			1.37E-02

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	2.96E-07	5.00E-04	5.92E-04
Bis(2-ethylhexylphthalate)	1.0E-07	2.00E-02	5.01E-06
Zinc	1.13E-04	3.00E-01	3.75E-04
			9.72E-04
Inhalation			
No data for this time period			
Dermal			
Cadmium	1.84E-08	5.00E-04	3.67E-05
Zinc	6.98E-06	3.00E-01	2.33E-05
			6.00E-05
			======
Total for Site			1.03E-03

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	7.96E-11	6.10E+00	4.85E-10

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	2.4E-14	6.10E+00	1.46E-13

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.00E-11	6.10E+00	6.11E-11

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	4.29E-14	6.10E+00	2.62E-13
Total For Site			

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	7.93E-15	6.10E+00	4.84E-14

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	6.08E-18	6.10E+00	3.71E-17

Off-Site Resident (Tooele)95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	6.73E-15	6.10E+00	4.10E-14

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	5.15E-18	6.10E+00	3.14E-17

Off-Site Resident (Grantsville) Upper Confidence Limit Noncarcinogenc

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident Average Noncarcinogenic

Analyte	Average Grantsville	CDI	RFD	Hazard Index
No data available				

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	1.44E-14	6.10E+00	8.78E-14

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Cadmium	1.11E-17	6.10E+00	6.75E-17

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
No slope factors for contaminants of concern			
Inhalation			
Cadmium	1.41E-10	6.10E+00	8.62E-10
Dermal			
No slope factors for contaminants of concern			
			====
Total For Site			8.62E-07

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.08E-13	6.10E+00	6.59E-13

Operable Unit 7: Site 7—Chemical Range (continued)

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	4.98E-06	1.00E-03	4.98E-03
Zinc	2.21E-03	3.00E-01	7.36E-03
			1.23E-02
Inhalation			
No RFDs for contaminants of concern			
Dermal			
Cadmium	2.92E-07	5.00E-04	5.85E-04
Zinc	1.30E-04	3.00E-01	4.32E-04
			1.02E-03
Total for Site			1.34E-02

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	6.29E-07	1.00E-03	6.29E-04
Zinc	2.23E-04	3.00E-01	7.44E-04
			1.37E-03
Inhalation			
No RFDs for contaminants of concern			
Dermal			
Cadmium	3.90E-08	5.00E-04	7.81E-05
Zinc	1.38E-05	3.00E-01	4.61E-05
			1.24E-04
Total for Site			1.50E-03

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No slope factors for contaminants of concern			

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No slope factors for contaminants of concern			

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Barium	1.63E-04	7.00E-02	2.33E-03
Copper	3.89E-04	3.70E-03	1.05E-01
Zinc	2.86E-04	3.00E-01	9.52E-04
			1.08E-01
Inhalation			
No data for this time period			
Dermal			
Barium	1.05E-05	7.00E-02	1.45E-04
Zinc	1.79E-05	3.00E-01	5.90E-05
			2.04E-04
			=====
Total for Site			1.09E-01

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Barium	1.04E-04	7.00E-02	1.49E-03
Copper	1.61E-04	3.70E-03	4.35E-02
Zinc	1.42E-04	3.00E-01	4.73E-04
			4.54E-02
Inhalation			
No data for this time period			
Dermal			
Barium	6.46E-06	7.00E-02	9.23E-05
Zinc	8.81E-06	3.00E-01	2.94E-05
			1.22E-04
			=====
Total for Site			4.55E-02

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No slope factors for contaminants of concern			

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No slope factors for contaminants of concern			

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Barium	1.57E-03	7.00E-02	2.24E-02
Copper	3.73E-03	3.70E-03	1.01E+00
Zinc	2.74E-03	3.00E-01	9.14E-03
			1.04E+00
Inhalation			
No data for this time period			
Dermal			
Barium	1.01E-05	7.00E-02	1.45E-04
Zinc	1.77E-05	3.00E-01	5.90E-05
			2.04E-04
			=====
Total for Site			1.04E+00

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Barium	1.04E-04	7.00E-02	1.49E-03
Copper	1.61E-04	3.70E-03	4.35E-02
Zinc	1.42E-04	3.00E-01	4.73E-04
			4.54E-02
Inhalation			
No data for this time period			
Dermal			
Barium	6.46E-06	7.00E-02	9.23E-05
Zinc	8.81E-06	3.00E-01	2.94E-05
			1.22E-04
			=====
Total for Site			4.55E-02

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data for this time period			

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data for this time period			

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data available			

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data available			

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data available			

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data available			

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data available			

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	Average Grantsville	CDI	Slope Factor	Risk Factor
Inhalation				
No data available				

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Grantsville) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data available			

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No data available			

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	Average Stockton	CDI	RFD	Hazard Index
Inhalation				
No data available				

Future On-Site Resident Upper 95% Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
No slope factors for contaminants of concern			

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
No slope factors for contaminants of concern			

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Barium	1.29E-03	7.00E-02	1.85E-02
Copper	3.09E-03	3.70E-03	8.34E-01
Zinc	2.27E-03	3.00E-01	7.55E-03
			8.60E-01
Inhalation			
No RFDs for contaminants of concern			
Dermal			
Barium	7.60E-05	7.00E-02	1.09E-03
Zinc	1.33E-04	3.00E-01	4.43E-04
			1.53E-03
			=====
Total for Site			8.62E-01

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Barium	1.46E-04	7.00E-02	2.08E-03
Copper	2.25E-04	3.70E-03	6.08E-02
Zinc	1.99E-04	3.00E-01	6.63E-04
			6.36E-02
Dermal			
Barium	9.05E-06	7.00E-02	1.29E-04
Zinc	1.23E-05	3.00E-01	4.11E-05
			1.70E-04
			=====
Total for Site			6.38E-02

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	1.92E-03	3.02E-02	5.81E-05
RDX	9.90E-05	1.10E-01	1.09E-05
			6.90E-05
Inhalation			
Chromium	7.69E-10	4.10E+01	3.15E-08
Nickel	9.43E-10	8.40E-01	7.92E-10
			3.23E-08
Dermal			
2,4,6-Trinitrotoluene	1.19E-02	3.02E-02	3.60E-04
RDX	6.14E-04	1.10E-01	6.76E-05
			4.28E-04
			======
Total for Site			4.97E-04

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	2.33E-04	3.02E-02	7.05E-06
RDX	1.27E-05	1.10E-01	1.40E-06
			8.45E-06
Inhalation			
Chromium	1.10E-12	4.10E+01	4.50E-11
Nickel	1.35E-12	8.40E-01	1.13E-12
			4.61E-11
Dermal			
2,4,6-Trinitrotoluene	1.45E-03	3.02E-02	4.37E-05
RDX	7.86E-05	1.10E-01	8.65E-06
			5.24E-05
			======
Total for Site			6.08E-05

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
1,3,5-Trinitrobenzene	6.62E-07	5.00E-05	1.32E-02
2,4,6-Trinitrotoluene	4.49E-03	5.00E-04	8.97E+00
Chromium	1.57E-05	5.00E-03	3.13E-03
Copper	1.57E-05	3.70E-03	4.24E-03
Cyanide	3.30E-06	2.00E-02	1.65E-04
HMX	1.12E-05	5.00E-02	2.24E-04
Nickel	1.92E-05	2.00E-02	9.62E-04
Nitrite	1.16E-06	1.00E-01	1.16E-05
RDX	2.31E-04	3.00E-03	7.70E-02
Zinc	1.70E-04	3.00E-01	5.68E-04
			9.07E+00
Inhalation			
No data for this time period			
Dermal			
1,3,5-Trinitrobenzene	4.11E-06	5.00E-05	8.21E-02
Chromium	9.71E-07	5.00E-03	1.94E-04
Cyanide	2.05E-05	2.00E-02	1.02E-03
Nickel	1.19E-06	2.00E-02	5.96E-05
Nitrite	7.19E-06	1.00E-01	7.19E-05
RDX	1.49E-03	3.00E-03	4.78E-01
Zinc	1.06E-05	3.00E-01	3.52E-05
			5.61E-01
			=======
Total for Site			9.64E+00

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
1,3,5-Trinitrobenzene	3.76E-07	5.00E-05	7.53E-03
2,4,6-Trinitrotoluene	1.63E-03	5.00E-04	3.27E+00
Chromium	9.13E-06	5.00E-03	1.83E-03
Copper	9.30E-06	3.70E-03	2.51E-03
Cyanide	1.96E-06	2.00E-02	9.78E-05
HMX	5.21E-06	5.00E-02	1.04E-04
Nickel	7.78E-06	2.00E-02	3.89E-04
Nitrite	9.09E-07	1.00E-01	9.09E-06
RDX	8.88E-05	3.00E-03	2.96E-02
Zinc	8.65E-05	3.00E-01	2.88E-04
			3.31E+00
Inhalation			
No data for this time period			
Dermal			
1,3,5-Trinitrobenzene	2.33E-06	5.00E-05	4.67E-02
Chromium	5.66E-07	5.00E-03	1.13E-04
Cyanide	1.21E-05	2.00E-02	6.07E-04
Nickel	4.82E-07	2.00E-02	2.41E-05
Nitrite	5.64E-06	1.00E-01	5.64E-05
RDX	5.50E-04	3.00E-03	1.83E-01
Zinc	5.37E-06	3.00E-01	1.79E-05
			2.31E-01
			=====
Total for Site			3.54E+00

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	6.15E-04	3.02E-02	1.86E-05
RDX	3.17E-05	1.10E-01	3.49E-06
			2.21E-05
Inhalation			
Chromium	3.86E-11	4.10E+01	1.58E-09
Nickel	4.74E-11	8.40E-01	3.98E-11
			1.62E-09
Dermal			
2,4,6-Trinitrotoluene	3.97E-04	3.02E-02	1.20E-05
RDX	2.05E-05	1.10E-01	2.25E-06
			1.43E-05
			=======
Total for Site			3.63E-05

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	2.33E-05	3.02E-02	7.05E-07
RDX	1.27E-06	1.10E-01	1.40E-07
			8.45E-07
Inhalation			
Chromium	1.10E-13	4.10E+01	4.50E-12
Nickel	1.35E-13	8.40E-01	1.13E-13
			4.61E-12
Dermal			
2,4,6-Trinitrotoluene	1.45E-04	3.02E-02	4.37E-06
RDX	7.86E-06	1.10E-01	8.65E-07
			5.24E-06
			======
Total for Site			6.08E-06

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
1,3,5-Trinitrobenzene	6.34E-06	5.00E-05	1.27E-01
2,4,6-Trinitrotoluene	4.31E-02	5.00E-04	8.62E+01
Chromium	1.50E-04	5.00E-03	3.01E-02
Copper	1.50E-04	3.70E-03	4.06E-02
Cyanide	3.17E-05	2.00E-02	1.59E-03
HMX	1.07E-04	5.00E-02	2.15E-03
Nickel	1.85E-04	2.00E-02	9.23E-03
Nitrite	1.11E-05	1.00E-01	1.11E-04
RDX	2.22E-03	3.00E-03	7.40E-01
Zinc	1.63E-03	3.00E-01	5.45E-03
			8.71E+01
Inhalation			
No data for this time period			
Dermal			
1,3,5-Trinitrobenzene	4.09E-06	5.00E-05	8.19E-02
Chromium	9.71E-07	5.00E-03	1.94E-04
Cyanide	2.05E-05	2.00E-02	1.02E-03
Nickel	1.19E-06	2.00E-02	5.96E-05
Nitrite	7.19E-06	1.00E-01	7.19E-05
RDX	1.43E-43	3.00E-03	4.78E-01
Zinc	1.06E-05	3.00E-01	3.52E-05
			5.61E-01
			=====
Total for Site			8.77E+01

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
1,3,5-Trinitrobenzene	3.76E-07	5.00E-05	7.52E-03
2,4,6-Trinitrotoluene	1.63E-03	5.00E-04	3.27E+00
Chromium	9.15E-06	5.00E-03	1.83E-03
Copper	9.30E-06	3.70E-03	2.51E-03
Cyanide	1.96E-06	2.00E-02	9.78E-05
HMX	5.19E-06	5.00E-02	1.04E-04
Nickel	7.78E-06	2.00E-02	3.89E-04
Nitrite	9.10E-07	1.00E-01	9.10E-06
RDX	8.88E-05	3.00E-03	2.96E-02
Zinc	8.66E-05	3.00E-01	2.89E-04
			3.31E+00
Inhalation			
No data for this time period			
Dermal			
1,3,5-Trinitrobenzene	2.33E-06	5.00E-05	4.67E-02
Chromium	5.67E-07	5.00E-03	1.13E-04
Cyanide	1.21E-05	2.00E-02	6.07E-04
Nickel	4.82E-07	2.00E-02	2.41E-05
Nitrite	5.64E-06	1.00E-01	5.64E-05
RDX	5.5E-04	3.00E-03	1.83E-01
Zinc	5.37E-06	3.00E-01	1.79E-05
			2.31E-01
			======
Total for Site			3.54E+00

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Chromium	1.63E-09	4.10E+01	6.67E-08
Nickel	2.00E-09	8.40E-01	1.68E-09
Total for Site			6.84E-08

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Chromium	4.91E-13	4.10E+01	2.01E-11
Nickel	6.03E-13	8.4E-01	5.06E-13
Total for Site			2.06E-11

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Chromium	2.05E-10	4.10E+01	8.41E-09
Nickel	2.52E-10	8.40E-01	2.11E-10
Total for Site			8.62E-09

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Chromium	8.77E-13	4.10E+01	3.60E-11
Nickel	1.08E-12	8.4E-01	9.04E-13
Total for Site			3.69E-11

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Chromium	1.26E-13	4.10E+01	5.16E-12
Nickel	1.54E-13	8.40E-01	1.30E-13
Total for Site			5.29E-12

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Chromium	9.57E-17	4.10E+01	3.92E-15
Nickel	1.17E-16	8.40E-01	9.86E-17
Total for Site			4.02E-15

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	Average Tooele	CDI	RFD	Hazard Index
No data available				

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Chromium	1.53E-13	4.10E+01	6.28E-12
Nickel	1.88E-13	8.40E-01	1.58E-13
Total for Site			6.44E-12

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Chromium	1.17E-16	4.10E+01	4.80E-15
Nickel	1.44E-16	8.40E-01	1.21E-16
Total for Site			4.93E-15

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Grantsville) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Chromium	1.88E-13	4.10E+01	7.73E-12
Nickel	2.32E-13	8.40E-01	1.95E-13
Total for Site			7.92E-12

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Chromium	1.44E-16	4.10E+01	5.92E-15
Nickel	1.77E-16	8.40E-01	1.49E-16
Total for Site			6.07E-15

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	4.67E-03	3.02E-02	1.41E-04
RDX	2.40E-04	1.10E-01	2.64E-05
			1.67E-04
Inhalation			
Chromium	2.89E-09	4.10E+01	1.19E-07
Nickel	3.55E-09	8.40E-01	2.98E-09
			1.22E-07
Dermal			
2,4,6-Trinitrotoluene	2.79E-02	3.02E-02	8.43E-04
RDX	1.44E-03	1.10E-01	1.58E-04
			1.00E-03
			======
Total for Site			1.17E-03

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	2.94E-04	3.02E-02	8.89E-06
RDX	1.59E-05	1.10E-01	1.75E-06
			1.06E-05
Inhalation			
Chromium	2.21E-12	4.10E+01	9.06E-11
Nickel	2.71E-12	8.40E-01	2.28E-12
			9.29E-11
Dermal			
2,4,6-Trinitrotoluene	1.82E-03	3.02E-02	5.51E-05
RDX	9.88E-05	1.10E-01	1.09E-05
			6.60E-05
			=======
Total for Site			7.66E-05

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
1,3,5-Trinitrobenzene	5.27E-07	5.00E-05	1.05E-02
2,4,6-Trinitrotoluene	2.29E-03	5.00E-04	4.58E+00
Chromium	1.28E-05	5.00E-03	2.56E-03
Copper	1.30E-05	3.70E-03	3.52E-03
Cyanide	2.74E-06	2.00E-02	1.37E-04
HMX	7.29E-06	5.00E-02	1.46E-04
Nickel	1.09E-05	2.00E-02	5.45E-04
Nitrite	1.27E-06	1.00E-01	1.27E-05
RDX	1.24E-04	3.00E-03	4.14E-02
Zinc	1.21E-04	3.00E-01	4.04E-04
			4.64E+00
Dermal			
1,3,5-Trinitrobenzene	3.27E-06	5.00E-05	6.53E-02
Chromium	7.92E-07	5.00E-03	1.58E-04
Cyanide	1.70E-05	2.00E-02	8.49E-04
Nickel	6.75E-07	2.00E-02	3.38E-05
Nitrite	7.89E-06	1.00E-01	7.89E-05
RDX	7.71E-04	3.00E-03	2.57E-01
Zinc	7.51E-06	3.00E-01	2.50E-05
			3.23E-01
			=======
Total for Site			4.96E+00

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
1,3,5-Trinitrobenzene	5.25E-06	5.00E-05	1.05E-01
2,4,6-Trinitrotoluene	3.56E-02	5.00E-04	7.12E+01
Chromium	1.24E-04	5.00E-03	2.48E-02
Copper	1.24E-04	3.70E-03	3.36E-02
Cyanide	2.62E-05	2.00E-02	1.31E-03
HMX	8.89E-05	5.00E-02	1.78E-03
Nickel	1.58E-04	2.00E-02	7.63E-03
Nitrite	9.20E-06	1.00E-01	9.20E-05
RDX	1.83E-03	3.00E-03	6.11E-01
Zinc	1.35E-03	3.00E-01	4.50E-03
			7.20E+01
Inhalation			
RFD factors were unavailable for the chemicals of concern for this site.			
Dermal			
1,3,5-Trinitrobenzene	3.08E-05	5.00E-05	6.17E-01
Chromium	7.29E-06	5.00E-03	1.46E-03
Cyanide	1.54E-04	2.00E-02	7.68E-03
Nickel	8.95E-06	2.00E-02	4.48E-04
Nitrite	5.40E-05	1.00E-01	5.40E-04
RDX	1.08E-02	3.00E-03	3.59E+00
Zinc	7.92E-05	3.00E-01	2.64E-04
			4.22E+00
			======
Total for Site			7.62E+01

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Benzo[A]anthracene	5.02E-07	7.30E-01	3.66E-07
Benzo[a]pyrene	6.21E-07	7.30E+00	4.53E-06
Benzo[B]fluoranthene	5.87E-07	7.30E-01	4.28E-07
Benzo[K]fluoranthene	1.29E-06	7.30E-01	9.38E-07
Bis(2-ethylhexyl)phthalate	6.49E-07	1.40E-02	9.08E-09
Chrysene	7.38E-07	7.30E-02	5.39E-08
Indeno[1,2,3-C,D]pyrene	3.46E-07	7.30E-01	2.53E-07
			6.58E-06
Inhalation			
Benzo[A]anthracene	8.53E-11	6.10E-01	5.20E-11
Benzo[a]pyrene	1.05E-10	6.10E+00	6.43E-10
Benzo[B]fluoranthene	9.99E-11	6.10E-01	6.09E-11
Benzo[K]fluoranthene	2.19E-10	6.10E-01	1.33E-10
Cadmium	4.25E-11	6.10E+00	2.59E-10
Chromium	5.39E-09	4.10E+01	2.21E-07
			2.22E-07
Dermal			
Benzo[A]anthracene	3.11E-06	7.30E-01	2.27E-06
Benzo[a]pyrene	3.85E-06	7.30E+00	2.81E-05
Benzo[B]fluoranthene	3.64E-06	7.30E-01	2.66E-06
Benzo[K]fluoranthene	7.97E-06	7.30E-01	5.82E-06
Bis(2-ethylhexyl)phthalate	4.02E-06	1.40E-02	5.63E-08
Chrysene	4.58E-06	7.30E-02	3.34E-07
Indeno[1,2,3-C,D]pyrene	2.15E-06	7.30E-01	1.57E-06
			4.08E-05
Total for Site			4.76E-05

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Benzo[A]anthracene	1.17E-07	7.30E-01	8.52E-08
Benzo[a]pyrene	1.41E-07	7.30E+00	1.03E-06
Benzo[B]fluoranthene	1.33E-07	7.30E-01	9.72E-08
Benzo[K]fluoranthene	2.85E-07	7.30E-01	2.08E-07
Chrysene	1.69E-07	7.30E-02	1.23E-08
Indeno[1,2,3-C,D]pyrene	7.94E-08	7.30E-01	5.80E-08
			1.49E-06
Inhalation			
Benzo[A]anthracene	1.23E-13	6.10E-01	7.50E-14
Benzo[a]pyrene	1.53E-13	6.10E+00	9.34E-13
Benzo[B]fluoranthene	1.45E-13	6.10E-01	8.85E-14
Benzo[K]fluoranthene	3.17E-13	6.10E-01	1.93E-13
Cadmium	6.14E-14	6.10E+00	3.74E-13
Chromium	7.80E-12	4.10E+01	3.20E-10
			3.21E-10
Dermal			
Benzo[A]anthracene	7.24E-07	7.30E-01	5.28E-07
Benzo[a]pyrene	8.76E-07	7.30E+00	6.39E-06
Benzo[B]fluoranthene	8.25E-07	7.30E-01	6.02E-07
Benzo[K]fluoranthene	1.77E-06	7.30E-01	1.29E-06
Chrysene	1.05E-06	7.30E-02	7.65E-08
Indeno[1,2,3-C,D]pyrene	4.92E-07	7.30E-01	3.59E-07
			9.25E-06
			=====
Total for Site			1.07E-05

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	5.82E-07	1.00E-03	5.82E-04
Chromium	7.41E-05	5.00E-03	1.48E-02
Copper	4.78E-05	3.70E-03	1.28E-02
Cyanide	6.05E-06	2.00E-02	3.02E-04
Fluoranthene	1.99E-06	4.00E-02	4.98E-05
Mercury	5.11E-08	3.00E-04	1.70E-04
Nitrate	5.02E-06	1.60E+00	3.14E-06
Phenanthrene	1.59E-06	3.00E-02	5.28E-05
Pyrene	1.67E-06	3.00E-02	5.57E-05
Zinc	4.00E-04	3.00E-01	1.33E-03
			3.01E-02
Inhalation			
Mercury	8.77E-12	9.00E-05	9.75E-08
			9.75E-08
Dermal			
Cadmium	3.61E-08	5.00E-04	7.22E-05
Chromium	4.59E-06	5.00E-03	9.18E-04
Cyanide	3.75E-05	2.00E-02	1.87E-03
Fluoranthene	1.23E-05	4.00E-02	3.09E-04
Mercury	3.17E-09	3.00E-04	1.06E-05
Nitrate	3.11E-05	1.60E+00	1.95E-05
Pyrene	1.04E-05	3.00E-02	3.46E-04
Zinc	2.48E-05	3.00E-01	8.26E-05
			3.96E-03
			=====
Total for Site			3.41E-02

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	3.61E-07	1.00E-03	3.61E-04
Chromium	3.86E-05	5.00E-03	7.73E-03
Copper	3.22E-05	3.70E-03	8.70E-03
Cyanide	2.94E-06	2.00E-02	1.47E-04
Fluoranthene	1.37E-06	4.00E-02	3.42E-05
Mercury	3.12E-08	3.00E-04	1.04E-04
Nitrate	2.99E-06	1.60E+00	1.87E-06
Phenanthrene	1.10E-06	3.00E-02	3.67E-05
Pyrene	1.19E-06	3.00E-02	3.96E-05
Zinc	2.27E-04	3.00E-01	7.57E-04
			1.79E-02
Inhalation			
Mercury	3.74E-14	9.00E-05	4.21E-10
Dermal			
Cadmium	2.24E-08	5.00E-04	4.48E-05
Chromium	2.40E-06	5.00E-03	4.79E-04
Cyanide	1.82E-05	2.00E-02	9.11E-04
Fluoranthene	8.49E-06	4.00E-02	2.12E-04
Mercury	1.93E-09	3.00E-04	6.44E-06
Nitrate	1.85E-05	1.60E+00	1.16E-05
Phenanthrene	6.82E-06	3.00E-06	2.27E-04
Pyrene	7.36E-06	3.00E-02	2.45E-04
Zinc	1.41E-05	3.00E-01	4.69E-05
			2.19E-03
			====
Total for Site			2.01E-02

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Benzo[A]anthracene	1.61E-07	7.30E-01	1.17E-07
Benzo[a]pyrene	1.99E-07	7.30E+00	1.45E-06
Benzo[B]fluoranthene	1.88E-07	7.30E-01	1.37E-07
Benzo[K]fluoranthene	4.11E-07	7.30E-01	3.00E-07
Bis(2-ethylhexyl)phthalate	2.07E-07	1.40E-02	2.90E-09
Chrysene	2.36E-07	7.30E-02	1.73E-08
Indeno[1,2,3-C,D]pyrene	1.11E-07	7.30E-01	8.08E-08
			2.11E-06
Inhalation			
Benzo[A]anthracene	4.28E-12	6.10E-01	2.61E-12
Benzo[a]pyrene	5.29E-12	6.10E+00	3.23E-11
Benzo[B]fluoranthene	5.01E-12	6.10E-01	3.06E-12
Benzo[K]fluoranthene	1.10E-11	6.10E-01	6.69E-12
Cadmium	2.13E-12	6.10E+00	1.30E-11
Chromium	2.71E-10	4.10E+01	1.11E-08
			6.69E-04
Dermal			
Benzo[A]anthracene	1.04E-07	7.30E-01	7.57E-08
Benzo[a]pyrene	1.28E-07	7.30E+00	9.37E-07
Benzo[B]fluoranthene	1.21E-07	7.30E-01	8.85E-08
Benzo[K]fluoranthene	2.66E-07	7.30E-01	1.94E-07
Bis(2-ethylhexyl)phthalate	1.34E-07	1.40E-02	1.87E-09
Chrysene	1.53E-07	7.30E-02	1.11E-08
Indeno[1,2,3-C,D]pyrene	7.15E-08	7.30E-01	5.22E-07
			1.36E-06
			====
Total for Site			3.48E-06

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Benzo[A]anthracene	1.17E-08	7.30E-01	8.52E-09
Benzo[a]pyrene	1.41E-08	7.30E+00	1.03E-07
Benzo[B]fluoranthene	1.33E-08	7.30E-01	9.72E-09
Benzo[K]fluoranthene	2.85E-08	7.30E-01	2.08E-08
Chrysene	1.69E-08	7.30E-02	1.23E-09
Indeno[1,2,3-C,D]pyrene	7.94E-09	7.30E-01	5.80E-09
			1.49E-07
Inhalation			
Benzo[A]anthracene	1.23E-14	6.10E-01	7.50E-15
Benzo[a]pyrene	1.53E-14	6.10E+00	9.34E-14
Benzo[B]fluoranthene	1.45E-14	6.10E-01	8.85E-15
Benzo[K]fluoranthene	3.17E-14	6.10E-01	1.93E-14
Cadmium	6.14E-15	6.10E+00	3.74E-14
Chromium	7.80E-13	4.10E+01	3.20E-11
			3.21E-11
Dermal			
Benzo[A]anthracene	7.24E-08	7.30E-01	5.28E-08
Benzo[a]pyrene	8.76E-08	7.30E+00	6.39E-07
Benzo[B]fluoranthene	8.25E-08	7.30E-01	6.02E-08
Benzo[K]fluoranthene	1.77E-07	7.30E-01	1.29E-07
Chrysene	1.05E-07	7.30E-02	7.65E-09
Indeno[1,2,3-C,D]pyrene	4.92E-08	7.30E-01	3.59E-08
			9.25E-07
			====
Total for Site			1.07E-06

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	5.59E-06	1.00E-03	5.59E-03
Chromium	7.09E-04	5.00E-03	1.42E-01
Copper	4.54E-04	3.70E-03	1.23E-01
Cyanide	5.82E-05	2.00E-02	2.91E-03
Fluoranthene	1.91E-05	4.00E-02	4.78E-04
Mercury	4.93E-07	3.00E-04	1.64E-03
Nitrate	4.84E-05	1.60E+00	3.02E-05
Phenanthrene	1.52E-05	3.00E-02	5.07E-04
Pyrene	1.61E-05	3.00E-02	5.35E-04
Zinc	3.84E-03	3.00E-01	1.28E-02
			2.89E-01
Inhalation			
Mercury	1.32E-11	9.00E-05	1.47E-07
			1.47E-07
Dermal			
Cadmium	3.61E-08	5.00E-04	7.22E-05
Chromium	4.58E-06	5.00E-03	9.16E-04
Cyanide	3.76E-05	2.00E-02	1.88E-03
Fluoranthene	1.23E-05	4.00E-02	3.09E-04
Mercury	3.18E-09	3.00E-04	1.06E-05
Nitrate	3.12E-05	1.60E+00	1.95E-05
Phenanthrene	9.83E-06	3.00E-02	3.28E-04
Pyrene	1.04E-05	3.00E-02	3.46E-04
Zinc	2.48E-05	3.00E-01	8.26E-05
			3.96E-03
			=====
Total for Site			2.93E-01

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	3.61E-07	1.00E-03	3.61E-04
Chromium	3.86E-05	5.00E-03	7.73E-03
Copper	3.22E-05	3.70E-03	8.71E-03
Cyanide	2.94E-06	2.00E-02	1.47E-04
Fluoranthene	1.37E-06	4.00E-02	3.42E-05
Mercury	3.13E-08	3.00E-04	1.04E-04
Nitrate	2.99E-06	1.60E+00	1.87E-06
Phenanthrene	1.10E-06	3.00E-02	3.67E-05
Pyrene	1.19E-06	3.00E-02	3.96E-05
Zinc	2.27E-04	3.00E-01	7.57E-04
			1.79E-02
Inhalation			
Mercury	3.79E-14	9.00E-05	4.21E-10
			4.21E-10
Dermal			
Cadmium	2.24E-08	5.00E-04	4.48E-05
Chromium	2.40E-06	5.00E-03	4.79E-04
Cyanide	1.82E-05	2.00E-02	9.11E-04
Fluoranthene	8.49E-06	4.00E-02	2.12E-04
Mercury	1.94E-09	3.00E-04	6.47E-06
Nitrate	1.85E-05	1.60E+00	1.16E-05
Phenanthrene	6.82E-06	3.00E-02	2.27E-04
Pyrene	7.36E-06	3.00E-02	2.45E-04
Zinc	1.41E-05	3.00E-01	4.69E-05
			2.19E-03
			=====
Total for Site			2.01E-02

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo[a]anthracene	1.81E-10	6.10E-01	1.10E-10
Benzo[a]pyrene	2.23E-10	6.10E+00	1.36E-09
Benzo[b]fluoranthene	2.11E-10	6.10E-01	1.29E-10
Benzo[k]fluoranthene	4.63E-10	6.10E-01	2.82E-10
Cadmium	8.99E-11	6.10E+00	5.48E-10
Chromium	1.14E-08	4.10E+01	4.68E-07
Total For Site			4.71E-07

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo[a]anthracene	5.50E-14	6.10E-01	3.36E-14
Benzo[a]pyrene	6.86E-14	6.10E+00	4.19E-13
Benzo[b]fluoranthene	6.50E-14	6.10E-01	3.96E-14
Benzo[k]fluoranthene	1.42E-13	6.10E-01	8.66E-14
Cadmium	2.75E-14	6.10E+00	1.68E-13
Chromium	3.49E-12	4.10E+01	1.43E-10
Total For Site			1.44E-10

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	1.06E-10	9.00E-05	1.18E-06

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	8.50E-14	9.00E-05	9.44E-10

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	2.27E-11	6.10E-01	1.39E-11
Benzo(a)pyrene	2.81E-11	6.10E+00	1.72E-10
Benzo(b)fluoranthrene	2.66E-11	6.10E-01	1.62E-11
Benzo(k)fluoranthrene	5.81E-11	6.10E-01	3.54E-11
Cadmium	1.13E-11	6.10E+00	6.91E-11
Chromium	1.44E-09	4.10E+01	5.90E-08
Total for Site			5.93E-08

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	9.84E-14	6.10E-01	6.00E-14
Benzo(a)pyrene	1.23E-13	6.10E+00	7.47E-13
Benzo(b)fluoranthrene	1.16E-13	6.10E-01	7.08E-14
Benzo(k)fluoranthrene	2.53E-13	6.10E-01	1.55E-13
Cadmium	4.91E-14	6.10E+00	3.00E-13
Chromium	6.24E-12	4.10E+01	2.56E-10
Total for Site			2.57E-10

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	7.02E-12	9.00E-05	7.80E-08

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	3.03E-14	9.00E-05	3.37E-10

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	2.58E-13	6.10E-01	1.58E-13
Benzo(a)pyrene	3.20E-13	6.10E+00	1.95E-12
Benzo(b)fluoranthrene	3.03E-13	6.10E-01	1.85E-13
Benzo(k)fluoranthrene	6.63E-13	6.10E-01	4.04E-13
Chromium	1.63E-11	4.10E+01	6.70E-10
Total For Site			6.73E-10

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	1.99E-16	6.10E-01	1.21E-16
Benzo(a)pyrene	2.46E-16	6.10E+00	1.50E-15
Benzo(b)fluoranthrene	2.33E-16	6.10E-01	1.42E-16
Benzo(k)fluoranthrene	5.10E-16	6.10E-01	3.11E-16
Cadmium	1.08E-16	6.10E+00	6.61E-16
Chromium	1.25E-14	4.10E+01	5.14E-13
Total For Site			5.17E-13

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Risk Factor
Mercury	8.46E-14	9.00E-05	9.40E-10

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Risk Factor
Mercury	6.80E-17	9.00E-05	7.56E-13

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	5.31E-13	6.10E-01	3.24E-13
Benzo(a)pyrene	6.58E-13	6.10E+00	4.02E-12
Benzo(b)fluoranthrene	6.23E-13	6.10E-01	3.80E-13
Benzo(k)fluoranthrene	1.36E-12	6.10E-01	8.30E-13
Cadmium	2.64E-13	6.10E+00	1.61E-12
Chromium	2.56E-10	4.10E+01	1.37E-09
Total for Site			1.38E-09

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	4.12E-16	6.10E-01	2.51E-16
Benzo(a)pyrene	5.10E-16	6.10E+00	3.11E-15
Benzo(b)fluoranthrene	4.82E-16	6.10E-01	2.94E-16
Benzo(k)fluoranthrene	1.06E-15	6.10E-01	6.45E-16
Cadmium	2.05E-16	6.10E+00	1.25E-15
Chromium	2.60E-14	4.10E+01	1.06E-12
Total For Site			1.07E-12

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	1.75E-13	9.00E-05	1.94E-09

Off-Site Resident (Grantsville) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	1.41E-16	9.00E-05	1.56E-12

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	3.18E-13	6.10E-01	1.94E-13
Benzo(a)pyrene	3.94E-13	6.10E+00	2.40E-12
Benzo(b)fluoranthrene	3.73E-13	6.10E-01	2.28E-13
Benzo(k)fluroantrhene	8.78E-13	6.10E-01	4.98E-13
Cadmium	1.58E-13	6.10E+00	9.66E-13
Chromium	2.02E-11	4.10E+01	8.26E-10
Total For Site			8.31E-10

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Benzo(a)anthracene	2.48E-10	6.10E-01	1.51E-16
Benzo(a)pyrene	3.06E-16	6.10E+00	1.87E-15
Benzo(b)fluoranthrene	2.90E-16	6.10E-01	1.77E-16
Benzo(k)fluoranthrene	6.34E-16	6.10E-01	3.87E-16
Cadmium	1.23E-16	6.10E+00	7.50E-16
Chromium	1.56E-14	4.10E+01	6.40E-13
Total For Site			6.43E-13

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Mercury	1.05E-13	9.00E-5	1.17E-09

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Mercury	8.44E-17	9.00E-05	9.38E-13

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Benzo[A]anthracene	1.22E-06	7.30E-01	8.89E-07
Benzo[a]pyrene	1.51E-06	7.30E+00	1.110E-05
Benzo[B]fluoranthene	1.42E-06	7.30E-01	1.04E-06
Benzo[K]fluoranthene	3.12E-06	7.30E-01	2.28E-06
Bis(2-ethylhexyl)phthalate	1.57E-06	1.40E-02	2.20E-08
Chrysene	1.79E-06	7.30E-02	1.31E-07
Indeno[1,2,3-C,D]pyrene	8.40E-07	7.30E-01	6.13E-07
			1.60E-05
Inhalation			
Benzo[A]anthracene	3.21E-10	6.10E-01	1.96E-10
Benzo[a]pyrene	3.97E-10	6.10E+00	2.42E-09
Benzo[B]fluoranthene	3.76E-10	6.10E-01	2.29E-10
Benzo[K]fluoranthene	8.22E-10	6.10E-01	5.01E-10
Cadmium	1.60E-10	6.10E+00	9.74E-10
Chromium	2.03E-08	4.10E+01	8.32E-07
			8.36E-07
Dermal			
Benzo[A]anthracene	7.28E-06	7.30E-01	5.32E-06
Benzo[a]pyrene	9.02E-06	7.30E+00	6.58E-05
Benzo[B]fluoranthene	8.52E-06	7.30E-01	6.22E-06
Benzo[K]fluoranthene	1.87E-05	7.30E-01	1.36E-05
Bis(2-ethylhexyl)phthalate	9.41E-06	1.40E-02	1.32E-07
Chrysene	1.07E-05	7.30E-02	7.83E-07
Indeno[1,2,3-C,D]pyrene	5.03E-06	7.30E-01	3.67E-06
			9.56E-05
			====
Total for Site			1.12E-04

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
Benzo[A]anthracene	1.47E-07	7.30E-01	1.07E-07
Benzo[a]pyrene	1.78E-07	7.30E+00	1.30E-06
Benzo[B]fluoranthene	1.67E-07	7.30E-01	1.22E-07
Benzo[K]fluoranthene	3.59E-07	7.30E-01	2.62E-07
Chrysene	2.13E-07	7.30E-02	1.56E-08
Indeno[1,2,3-C,D]pyrene	1.00E-07	7.30E-01	7.33E-08
			1.88E-06
Inhalation			
Benzo[A]anthracene	2.48E-13	6.10E-01	1.57E-13
Benzo[a]pyrene	3.09E-13	6.10E+00	1.88E-12
Benzo[B]fluoranthene	2.92E-13	6.10E-01	1.78E-13
Benzo[K]fluoranthene	6.39E-13	6.10E-01	3.90E-13
Chromium	1.57E-11	4.10E+01	6.44E-10
Cadmium	1.24E-13	6.10E+00	7.55E-13
			6.48E-10
Dermal			
Benzo[A]anthracene	9.12E-07	7.30E-01	6.66E-07
Benzo[a]pyrene	1.10E-06	7.30E+00	8.05E-06
Benzo[B]fluoranthene	1.04E-06	7.30E-01	7.59E-07
Benzo[K]fluoranthene	2.23E-06	7.30E-01	1.63E-06
Chrysene	1.32E-06	7.30E-02	9.64E-08
Indeno[1,2,3-C,D]pyrene	6.20E-07	7.30E-01	4.53E-07
			1.17E-05
			====
Total for Site			1.35E-05

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	4.60E-06	1.00E-03	4.60E-03
Chromium	5.88E-04	5.00E-03	1.18E-01
Copper	3.75E-04	3.70E-03	1.01E-01
Cyanide	4.81E-05	2.00E-02	2.41E-03
Fluoranthene	1.58E-05	4.00E-02	3.95E-04
Mercury	4.06E-07	3.00E-04	1.35E-03
Nitrate	3.99E-05	1.60E+00	2.49E-05
Phenanthrene	1.26E-05	3.00E-02	4.19E-04
Pyrene	1.33E-05	3.00E-02	4.42E-04
Zinc	3.17E-03	3.00E-01	1.06E-02
			2.39E-01
Inhalation			
Mercury	1.06E-10	9.00E-05	1.18E-06
			1.18E-06
Dermal			
Cadmium	2.70E-07	5.00E-04	5.40E-04
Chromium	3.45E-05	5.00E-03	6.90E-03
Cyanide	2.83E-04	2.00E-02	1.41E-02
Fluoranthene	9.28E-05	4.00E-02	2.32E-03
Mercury	2.38E-08	3.00E-04	7.94E-05
Nitrate	2.34E-04	1.60E+00	1.46E-04
Phenanthrene	7.38E-05	3.00E-02	2.46E-08
Pyrene	7.79E-05	3.00E-02	2.60E-03
Zinc	1.86E-04	3.00E-01	6.21E-04
			2.98E-02
			=======
Total for Site			2.69E-01

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Cadmium	5.05E-07	1.00E-03	5.05E-04
Chromium	5.41E-05	5.00E-03	1.08E-02
Copper	4.51E-05	3.70E-03	1.22E-02
Cyanide	4.12E-06	2.00E-02	2.06E-04
Fluoranthene	1.92E-06	4.00E-02	4.79E-05
Mercury	4.38E-08	3.00E-04	1.46E-04
Nitrate	4.18E-06	1.60E+00	2.62E-06
Phenanthrene	1.54E-06	3.00E-02	5.14E-05
Pyrene	1.66E-06	3.00E-02	5.55E-05
Zinc	3.18E-04	3.00E-01	1.06E-03
			2.51E-02
Inhalation			
Mercury	8.86E-14	9.00E-05	9.84E-10
			9.84E-10
Dermal			
Cadmium	3.13E-08	5.00E-04	6.27E-05
Chromium	3.35E-06	5.00E-03	6.71E-04
Cyanide	2.55E-05	2.00E-02	1.28E-03
Fluoranthene	1.19E-05	4.00E-02	2.97E-04
Mercury	2.72E-09	3.00E-04	9.06E-06
Nitrate	2.59E-05	1.60E+00	1.62E-05
Phenanthrene	9.55E-06	3.00E-02	3.18E-04
Pyrene	1.03E-05	3.00E-02	3.44E-04
Zinc	1.97E-05	3.00E-01	6.57E-05
			3.06E-03
			====
Total for Site			2.81E-02

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	4.40E-07	3.02E-02	1.33E-08
RDX	2.41E-06	1.10E-01	2.65E-07
			2.79E-07
Inhalation			
Cadmium	4.73E-11	6.10E+00	2.89E-10
Dermal			
2,4,6-Trinitrotoluene	2.73E-06	3.20E-02	8.74E-08
RDX	1.49E-05	1.10E-01	1.64E-06
			1.73E-06
			======
Total for Site			2.01E-06

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	7.34E-08	3.00E-02	2.20E-09
RDX	3.01E-07	1.10E-01	3.31E-08
			3.53E-08
Inhalation	6.76E-14	6.10E+00	4.13E-13
Dermal			
2,4,6-Trinitrotoluene	4.55E-07	3.00E-02	1.36E-08
RDX	1.87E-06	1.10E-01	2.05E-07
			2.19E-07
			=====
Total for Site			2.54E-07

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4-Dinitrotoluene	3.12E-07	2.00E-03	1.56E-04
2,4,6-Trinitrotoluene	1.03E-06	5.00E-04	2.05E-03
Cadmium	7.09E-07	5.00E-04	1.42E-03
Copper	3.00E-05	3.70E-03	8.12E-03
HMX	1.14E-06	5.00E-02	2.27E-05
RDX	5.63E-06	3.00E-03	1.88E-03
Silver	1.96E-07	5.00E-03	3.91E-05
Zinc	5.82E-05	3.00E-01	1.94E-04
			1.39E-02
Inhalation			
No data for this time period			
Dermal			
2,4-Dinitrotoluene	1.93E-06	2.00E-03	9.66E-04
Cadmium	4.40E-08	5.00E-04	8.80E-05
HMX	7.04E-06	5.00E-02	1.41E-04
RDX	3.49E-05	3.00E-03	1.16E-02
Zinc	3.61E-06	3.00E-01	1.20E-05
			1.28E-02
			====
Total for Site			2.67E-02

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4-Dinitrotoluene	2.28E-07	2.00E-03	1.14E-04
2,4,6-Trinitrotoluene	5.14E-07	5.00E-04	1.03E-03
Cadmium	3.52E-07	1.00E-03	3.52E-04
Copper	1.74E-05	3.70E-03	4.71E-03
HMX	6.36E-07	5.00E-02	1.27E-05
RDX	2.11E-06	3.00E-03	7.03E-04
Silver	1.17E-07	5.00E-03	2.34E-05
Zinc	4.12E-05	3.00E-01	1.37E-04
			7.08E-03
Inhalation			
No data for this time period			
Dermal			
2,4-Dinitrotoluene	1.41E-06	2.00E-03	7.07E-04
Cadmium	2.18E-08	5.00E-04	4.37E-05
RDX	1.31E-05	3.00E-03	4.36E-03
Zinc	2.56E-06	3.00E-01	8.52E-06
			5.12E-03
			====
Total for Site			1.22E-02

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	1.17E-07	3.02E-02	3.53E-09
RDX	7.39E-07	1.10E-01	8.13E-08
			8.48E-08
Inhalation			
Cadmium	2.38E-12	6.10E+00	1.45E-11
Dermal			
2,4,6-Trinitrotoluene	7.55E-08	3.02E-02	2.28E-09
RDX	4.77E-07	1.10E-01	5.25E-08
			5.48E-08
			====
Total for Site			1.40E-07

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	7.08E-09	3.02E-02	2.14E-10
RDX	3.62E-08	1.10E-01	3.98E-09
			4.20E-09
Inhalation			
Cadmium	6.76E-15	6.10E+00	4.13E-14
Dermal			
2,4,6-Trinitrotoluene	4.39E-08	3.02E-02	1.33E-09
RDX	2.24E-07	1.10E-01	2.47E-08
			2.60E-08
			====
Total for Site			3.02E-08

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4-Dinitrotoluene	4.17E-06	2.00E-03	2.09E-03
2,4,6-Trinitrotoluene	8.18E-06	5.00E-04	1.64E-02
Cadmium	4.99E-06	5.00E-04	9.98E-03
Copper	2.87E-04	3.70E-03	7.76E-02
HMX	8.62E-06	5.00E-02	1.72E-04
RDX	5.17E-05	3.00E-03	1.72E-02
Silver	1.63E-06	5.00E-03	3.26E-04
Zinc	4.31E-04	3.00E-01	1.44E-03
			1.25E-01
Inhalation			
No data for this time period			
Dermal			
2,4-Dinitrotoluene	2.69E-06	2.00E-03	1.35E-03
Cadmium	3.22E-08	5.00E-04	6.45E-05
RDX	3.34E-05	3.00E-03	1.11E-02
Zinc	2.78E-04	3.00E-01	9.27E-04
			1.35E-02
			====
Total for Site			1.39E-01

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4-Dinitrotoluene	2.92E-07	2.00E-03	1.46E-04
2,4,6-Trinitrotoluene	4.96E-07	5.00E-04	9.92E-04
Cadmium	2.81E-07	5.00E-04	5.63E-04
Copper	1.79E-05	3.70E-03	4.84E-03
HMX	5.54E-07	5.00E-02	1.11E-05
RDX	2.54E-06	3.00E-03	8.45E-04
Silver	1.06E-07	5.00E-03	2.12E-05
Zinc	3.19E-05	3.00E-01	1.06E-04
			7.52E-03
Inhalation			
No data for this time period			
Dermal			
2,4-Dinitrotoluene	1.81E-06	2.00E-03	9.04E-04
Cadmium	1.74E-08	5.00E-04	3.49E-05
RDX	1.54E-05	3.00E-03	5.24E-03
Zinc	1.98E-06	3.00E-01	6.60E-06
			6.19E-03
			====
Total for Site			1.37E-02

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.00E-10	6.10E+00	6.11E-10

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	3.03E-14	6.10E+00	1.85E-13

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data for this time period			

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.26E-11	6.10E+00	7.70E-11

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	5.41E-14	6.10E+00	3.30E-13

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
No data available			

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	4.46E-14	6.10E+00	2.72E-13

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	3.39E-17	6.10E+00	2.07E-16

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.36E-13	6.10E+00	8.30E-13

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	1.04E-16	6.10E+00	6.35E-16

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Average (Grantsville) Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	4.82E-14	6.10E+00	2.94E-13

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Cadmium	3.70E-17	6.10E+00	2.25E-16

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
No data available			

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	1.07E-06	3.00E-02	3.21E-08
RDX	5.85E-06	1.10E-01	6.44E-07
			6.76E-07
Inhalation			
Cadmium	1.78E-10	6.10E+00	1.09E-09
Dermal			
2,4,6-Trinitrotoluene	6.39E-06	3.00E-02	1.92E-07
RDX	3.50E-05	1.10E-01	3.85E-06
			4.04E-06
			====
Total for Site			4.72E-06

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Ingestion			
2,4,6-Trinitrotoluene	9.25E-08	3.00E-02	2.77E-09
RDX	3.80E-07	1.10E-01	4.18E-08
			4.45E-08
Inhalation			
Cadmium	1.36E-13	6.10E+00	8.32E-13
Dermal			
2,4,6-Trinitrotoluene	5.73E-07	3.00E-02	1.72E-08
RDX	2.35E-06	1.10E-01	2.59E-07
			2.76E-07
			====
Total for Site			3.21E-07

Future On-Site 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4-Dinitrotoluene	2.47E-06	2.00E-03	1.24E-03
2,4,6-Trinitrotoluene	8.15E-06	5.00E-04	1.63E-02
Cadmium	5.63E-06	1.00E-03	5.63E-03
Copper	2.83E-04	3.70E-03	6.44E-02
HMX	9.00E-06	5.00E-02	1.80E-04
RDX	4.46E-05	3.00E-03	1.49E-02
Silver	1.55E-06	5.00E-03	3.11E-04
Zinc	4.62E-04	3.00E-01	1.54E-03
			1.04E-01
Inhalation			
RFDs were unavailable for contaminants of concern			
Dermal			
2,4-Dinitrotoluene	1.45E-05	2.00E-03	7.26E-03
Cadmium	3.30E-07	5.00E-04	6.61E-04
HMX	5.29E-05	5.00E-02	1.06E-03
RDX	2.62E-04	3.00E-03	8.73E-02
Zinc	2.71E-05	3.00E-01	9.04E-05
			9.64E-02
			====
Total for Site			2.01E-01

Future On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
2,4-Dinitrotoluene	3.19E-07	2.00E-03	1.60E-04
2,4,6-Trinitrotoluene	7.19E-07	5.00E-04	1.44E-03
Cadmium	4.93E-07	1.00E-03	4.93E-04
Copper	2.44E-05	3.70E-03	6.59E-03
HMX	8.90E-07	5.00E-02	1.78E-05
RDX	2.95E-06	3.00E-03	9.84E-04
Silver	1.64E-07	5.00E-03	3.27E-05
Zinc	5.77E-05	3.00E-01	1.92E-04
			9.91E-03
Dermal			
2,4-Dinitrotoluene	1.98E-06	2.00E-03	9.89E-04
Cadmium	3.06E-08	5.00E-04	6.12E-05
RDX	1.83E-05	3.00E-03	6.10E-03
Zinc	3.58E-06	3.00E-01	1.19E-05
			7.16E-03
			====
Total for Site			1.71E-02

On-Site Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	5.13E-10	8.40E-01	4.31E-10

On-Site Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	2.05E-10	8.40E-01	1.72E-10

On-Site Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Nickel	2.05E-05	2.00E-02	1.02E-03
Pyrene	4.82E-07	3.00E-02	1.61E-05
			1.04E-03
Inhalation			
Nickel	1.49E-09	4.00E-03	3.59E-07
Pyrene	3.39E-11	2.40E-02	1.41E-09
			3.61E-07
Dermal			
Nickel	8.79E-07	2.00E-03	4.40E-04
Pyrene	2.07E-07	1.20E-02	1.73E-05
			4.57E-04
			=====
Total for Site			1.49E-03

On-Site Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Nickel	1.02E-05	2.00E-02	5.11E-04
Pyrene	2.41E-07	3.00E-02	8.04E-06
			5.19E-04
Inhalation			
Nickel	1.44E-09	4.00E-03	3.59E-07
Pyrene	3.39E-11	2.40E-02	1.41E-09
			3.61E-07
Dermal			
Nickel	1.76E-07	2.00E-03	8.79E-05
Pyrene	4.15E-08	1.20E-02	3.46E-06
			9.14E-05
Total for Site			6.11E-04

Construction Worker 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	3.09E-11	8.40E-01	2.60E-11

Construction Worker Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	2.05E-11	8.40E-01	1.72E-11

Construction Worker 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Nickel	9.82E-05	2.00E-02	4.91E-03
Pyrene	1.84E-06	3.00E-02	6.14E-05
			4.97E-03
Inhalation			
Nickel	2.16E-09	4.00E-03	5.41E-07
Pyrene	5.11E-11	2.40E-02	2.13E-09
			5.43E-07
Dermal			
Nickel	8.79E-07	2.00E-03	4.40E-04
Pyrene	1.65E-07	1.20E-02	1.37E-05
			4.53E-04
			=====
Total for Site			5.43E-03

Construction Worker Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Nickel	1.02E-05	2.00E-02	5.11E-04
Pyrene	1.92E-07	3.00E-02	6.39E-06
			5.18E-04
Inhalation			
Nickel	1.44E-09	4.00E-03	3.59E-07
Pyrene	3.39E-11	2.40E-02	1.41E-09
			3.61E-07
Dermal			
Nickel	1.76E-07	2.00E-03	8.79E-05
Pyrene	3.30E-08	1.20E-02	2.75E-06
			9.75E-05
Total for Site			6.08E-04

Current On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	7.26E-10	8.40E-01	6.10E-10

Current On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	6.15E-11	8.40E-01	5.17E-11

Current Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	1.74E-08	4.00E-03	4.34E-06
Pyrene	4.10E-10	2.40E-02	1.71E-08
			4.36E-06
Beef Ingestion			
Nickel	3.13E-03	2.00E-02	1.57E-01
Pyrene	1.11E-05	3.00E-02	3.71E-04
			1.57E-01
Total for Site			1.57E-01

Current On-Site Resident Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	2.15E-09	4.00E-03	5.38E-07
Pyrene	5.08E-11	2.40E-02	2.12E-09
			5.40E-07
Beef Ingestion			
Nickel	3.24E-04	2.00E-02	1.62E-02
Pyrene	1.15E-06	3.00E-02	3.84E-05
			1.62E-02
Total for Site			1.62E-02

School 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	4.60E-11	8.40E-01	3.86E-11

School Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	2.30E-11	8.40E-01	1.93E-11

School 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	8.05E-10	4.00E-03	2.01E-07
Pyrene	1.90E-11	2.40E-02	7.92E-10
Total for Site			2.02E-07

School Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	8.05E-10	4.00E-03	2.01E-07
Pyrene	1.90E-11	2.40E-02	7.92E-10
Total for Site			2.02E-07

Off-Site Resident (Tooele) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	3.91E-11	8.40E-01	3.29E-11

Off-Site Resident (Tooele) Average Carcinogenic

Analyte	CDI	RFD	Risk Factor
Inhalation			
Nickel	4.68E-12	8.40E-01	3.93E-12

Off-Site Resident (Tooele) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	2.93E-10	4.00E-03	7.33E-08
Pyrene	6.93E-12	2.40E-02	2.89E-10
			7.36E-08
Beef Ingestion			
Nickel	3.13E-03	2.00E-02	1.57E-01
Pyrene	1.11E-05	3.00E-02	3.71E-04
			1.57E-01
Total for Site			1.57E-01

Off-Site Resident (Tooele) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	3.64E-11	4.00E-03	9.09E-09
Pyrene	8.59E-13	2.40E-02	3.58E-11
			9.13E-09
Beef Ingestion			
Nickel	3.24E-04	2.00E-02	1.62E-02
Pyrene	1.15E-06	3.00E-02	3.84E-05
			1.62E-02
Total for Site			1.62E-02

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	6.74E-11	8.40E-01	5.66E-11

Off-Site Resident (Grantsville) Average Carcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	8.05E-12	8.40E-01	6.76E-12

Off-Site Resident (Grantsville) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	5.05E-10	4.00E-03	1.26E-07
Pyrene	1.19E-11	2.40E-02	4.95E-10
			1.27E-07
Beef Ingestion			
Nickel	3.13E-03	2.00E-02	1.57E-01
Pyrene	1.11E-05	3.00E-02	3.71E-04
			1.57E-01
Total for Site			1.57E-01

Off-Site Resident (Grantsville) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	6.26E-11	4.00E-03	1.57E-08
Pyrene	1.47E-12	2.40E-02	6.13E-11
			1.57E-08
Beef Ingestion			
Nickel	3.24E-04	2.00E-02	1.62E-02
Pyrene	1.15E-06	3.00E-02	3.84E-05
			1.62E-02
Total for Site			1.62E-02

Off-Site Resident (Stockton) 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	3.18E-11	8.40E-01	2.67E-11

Off-Site Resident (Stockton) Average Carcinogenic

Analyte	CDI	RFD	Risk Factor
Inhalation			
Nickel	3.80E-12	8.40E-01	3.19E-12

Off-Site Resident (Stockton) 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	2.38E-10	4.00E-03	5.96E-08
Pyrene	5.61E-12	2.40E-02	2.34E-10
			5.98E-08
Beef Ingestion			
Nickel	3.13E-03	2.00E-02	1.57E-01
Pyrene	1.11E-05	3.00E-02	3.71E-04
			1.57E-01
Total for Site			1.57E-01

Off-Site Resident (Stockton) Average Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Inhalation			
Nickel	2.96E-11	4.00E-03	7.39E-09
Pyrene	6.96E-13	2.40E-02	2.90E-11
			7.42E-09
Beef Ingestion			
Nickel	3.24E-04	2.00E-02	1.62E-02
Pyrene	1.15E-06	3.00E-02	3.84E-05
			1.62E-02
Total for Site			1.62E-02

Future On-Site Resident 95% Upper Confidence Limit Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	2.32E-09	8.40E-01	1.95E-09

Future On-Site Resident Average Carcinogenic

Analyte	CDI	Slope Factor	Risk Factor
Inhalation			
Nickel	2.77E-10	8.40E-01	2.32E-10

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Nickel	2.96E-04	2.00E-02	1.48E-02
Pyrene	6.98E-06	3.00E-02	2.33E-04
			1.50E-02
Inhalation			
Nickel	1.74E-08	4.00E-03	4.34E-06
Pyrene	4.10E-10	2.40E-02	1.71E-08
			4.36E-06
Dermal			
Nicle	4.04E-06	2.00E-03	2.02E-03
Pyrene	9.52E-07	1.20E-02	7.94E-05
			2.10E-03
Beef Ingestion			
Nickel	3.13E-03	2.00E-02	1.57E-01
Pyrene	1.11E-05	3.00E-02	3.71E-04
			1.57E-01
Vegetable Ingestion			
Nickel	1.30E-01	2.00E-02	6.49E+00
Pyrene	3.06E-06	3.00E-02	1.02E-04
			6.49E+00
Fruit Ingestion			
Nickel	6.18E-02	2.00E-02	3.41E+00
Pyrene	1.61E-06	3.00E-02	5.36E-05
			3.41E+00
Total for Site			1.01E+01

Future On-Site Resident 95% Upper Confidence Limit Noncarcinogenic

Analyte	CDI	RFD	Hazard Index
Ingestion			
Nickel	1.48E-04	2.00E-02	7.40E-03
Pyrene	3.49E-06	3.00E-02	1.16E-04
			7.51E-03
Inhalation			
Nickel	2.15E-09	4.00E-03	5.38E-07
Pyrene	5.08E-11	2.40E-02	2.12E-09
			5.40E-07
Dermal			
Nickel	1.65E-07	2.00E-03	8.23E-05
Pyrene	3.88E-08	1.20E-02	3.24E-06
			8.55E-05
Beef Ingestion			
Nickel	3.24E-04	2.00E-02	1.62E-02
Pyrene	1.15E-06	3.00E-02	3.84E-05
			1.63E-02
Vegetable Ingestion			
Nickel	1.43E-02	2.00E-02	7.16E-01
Pyrene	3.38E-07	3.00E-02	1.13E-05
			7.16E-01
Fruit Ingestion			
Nickel	8.02E-03	2.00E-02	4.01E-01
Pyrene	1.89E-07	3.00E-02	6.30E-06
			4.01E-01
			=====
Total for Site			1.14E+00